

Mode! Charging

Transducer No.	Start	Stop	Name
Final Measurement: 100%	3	10R	Eighty
Reac. Time: 100%			
Intercept: 100%			
Acc. Reading: 100%			



Ctrl. No.: *N/A*

Report No.: 9901575

Mode ! Charging

Tested By: Hong, Report No.: 9901575

Scan Settings (1 Range)

----- Frequencies -----			----- Receiver Settings -----					
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp	OpRge
450k	30M	5k	10k	PK	20ms	AUTO	LN OFF	60dB

Final Measurement Results:

no Results

Ctrl. No.: N/A

Report No.: 9901575
Made ! Standby

Tested By: Meng, Report No.: 9901575

Scan Settings: F Range

Start Stop Step IF BW Detector H-Tune Att'n Preamp OpRge
 150K 200 10 100 00 1000 AUTO LN OFF 60dB

Transceiver No. Start Stop Name
 0 00 100 E1078

Final Measurement: R-QF

Meas. Time: 1.00

Subrange: 10

Acc. Reading: 100dB

150K

100

50

0

10


20

30

40

50

1.0



50dB

2.0

50

PAGE 1

Ctrl. No.: N/A

Report No.: 9901575

Mode: Standby

Tested By: Hong, Report No.: 9901575

Scan Settings (1 Range)

----- Frequencies -----			----- Receiver Settings -----					
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp	OpRge
450k	30M	5k	10k	PK	20ms	AUTO	LN OFF	60dB

Final Measurement Results:

no Results

Ctrl. No.: N/A

Report No.: 9901575

Made: Transmission

Tested By: Hong, Report No.: 9901575

Scan Settings: 11 Range


Frequency: 4500 Hz Stop 5000 Hz IF BW: 500 Hz Detector: PR Time: 100 ms Auto LN: OFF 50dB

Final Measurement: 11 dB

Transducer: HZ Start: 4500 Stop: 5000 Name: E1-08

Read Time: 1.00 s
Auto: 100 ms
Auto: 100 ms

dBm



Power

MHz

Page: 1

Ctrl. No.: N/A

Report No.: 9901575

Made! Transmission

Tested By: Hong, Report No.: 9901575

Scan Settings (1 Range)

|----- Frequencies -----||----- Receiver Settings -----|

Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp	OpRge
450k	30M	5k	10k	PK	20ms	AUTO	LN OFF	60dB

Final Measurement Results:

no Results

Ctrl. No.: N/A