



JQA Application No. : KL80050230
Model No. : A5514SA
FCC ID : NRNA5514SA

Regulation : CFR 47 FCC Rules Part 22
Issue Date : July 7, 2005

Page 1 of 7

Attachment A
Occupied Bandwidth Measurement
CDMA800


Test Date: July 1, 2005
Temp.: 21 °C ; Humi.: 70 %

CH No.	Transmitting Frequency(MHz)	26dB Bandwidth	99% Bandwidth	Data Page
1013	824.70	1.40 MHz	1.27 MHz	Page 2
383	836.49	1.41 MHz	1.29 MHz	Page 3
777	848.31	1.40 MHz	1.28 MHz	Page 4

Tester : Shigeru Kinoshita


Occupied Bandwidth Measurement

Transmitting Frequency : 824.70MHz (1013 ch)




Occupied Bandwidth Measurement

Transmitting Frequency : 836.49MHz (383 ch)



Occupied Bandwidth Measurement

Transmitting Frequency : 848.31MHz (1013 ch)



Band-Edge Emission Measurement CDMA800

Test Date: July 1, 2005

Temp.: 21 °C ; Humi.: 70 %

1) Low Band-Edge Measurement

CH	Transmitting Frequency(MHz)	Band-Edge Frequency(MHz)	Band-Edge Level[dBm]	Data Page
1013	824.70	824.00	-18.36	Page 6

2) High Band-Edge Measurement

CH	Transmitting Frequency(MHz)	Band-Edge Frequency(MHz)	Band-Edge Level[dBm]	Data Page
777	848.31	849.0	-16.40	Page 7


Note) The point shown on " _____ " is the Maximum Point.

Tester : Shigeru Kinoshita

Band-Edge Emission Measurement

Transmitting Frequency : 824.70MHz (1013 ch)

Band-Edge Frequency : 824.00 MHz



Band-Edge Emission Measurement

Transmitting Frequency : 848.31MHz (777 ch)

Band-Edge Frequency : 849.00 MHz

