

Standard : FCC Part15 SubpartC
 Model : TMW885A-2
 S/N : 00003
 Product Name : 2.4GHz Wireless LAN Card
 File No : 039
 Power Source : DC 3.3V From Note PC
 Temp/Humi : 22deg / 48%
 Test Mode : Transmission / Receive
 Remarks : CH1:2412MHz , PC:AC120V/60Hz
 Operator : M.HORIGANE

Final Result

--- Horizontal Polarization (AV)---

No.	Frequency [MHz]	Reading [dB(μV)]	c.f [dB(1/m)]	Result [dB(μV/m)]	Limit [dB(μV/m)]	Margin [dB]
1	2412.585	57.1	32.4	89.5		
2	4823.873	10.9	38.4	49.3	54.0	4.7


--- Vertical Polarization (AV)---

No.	Frequency [MHz]	Reading [dB(μV)]	c.f [dB(1/m)]	Result [dB(μV/m)]	Limit [dB(μV/m)]	Margin [dB]
1	2412.605	57.5	32.4	89.9		
2	4823.753	11.5	38.4	49.9	54.0	4.1

Model : TMW885A-2
S/N : 00003
Product Name : 2.4GHz Wireless LAN Card
File No : 039
Power Source : DC 3.3V From Note PC

Standard : FCC Part15 SubpartC
Temp/Humi : 22deg / 48%
Test Mode : Transmission / Receive
Remarks : CH1:2412MHz , PC:AC120V/60Hz
Operator : M.HORIGANE

[dB(μV/m)]



<FCC15C>

— Limit (AV)

<1E00182039>

○ Horizontal (AV)

× Vertical (AV)

Standard : FCC Part15 SubpartC
 Model : TMW885A-2
 S/N : 00003
 Product Name : 2.4GHz Wireless LAN Card
 File No : 040
 Power Source : DC 3.3V From Note PC
 Temp/Humi : 22deg / 48%
 Test Mode : Transmission/Receive
 Remarks : CH6:2437MHz,PC:AC120V/60Hz
 Operator : M.HORIGANE

Final Result

--- Horizontal Polarization (AV)---

No.	Frequency [MHz]	Reading [dB(μV)]	c.f [dB(1/m)]	Result [dB(μV/m)]	Limit [dB(μV/m)]	Margin [dB]
1	2437.815	56.9	32.4	89.3		
2	4873.908	11.5	38.7	50.2	54.0	3.8


--- Vertical Polarization (AV)---

No.	Frequency [MHz]	Reading [dB(μV)]	c.f [dB(1/m)]	Result [dB(μV/m)]	Limit [dB(μV/m)]	Margin [dB]
1	2437.815	59.4	32.4	91.8		
2	4873.908	13.8	38.7	52.5	54.0	1.5

Model : TMW885A-2
S/N : 00003
Product Name : 2.4GHz Wireless LAN Card
File No : 040
Power Source : DC 3.3V From Note PC

Standard : FCC Part15 SubpartC
Temp/Humi : 22deg / 48%
Test Mode : Transmission/Receive
Remarks : CH6:2437MHz, PC:AC120V/60Hz
Operator : M.HORIGANE

[dB(μV/m)]



<FCC15C>

— Limit (AV)

<1E00182040>

○ Horizontal (AV)

× Vertical (AV)

***** IPS Corporation *****

<<Radiated Emission>>

25 January, 2001 17:26

1E00182041.dat

Standard : FCC Part15 SubpartC
Model : TMW885A-2
S/N : 00003
Product Name : 2.4GHz Wireless LAN Card
File No : 041
Power Source : DC 3.3V From Note PC
Temp/Humi : 22deg / 48%
Test Mode : Transmission/Receive
Remarks : CH11:2462MHz,PC:AC120V/60Hz
Operator : M.HORIGANE

Final Result

--- Horizontal Polarization (AV)---

No.	Frequency [MHz]	Reading [dB(μV)]	c.f [dB(1/m)]	Result [dB(μV/m)]	Limit [dB(μV/m)]	Margin [dB]
1	2462.675	58.6	32.4	91.0		
2	4923.913	11.9	38.9	50.8	54.0	3.2


--- Vertical Polarization (AV)---

No.	Frequency [MHz]	Reading [dB(μV)]	c.f [dB(1/m)]	Result [dB(μV/m)]	Limit [dB(μV/m)]	Margin [dB]
1	2462.755	60.1	32.4	92.5		
2	4923.863	14.5	38.9	53.4	54.0	0.6

Model : TMW885A-2
S/N : 00003
Product Name : 2.4GHz Wireless LAN Card
File No : 041
Power Source : DC 3.3V From Note PC

Standard : FCC Part15 SubpartC
Temp/Humi : 22deg / 48%
Test Mode : Transmission/Receive
Remarks : CH11:2462MHz,PC:AC120V/60Hz
Operator : M.HORIGANE

[dB(μV/m)]



<FCC15C>

— Limit (AV)

<1E00182041>

○ Horizontal (AV)

× Vertical (AV)