
INTERTEK TESTING SERVICES

EXHIBIT 7

INSTRUCTION MANUAL

INTERTEK TESTING SERVICES

7.0 Instruction Manual

Attached is a preliminary copy of the Instruction Manual.

This manual will be provided to the end-user with each unit sold/leased in the United States.

3 of 6

User Instructions Floor Lamp Model 20201

Input Rating: 120 V, 60 Hz, 60 Watts

1. Remove the lamp from the packing carton and assemble the metal parts according to the diagram attached.
2. Before connecting to AC mains, plug in the 55W fluorescent tube into the ballast mounted in the center of the reflector lamp shade.
3. Plug in the three-prong AC plug of the power cord into an outlet with earth ground connection.
4. Rotate clockwise the VR/Switch knob to switch on the lamp.
5. To increase brightness, rotate the VR/Switch knob further clockwise.

Maintenance

The lamp is designed to operate standing in the upright position for indoor use. If it becomes dirty, wipe it with a piece of dry cloth. Replace fluorescent tube with the same type and wattage.

Warning: Changes or modifications to this unit not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

NOTE: This equipment has been tested and found to comply with the limits for ISM equipment, pursuant to Part 18 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications.

However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- * Reorient or relocate the receiving antenna.
- * Increase the separation between the equipment and receiver.
- * Connect the equipment into an outlet on a circuit different from that to which the receiver is needed.
- * Consult the dealer or an experienced radio/TV technician for help.

2 of 6

User Instructions Floor Lamp Model 20204

Input Rating: 120 V, 60 Hz, 43 Watts

1. Remove the lamp from the packing carton and assemble the metal parts according to the diagram attached.
2. Before connecting to AC mains, plug in the 38W fluorescent tube into the ballast mounted in the center of the reflector lamp shade.
3. Plug in the three-prong AC plug of the power cord into an outlet with earth ground connection.
4. Rotate clockwise the VR/Switch knob to switch on the lamp.
5. To increase brightness, rotate the VR/Switch knob further clockwise.

Maintenance

The lamp is designed to operate standing in the upright position for indoor use. If it becomes dirty, wipe it with a piece of dry cloth. Replace fluorescent tube with the same type and wattage.

Warning: Changes or modifications to this unit not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

NOTE: This equipment has been tested and found to comply with the limits for ISM equipment, pursuant to Part 18 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications.

However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- * Reorient or relocate the receiving antenna.
- * Increase the separation between the equipment and receiver.
- * Connect the equipment into an outlet on a circuit different from that to which the receiver is needed.
- * Consult the dealer or an experienced radio/TV technician for help.

DRAFT User Assembly
Instruction

ASSEMBLY INSTRUCTIONS

PREPARATION:

1. Carefully remove all contents from container box and place them on a smooth flat surface as illustrated in picture below.
2. ASSEMBLE EACH ITEM OUTLINED STEP BY STEP

Step 1.
Hold base in a vertical position and Assemble first tube to Threaded stem of base

Step 2.
Assemble center tube to Threaded stem on first tube

Step 3.
Top tube contains switch. When rotating this tube into center tube, gently pull excess wire through base of unit.

Step 4.
Assemble Torchiere sub-Assembly into the top tube.

