

FCLIP: XXXENTPA0

MODEL
HB 15-
1.5-A+

CONDOR

D.C. POWER SUPPLIES, INC.
SUBSIDIARY OF SL INDUSTRIES
OXNARD, CA
ASSEMBLED IN MEXICO



OUTPUT ---:

15V @ 1.5A

DERATE OUTPUT
CURRENT 10% FOR
50Hz OPERATION

INPUT: 100/120/
215/230-240V~
0.65/0.56/
0.31/0.28A~
50/60Hz

CONNECTION TABLE				EXT
INPUT	JUMPER	APPLY		
100 V	1-3, 2-4	1-5		0.75A
120 V	1-3, 2-4	1-4		0.75A
215 V	2-3	1-5		0.4A
230 V	2-3	1-4		0.4A
240 V	2-3	1-4		0.4A




LEVEL 3




LVD

©1990



FCC ID: XXXGAPK101







MODEL **CONDOR**
 D.C. POWER SUPPLIES, INC.
 SUBSIDIARY OF SL INDUSTRIES
 OXNARD, CA.
 ASSEMBLED IN MEXICO

HB48-0.5-A+

OUTPUT ---:
 48V @ 0.5A

INPUT: 100/120/
 215/230-240V~
 0.6/0.5
 0.3/0.3A~
 50/60Hz

DERATE OUTPUT
 CURRENT 10% FOR
 50Hz OPERATION

CONNECTION TABLE			EXT
INPUT	JUMPER	APPLY	
100 V	1-3, 2-4	1-5	0.75A
120 V	1-3, 2-4	1-4	0.6A
215 V	2-3	1-5	0.4A
230 V	2-3	1-4	0.4A
240 V	2-3	1-4	0.4A



LEVEL 1



© 1990

