




















































Appendix E: Conducted Spurious Emission

Test Result

TestMode	Antenna	Frequency[MHz]	FreqRange [MHz]	Max. Fre [MHz]	Max. Level [dBm]	Limit [dBm]	Verdict
11AX20MIMO	Ant1	5955	30~3000	2565.29	-34.48	≤-27	PASS
11AX20MIMO	Ant1	5955	3000~10000	3882.47	-31.6	≤-27	PASS
11AX20MIMO	Ant1	5955	10000~40000	38975	-33.27	≤-27	PASS
11AX20MIMO	Ant2	5955	30~3000	2803.58	-34.07	≤-27	PASS
11AX20MIMO	Ant2	5955	3000~10000	3819	-31.51	≤-27	PASS
11AX20MIMO	Ant2	5955	10000~40000	38908	-33.56	≤-27	PASS
11AX20MIMO	Ant1	6175	30~3000	2959.41	-34.38	≤-27	PASS
11AX20MIMO	Ant1	6175	3000~10000	3749	-31.75	≤-27	PASS
11AX20MIMO	Ant1	6175	10000~40000	38924	-33.84	≤-27	PASS
11AX20MIMO	Ant2	6175	30~3000	2948.92	-34.61	≤-27	PASS
11AX20MIMO	Ant2	6175	3000~10000	3875.23	-32.71	≤-27	PASS
11AX20MIMO	Ant2	6175	10000~40000	38886	-33.98	≤-27	PASS
11AX20MIMO	Ant1	6415	30~3000	2708.94	-34.58	≤-27	PASS
11AX20MIMO	Ant1	6415	3000~10000	3794.73	-32.15	≤-27	PASS
11AX20MIMO	Ant1	6415	10000~40000	38945	-32.25	≤-27	PASS
11AX20MIMO	Ant2	6415	30~3000	2852.99	-34.8	≤-27	PASS
11AX20MIMO	Ant2	6415	3000~10000	3775.13	-32.21	≤-27	PASS
11AX20MIMO	Ant2	6415	10000~40000	38847	-32.91	≤-27	PASS
11AX20MIMO	Ant1	6435	30~3000	2582.81	-34.85	≤-27	PASS
11AX20MIMO	Ant1	6435	3000~10000	3716.33	-32.24	≤-27	PASS
11AX20MIMO	Ant1	6435	10000~40000	38886	-32.95	≤-27	PASS
11AX20MIMO	Ant2	6435	30~3000	2584.5	-34.84	≤-27	PASS
11AX20MIMO	Ant2	6435	3000~10000	3848.63	-31.69	≤-27	PASS
11AX20MIMO	Ant2	6435	10000~40000	38873	-33.61	≤-27	PASS
11AX20MIMO	Ant1	6475	30~3000	2810.81	-34.93	≤-27	PASS
11AX20MIMO	Ant1	6475	3000~10000	3835.8	-32.13	≤-27	PASS
11AX20MIMO	Ant1	6475	10000~40000	38871	-33.83	≤-27	PASS
11AX20MIMO	Ant2	6475	30~3000	2833.38	-34.92	≤-27	PASS
11AX20MIMO	Ant2	6475	3000~10000	3891.33	-31.87	≤-27	PASS
11AX20MIMO	Ant2	6475	10000~40000	38931	-32.52	≤-27	PASS
11AX20MIMO	Ant1	6515	30~3000	2654.49	-34.89	≤-27	PASS
11AX20MIMO	Ant1	6515	3000~10000	3856.1	-31.86	≤-27	PASS
11AX20MIMO	Ant1	6515	10000~40000	13022	-31.49	≤-27	PASS
11AX20MIMO	Ant2	6515	30~3000	2980.2	-34.2	≤-27	PASS
11AX20MIMO	Ant2	6515	3000~10000	3755.53	-32.03	≤-27	PASS
11AX20MIMO	Ant2	6515	10000~40000	38902	-33.9	≤-27	PASS
11AX20MIMO	Ant1	6535	30~3000	2549.75	-34.6	≤-27	PASS
11AX20MIMO	Ant1	6535	3000~10000	3886.43	-32.46	≤-27	PASS
11AX20MIMO	Ant1	6535	10000~40000	38856	-33.97	≤-27	PASS
11AX20MIMO	Ant2	6535	30~3000	2480.65	-34.46	≤-27	PASS
11AX20MIMO	Ant2	6535	3000~10000	3902.07	-32.61	≤-27	PASS
11AX20MIMO	Ant2	6535	10000~40000	38967	-33.15	≤-27	PASS
11AX20MIMO	Ant1	6695	30~3000	2497.18	-34.65	≤-27	PASS
11AX20MIMO	Ant1	6695	3000~10000	3875.93	-32.69	≤-27	PASS
11AX20MIMO	Ant1	6695	10000~40000	13388	-32.34	≤-27	PASS
11AX20MIMO	Ant2	6695	30~3000	2654.79	-33.92	≤-27	PASS
11AX20MIMO	Ant2	6695	3000~10000	5090.67	-32.1	≤-27	PASS
11AX20MIMO	Ant2	6695	10000~40000	38912	-32.23	≤-27	PASS
11AX20MIMO	Ant1	6855	30~3000	2718.64	-34.18	≤-27	PASS
11AX20MIMO	Ant1	6855	3000~10000	3776.3	-32.3	≤-27	PASS
11AX20MIMO	Ant1	6855	10000~40000	38926	-32.84	≤-27	PASS
11AX20MIMO	Ant2	6855	30~3000	2297.5	-33.94	≤-27	PASS
11AX20MIMO	Ant2	6855	3000~10000	3777.47	-31.77	≤-27	PASS

11AX20MIMO	Ant2	6855	10000~40000	38854	-31.54	≤-27	PASS
11AX20MIMO	Ant1	6875	30~3000	2457.18	-33.45	≤-27	PASS
11AX20MIMO	Ant1	6875	3000~10000	3880.83	-31.62	≤-27	PASS
11AX20MIMO	Ant1	6875	10000~40000	38898	-33.32	≤-27	PASS
11AX20MIMO	Ant2	6875	30~3000	2782.4	-34.53	≤-27	PASS
11AX20MIMO	Ant2	6875	3000~10000	5099.53	-31.1	≤-27	PASS
11AX20MIMO	Ant2	6875	10000~40000	38883	-32.65	≤-27	PASS
11AX20MIMO	Ant1	6895	30~3000	2463.22	-34.2	≤-27	PASS
11AX20MIMO	Ant1	6895	3000~10000	3811.3	-32.21	≤-27	PASS
11AX20MIMO	Ant1	6895	10000~40000	38866	-33.35	≤-27	PASS
11AX20MIMO	Ant2	6895	30~3000	2761.81	-33.75	≤-27	PASS
11AX20MIMO	Ant2	6895	3000~10000	3906.27	-31.63	≤-27	PASS
11AX20MIMO	Ant2	6895	10000~40000	38867	-32.95	≤-27	PASS
11AX20MIMO	Ant1	6995	30~3000	2924.96	-34.37	≤-27	PASS
11AX20MIMO	Ant1	6995	3000~10000	3830.9	-32.26	≤-27	PASS
11AX20MIMO	Ant1	6995	10000~40000	38941	-33.5	≤-27	PASS
11AX20MIMO	Ant2	6995	30~3000	2529.45	-33.36	≤-27	PASS
11AX20MIMO	Ant2	6995	3000~10000	3826.93	-30.06	≤-27	PASS
11AX20MIMO	Ant2	6995	10000~40000	38969	-31.57	≤-27	PASS
11AX20MIMO	Ant1	7115	30~3000	2622.32	-34.49	≤-27	PASS
11AX20MIMO	Ant1	7115	3000~10000	3839.53	-31.66	≤-27	PASS
11AX20MIMO	Ant1	7115	10000~40000	38904	-33.36	≤-27	PASS
11AX20MIMO	Ant2	7115	30~3000	2824.67	-34.47	≤-27	PASS
11AX20MIMO	Ant2	7115	3000~10000	3862.87	-32.32	≤-27	PASS
11AX20MIMO	Ant2	7115	10000~40000	38881	-33.62	≤-27	PASS
11AX40MIMO	Ant1	5965	30~3000	2813.58	-34.75	≤-27	PASS
11AX40MIMO	Ant1	5965	3000~10000	3800.33	-31.93	≤-27	PASS
11AX40MIMO	Ant1	5965	10000~40000	38846	-34.07	≤-27	PASS
11AX40MIMO	Ant2	5965	30~3000	2733.1	-34.91	≤-27	PASS
11AX40MIMO	Ant2	5965	3000~10000	3877.8	-31.95	≤-27	PASS
11AX40MIMO	Ant2	5965	10000~40000	38913	-33.27	≤-27	PASS
11AX40MIMO	Ant1	6165	30~3000	2705.57	-34.52	≤-27	PASS
11AX40MIMO	Ant1	6165	3000~10000	3810.37	-32.54	≤-27	PASS
11AX40MIMO	Ant1	6165	10000~40000	38834	-34.41	≤-27	PASS
11AX40MIMO	Ant2	6165	30~3000	2741.41	-34.55	≤-27	PASS
11AX40MIMO	Ant2	6165	3000~10000	3816.67	-33.58	≤-27	PASS
11AX40MIMO	Ant2	6165	10000~40000	38884	-33.84	≤-27	PASS
11AX40MIMO	Ant1	6405	30~3000	2652.31	-34.61	≤-27	PASS
11AX40MIMO	Ant1	6405	3000~10000	3837.2	-31.67	≤-27	PASS
11AX40MIMO	Ant1	6405	10000~40000	38891	-32.84	≤-27	PASS
11AX40MIMO	Ant2	6405	30~3000	2589.94	-33.62	≤-27	PASS
11AX40MIMO	Ant2	6405	3000~10000	3764.63	-31.79	≤-27	PASS
11AX40MIMO	Ant2	6405	10000~40000	38874	-32.51	≤-27	PASS
11AX40MIMO	Ant1	6445	30~3000	2719.14	-34.49	≤-27	PASS
11AX40MIMO	Ant1	6445	3000~10000	3842.33	-32.06	≤-27	PASS
11AX40MIMO	Ant1	6445	10000~40000	38931	-33.31	≤-27	PASS
11AX40MIMO	Ant2	6445	30~3000	2454.21	-34.56	≤-27	PASS
11AX40MIMO	Ant2	6445	3000~10000	3753.43	-31.47	≤-27	PASS
11AX40MIMO	Ant2	6445	10000~40000	38944	-33.69	≤-27	PASS
11AX40MIMO	Ant1	6485	30~3000	2478.27	-34.6	≤-27	PASS
11AX40MIMO	Ant1	6485	3000~10000	3794.97	-32.33	≤-27	PASS
11AX40MIMO	Ant1	6485	10000~40000	38973	-33.63	≤-27	PASS
11AX40MIMO	Ant2	6485	30~3000	2517.77	-34.2	≤-27	PASS
11AX40MIMO	Ant2	6485	3000~10000	3915.37	-32.24	≤-27	PASS
11AX40MIMO	Ant2	6485	10000~40000	38859	-33.77	≤-27	PASS
11AX40MIMO	Ant1	6525	30~3000	2547.57	-33.77	≤-27	PASS
11AX40MIMO	Ant1	6525	3000~10000	3773.97	-31.63	≤-27	PASS
11AX40MIMO	Ant1	6525	10000~40000	38933	-32.67	≤-27	PASS
11AX40MIMO	Ant2	6525	30~3000	2893.67	-34.49	≤-27	PASS

11AX40MIMO	Ant2	6525	3000~10000	3787.73	-31.83	≤-27	PASS
11AX40MIMO	Ant2	6525	10000~40000	38946	-34.06	≤-27	PASS
11AX40MIMO	Ant1	6565	30~3000	2984.06	-34.18	≤-27	PASS
11AX40MIMO	Ant1	6565	3000~10000	3821.57	-32.35	≤-27	PASS
11AX40MIMO	Ant1	6565	10000~40000	38843	-33.71	≤-27	PASS
11AX40MIMO	Ant2	6565	30~3000	2484.9	-34.68	≤-27	PASS
11AX40MIMO	Ant2	6565	3000~10000	3807.33	-32.9	≤-27	PASS
11AX40MIMO	Ant2	6565	10000~40000	38931	-33.16	≤-27	PASS
11AX40MIMO	Ant1	6685	30~3000	2684.39	-33.78	≤-27	PASS
11AX40MIMO	Ant1	6685	3000~10000	3775.6	-32.16	≤-27	PASS
11AX40MIMO	Ant1	6685	10000~40000	38896	-34.15	≤-27	PASS
11AX40MIMO	Ant2	6685	30~3000	2638.85	-35.01	≤-27	PASS
11AX40MIMO	Ant2	6685	3000~10000	3841.17	-32.43	≤-27	PASS
11AX40MIMO	Ant2	6685	10000~40000	38885	-33.54	≤-27	PASS
11AX40MIMO	Ant1	6845	30~3000	2774.97	-33.3	≤-27	PASS
11AX40MIMO	Ant1	6845	3000~10000	3833.23	-31.97	≤-27	PASS
11AX40MIMO	Ant1	6845	10000~40000	38951	-33.24	≤-27	PASS
11AX40MIMO	Ant2	6845	30~3000	2937.04	-34.21	≤-27	PASS
11AX40MIMO	Ant2	6845	3000~10000	3907.2	-31.1	≤-27	PASS
11AX40MIMO	Ant2	6845	10000~40000	38934	-32.98	≤-27	PASS
11AX40MIMO	Ant1	6885	30~3000	2805.56	-33.52	≤-27	PASS
11AX40MIMO	Ant1	6885	3000~10000	3832.77	-31.74	≤-27	PASS
11AX40MIMO	Ant1	6885	10000~40000	38918	-32.53	≤-27	PASS
11AX40MIMO	Ant2	6885	30~3000	2476.39	-33.73	≤-27	PASS
11AX40MIMO	Ant2	6885	3000~10000	3866.13	-31.55	≤-27	PASS
11AX40MIMO	Ant2	6885	10000~40000	38855	-32.27	≤-27	PASS
11AX40MIMO	Ant1	6925	30~3000	2660.83	-34.17	≤-27	PASS
11AX40MIMO	Ant1	6925	3000~10000	3842.8	-32.08	≤-27	PASS
11AX40MIMO	Ant1	6925	10000~40000	38958	-33.06	≤-27	PASS
11AX40MIMO	Ant2	6925	30~3000	2525.1	-34.44	≤-27	PASS
11AX40MIMO	Ant2	6925	3000~10000	3794.03	-31.8	≤-27	PASS
11AX40MIMO	Ant2	6925	10000~40000	38920	-32.58	≤-27	PASS
11AX40MIMO	Ant1	6965	30~3000	2656.07	-33.77	≤-27	PASS
11AX40MIMO	Ant1	6965	3000~10000	3899.97	-31.34	≤-27	PASS
11AX40MIMO	Ant1	6965	10000~40000	38948	-32.74	≤-27	PASS
11AX40MIMO	Ant2	6965	30~3000	2937.73	-34.02	≤-27	PASS
11AX40MIMO	Ant2	6965	3000~10000	3797.3	-30.48	≤-27	PASS
11AX40MIMO	Ant2	6965	10000~40000	38842	-33.06	≤-27	PASS
11AX40MIMO	Ant1	7085	30~3000	2871.5	-33.76	≤-27	PASS
11AX40MIMO	Ant1	7085	3000~10000	3810.6	-31.7	≤-27	PASS
11AX40MIMO	Ant1	7085	10000~40000	38911	-33.41	≤-27	PASS
11AX40MIMO	Ant2	7085	30~3000	2615.29	-33.43	≤-27	PASS
11AX40MIMO	Ant2	7085	3000~10000	3795.9	-31.13	≤-27	PASS
11AX40MIMO	Ant2	7085	10000~40000	38965	-33.58	≤-27	PASS
11AX80MIMO	Ant1	5985	30~3000	2868.03	-34.34	≤-27	PASS
11AX80MIMO	Ant1	5985	3000~10000	3836.97	-32.62	≤-27	PASS
11AX80MIMO	Ant1	5985	10000~40000	38893	-33.81	≤-27	PASS
11AX80MIMO	Ant2	5985	30~3000	2820.32	-33.86	≤-27	PASS
11AX80MIMO	Ant2	5985	3000~10000	3804.3	-32.55	≤-27	PASS
11AX80MIMO	Ant2	5985	10000~40000	38879	-33.63	≤-27	PASS
11AX80MIMO	Ant1	6145	30~3000	2607.17	-34.57	≤-27	PASS
11AX80MIMO	Ant1	6145	3000~10000	3700	-32.65	≤-27	PASS
11AX80MIMO	Ant1	6145	10000~40000	38932	-33.96	≤-27	PASS
11AX80MIMO	Ant2	6145	30~3000	2901.79	-33.86	≤-27	PASS
11AX80MIMO	Ant2	6145	3000~10000	3809.2	-33.17	≤-27	PASS
11AX80MIMO	Ant2	6145	10000~40000	38924	-33.38	≤-27	PASS
11AX80MIMO	Ant1	6385	30~3000	2463.82	-34.43	≤-27	PASS
11AX80MIMO	Ant1	6385	3000~10000	3798.93	-31.92	≤-27	PASS
11AX80MIMO	Ant1	6385	10000~40000	38860	-32.64	≤-27	PASS

11AX80MIMO	Ant2	6385	30~3000	2594.1	-34.38	≤-27	PASS
11AX80MIMO	Ant2	6385	3000~10000	3785.63	-31.98	≤-27	PASS
11AX80MIMO	Ant2	6385	10000~40000	38950	-33.06	≤-27	PASS
11AX80MIMO	Ant1	6465	30~3000	2610.83	-34.97	≤-27	PASS
11AX80MIMO	Ant1	6465	3000~10000	3841.4	-32.1	≤-27	PASS
11AX80MIMO	Ant1	6465	10000~40000	38899	-33.06	≤-27	PASS
11AX80MIMO	Ant2	6465	30~3000	60.1	-32.98	≤-27	PASS
11AX80MIMO	Ant2	6465	3000~10000	3772.1	-32.39	≤-27	PASS
11AX80MIMO	Ant2	6465	10000~40000	38892	-33.16	≤-27	PASS
11AX80MIMO	Ant1	6545	30~3000	2712.11	-34.29	≤-27	PASS
11AX80MIMO	Ant1	6545	3000~10000	3843.03	-32.88	≤-27	PASS
11AX80MIMO	Ant1	6545	10000~40000	38928	-34.09	≤-27	PASS
11AX80MIMO	Ant2	6545	30~3000	2633.8	-34.79	≤-27	PASS
11AX80MIMO	Ant2	6545	3000~10000	3856.33	-32.18	≤-27	PASS
11AX80MIMO	Ant2	6545	10000~40000	38864	-33.39	≤-27	PASS
11AX80MIMO	Ant1	6625	30~3000	2697.06	-34.19	≤-27	PASS
11AX80MIMO	Ant1	6625	3000~10000	3846.07	-32.71	≤-27	PASS
11AX80MIMO	Ant1	6625	10000~40000	38874	-33.27	≤-27	PASS
11AX80MIMO	Ant2	6625	30~3000	2639.54	-35.15	≤-27	PASS
11AX80MIMO	Ant2	6625	3000~10000	3803.37	-31.76	≤-27	PASS
11AX80MIMO	Ant2	6625	10000~40000	38805	-34	≤-27	PASS
11AX80MIMO	Ant1	6705	30~3000	60.39	-31.97	≤-27	PASS
11AX80MIMO	Ant1	6705	3000~10000	3829.97	-32.47	≤-27	PASS
11AX80MIMO	Ant1	6705	10000~40000	38803	-33.29	≤-27	PASS
11AX80MIMO	Ant2	6705	30~3000	2453.52	-34.19	≤-27	PASS
11AX80MIMO	Ant2	6705	3000~10000	3805.93	-32.88	≤-27	PASS
11AX80MIMO	Ant2	6705	10000~40000	38868	-33.75	≤-27	PASS
11AX80MIMO	Ant1	6785	30~3000	2543.12	-34.7	≤-27	PASS
11AX80MIMO	Ant1	6785	3000~10000	3866.37	-31.9	≤-27	PASS
11AX80MIMO	Ant1	6785	10000~40000	38932	-33.15	≤-27	PASS
11AX80MIMO	Ant2	6785	30~3000	60	-31.33	≤-27	PASS
11AX80MIMO	Ant2	6785	3000~10000	3854.47	-31.41	≤-27	PASS
11AX80MIMO	Ant2	6785	10000~40000	38871	-33.16	≤-27	PASS
11AX80MIMO	Ant1	6865	30~3000	2969.51	-33.96	≤-27	PASS
11AX80MIMO	Ant1	6865	3000~10000	9153.47	-32.35	≤-27	PASS
11AX80MIMO	Ant1	6865	10000~40000	38916	-32.8	≤-27	PASS
11AX80MIMO	Ant2	6865	30~3000	60.29	-33.04	≤-27	PASS
11AX80MIMO	Ant2	6865	3000~10000	3787.03	-31.52	≤-27	PASS
11AX80MIMO	Ant2	6865	10000~40000	38970	-33.68	≤-27	PASS
11AX80MIMO	Ant1	6945	30~3000	2745.97	-34.55	≤-27	PASS
11AX80MIMO	Ant1	6945	3000~10000	3817.37	-31.22	≤-27	PASS
11AX80MIMO	Ant1	6945	10000~40000	38967	-32.99	≤-27	PASS
11AX80MIMO	Ant2	6945	30~3000	60.2	-31.67	≤-27	PASS
11AX80MIMO	Ant2	6945	3000~10000	3704.67	-32.41	≤-27	PASS
11AX80MIMO	Ant2	6945	10000~40000	38869	-32.87	≤-27	PASS
11AX80MIMO	Ant1	7025	30~3000	60.29	-32.12	≤-27	PASS
11AX80MIMO	Ant1	7025	3000~10000	3866.83	-31.29	≤-27	PASS
11AX80MIMO	Ant1	7025	10000~40000	38839	-33.39	≤-27	PASS
11AX80MIMO	Ant2	7025	30~3000	60.29	-32.34	≤-27	PASS
11AX80MIMO	Ant2	7025	3000~10000	3821.8	-31.87	≤-27	PASS
11AX80MIMO	Ant2	7025	10000~40000	38854	-33.77	≤-27	PASS
11AX160MIMO	Ant1	6025	30~3000	80.29	-32.8	≤-27	PASS
11AX160MIMO	Ant1	6025	3000~10000	7951.8	-32.86	≤-27	PASS
11AX160MIMO	Ant1	6025	10000~40000	38936	-34.08	≤-27	PASS
11AX160MIMO	Ant2	6025	30~3000	80.29	-29.27	≤-27	PASS
11AX160MIMO	Ant2	6025	3000~10000	3751.33	-31.1	≤-27	PASS
11AX160MIMO	Ant2	6025	10000~40000	38914	-34.38	≤-27	PASS
11AX160MIMO	Ant1	6185	30~3000	80	-32.42	≤-27	PASS
11AX160MIMO	Ant1	6185	3000~10000	3823.2	-32.94	≤-27	PASS

11AX160MIMO	Ant1	6185	10000~40000	38902	-33.59	≤-27	PASS
11AX160MIMO	Ant2	6185	30~3000	80.69	-32.89	≤-27	PASS
11AX160MIMO	Ant2	6185	3000~10000	3855.17	-32.41	≤-27	PASS
11AX160MIMO	Ant2	6185	10000~40000	38915	-33.88	≤-27	PASS
11AX160MIMO	Ant1	6345	30~3000	2673.4	-34.33	≤-27	PASS
11AX160MIMO	Ant1	6345	3000~10000	3754.6	-31.15	≤-27	PASS
11AX160MIMO	Ant1	6345	10000~40000	38902	-33.62	≤-27	PASS
11AX160MIMO	Ant2	6345	30~3000	2581.73	-35.48	≤-27	PASS
11AX160MIMO	Ant2	6345	3000~10000	3873.37	-32.34	≤-27	PASS
11AX160MIMO	Ant2	6345	10000~40000	38964	-32.84	≤-27	PASS
11AX160MIMO	Ant1	6505	30~3000	79.9	-27.84	≤-27	PASS
11AX160MIMO	Ant1	6505	3000~10000	3878.97	-32.32	≤-27	PASS
11AX160MIMO	Ant1	6505	10000~40000	38891	-33.69	≤-27	PASS
11AX160MIMO	Ant2	6505	30~3000	80.59	-28.36	≤-27	PASS
11AX160MIMO	Ant2	6505	3000~10000	3819.23	-32.22	≤-27	PASS
11AX160MIMO	Ant2	6505	10000~40000	38970	-33.04	≤-27	PASS
11AX160MIMO	Ant1	6665	30~3000	80.09	-27.51	≤-27	PASS
11AX160MIMO	Ant1	6665	3000~10000	3833.7	-32.05	≤-27	PASS
11AX160MIMO	Ant1	6665	10000~40000	38907	-34.21	≤-27	PASS
11AX160MIMO	Ant2	6665	30~3000	80.29	-29.9	≤-27	PASS
11AX160MIMO	Ant2	6665	3000~10000	3776.3	-31.1	≤-27	PASS
11AX160MIMO	Ant2	6665	10000~40000	38880	-33.94	≤-27	PASS
11AX160MIMO	Ant1	6825	30~3000	80.19	-28.79	≤-27	PASS
11AX160MIMO	Ant1	6825	3000~10000	3798.7	-31.66	≤-27	PASS
11AX160MIMO	Ant1	6825	10000~40000	38885	-32.47	≤-27	PASS
11AX160MIMO	Ant2	6825	30~3000	2955.75	-34.68	≤-27	PASS
11AX160MIMO	Ant2	6825	3000~10000	3861.47	-32.14	≤-27	PASS
11AX160MIMO	Ant2	6825	10000~40000	38862	-32.34	≤-27	PASS
11AX160MIMO	Ant1	6985	30~3000	73.56	-34.23	≤-27	PASS
11AX160MIMO	Ant1	6985	3000~10000	3817.37	-32.03	≤-27	PASS
11AX160MIMO	Ant1	6985	10000~40000	38885	-33.05	≤-27	PASS
11AX160MIMO	Ant2	6985	30~3000	80.79	-31.29	≤-27	PASS
11AX160MIMO	Ant2	6985	3000~10000	3836.27	-32.66	≤-27	PASS
11AX160MIMO	Ant2	6985	10000~40000	38907	-33.02	≤-27	PASS

Test Graphs

