



**Band 3 - 5470~5725MHz**  
**WIFI 802.11a (Band Edge @ 3m)**

WIFI	Band 3 5470~5725MHz Band Edge @ 3m																																																																																	
ANT	802.11a CH100 5500MHZ																																																																																	
1+2	Horizontal	Fundamental																																																																																
<b>Peak</b>	<p>Site : 03CH03-KS Condition : 5G BAND 1----3 3m HF ANT-201704-91200 HORIZONTAL Project : (FR) 760219 Mode : 7 Plane : Pad-X Antenna : Full-directivity SWE1 : #4 PowerSetting : 11</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5461.20</td> <td>57.12</td> <td>-16.08</td> <td>74.00</td> <td>54.24</td> <td>30.88</td> <td>8.38</td> <td>36.38</td> <td>100</td> <td>159 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	5461.20	57.12	-16.08	74.00	54.24	30.88	8.38	36.38	100	159 Peak	HORIZONTAL	<p>Site : 03CH03-KS Condition : 5G BAND 1----3 3m HF ANT-201704-91200 HORIZONTAL Project : (FR) 760219 Mode : 7 Plane : Pad-X Antenna : Full-directivity SWE1 : #4 PowerSetting : 11</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 *</td> <td>5504.00</td> <td>103.97</td> <td>29.97</td> <td>74.00</td> <td>101.11</td> <td>30.83</td> <td>8.29</td> <td>36.36</td> <td>100</td> <td>159 Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>2 *</td> <td>5504.00</td> <td>96.97</td> <td>42.97</td> <td>54.00</td> <td>94.21</td> <td>30.83</td> <td>8.29</td> <td>36.36</td> <td>100</td> <td>159 Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1 *	5504.00	103.97	29.97	74.00	101.11	30.83	8.29	36.36	100	159 Peak	HORIZONTAL	2 *	5504.00	96.97	42.97	54.00	94.21	30.83	8.29	36.36	100	159 Average	HORIZONTAL
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5461.20	57.12	-16.08	74.00	54.24	30.88	8.38	36.38	100	159 Peak	HORIZONTAL																																																																							
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 *	5504.00	103.97	29.97	74.00	101.11	30.83	8.29	36.36	100	159 Peak	HORIZONTAL																																																																							
2 *	5504.00	96.97	42.97	54.00	94.21	30.83	8.29	36.36	100	159 Average	HORIZONTAL																																																																							
<b>Avg.</b>	<p>Site : 03CH03-KS Condition : 5G BAND 1----3 (AVG) 3m HF ANT-201704-91200 HORIZONTAL Project : (FR) 760219 Mode : 7 Plane : Pad-X Antenna : Full-directivity SWE1 : #4 PowerSetting : 11</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5468.72</td> <td>44.78</td> <td>-9.22</td> <td>54.00</td> <td>41.94</td> <td>30.86</td> <td>8.35</td> <td>36.37</td> <td>100</td> <td>159 Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	5468.72	44.78	-9.22	54.00	41.94	30.86	8.35	36.37	100	159 Average	HORIZONTAL																																															
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5468.72	44.78	-9.22	54.00	41.94	30.86	8.35	36.37	100	159 Average	HORIZONTAL																																																																							





WIFI	Band 3 5470~5725MHz Band Edge @ 3m																																																																								
ANT	802.11a CH100 5500MHz																																																																								
1+2	Vertical	Fundamental																																																																							
<p><b>Peak</b></p>	<pre> Site      : 03CH3-KS Condition : 5G BAND 1-3-3 3m HF ANT-201704-91200 VERTICAL Project   : (FR) 760219 Node      : 7 Plane     : PadK Plane     : Full-directivity SWE1      : 44 Powersettig : 11           </pre> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5467.44</td> <td>59.19</td> <td>-13.71</td> <td>74.00</td> <td>47.45</td> <td>30.86</td> <td>8.35</td> <td>36.37</td> <td>300</td> <td>288</td> <td>Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dB/m	dB	cm	deg		1	5467.44	59.19	-13.71	74.00	47.45	30.86	8.35	36.37	300	288	Peak	VERTICAL	<pre> Site      : 03CH3-KS Condition : 5G BAND 1-3-3 3m HF ANT-201704-91200 VERTICAL Project   : (FR) 760219 Node      : 7 Plane     : PadK Plane     : Full-directivity SWE1      : 44 Powersettig : 11           </pre> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 *</td> <td>5504.00</td> <td>102.14</td> <td>28.14</td> <td>74.00</td> <td>99.38</td> <td>30.83</td> <td>8.29</td> <td>36.36</td> <td>300</td> <td>288</td> <td>Peak</td> <td>VERTICAL</td> </tr> <tr> <td>2 *</td> <td>5504.00</td> <td>95.33</td> <td>41.33</td> <td>54.00</td> <td>92.57</td> <td>30.83</td> <td>8.29</td> <td>36.36</td> <td>300</td> <td>288</td> <td>Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dB/m	dB	cm	deg		1 *	5504.00	102.14	28.14	74.00	99.38	30.83	8.29	36.36	300	288	Peak	VERTICAL	2 *	5504.00	95.33	41.33	54.00	92.57	30.83	8.29	36.36	300	288	Average	VERTICAL
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																		
MHz	dBuV/m	dB	dB/m	dB	cm	deg																																																																			
1	5467.44	59.19	-13.71	74.00	47.45	30.86	8.35	36.37	300	288	Peak	VERTICAL																																																													
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																		
MHz	dBuV/m	dB	dB/m	dB	cm	deg																																																																			
1 *	5504.00	102.14	28.14	74.00	99.38	30.83	8.29	36.36	300	288	Peak	VERTICAL																																																													
2 *	5504.00	95.33	41.33	54.00	92.57	30.83	8.29	36.36	300	288	Average	VERTICAL																																																													
<p><b>Avg.</b></p>	<pre> Site      : 03CH3-KS Condition : 5G BAND 1-3-3 (AVG) 3m HF ANT-201704-91200 VERTICAL Project   : (FR) 760219 Node      : 7 Plane     : PadK Plane     : Full-directivity SWE1      : 44 Powersettig : 11           </pre> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5469.68</td> <td>43.06</td> <td>-10.14</td> <td>54.00</td> <td>41.02</td> <td>30.86</td> <td>8.35</td> <td>36.37</td> <td>300</td> <td>288</td> <td>Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dB/m	dB	cm	deg		1	5469.68	43.06	-10.14	54.00	41.02	30.86	8.35	36.37	300	288	Average	VERTICAL																																											
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																		
MHz	dBuV/m	dB	dB/m	dB	cm	deg																																																																			
1	5469.68	43.06	-10.14	54.00	41.02	30.86	8.35	36.37	300	288	Average	VERTICAL																																																													






WIFI	Band 3 5470~5725MHz Band Edge @ 3m																																																																												
ANT	802.11a CH116 5580MHz - L																																																																												
1+2	Horizontal	Fundamental																																																																											
Peak	<pre> Site      : 03CH03-KS Condition : 5G BAND 1----3 3m HF ANT-201704-91200 HORIZONTAL Project   : (FR) 760219 Node      : 8 Plane     : Pad-X Plane     : Full-directivity JME1      : 44 Powersettig : 12           </pre> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5452.40</td> <td>45.87</td> <td>-18.13</td> <td>74.00</td> <td>41.99</td> <td>30.88</td> <td>8.38</td> <td>36.38</td> <td>300</td> <td>153</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB/m	dB	cm	deg		1	5452.40	45.87	-18.13	74.00	41.99	30.88	8.38	36.38	300	153	Peak	HORIZONTAL	<pre> Site      : 03CH03-KS Condition : 5G BAND 1----3 3m HF ANT-201704-91200 HORIZONTAL Project   : (FR) 760219 Node      : 8 Plane     : Pad-X Plane     : Full-directivity JME1      : 44 Powersettig : 12           </pre> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 *</td> <td>5578.00</td> <td>104.82</td> <td>30.82</td> <td>74.00</td> <td>182.22</td> <td>30.76</td> <td>8.16</td> <td>36.32</td> <td>300</td> <td>153</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>2 *</td> <td>5578.00</td> <td>97.04</td> <td>43.04</td> <td>54.00</td> <td>94.44</td> <td>30.76</td> <td>8.16</td> <td>36.32</td> <td>300</td> <td>153</td> <td>Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB/m	dB	cm	deg		1 *	5578.00	104.82	30.82	74.00	182.22	30.76	8.16	36.32	300	153	Peak	HORIZONTAL	2 *	5578.00	97.04	43.04	54.00	94.44	30.76	8.16	36.32	300	153	Average	HORIZONTAL
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																					
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	cm	deg																																																																						
1	5452.40	45.87	-18.13	74.00	41.99	30.88	8.38	36.38	300	153	Peak	HORIZONTAL																																																																	
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																					
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	cm	deg																																																																						
1 *	5578.00	104.82	30.82	74.00	182.22	30.76	8.16	36.32	300	153	Peak	HORIZONTAL																																																																	
2 *	5578.00	97.04	43.04	54.00	94.44	30.76	8.16	36.32	300	153	Average	HORIZONTAL																																																																	
Avg.	<pre> Site      : 03CH03-KS Condition : 5G BAND 1----3 (AVG) 3m HF ANT-201704-91200 HORIZONTAL Project   : (FR) 760219 Node      : 8 Plane     : Pad-X Plane     : Full-directivity JME1      : 44 Powersettig : 12           </pre> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5439.28</td> <td>36.07</td> <td>-17.93</td> <td>54.00</td> <td>33.16</td> <td>30.89</td> <td>8.41</td> <td>36.39</td> <td>300</td> <td>153</td> <td>Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB/m	dB	cm	deg		1	5439.28	36.07	-17.93	54.00	33.16	30.89	8.41	36.39	300	153	Average	HORIZONTAL																																													
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																					
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	cm	deg																																																																						
1	5439.28	36.07	-17.93	54.00	33.16	30.89	8.41	36.39	300	153	Average	HORIZONTAL																																																																	



WIFI	Band 3 5470~5725MHz Band Edge @ 3m	
ANT	802.11a CH116 5580MHz - R	
1+2	Horizontal	Fundamental
<p><b>Peak</b></p>	 <pre> Site      : 83CH3-KS Condition : SG BAND 1----3 3m HF ANT-201704-91200 HORIZONTAL Project   : (FR) 760219 Mode      : F Plane     : PadX           : Full-directivity JME1      : #4 Powersettig : 12           : 12 Freq  Level  Over  Limit  ReadAntenna  Cable  Preamp  A/Pos  T/Pos  Remark  Pol/Phas -----  -----  -----  -----  -----  -----  -----  -----  -----  -----  ----- MHz  dBuV/m  dB  dBuV/m  dBuV  dB/m  dB  dB  cm  deg 1  5747.88  45.04  -28.96  74.00  41.54  31.44  8.34  36.28  300  153 Peak  HORIZONTAL           </pre>	
<p><b>Avg.</b></p>	 <pre> Site      : 83CH3-KS Condition : SG BAND 1----3 (AVG) 3m HF ANT-201704-91200 HORIZONTAL Project   : (FR) 760219 Mode      : F Plane     : PadX           : Full-directivity JME1      : #4 Powersettig : 12           : 12 Freq  Level  Over  Limit  ReadAntenna  Cable  Preamp  A/Pos  T/Pos  Remark  Pol/Phas -----  -----  -----  -----  -----  -----  -----  -----  -----  -----  ----- MHz  dBuV/m  dB  dBuV/m  dBuV  dB/m  dB  dB  cm  deg 1  5747.56  36.41  -17.59  54.00  32.91  31.44  8.34  36.28  300  153 Average  HORIZONTAL           </pre>	



WIFI	Band 3 5470~5725MHz Band Edge @ 3m																																																																														
ANT	802.11a CH116 5580MHz - L																																																																														
1+2	Vertical	Fundamental																																																																													
Peak	 <p>Site : 830M3-KS Condition : SG BAND 1----3 3m HF ANT-201704-91200 VERTICAL Project : (FR) 760219 Mode : B Plane : Pad-X Plane : Full-directivity IPE1 : 84 PowerSetting : 12</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5448.72</td> <td>44.92</td> <td>-29.00</td> <td>74.00</td> <td>42.04</td> <td>30.88</td> <td>8.38</td> <td>36.38</td> <td>302</td> <td>291 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1 5448.72	44.92	-29.00	74.00	42.04	30.88	8.38	36.38	302	291 Peak	VERTICAL	 <p>Site : 830M3-KS Condition : SG BAND 1----3 3m HF ANT-201704-91200 VERTICAL Project : (FR) 760219 Mode : B Plane : Pad-X Plane : Full-directivity IPE1 : 84 PowerSetting : 12</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 * 5576.00</td> <td>181.76</td> <td>27.76</td> <td>74.00</td> <td>99.16</td> <td>30.76</td> <td>8.16</td> <td>36.32</td> <td>302</td> <td>291 Peak</td> <td>VERTICAL</td> </tr> <tr> <td>2 * 5576.00</td> <td>95.66</td> <td>41.66</td> <td>54.00</td> <td>93.80</td> <td>30.76</td> <td>8.16</td> <td>36.32</td> <td>302</td> <td>291 Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1 * 5576.00	181.76	27.76	74.00	99.16	30.76	8.16	36.32	302	291 Peak	VERTICAL	2 * 5576.00	95.66	41.66	54.00	93.80	30.76	8.16	36.32	302	291 Average	VERTICAL
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																						
1 5448.72	44.92	-29.00	74.00	42.04	30.88	8.38	36.38	302	291 Peak	VERTICAL																																																																					
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																						
1 * 5576.00	181.76	27.76	74.00	99.16	30.76	8.16	36.32	302	291 Peak	VERTICAL																																																																					
2 * 5576.00	95.66	41.66	54.00	93.80	30.76	8.16	36.32	302	291 Average	VERTICAL																																																																					
Avg.	 <p>Site : 830M3-KS Condition : SG BAND 1----3 (AVG) 3m HF ANT-201704-91200 VERTICAL Project : (FR) 760219 Mode : B Plane : Pad-X Plane : Full-directivity IPE1 : 84 PowerSetting : 12</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5452.24</td> <td>35.65</td> <td>-18.35</td> <td>54.00</td> <td>32.77</td> <td>30.88</td> <td>8.38</td> <td>36.38</td> <td>302</td> <td>291 Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1 5452.24	35.65	-18.35	54.00	32.77	30.88	8.38	36.38	302	291 Average	VERTICAL																																													
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																						
1 5452.24	35.65	-18.35	54.00	32.77	30.88	8.38	36.38	302	291 Average	VERTICAL																																																																					






WIFI	Band 3 5470~5725MHz Band Edge @ 3m	
ANT	802.11a CH116 5580MHz - R	
1+2	Vertical	Fundamental
<p><b>Peak</b></p>	<pre> Site      : 63CH3-K5 Condition : 5G BAND 1-3 @ 3m HF ANT-201704-91280 VERTICAL Project   : SWTAuto Plane    : (FR) 708219 Node     : 8 Plane    : Padack Plane    : Full-directivity MET      : 44 Powersettig : 12           Over Limit ReadAntenna Cable Preamp A/Pos T/Pos           Limit Line Level Factor Loss Factor      cm deg 1  5749.60 45.59 -28.41 74.00 42.09 31.44  8.34 36.28 302 291 Peak VERTICAL           </pre>	
<p><b>Avg.</b></p>	<pre> Site      : 63CH3-K5 Condition : 5G BAND 1-3 (AVG) 3m HF ANT-201704-91280 VERTICAL Project   : SWTAuto Plane    : (FR) 708219 Node     : 8 Plane    : Padack Plane    : Full-directivity MET      : 44 Powersettig : 12           Over Limit ReadAntenna Cable Preamp A/Pos T/Pos           Limit Line Level Factor Loss Factor      cm deg 1  5749.56 36.18 -17.82 54.00 32.68 31.44  8.34 36.28 302 291 Average VERTICAL           </pre>	



WIFI	Band 3 5470~5725MHz Band Edge @ 3m																																																																																
ANT	802.11a CH140 5700MHz																																																																																
1+2	Horizontal	Fundamental																																																																															
Peak	<p>Site : 03CH3-KS            Condition : 5G BAND 1---3 3m HF ANT-201704-91200 HORIZONTAL            Project : (FR) 760219            Mode : 9            Plane : Peak            Antenna : Full-directivity            IMEI : 44            PowerSetting : 11.5</p> <table border="1"> <thead> <tr> <th>IMEI</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5725.28</td> <td>67.10</td> <td>-6.90</td> <td>74.00</td> <td>63.75</td> <td>31.32</td> <td>8.31</td> <td>36.28</td> <td>317</td> <td>153</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	IMEI	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB/m	dB	cm	deg			1	5725.28	67.10	-6.90	74.00	63.75	31.32	8.31	36.28	317	153	Peak	HORIZONTAL	<p>Site : 03CH3-KS            Condition : 5G BAND 1---3 3m HF ANT-201704-91200 HORIZONTAL            Project : (FR) 760219            Mode : 9            Plane : Peak            Antenna : Full-directivity            IMEI : 44            PowerSetting : 11.5</p> <table border="1"> <thead> <tr> <th>IMEI</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5704.00</td> <td>187.55</td> <td>33.55</td> <td>74.00</td> <td>184.36</td> <td>31.19</td> <td>8.28</td> <td>36.28</td> <td>317</td> <td>153</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>2</td> <td>5704.00</td> <td>180.46</td> <td>46.46</td> <td>54.00</td> <td>97.27</td> <td>31.19</td> <td>8.28</td> <td>36.28</td> <td>317</td> <td>153</td> <td>Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	IMEI	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB/m	dB	cm	deg			1	5704.00	187.55	33.55	74.00	184.36	31.19	8.28	36.28	317	153	Peak	HORIZONTAL	2	5704.00	180.46	46.46	54.00	97.27	31.19	8.28	36.28	317	153	Average	HORIZONTAL
IMEI	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																								
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	cm	deg																																																																										
1	5725.28	67.10	-6.90	74.00	63.75	31.32	8.31	36.28	317	153	Peak	HORIZONTAL																																																																					
IMEI	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																								
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	cm	deg																																																																										
1	5704.00	187.55	33.55	74.00	184.36	31.19	8.28	36.28	317	153	Peak	HORIZONTAL																																																																					
2	5704.00	180.46	46.46	54.00	97.27	31.19	8.28	36.28	317	153	Average	HORIZONTAL																																																																					
Avg.	<p>Site : 03CH3-KS            Condition : 5G BAND 1---3 (AVG) 3m HF ANT-201704-91200 HORIZONTAL            Project : (FR) 760219            Mode : 9            Plane : Peak            Antenna : Full-directivity            IMEI : 44            PowerSetting : 11.5</p> <table border="1"> <thead> <tr> <th>IMEI</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5725.16</td> <td>49.34</td> <td>-4.06</td> <td>54.00</td> <td>46.59</td> <td>31.32</td> <td>8.31</td> <td>36.28</td> <td>317</td> <td>153</td> <td>Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	IMEI	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB/m	dB	cm	deg			1	5725.16	49.34	-4.06	54.00	46.59	31.32	8.31	36.28	317	153	Average	HORIZONTAL																																															
IMEI	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																								
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	cm	deg																																																																										
1	5725.16	49.34	-4.06	54.00	46.59	31.32	8.31	36.28	317	153	Average	HORIZONTAL																																																																					






WIFI	Band 3 5470~5725MHz Band Edge @ 3m																																																											
ANT	802.11a CH140 5700MHz																																																											
1+2	Vertical	Fundamental																																																										
<p><b>Peak</b></p>	 <p>Site : 03CH03-K5            Condition : 5G BAND 1----3 3m HF ANT-201704-91200 VERTICAL            Project : (FR) 760219            Mode : S            Plane : Pad-X            Inlet : Full-directivity            PowerSetting : 44</p> <table border="1"> <thead> <tr> <th>NI</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>1</th> <th>5726.60</th> <th>64.54</th> <th>-9.46</th> <th>74.00</th> <th>61.19</th> <th>31.32</th> <th>8.31</th> <th>36.28</th> <th>300</th> <th>291 Peak</th> <th>VERTICAL</th> </tr> </thead> </table>	NI	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	1	5726.60	64.54	-9.46	74.00	61.19	31.32	8.31	36.28	300	291 Peak	VERTICAL	 <p>Site : 03CH03-K5            Condition : 5G BAND 1----3 3m HF ANT-201704-91200 VERTICAL            Project : (FR) 760219            Mode : S            Plane : Pad-X            Inlet : Full-directivity            PowerSetting : 44</p> <table border="1"> <thead> <tr> <th>NI</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>1</th> <th>5698.00</th> <th>104.65</th> <th>38.65</th> <th>74.00</th> <th>101.62</th> <th>31.87</th> <th>8.25</th> <th>36.29</th> <th>300</th> <th>291 Peak</th> <th>VERTICAL</th> </tr> <tr> <th>2</th> <th>5698.00</th> <th>97.00</th> <th>43.00</th> <th>54.00</th> <th>93.97</th> <th>31.87</th> <th>8.25</th> <th>36.29</th> <th>300</th> <th>291 Average</th> <th>VERTICAL</th> </tr> </thead> </table>	NI	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	1	5698.00	104.65	38.65	74.00	101.62	31.87	8.25	36.29	300	291 Peak	VERTICAL	2	5698.00	97.00	43.00	54.00	93.97	31.87	8.25	36.29	300	291 Average	VERTICAL
NI	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																		
1	5726.60	64.54	-9.46	74.00	61.19	31.32	8.31	36.28	300	291 Peak	VERTICAL																																																	
NI	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																		
1	5698.00	104.65	38.65	74.00	101.62	31.87	8.25	36.29	300	291 Peak	VERTICAL																																																	
2	5698.00	97.00	43.00	54.00	93.97	31.87	8.25	36.29	300	291 Average	VERTICAL																																																	
<p><b>Avg.</b></p>	 <p>Site : 03CH03-K5            Condition : 5G BAND 1----3 (AVG) 3m HF ANT-201704-91200 VERTICAL            Project : (FR) 760219            Mode : S            Plane : Pad-X            Inlet : Full-directivity            PowerSetting : 44</p> <table border="1"> <thead> <tr> <th>NI</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>1</th> <th>5725.72</th> <th>47.28</th> <th>-6.72</th> <th>54.00</th> <th>43.93</th> <th>31.32</th> <th>8.31</th> <th>36.28</th> <th>300</th> <th>291 Average</th> <th>VERTICAL</th> </tr> </thead> </table>	NI	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	1	5725.72	47.28	-6.72	54.00	43.93	31.32	8.31	36.28	300	291 Average	VERTICAL																																				
NI	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																		
1	5725.72	47.28	-6.72	54.00	43.93	31.32	8.31	36.28	300	291 Average	VERTICAL																																																	



**Band 3 5470~5725MHz**  
**WIFI 802.11ac VHT20 (Band Edge @ 3m)**



WIFI	Band 3 5470~5725MHz Band Edge @ 3m																																																																																	
ANT	802.11ac VHT20 CH100 5500MHz																																																																																	
1+2	Horizontal	Fundamental																																																																																
<b>Peak</b>	<p>Site : 03CM3-KS            Condition : 5G BAND 1----3 3m HF ANT-201704-91200 HORIZONTAL            Project : (FR) 760219            Mode : IS            Plane : Psp-X            Antenna : Single-directivity            JME1 : #4            PowerSetting : 10.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5465.52</td> <td>63.91</td> <td>-10.09</td> <td>74.00</td> <td>61.87</td> <td>30.86</td> <td>8.35</td> <td>36.37</td> <td>100</td> <td>135 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	5465.52	63.91	-10.09	74.00	61.87	30.86	8.35	36.37	100	135 Peak	HORIZONTAL	<p>Site : 03CM3-KS            Condition : 5G BAND 1----3 3m HF ANT-201704-91200 HORIZONTAL            Project : (FR) 760219            Mode : IS            Plane : Psp-X            Antenna : Single-directivity            JME1 : #4            PowerSetting : 10.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5504.00</td> <td>182.68</td> <td>28.68</td> <td>74.00</td> <td>99.92</td> <td>30.83</td> <td>8.29</td> <td>36.36</td> <td>100</td> <td>135 Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>2</td> <td>5504.00</td> <td>95.87</td> <td>41.87</td> <td>54.00</td> <td>93.11</td> <td>30.83</td> <td>8.29</td> <td>36.36</td> <td>100</td> <td>135 Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	5504.00	182.68	28.68	74.00	99.92	30.83	8.29	36.36	100	135 Peak	HORIZONTAL	2	5504.00	95.87	41.87	54.00	93.11	30.83	8.29	36.36	100	135 Average	HORIZONTAL
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5465.52	63.91	-10.09	74.00	61.87	30.86	8.35	36.37	100	135 Peak	HORIZONTAL																																																																							
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5504.00	182.68	28.68	74.00	99.92	30.83	8.29	36.36	100	135 Peak	HORIZONTAL																																																																							
2	5504.00	95.87	41.87	54.00	93.11	30.83	8.29	36.36	100	135 Average	HORIZONTAL																																																																							
<b>Avg.</b>	<p>Site : 03CM3-KS            Condition : 5G BAND 1----3 (AVG) 3m HF ANT-201704-91200 HORIZONTAL            Project : (FR) 760219            Mode : IS            Plane : Psp-X            Antenna : Single-directivity            JME1 : #4            PowerSetting : 10.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5467.28</td> <td>45.27</td> <td>-8.73</td> <td>54.00</td> <td>42.43</td> <td>30.86</td> <td>8.35</td> <td>36.37</td> <td>100</td> <td>135 Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	5467.28	45.27	-8.73	54.00	42.43	30.86	8.35	36.37	100	135 Average	HORIZONTAL																																															
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5467.28	45.27	-8.73	54.00	42.43	30.86	8.35	36.37	100	135 Average	HORIZONTAL																																																																							



WIFI	Band 3 5470~5725MHz Band Edge @ 3m	
ANT	802.11ac VHT20 CH100 5500MHz	
1+2	Vertical	Fundamental
Peak	 <pre> Site          : 03CH3-K5 Condition     : 5G_BAND 1----3 3m HF ANT-201704-91280 VERTICAL Project      : SMT:Auto Node        : (FR) 760219 Plane       : 16 Plane       : PosX Plane       : Single-directivity JME1        : 44 PowerSetting : 18.5           Freq Level Over Limit ReadAntenna Cable Preamp A/Pos T/Pos           MHz dBuV/m dB dBuV/m dB/dB/dB/dB/dB/dB/dB cm deg Remark Pol/Phas           ----- 1 5468.88 68.94 -13.86 74.00 58.18 38.86 8.35 36.37 388 78 Peak VERTICAL           </pre>	 <pre> Site          : 03CH3-K5 Condition     : 5G_BAND 1----3 3m HF ANT-201704-91280 VERTICAL Project      : SMT:Auto Node        : (FR) 760219 Plane       : 16 Plane       : PosX Plane       : Single-directivity JME1        : 44 PowerSetting : 18.5           Freq Level Over Limit ReadAntenna Cable Preamp A/Pos T/Pos Remark Pol/Phas           MHz dBuV/m dB dBuV/m dB/dB/dB/dB/dB/dB/dB cm deg           ----- 1 * 5502.00 94.72 48.72 54.00 91.96 30.83 8.29 36.36 388 78 Average VERTICAL 2 * 5502.00 94.72 48.72 54.00 91.96 30.83 8.29 36.36 388 78 Average VERTICAL           </pre>
Avg.	 <pre> Site          : 03CH3-K5 Condition     : 5G_BAND 1----3 (AVG) 3m HF ANT-201704-91280 VERTICAL Project      : SMT:Auto Node        : (FR) 760219 Plane       : 16 Plane       : PosX Plane       : Single-directivity JME1        : 44 PowerSetting : 18.5           Freq Level Over Limit ReadAntenna Cable Preamp A/Pos T/Pos Remark Pol/Phas           MHz dBuV/m dB dBuV/m dB/dB/dB/dB/dB/dB/dB cm deg           ----- 1 5470.00 43.98 -18.02 54.00 41.14 38.86 8.35 36.37 388 78 Average VERTICAL           </pre>	





WIFI	Band 3 5470~5725MHz Band Edge @ 3m																																			
ANT	802.11ac VHT20 CH116 5580MHz - R																																			
1+2	Horizontal	Fundamental																																		
<p><b>Peak</b></p>	 <pre> Site          : 03CMB3-K5 Condition     : SG_BAND 1----3 3m HF ANT-201704-91200 HORIZONTAL Project      : (FR) 760219 Mode         : 37 Plane        : Pad-X               : Single-directivity IMEI         : 86 PowerSetting : 12.5           </pre> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>NHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5756.68</td> <td>46.48</td> <td>-17.52</td> <td>74.00</td> <td>42.83</td> <td>31.56</td> <td>8.37</td> <td>36.28</td> <td>100</td> <td>153 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	NHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg			1	5756.68	46.48	-17.52	74.00	42.83	31.56	8.37	36.28	100	153 Peak	HORIZONTAL	
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																										
NHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																												
1	5756.68	46.48	-17.52	74.00	42.83	31.56	8.37	36.28	100	153 Peak	HORIZONTAL																									
<p><b>Avg.</b></p>	 <pre> Site          : 03CMB3-K5 Condition     : SG_BAND 1----3 (AVG) 3m HF ANT-201704-91200 HORIZONTAL Project      : (FR) 760219 Mode         : 37 Plane        : Pad-X               : Single-directivity IMEI         : 86 PowerSetting : 12.5           </pre> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>NHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5738.76</td> <td>36.76</td> <td>-17.24</td> <td>54.00</td> <td>33.26</td> <td>31.44</td> <td>8.34</td> <td>36.28</td> <td>100</td> <td>153 Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	NHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg			1	5738.76	36.76	-17.24	54.00	33.26	31.44	8.34	36.28	100	153 Average	HORIZONTAL	
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																										
NHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																												
1	5738.76	36.76	-17.24	54.00	33.26	31.44	8.34	36.28	100	153 Average	HORIZONTAL																									






WIFI	Band 3 5470~5725MHz Band Edge @ 3m																																																																														
ANT	802.11ac VHT20 CH116 5580MHz - L																																																																														
1+2	Vertical	Fundamental																																																																													
Peak	<p>Site : 03CH3-KS            Condition : Self-Auto            Project : (FR) 760219            Mode : 17            Plane : Pad-X            : Single-directivity            IMEI : 84            PowerSetting : 12.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5486.64</td> <td>45.20</td> <td>-28.00</td> <td>74.00</td> <td>42.20</td> <td>30.93</td> <td>8.48</td> <td>36.41</td> <td>302</td> <td>71 Peak VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	5486.64	45.20	-28.00	74.00	42.20	30.93	8.48	36.41	302	71 Peak VERTICAL	<p>Site : 03CH3-KS            Condition : Self-Auto            Project : (FR) 760219            Mode : 17            Plane : Pad-X            : Single-directivity            IMEI : 84            PowerSetting : 12.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5582.00</td> <td>103.31</td> <td>29.31</td> <td>74.00</td> <td>100.75</td> <td>30.75</td> <td>8.13</td> <td>36.32</td> <td>302</td> <td>71 Peak VERTICAL</td> </tr> <tr> <td>2</td> <td>5582.00</td> <td>96.08</td> <td>42.08</td> <td>54.00</td> <td>94.32</td> <td>30.75</td> <td>8.13</td> <td>36.32</td> <td>302</td> <td>71 Average VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	5582.00	103.31	29.31	74.00	100.75	30.75	8.13	36.32	302	71 Peak VERTICAL	2	5582.00	96.08	42.08	54.00	94.32	30.75	8.13	36.32	302	71 Average VERTICAL
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																						
1	5486.64	45.20	-28.00	74.00	42.20	30.93	8.48	36.41	302	71 Peak VERTICAL																																																																					
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																						
1	5582.00	103.31	29.31	74.00	100.75	30.75	8.13	36.32	302	71 Peak VERTICAL																																																																					
2	5582.00	96.08	42.08	54.00	94.32	30.75	8.13	36.32	302	71 Average VERTICAL																																																																					
Avg.	<p>Site : 03CH3-KS            Condition : Self-Auto            Project : (FR) 760219            Mode : 17            Plane : Pad-X            : Single-directivity            IMEI : 84            PowerSetting : 12.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5465.84</td> <td>36.14</td> <td>-17.86</td> <td>54.00</td> <td>33.30</td> <td>30.86</td> <td>8.35</td> <td>36.37</td> <td>302</td> <td>71 Average VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	5465.84	36.14	-17.86	54.00	33.30	30.86	8.35	36.37	302	71 Average VERTICAL																																													
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																						
1	5465.84	36.14	-17.86	54.00	33.30	30.86	8.35	36.37	302	71 Average VERTICAL																																																																					






WIFI	Band 3 5470~5725MHz Band Edge @ 3m	
ANT	802.11ac VHT20 CH116 5580MHz - R	
1+2	Vertical	Fundamental
Peak	<pre> Site          : 63CH03-K5 Condition     : 5G_BAND 1----3 3m HF ANT-201704-91200 VERTICAL Project      : (FR) 760219 Mode         : 17 Plane        : Pap-X Plane        : Single-directivity JME1         : 46 PowerSetting : 12.5           Freq Level Over Limit ReadAntenna Cable Preamp A/Pos T/Pos Remark Pol/Phas           MHz dBuV/m dB dBuV/m dBuV dB/m dB dB cm deg           --- 1 5762.92 45.69 -28.31 74.00 42.04 31.56 8.37 36.28 302 71 Peak VERTICAL           </pre>	
Avg.	<pre> Site          : 63CH03-K5 Condition     : 5G_BAND 1----3 (AVG) 3m HF ANT-201704-91200 VERTICAL Project      : (FR) 760219 Mode         : 17 Plane        : Pap-X Plane        : Single-directivity JME1         : 46 PowerSetting : 12.5           Freq Level Over Limit ReadAntenna Cable Preamp A/Pos T/Pos Remark Pol/Phas           MHz dBuV/m dB dBuV/m dBuV dB/m dB dB cm deg           --- 1 5759.00 36.55 -17.45 74.00 32.90 31.56 8.37 36.28 302 71 Average VERTICAL           </pre>	



WIFI	Band 3 5470~5725MHz Band Edge @ 3m																																																																																	
ANT	802.11ac VHT20 CH140 5700MHz																																																																																	
1+2	Horizontal	Fundamental																																																																																
<p><b>Peak</b></p>	 <pre> Site          : 83CH83-K5 Condition    : 5G BAND 1----3 3m HF ANT-201704-91200 HORIZONTAL Project      : (FR) 760219 Node        : 18 Plane       : PadK Plane        : Single-directivity SWE         : 44 PowerSetting : 13           </pre> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5736.28</td> <td>64.52</td> <td>-9.48</td> <td>74.00</td> <td>61.02</td> <td>31.44</td> <td>8.34</td> <td>36.28</td> <td>100</td> <td>161 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	5736.28	64.52	-9.48	74.00	61.02	31.44	8.34	36.28	100	161 Peak	HORIZONTAL	 <pre> Site          : 83CH83-K5 Condition    : 5G BAND 1----3 3m HF ANT-201704-91200 HORIZONTAL Project      : (FR) 760219 Node        : 18 Plane       : PadK Plane        : Single-directivity SWE         : 44 PowerSetting : 13           </pre> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 *</td> <td>5696.00</td> <td>106.60</td> <td>32.60</td> <td>74.00</td> <td>183.57</td> <td>31.07</td> <td>8.25</td> <td>36.29</td> <td>100</td> <td>161 Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>2 *</td> <td>5696.00</td> <td>100.59</td> <td>46.59</td> <td>54.00</td> <td>97.56</td> <td>31.07</td> <td>8.25</td> <td>36.29</td> <td>100</td> <td>161 Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1 *	5696.00	106.60	32.60	74.00	183.57	31.07	8.25	36.29	100	161 Peak	HORIZONTAL	2 *	5696.00	100.59	46.59	54.00	97.56	31.07	8.25	36.29	100	161 Average	HORIZONTAL
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5736.28	64.52	-9.48	74.00	61.02	31.44	8.34	36.28	100	161 Peak	HORIZONTAL																																																																							
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 *	5696.00	106.60	32.60	74.00	183.57	31.07	8.25	36.29	100	161 Peak	HORIZONTAL																																																																							
2 *	5696.00	100.59	46.59	54.00	97.56	31.07	8.25	36.29	100	161 Average	HORIZONTAL																																																																							
<p><b>Avg.</b></p>	 <pre> Site          : 83CH83-K5 Condition    : 5G BAND 1----3 (AVG) 3m HF ANT-201704-91200 HORIZONTAL Project      : (FR) 760219 Node        : 18 Plane       : PadK Plane        : Single-directivity SWE         : 44 PowerSetting : 13           </pre> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5725.00</td> <td>49.32</td> <td>-4.68</td> <td>54.00</td> <td>45.97</td> <td>31.32</td> <td>8.31</td> <td>36.28</td> <td>100</td> <td>161 Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	5725.00	49.32	-4.68	54.00	45.97	31.32	8.31	36.28	100	161 Average	HORIZONTAL																																															
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5725.00	49.32	-4.68	54.00	45.97	31.32	8.31	36.28	100	161 Average	HORIZONTAL																																																																							



WIFI	Band 3 5470~5725MHz Band Edge @ 3m																																																																																	
ANT	802.11ac VHT20 CH140 5700MHz																																																																																	
1+2	Vertical	Fundamental																																																																																
Peak	 <pre> Site          : 83CH03-KS Condition     : SG BAND 1----3 3m HF ANT-201704-91200 VERTICAL Project       : (FR) 760219 Node         : 18 Plane        : Pad-x Plane        : Single-directivity JME1         : 44 PowerSetting : 13           </pre> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>NHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.64</td> <td>58.15</td> <td>-15.05</td> <td>74.00</td> <td>34.65</td> <td>31.44</td> <td>8.34</td> <td>36.28</td> <td>300</td> <td>287 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	NHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	5745.64	58.15	-15.05	74.00	34.65	31.44	8.34	36.28	300	287 Peak	VERTICAL	 <pre> Site          : 83CH03-KS Condition     : SG BAND 1----3 3m HF ANT-201704-91200 VERTICAL Project       : (FR) 760219 Node         : 18 Plane        : Pad-x Plane        : Single-directivity JME1         : 44 PowerSetting : 13           </pre> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>NHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 *</td> <td>5698.00</td> <td>106.13</td> <td>32.13</td> <td>74.00</td> <td>103.10</td> <td>31.87</td> <td>8.25</td> <td>36.29</td> <td>300</td> <td>287 Peak</td> <td>VERTICAL</td> </tr> <tr> <td>2 *</td> <td>5698.00</td> <td>99.59</td> <td>45.59</td> <td>54.00</td> <td>96.56</td> <td>31.87</td> <td>8.25</td> <td>36.29</td> <td>300</td> <td>287 Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	NHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1 *	5698.00	106.13	32.13	74.00	103.10	31.87	8.25	36.29	300	287 Peak	VERTICAL	2 *	5698.00	99.59	45.59	54.00	96.56	31.87	8.25	36.29	300	287 Average	VERTICAL
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																								
NHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5745.64	58.15	-15.05	74.00	34.65	31.44	8.34	36.28	300	287 Peak	VERTICAL																																																																							
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																								
NHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 *	5698.00	106.13	32.13	74.00	103.10	31.87	8.25	36.29	300	287 Peak	VERTICAL																																																																							
2 *	5698.00	99.59	45.59	54.00	96.56	31.87	8.25	36.29	300	287 Average	VERTICAL																																																																							
Avg.	 <pre> Site          : 83CH03-KS Condition     : SG BAND 1----3 (AVG) 3m HF ANT-201704-91200 VERTICAL Project       : (FR) 760219 Node         : 18 Plane        : Pad-x Plane        : Single-directivity JME1         : 44 PowerSetting : 13           </pre> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>NHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5726.04</td> <td>49.13</td> <td>-4.87</td> <td>54.00</td> <td>45.78</td> <td>31.32</td> <td>8.31</td> <td>36.28</td> <td>300</td> <td>287 Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	NHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	5726.04	49.13	-4.87	54.00	45.78	31.32	8.31	36.28	300	287 Average	VERTICAL																																															
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																								
NHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5726.04	49.13	-4.87	54.00	45.78	31.32	8.31	36.28	300	287 Average	VERTICAL																																																																							



**Band 3 5470~5725MHz**  
**WIFI 802.11ac VHT40 (Band Edge @ 3m)**

WIFI	Band 3 5470~5725MHz Band Edge @ 3m																																																																																														
ANT	802.11ac VHT40 CH102 5510MHz - L																																																																																														
1+2	Horizontal	Fundamental																																																																																													
<b>Peak</b>	<p>Site : 03CM3-K5 Condition : 5G BAND 1-3 @ 3m HF ANT-201704-91200 HORIZONTAL Project : SMT:Auto Node : (FR) 760219 Plane : 23 Power : Pad+X Plane : Full-directivity IMEI : #4 PowerSetting : #4</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Line</th> <th>Level</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5469.88</td> <td>68.13</td> <td>-13.87</td> <td>74.00</td> <td>57.25</td> <td>38.88</td> <td>8.38</td> <td>36.38</td> <td>100</td> <td>156</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Line	Level	Level	Factor	Loss	Factor				MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg	1	5469.88	68.13	-13.87	74.00	57.25	38.88	8.38	36.38	100	156	Peak	HORIZONTAL	<p>Site : 03CM3-K5 Condition : 5G BAND 1-3 @ 3m HF ANT-201704-91200 HORIZONTAL Project : SMT:Auto Node : (FR) 760219 Plane : 23 Power : Pad+X Plane : Full-directivity IMEI : #4 PowerSetting : #4</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Line</th> <th>Level</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5514.00</td> <td>98.74</td> <td>24.74</td> <td>74.00</td> <td>96.02</td> <td>38.81</td> <td>8.26</td> <td>36.35</td> <td>100</td> <td>156</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>2</td> <td>5514.00</td> <td>92.33</td> <td>38.33</td> <td>54.00</td> <td>89.63</td> <td>38.63</td> <td>8.26</td> <td>36.35</td> <td>100</td> <td>156</td> <td>Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Line	Level	Level	Factor	Loss	Factor				MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg	1	5514.00	98.74	24.74	74.00	96.02	38.81	8.26	36.35	100	156	Peak	HORIZONTAL	2	5514.00	92.33	38.33	54.00	89.63	38.63	8.26	36.35	100	156	Average	HORIZONTAL
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																							
Line	Level	Level	Factor	Loss	Factor																																																																																										
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																																							
1	5469.88	68.13	-13.87	74.00	57.25	38.88	8.38	36.38	100	156	Peak	HORIZONTAL																																																																																			
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																							
Line	Level	Level	Factor	Loss	Factor																																																																																										
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																																							
1	5514.00	98.74	24.74	74.00	96.02	38.81	8.26	36.35	100	156	Peak	HORIZONTAL																																																																																			
2	5514.00	92.33	38.33	54.00	89.63	38.63	8.26	36.35	100	156	Average	HORIZONTAL																																																																																			
<b>Avg.</b>	<p>Site : 03CM3-K5 Condition : 5G BAND 1-3 (AVG) @ 3m HF ANT-201704-91200 HORIZONTAL Project : SMT:Auto Node : (FR) 760219 Plane : 23 Power : Pad+X Plane : Full-directivity IMEI : #4 PowerSetting : #4</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Line</th> <th>Level</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5469.20</td> <td>49.97</td> <td>-4.63</td> <td>54.60</td> <td>47.13</td> <td>38.86</td> <td>8.35</td> <td>36.37</td> <td>100</td> <td>156</td> <td>Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Line	Level	Level	Factor	Loss	Factor				MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg	1	5469.20	49.97	-4.63	54.60	47.13	38.86	8.35	36.37	100	156	Average	HORIZONTAL																																																						
Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																							
Line	Level	Level	Factor	Loss	Factor																																																																																										
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																																							
1	5469.20	49.97	-4.63	54.60	47.13	38.86	8.35	36.37	100	156	Average	HORIZONTAL																																																																																			



WIFI	Band 3 5470~5725MHz Band Edge @ 3m																																		
ANT	802.11ac VHT40 CH102 5510MHz - R																																		
1+2	Horizontal	Fundamental																																	
<p><b>Peak</b></p>	<pre> Site      : 03CM03-K5 Condition : 5G_BAND 1-3 @ 3m HF ANT-201704-91200 HORIZONTAL Project   : (FR) 760219 Node      : 23 Plane     : Pad-X            : Full-directivity IMEI      : 86 Powersettig : 8.5           </pre> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>Readantenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>NHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5727.96</td> <td>49.25</td> <td>-24.75</td> <td>74.00</td> <td>45.90</td> <td>31.32</td> <td>8.31</td> <td>36.28</td> <td>100</td> <td>156</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	Readantenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	NHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	5727.96	49.25	-24.75	74.00	45.90	31.32	8.31	36.28	100	156	Peak	HORIZONTAL	
Freq	Level	Over	Limit	Readantenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																										
NHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																											
1	5727.96	49.25	-24.75	74.00	45.90	31.32	8.31	36.28	100	156	Peak	HORIZONTAL																							
<p><b>Avg.</b></p>	<pre> Site      : 03CM03-K5 Condition : 5G_BAND 1-3 (AVG) @ 3m HF ANT-201704-91200 HORIZONTAL Project   : (FR) 760219 Node      : 23 Plane     : Pad-X            : Full-directivity IMEI      : 86 Powersettig : 8.5           </pre> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>Readantenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>NHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5758.04</td> <td>37.50</td> <td>-16.50</td> <td>54.00</td> <td>33.85</td> <td>31.56</td> <td>8.37</td> <td>36.28</td> <td>100</td> <td>156</td> <td>Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	Readantenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	NHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	5758.04	37.50	-16.50	54.00	33.85	31.56	8.37	36.28	100	156	Average	HORIZONTAL	
Freq	Level	Over	Limit	Readantenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																										
NHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																											
1	5758.04	37.50	-16.50	54.00	33.85	31.56	8.37	36.28	100	156	Average	HORIZONTAL																							



WIFI	Band 3 5470~5725MHz Band Edge @ 3m																																																																								
ANT	802.11ac VHT40 CH102 5510MHz - L																																																																								
1+2	Vertical	Fundamental																																																																							
Peak	<p>Site : 83CM3-K5            Condition : 5G BAND 1-3 3m HF ANT-201704-91200 VERTICAL            Project : SWT-Auto            Mode : (FR) 760219            Plane : PA0X            INEI : Full-directivity            PowerSetting : 8.5</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>NIQ</th> <th>dBuV/m</th> <th>dB</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5463.84</td> <td>59.56</td> <td>-14.44</td> <td>74.00</td> <td>56.68</td> <td>30.88</td> <td>8.38</td> <td>36.38</td> <td>310</td> <td>280</td> <td>Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	NIQ	dBuV/m	dB	dB/m	dB	cm	deg		1	5463.84	59.56	-14.44	74.00	56.68	30.88	8.38	36.38	310	280	Peak	VERTICAL	<p>Site : 83CM3-K5            Condition : 5G BAND 1-3 3m HF ANT-201704-91200 VERTICAL            Project : SWT-Auto            Mode : (FR) 760219            Plane : PA0X            INEI : Full-directivity            PowerSetting : 8.5</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>NIQ</th> <th>dBuV/m</th> <th>dB</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5518.00</td> <td>97.04</td> <td>23.04</td> <td>74.00</td> <td>95.22</td> <td>30.81</td> <td>8.26</td> <td>36.35</td> <td>310</td> <td>280</td> <td>Peak</td> <td>VERTICAL</td> </tr> <tr> <td>2</td> <td>5518.00</td> <td>98.04</td> <td>36.04</td> <td>54.00</td> <td>88.22</td> <td>30.81</td> <td>8.26</td> <td>36.35</td> <td>310</td> <td>280</td> <td>Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	NIQ	dBuV/m	dB	dB/m	dB	cm	deg		1	5518.00	97.04	23.04	74.00	95.22	30.81	8.26	36.35	310	280	Peak	VERTICAL	2	5518.00	98.04	36.04	54.00	88.22	30.81	8.26	36.35	310	280	Average	VERTICAL
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																		
NIQ	dBuV/m	dB	dB/m	dB	cm	deg																																																																			
1	5463.84	59.56	-14.44	74.00	56.68	30.88	8.38	36.38	310	280	Peak	VERTICAL																																																													
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																		
NIQ	dBuV/m	dB	dB/m	dB	cm	deg																																																																			
1	5518.00	97.04	23.04	74.00	95.22	30.81	8.26	36.35	310	280	Peak	VERTICAL																																																													
2	5518.00	98.04	36.04	54.00	88.22	30.81	8.26	36.35	310	280	Average	VERTICAL																																																													
Avg.	<p>Site : 83CM3-K5            Condition : 5G BAND 1-3 (AVG) 3m HF ANT-201704-91200 VERTICAL            Project : SWT-Auto            Mode : (FR) 760219            Plane : PA0X            INEI : Full-directivity            PowerSetting : 8.5</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>NIQ</th> <th>dBuV/m</th> <th>dB</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5469.84</td> <td>46.14</td> <td>-7.86</td> <td>54.00</td> <td>43.38</td> <td>30.86</td> <td>8.35</td> <td>36.37</td> <td>310</td> <td>280</td> <td>Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	NIQ	dBuV/m	dB	dB/m	dB	cm	deg		1	5469.84	46.14	-7.86	54.00	43.38	30.86	8.35	36.37	310	280	Average	VERTICAL																																											
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																		
NIQ	dBuV/m	dB	dB/m	dB	cm	deg																																																																			
1	5469.84	46.14	-7.86	54.00	43.38	30.86	8.35	36.37	310	280	Average	VERTICAL																																																													



WIFI	Band 3 5470~5725MHz Band Edge @ 3m	
ANT	802.11ac VHT40 CH102 5510MHz - R	
1+2	Vertical	Fundamental
Peak	<pre> Site          : 03CH03-V5 Condition     : 5G BAND 1----3 3m HF ANT-201704-91200 VERTICAL Project       : (FR) 760219 Node          : 23 Plane        : Pad-X Plane         : Full-directivity JME1          : 46 PowerSetting : 8.5           Freq Level Over Limit ReadAntenna Cable Preamp A/Pos T/Pos Remark Pol/Phas           MHz dBuV/m dB dBuV/m dBuV dB/m dB dB cm deg 1 5739.56 46.07 -27.93 74.00 42.57 31.44 8.34 36.28 310 200 Peak VERTICAL           </pre>	
Avg.	<pre> Site          : 03CH03-V5 Condition     : 5G BAND 1----3 (AVG) 3m HF ANT-201704-91200 VERTICAL Project       : SMTAuto Project       : (FR) 760219 Node          : 23 Plane        : Pad-X Plane         : Full-directivity JME1          : 46 PowerSetting : 8.5           Freq Level Over Limit ReadAntenna Cable Preamp A/Pos T/Pos Remark Pol/Phas           MHz dBuV/m dB dBuV/m dBuV dB/m dB dB cm deg 1 5744.92 37.26 -16.74 54.00 33.76 31.44 8.34 36.28 310 200 Average VERTICAL           </pre>	



WIFI	Band 3 5470~5725MHz Band Edge @ 3m																																																																													
ANT	802.11ac VHT40 CH110 5550MHz - L																																																																													
1+2	Horizontal	Fundamental																																																																												
Peak	<p>Site : 030803-KS Condition : 5G BAND 1----3 3m HF ANT-201704-91200 HORIZONTAL Project : SMT-Auto Mode : (FR) 760219 Plane : Pad-X PowerSetting : 44</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5375.28</td> <td>56.11</td> <td>-17.89</td> <td>74.00</td> <td>53.18</td> <td>30.96</td> <td>8.39</td> <td>36.42</td> <td>100</td> <td>157 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	5375.28	56.11	-17.89	74.00	53.18	30.96	8.39	36.42	100	157 Peak	HORIZONTAL	<p>Site : 030803-KS Condition : 5G BAND 1----3 3m HF ANT-201704-91200 HORIZONTAL Project : SMT-Auto Mode : (FR) 760219 Plane : Pad-X PowerSetting : 44</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5554.00</td> <td>183.90</td> <td>29.00</td> <td>74.00</td> <td>181.25</td> <td>30.78</td> <td>8.20</td> <td>36.33</td> <td>100</td> <td>157 Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>2</td> <td>5554.00</td> <td>96.42</td> <td>42.42</td> <td>54.00</td> <td>93.77</td> <td>30.78</td> <td>8.20</td> <td>36.33</td> <td>100</td> <td>157 Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	5554.00	183.90	29.00	74.00	181.25	30.78	8.20	36.33	100	157 Peak	HORIZONTAL	2	5554.00	96.42	42.42	54.00	93.77	30.78	8.20	36.33	100	157 Average	HORIZONTAL
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																						
1	5375.28	56.11	-17.89	74.00	53.18	30.96	8.39	36.42	100	157 Peak	HORIZONTAL																																																																			
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																						
1	5554.00	183.90	29.00	74.00	181.25	30.78	8.20	36.33	100	157 Peak	HORIZONTAL																																																																			
2	5554.00	96.42	42.42	54.00	93.77	30.78	8.20	36.33	100	157 Average	HORIZONTAL																																																																			
Avg.	<p>Site : 030803-KS Condition : 5G BAND 1----3 (AVG) 3m HF ANT-201704-91200 HORIZONTAL Project : SMT-Auto Mode : (FR) 760219 Plane : Pad-X PowerSetting : 44</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5466.96</td> <td>43.63</td> <td>-10.37</td> <td>54.00</td> <td>40.79</td> <td>30.86</td> <td>8.35</td> <td>36.37</td> <td>100</td> <td>157 Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	5466.96	43.63	-10.37	54.00	40.79	30.86	8.35	36.37	100	157 Average	HORIZONTAL																																													
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																						
1	5466.96	43.63	-10.37	54.00	40.79	30.86	8.35	36.37	100	157 Average	HORIZONTAL																																																																			





WIFI	Band 3 5470~5725MHz Band Edge @ 3m	
ANT	802.11ac VHT40 CH110 5550MHz - R	
1+2	Horizontal	Fundamental
<p><b>Peak</b></p>	<pre> Site      : 03CH03-K5 Condition : 5G BAND 1----3 3m HF ANT-201704-91200 HORIZONTAL Project   : (FR) 760219 Mode      : 24 Plane     : Pad-X           : Full-directivity IMEI      : 84 Powersettig : 33.5           : 33.5 Freq  Level  Over  Limit  ReadAntenna  Cable Preamp  A/Pos  T/Pos  Remark  Pol/Phas ----- MHz  dBuV/m  dB  dBuV/m  dBuV  dB/m  dB  dB  cm  deg 1  5740.20  51.53 -22.47  74.00  48.03  31.44  8.34  36.28  100  157 Peak  HORIZONTAL           </pre>	
<p><b>Avg.</b></p>	<pre> Site      : 03CH03-K5 Condition : 5G BAND 1----3 (AVG) 3m HF ANT-201704-91200 HORIZONTAL Project   : (FR) 760219 Mode      : 24 Plane     : Pad-X           : Full-directivity IMEI      : 84 Powersettig : 33.5           : 33.5 Freq  Level  Over  Limit  ReadAntenna  Cable Preamp  A/Pos  T/Pos  Remark  Pol/Phas ----- MHz  dBuV/m  dB  dBuV/m  dBuV  dB/m  dB  dB  cm  deg 1  5739.16  38.56 -15.44  54.00  35.06  31.44  8.34  36.28  100  157 Average  HORIZONTAL           </pre>	






WIFI	Band 3 5470~5725MHz Band Edge @ 3m																																																																																	
ANT	802.11ac VHT40 CH110 5550MHz - L																																																																																	
1+2	Vertical	Fundamental																																																																																
Peak	<p>Site : 03CH3-KS            Condition : SG BAND 1----3 3m HF ANT-201704-91200 VERTICAL            Project : (FR) 760219            Mode : 24            Plane : PadX            : Full-directivity            JMEI : #4            PowerSetting : 13.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5394.64</td> <td>52.49</td> <td>-21.51</td> <td>74.00</td> <td>49.49</td> <td>30.93</td> <td>8.48</td> <td>36.41</td> <td>300</td> <td>283 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg			1	5394.64	52.49	-21.51	74.00	49.49	30.93	8.48	36.41	300	283 Peak	VERTICAL	<p>Site : 03CH3-KS            Condition : SG BAND 1----3 3m HF ANT-201704-91200 VERTICAL            Project : (FR) 760219            Mode : 24            Plane : PadX            : Full-directivity            JMEI : #4            PowerSetting : 13.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1*</td> <td>5542.00</td> <td>101.43</td> <td>27.43</td> <td>74.00</td> <td>08.74</td> <td>10.80</td> <td>8.23</td> <td>36.34</td> <td>300</td> <td>283 Peak</td> <td>VERTICAL</td> </tr> <tr> <td>2*</td> <td>5542.00</td> <td>95.08</td> <td>41.08</td> <td>54.00</td> <td>92.39</td> <td>30.00</td> <td></td> <td></td> <td>300</td> <td>283 Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg			1*	5542.00	101.43	27.43	74.00	08.74	10.80	8.23	36.34	300	283 Peak	VERTICAL	2*	5542.00	95.08	41.08	54.00	92.39	30.00			300	283 Average	VERTICAL
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																										
1	5394.64	52.49	-21.51	74.00	49.49	30.93	8.48	36.41	300	283 Peak	VERTICAL																																																																							
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																										
1*	5542.00	101.43	27.43	74.00	08.74	10.80	8.23	36.34	300	283 Peak	VERTICAL																																																																							
2*	5542.00	95.08	41.08	54.00	92.39	30.00			300	283 Average	VERTICAL																																																																							
Avg.	<p>Site : 03CH3-KS            Condition : SG BAND 1----3 (AVG) 3m HF ANT-201704-91200 VERTICAL            Project : (FR) 760219            Mode : 24            Plane : PadX            : Full-directivity            JMEI : #4            PowerSetting : 13.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5468.24</td> <td>41.86</td> <td>-12.14</td> <td>54.00</td> <td>39.02</td> <td>30.86</td> <td>8.35</td> <td>36.37</td> <td>300</td> <td>283 Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg			1	5468.24	41.86	-12.14	54.00	39.02	30.86	8.35	36.37	300	283 Average	VERTICAL																																															
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																										
1	5468.24	41.86	-12.14	54.00	39.02	30.86	8.35	36.37	300	283 Average	VERTICAL																																																																							





WIFI	Band 3 5470~5725MHz Band Edge @ 3m	
ANT	802.11ac VHT40 CH110 5550MHz - R	
1+2	Vertical	Fundamental
<p><b>Peak</b></p>	 <pre> Site      : 03CH03-V5 Condition : 5G BAND 1----3 3m HF ANT-201704-91200 VERTICAL Project   : (FR) 760219 Mode      : 24 Plane     : Pas-X JMEI      : Full-directivity Powersettig : 44           : 33.5 Freq  Level  Over  Limit  ReadAntenna  Cable Preamp  A/Pos  T/Pos  Remark  Pol/Phas -----  - 1  5751.88  50.02 -23.98  74.00  46.37  31.56  8.37  36.28  300  283 Peak  VERTICAL           </pre>	
<p><b>Avg.</b></p>	 <pre> Site      : 03CH03-V5 Condition : 5G BAND 1----3 (AVG) 3m HF ANT-201704-91200 VERTICAL Project   : (FR) 760219 Mode      : 24 Plane     : Pas-X JMEI      : Full-directivity Powersettig : 44           : 33.5 Freq  Level  Over  Limit  ReadAntenna  Cable Preamp  A/Pos  T/Pos  Remark  Pol/Phas -----  - 1  5750.92  37.77 -16.23  54.00  34.27  31.44  8.34  36.28  300  283 Average  VERTICAL           </pre>	



WIFI	Band 3 5470~5725MHz Band Edge @ 3m																																																																														
ANT	802.11ac VHT40 CH134 5670MHz - L																																																																														
1+2	Horizontal	Fundamental																																																																													
Peak	 <p>Site : 03CH3-KS            Condition : 5G BAND 1----3 3m HF ANT-201704-91200 HORIZONTAL            Project : (FR) 760219            Mode : 25            Plane : Pad-X            JME1 : Full-directivity            Powersettig : #4            : 12.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5355.12</td> <td>52.06</td> <td>-21.94</td> <td>74.00</td> <td>49.17</td> <td>30.98</td> <td>8.34</td> <td>36.43</td> <td>100</td> <td>160</td> <td>Peak HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1 5355.12	52.06	-21.94	74.00	49.17	30.98	8.34	36.43	100	160	Peak HORIZONTAL	 <p>Site : 03CH3-KS            Condition : 5G BAND 1----3 3m HF ANT-201704-91200 HORIZONTAL            Project : (FR) 760219            Mode : 25            Plane : Pad-X            JME1 : Full-directivity            Powersettig : #4            : 12.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 * 5664.00</td> <td>103.96</td> <td>29.96</td> <td>74.00</td> <td>101.34</td> <td>30.82</td> <td>8.19</td> <td>36.29</td> <td>100</td> <td>160</td> <td>Peak HORIZONTAL</td> </tr> <tr> <td>2 * 5664.00</td> <td>97.46</td> <td>43.46</td> <td>54.00</td> <td>94.74</td> <td>30.82</td> <td>8.19</td> <td>36.29</td> <td>100</td> <td>160</td> <td>Average HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1 * 5664.00	103.96	29.96	74.00	101.34	30.82	8.19	36.29	100	160	Peak HORIZONTAL	2 * 5664.00	97.46	43.46	54.00	94.74	30.82	8.19	36.29	100	160	Average HORIZONTAL
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																						
1 5355.12	52.06	-21.94	74.00	49.17	30.98	8.34	36.43	100	160	Peak HORIZONTAL																																																																					
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																						
1 * 5664.00	103.96	29.96	74.00	101.34	30.82	8.19	36.29	100	160	Peak HORIZONTAL																																																																					
2 * 5664.00	97.46	43.46	54.00	94.74	30.82	8.19	36.29	100	160	Average HORIZONTAL																																																																					
Avg.	 <p>Site : 03CH3-KS            Condition : 5G BAND 1----3 (AVG) 3m HF ANT-201704-91200 HORIZONTAL            Project : (FR) 760219            Mode : 25            Plane : Pad-X            JME1 : Full-directivity            Powersettig : #4            : 12.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5424.72</td> <td>38.11</td> <td>-15.89</td> <td>54.00</td> <td>35.16</td> <td>30.91</td> <td>8.44</td> <td>36.48</td> <td>100</td> <td>160</td> <td>Average HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1 5424.72	38.11	-15.89	54.00	35.16	30.91	8.44	36.48	100	160	Average HORIZONTAL																																													
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																						
1 5424.72	38.11	-15.89	54.00	35.16	30.91	8.44	36.48	100	160	Average HORIZONTAL																																																																					



WIFI	Band 3 5470~5725MHz Band Edge @ 3m																																	
ANT	802.11ac VHT40 CH134 5670MHz - R																																	
1+2	Horizontal	Fundamental																																
<p><b>Peak</b></p>	 <pre> Site          : 05CMB3-K5 Condition     : SG BAND 1---3 3m HF ANT-201704-91200 HORIZONTAL Project      : (FR) 760219 Mode         : 20 Plane        : Pad-X ME1          : Full-directivity PowerSetting : 44           </pre> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5736.76</td> <td>63.22</td> <td>-18.78</td> <td>74.00</td> <td>59.72</td> <td>31.44</td> <td>8.34</td> <td>36.28</td> <td>100</td> <td>160</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5736.76	63.22	-18.78	74.00	59.72	31.44	8.34	36.28	100	160	Peak	HORIZONTAL	
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																									
1 5736.76	63.22	-18.78	74.00	59.72	31.44	8.34	36.28	100	160	Peak	HORIZONTAL																							
<p><b>Avg.</b></p>	 <pre> Site          : 05CMB3-K5 Condition     : SG BAND 1---3 (AVG) 3m HF ANT-201704-91200 HORIZONTAL Project      : (FR) 760219 Mode         : 20 Plane        : Pad-X ME1          : Full-directivity PowerSetting : 44           </pre> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5728.76</td> <td>47.54</td> <td>-6.46</td> <td>54.00</td> <td>44.19</td> <td>31.32</td> <td>8.31</td> <td>36.28</td> <td>100</td> <td>160</td> <td>Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 5728.76	47.54	-6.46	54.00	44.19	31.32	8.31	36.28	100	160	Average	HORIZONTAL	
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																									
1 5728.76	47.54	-6.46	54.00	44.19	31.32	8.31	36.28	100	160	Average	HORIZONTAL																							



WIFI	Band 3 5470~5725MHz Band Edge @ 3m																																																																		
ANT	802.11ac VHT40 CH134 5670MHz - L																																																																		
1+2	Vertical	Fundamental																																																																	
Peak	<p>Site : 03CH3-K5            Condition : SG BAND 1-3 @ 3m HF ANT-201704-91200 VERTICAL            Project : SWT Auto            Node : (FR) 760219            Plane : PadK            MEI : Full-directivity            PowerSetting : #4</p> <table border="1"> <thead> <tr> <th>1</th> <th>5429.68</th> <th>48.18</th> <th>-15.82</th> <th>74.00</th> <th>45.27</th> <th>38.89</th> <th>8.41</th> <th>36.39</th> <th>300</th> <th>200</th> <th>Peak</th> <th>VERTICAL</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> <th></th> </tr> </thead> </table>	1	5429.68	48.18	-15.82	74.00	45.27	38.89	8.41	36.39	300	200	Peak	VERTICAL	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg				<p>Site : 03CH3-K5            Condition : SG BAND 1-3 @ 3m HF ANT-201704-91200 VERTICAL            Project : SWT Auto            Node : (FR) 760219            Plane : PadK            MEI : Full-directivity            PowerSetting : #4</p> <table border="1"> <thead> <tr> <th>1</th> <th>5670.00</th> <th>88.33</th> <th>28.33</th> <th>74.00</th> <th>69.45</th> <th>38.95</th> <th>8.22</th> <th>36.28</th> <th>300</th> <th>200</th> <th>Peak</th> <th>VERTICAL</th> </tr> <tr> <th>2</th> <th>5670.00</th> <th>95.55</th> <th>41.55</th> <th>54.00</th> <th>92.67</th> <th>38.95</th> <th>8.22</th> <th>36.29</th> <th>300</th> <th>200</th> <th>Average</th> <th>VERTICAL</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> <th></th> </tr> </thead> </table>	1	5670.00	88.33	28.33	74.00	69.45	38.95	8.22	36.28	300	200	Peak	VERTICAL	2	5670.00	95.55	41.55	54.00	92.67	38.95	8.22	36.29	300	200	Average	VERTICAL	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg			
1	5429.68	48.18	-15.82	74.00	45.27	38.89	8.41	36.39	300	200	Peak	VERTICAL																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																										
1	5670.00	88.33	28.33	74.00	69.45	38.95	8.22	36.28	300	200	Peak	VERTICAL																																																							
2	5670.00	95.55	41.55	54.00	92.67	38.95	8.22	36.29	300	200	Average	VERTICAL																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																										
Avg.	<p>Site : 03CH3-K5            Condition : SG BAND 1-3 (AVG) @ 3m HF ANT-201704-91200 VERTICAL            Project : SWT Auto            Node : (FR) 760219            Plane : PadK            MEI : Full-directivity            PowerSetting : #4</p> <table border="1"> <thead> <tr> <th>1</th> <th>5434.64</th> <th>36.63</th> <th>-17.37</th> <th>54.00</th> <th>33.72</th> <th>38.89</th> <th>8.41</th> <th>36.39</th> <th>300</th> <th>200</th> <th>Average</th> <th>VERTICAL</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> <th></th> </tr> </thead> </table>	1	5434.64	36.63	-17.37	54.00	33.72	38.89	8.41	36.39	300	200	Average	VERTICAL	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																											
1	5434.64	36.63	-17.37	54.00	33.72	38.89	8.41	36.39	300	200	Average	VERTICAL																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																										



WIFI	Band 3 5470~5725MHz Band Edge @ 3m	
ANT	802.11ac VHT40 CH134 5670MHz - R	
1+2	Vertical	Fundamental
<p><b>Peak</b></p>	<pre> Site      : 65CH03-K5 Condition : 5G BAND 1----3 3m HF ANT-201704-91280 VERTICAL Project   : (FR) 760219 Node      : 25 Plane     : Pad-X Plane     : Full-directivity JME1      : 44 PowerSett : 32.5           :           Freq Level Over Limit ReadAntenna Cable Preamp A/Pos T/Pos           MHz dBuV/m dB dBuV/m dBuV dB/m dB dB cm deg           --- 1 5730.36 60.36 -13.04 74.00 57.61 31.32 8.31 36.28 300 290 Peak VERTICAL           </pre>	
<p><b>Avg.</b></p>	<pre> Site      : 65CH03-K5 Condition : 5G BAND 1----3 (AVG) 3m HF ANT-201704-91280 VERTICAL Project   : (FR) 760219 Node      : 25 Plane     : Pad-X Plane     : Full-directivity JME1      : 44 PowerSett : 32.5           :           Freq Level Over Limit ReadAntenna Cable Preamp A/Pos T/Pos           MHz dBuV/m dB dBuV/m dBuV dB/m dB dB cm deg           --- 1 5725.48 45.38 -8.02 54.00 42.63 31.32 8.31 36.28 300 290 Average VERTICAL           </pre>	



**Band 3 5470~5725MHz**  
**WIFI 802.11ac VHT80 (Band Edge @ 3m)**

WIFI	Band 3 5470~5725MHz Band Edge @ 3m																																																																																	
ANT	802.11ac VHT80 CH106 5530MHz - L																																																																																	
1+2	Horizontal	Fundamental																																																																																
<b>Peak</b>	<p>Site : 03CH3-K5            Condition : SG BAND 1----3 3m HF ANT-201704-91280 HORIZONTAL            Project : SMT-Auto            Mode : (FR) 760219            Plane : 28            IMEI : Pad-X            Power: Full-directivity            Power: 84            Power: 9.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5466.96</td> <td>63.12</td> <td>-18.88</td> <td>74.00</td> <td>68.28</td> <td>30.86</td> <td>8.35</td> <td>36.37</td> <td>100</td> <td>163 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	5466.96	63.12	-18.88	74.00	68.28	30.86	8.35	36.37	100	163 Peak	HORIZONTAL	<p>Site : 03CH3-K5            Condition : SG BAND 1----3 3m HF ANT-201704-91280 HORIZONTAL            Project : SMT-Auto            Mode : (FR) 760219            Plane : 28            IMEI : Pad-X            Power: Full-directivity            Power: 84            Power: 9.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5534.00</td> <td>95.55</td> <td>21.55</td> <td>74.00</td> <td>92.86</td> <td>30.86</td> <td>8.23</td> <td>36.34</td> <td>100</td> <td>163 Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>2</td> <td>5534.00</td> <td>89.18</td> <td>35.18</td> <td>54.00</td> <td>86.49</td> <td>30.86</td> <td>8.23</td> <td>36.34</td> <td>100</td> <td>163 Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	5534.00	95.55	21.55	74.00	92.86	30.86	8.23	36.34	100	163 Peak	HORIZONTAL	2	5534.00	89.18	35.18	54.00	86.49	30.86	8.23	36.34	100	163 Average	HORIZONTAL
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5466.96	63.12	-18.88	74.00	68.28	30.86	8.35	36.37	100	163 Peak	HORIZONTAL																																																																							
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5534.00	95.55	21.55	74.00	92.86	30.86	8.23	36.34	100	163 Peak	HORIZONTAL																																																																							
2	5534.00	89.18	35.18	54.00	86.49	30.86	8.23	36.34	100	163 Average	HORIZONTAL																																																																							
<b>Avg.</b>	<p>Site : 03CH3-K5            Condition : SG BAND 1----3 (AVG) 3m HF ANT-201704-91280 HORIZONTAL            Project : SMT-Auto            Mode : (FR) 760219            Plane : 28            IMEI : Pad-X            Power: Full-directivity            Power: 84            Power: 9.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5467.44</td> <td>52.61</td> <td>-1.39</td> <td>54.00</td> <td>49.77</td> <td>30.86</td> <td>8.35</td> <td>36.37</td> <td>100</td> <td>163 Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	5467.44	52.61	-1.39	54.00	49.77	30.86	8.35	36.37	100	163 Average	HORIZONTAL																																															
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5467.44	52.61	-1.39	54.00	49.77	30.86	8.35	36.37	100	163 Average	HORIZONTAL																																																																							





WIFI	Band 3 5470~5725MHz Band Edge @ 3m	
ANT	802.11ac VHT80 CH106 5530MHz - R	
1+2	Horizontal	Fundamental
<p><b>Peak</b></p>	<pre> Site      : 03CH03-KS Condition : 5G_BAND 1----3 3m HF ANT-201704-91200 HORIZONTAL Project   : (FR) 760219 Mode      : 20 Plane     : Pad-X           : Full-directivity JME1      : 04 Powersettig : 0.5           : 0.5 Freq  Level  Over  Limit  ReadAntenna  Cable Preamp  A/Pos  T/Pos  Remark  Pol/Phas ----- MHz  dBuV/m  dB  dBuV/m  dBuV  dB/m  dB  dB  cm  deg 1  5740.92  49.68  -24.32  74.00  46.18  31.44  8.34  36.28  100  163 Peak  HORIZONTAL           </pre>	
<p><b>Avg.</b></p>	<pre> Site      : 03CH03-KS Condition : 5G_BAND 1----3 (AVG) 3m HF ANT-201704-91200 HORIZONTAL Project   : (FR) 760219 Mode      : 20 Plane     : Pad-X           : Full-directivity JME1      : 04 Powersettig : 0.5           : 0.5 Freq  Level  Over  Limit  ReadAntenna  Cable Preamp  A/Pos  T/Pos  Remark  Pol/Phas ----- MHz  dBuV/m  dB  dBuV/m  dBuV  dB/m  dB  dB  cm  deg 1  5729.40  37.95  -16.05  54.00  34.60  31.32  8.31  36.28  100  163 Average  HORIZONTAL           </pre>	



WIFI	Band 3 5470~5725MHz Band Edge @ 3m																																																																																								
ANT	802.11ac VHT80 CH106 5530MHz - L																																																																																								
1+2	Vertical	Fundamental																																																																																							
Peak	<p>Site : 83CMB3-KS Condition : 5G BAND 1-3 3m HF ANT-201704-91200 VERTICAL Project : (FR) 760219 Node : 2B Plane : PadK Plane : Full-directivity JME1 : #4 PowerSetting : 9.5</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Level</th> <th>Line</th> <th>Level</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5469.72</td> <td>58.66</td> <td>-15.34</td> <td>74.00</td> <td>55.82</td> <td>30.86</td> <td>8.35</td> <td>36.37</td> <td>300</td> <td>286</td> <td>Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Level	Line	Level	Loss	Factor	Factor			MHz	dBuV/m	dB	dBuV/m	dB/m	dB	cm	deg	1	5469.72	58.66	-15.34	74.00	55.82	30.86	8.35	36.37	300	286	Peak	VERTICAL	<p>Site : 83CMB3-KS Condition : 5G BAND 1-3 3m HF ANT-201704-91200 VERTICAL Project : (FR) 760219 Node : 2B Plane : PadK Plane : Full-directivity JME1 : #4 PowerSetting : 9.5</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Level</th> <th>Line</th> <th>Level</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 *</td> <td>5520.00</td> <td>94.15</td> <td>20.15</td> <td>74.00</td> <td>91.43</td> <td>30.81</td> <td>8.26</td> <td>36.35</td> <td>300</td> <td>286</td> <td>Peak</td> <td>VERTICAL</td> </tr> <tr> <td>2 *</td> <td>5520.00</td> <td>87.79</td> <td>33.79</td> <td>54.00</td> <td>85.07</td> <td>30.81</td> <td>8.26</td> <td>36.35</td> <td>300</td> <td>286</td> <td>Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Level	Line	Level	Loss	Factor	Factor			MHz	dBuV/m	dB	dBuV/m	dB/m	dB	cm	deg	1 *	5520.00	94.15	20.15	74.00	91.43	30.81	8.26	36.35	300	286	Peak	VERTICAL	2 *	5520.00	87.79	33.79	54.00	85.07	30.81	8.26	36.35	300	286	Average	VERTICAL
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																		
Level	Line	Level	Loss	Factor	Factor																																																																																				
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	cm	deg																																																																																		
1	5469.72	58.66	-15.34	74.00	55.82	30.86	8.35	36.37	300	286	Peak	VERTICAL																																																																													
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																		
Level	Line	Level	Loss	Factor	Factor																																																																																				
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	cm	deg																																																																																		
1 *	5520.00	94.15	20.15	74.00	91.43	30.81	8.26	36.35	300	286	Peak	VERTICAL																																																																													
2 *	5520.00	87.79	33.79	54.00	85.07	30.81	8.26	36.35	300	286	Average	VERTICAL																																																																													
Avg.	<p>Site : 83CMB3-KS Condition : 5G BAND 1-3 (AVG) 3m HF ANT-201704-91200 VERTICAL Project : (FR) 760219 Node : 2B Plane : PadK Plane : Full-directivity JME1 : #4 PowerSetting : 9.5</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Level</th> <th>Line</th> <th>Level</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5469.84</td> <td>58.71</td> <td>-3.29</td> <td>54.00</td> <td>47.87</td> <td>30.86</td> <td>8.35</td> <td>36.37</td> <td>300</td> <td>286</td> <td>Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Level	Line	Level	Loss	Factor	Factor			MHz	dBuV/m	dB	dBuV/m	dB/m	dB	cm	deg	1	5469.84	58.71	-3.29	54.00	47.87	30.86	8.35	36.37	300	286	Average	VERTICAL																																																			
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																		
Level	Line	Level	Loss	Factor	Factor																																																																																				
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	cm	deg																																																																																		
1	5469.84	58.71	-3.29	54.00	47.87	30.86	8.35	36.37	300	286	Average	VERTICAL																																																																													





WIFI	Band 3 5470~5725MHz Band Edge @ 3m																																
ANT	802.11ac VHT80 CH106 5530MHz - R																																
1+2	Vertical	Fundamental																															
<p><b>Peak</b></p>	 <pre> Site      : 03CH03-KS Condition : SG BAND 1----3 3m HF ANT-201704-91200 VERTICAL Project   : (FR) 760219 Mode      : 20 Plane     : PadX Plane     : Full-directivity IMEI      : 86 Powersettig : 9.5           </pre> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5747.48</td> <td>48.12</td> <td>-25.88</td> <td>74.00</td> <td>44.62</td> <td>31.44</td> <td>8.34</td> <td>36.28</td> <td>300</td> <td>286 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1 5747.48	48.12	-25.88	74.00	44.62	31.44	8.34	36.28	300	286 Peak	VERTICAL	
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																									
1 5747.48	48.12	-25.88	74.00	44.62	31.44	8.34	36.28	300	286 Peak	VERTICAL																							
<p><b>Avg.</b></p>	 <pre> Site      : 03CH03-KS Condition : SG BAND 1----3 (AVG) 3m HF ANT-201704-91200 VERTICAL Project   : (FR) 760219 Mode      : 20 Plane     : PadX Plane     : Full-directivity IMEI      : 86 Powersettig : 9.5           </pre> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5744.60</td> <td>37.58</td> <td>-16.58</td> <td>54.00</td> <td>34.00</td> <td>31.44</td> <td>8.34</td> <td>36.28</td> <td>300</td> <td>286 Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1 5744.60	37.58	-16.58	54.00	34.00	31.44	8.34	36.28	300	286 Average	VERTICAL	
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																									
1 5744.60	37.58	-16.58	54.00	34.00	31.44	8.34	36.28	300	286 Average	VERTICAL																							






WIFI	Band 3 5470~5725MHz Band Edge @ 3m																																																																																	
ANT	802.11ac VHT80 CH122 5610MHz - L																																																																																	
1+2	Horizontal	Fundamental																																																																																
Peak	<p>Site : 03CH3-KS Condition : SG BAND 1----3 3e HF ANT-201704-91200 HORIZONTAL Project : (FR) 760219 Node : 29 Plane : PadA Plane : Full-directivity MHE1 : 44 PowerSetting : 12.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5467.92</td> <td>56.24</td> <td>-17.76</td> <td>74.00</td> <td>53.40</td> <td>30.86</td> <td>8.35</td> <td>36.37</td> <td>308</td> <td>157 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	5467.92	56.24	-17.76	74.00	53.40	30.86	8.35	36.37	308	157 Peak	HORIZONTAL	<p>Site : 03CH3-KS Condition : SG BAND 1----3 3e HF ANT-201704-91200 HORIZONTAL Project : (FR) 760219 Node : 29 Plane : PadA Plane : Full-directivity MHE1 : 44 PowerSetting : 12.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1*</td> <td>5614.00</td> <td>99.43</td> <td>25.43</td> <td>74.00</td> <td>96.91</td> <td>30.73</td> <td>8.10</td> <td>36.31</td> <td>308</td> <td>157 Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>2*</td> <td>5614.00</td> <td>92.87</td> <td>38.87</td> <td>54.00</td> <td>00.35</td> <td>30.73</td> <td>8.10</td> <td>36.31</td> <td>308</td> <td>157 Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1*	5614.00	99.43	25.43	74.00	96.91	30.73	8.10	36.31	308	157 Peak	HORIZONTAL	2*	5614.00	92.87	38.87	54.00	00.35	30.73	8.10	36.31	308	157 Average	HORIZONTAL
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5467.92	56.24	-17.76	74.00	53.40	30.86	8.35	36.37	308	157 Peak	HORIZONTAL																																																																							
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1*	5614.00	99.43	25.43	74.00	96.91	30.73	8.10	36.31	308	157 Peak	HORIZONTAL																																																																							
2*	5614.00	92.87	38.87	54.00	00.35	30.73	8.10	36.31	308	157 Average	HORIZONTAL																																																																							
Avg.	<p>Site : 03CH3-KS Condition : SG BAND 1----3 (AVG) 3e HF ANT-201704-91200 HORIZONTAL Project : (FR) 760219 Node : 29 Plane : PadA Plane : Full-directivity MHE1 : 44 PowerSetting : 12.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5466.16</td> <td>43.85</td> <td>-10.15</td> <td>54.00</td> <td>41.01</td> <td>30.86</td> <td>8.35</td> <td>36.37</td> <td>308</td> <td>157 Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	5466.16	43.85	-10.15	54.00	41.01	30.86	8.35	36.37	308	157 Average	HORIZONTAL																																															
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5466.16	43.85	-10.15	54.00	41.01	30.86	8.35	36.37	308	157 Average	HORIZONTAL																																																																							





WIFI	Band 3 5470~5725MHz Band Edge @ 3m																																						
ANT	802.11ac VHT80 CH122 5610MHz - R																																						
1+2	Horizontal	Fundamental																																					
<p><b>Peak</b></p>	 <pre> Site      : 03CMB3-K5 Condition : 56 BAND 1----3 3m HF ANT-201704-91200 HORIZONTAL Project   : FR760219 Mode      : 29 Plane     : Padck Plane     : Full-directivity MNEI      : 44 Powersttng : 32.5           </pre> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHC dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5738.20</td> <td>58.45</td> <td>-15.55</td> <td>74.00</td> <td>54.95</td> <td>31.44</td> <td>8.34</td> <td>36.28</td> <td>300</td> <td>157</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Level	Line	Level Factor	Loss Factor					MHC dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg	1	5738.20	58.45	-15.55	74.00	54.95	31.44	8.34	36.28	300	157	Peak	HORIZONTAL	
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																
Level	Line	Level Factor	Loss Factor																																				
MHC dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																
1	5738.20	58.45	-15.55	74.00	54.95	31.44	8.34	36.28	300	157	Peak	HORIZONTAL																											
<p><b>Avg.</b></p>	 <pre> Site      : 03CMB3-K5 Condition : 56 BAND 1----3 (AVG) 3m HF ANT-201704-91200 HORIZONTAL Project   : FR760219 Mode      : 29 Plane     : Padck Plane     : Full-directivity MNEI      : 44 Powersttng : 32.5           </pre> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Level</th> <th>Line</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHC dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5727.56</td> <td>46.20</td> <td>-7.00</td> <td>54.00</td> <td>42.85</td> <td>31.32</td> <td>8.31</td> <td>36.28</td> <td>300</td> <td>157</td> <td>Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Level	Line	Level Factor	Loss Factor					MHC dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg	1	5727.56	46.20	-7.00	54.00	42.85	31.32	8.31	36.28	300	157	Average	HORIZONTAL	
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																
Level	Line	Level Factor	Loss Factor																																				
MHC dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																
1	5727.56	46.20	-7.00	54.00	42.85	31.32	8.31	36.28	300	157	Average	HORIZONTAL																											



WIFI	Band 3 5470~5725MHz Band Edge @ 3m																																																																																					
ANT	802.11ac VHT80 CH122 5610MHz - L																																																																																					
1+2	Vertical	Fundamental																																																																																				
Peak	 <p>Site : 03CH3-K5 Condition : SG BAND 1---3 3m HF ANT-201704-91200 VERTICAL Project : (FR) 760219 Node : 29 Plane : Pad-X IMEI : Full-directivity PowerSetting : 84</p> <table border="1"> <thead> <tr> <th>IMEI</th> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5434.32</td> <td>52.78</td> <td>-21.38</td> <td>74.00</td> <td>49.79</td> <td>38.89</td> <td>8.41</td> <td>36.39</td> <td>306</td> <td>75 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	IMEI	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	5434.32	52.78	-21.38	74.00	49.79	38.89	8.41	36.39	306	75 Peak	VERTICAL	 <p>Site : 03CH3-K5 Condition : SG BAND 1---3 3m HF ANT-201704-91200 VERTICAL Project : (FR) 760219 Node : 29 Plane : Pad-X IMEI : Full-directivity PowerSetting : 84</p> <table border="1"> <thead> <tr> <th>IMEI</th> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5682.00</td> <td>98.06</td> <td>24.06</td> <td>74.00</td> <td>95.34</td> <td>38.73</td> <td>8.10</td> <td>36.31</td> <td>306</td> <td>75 Peak</td> <td>VERTICAL</td> </tr> <tr> <td>2</td> <td>5682.00</td> <td>90.55</td> <td>36.55</td> <td>54.00</td> <td>88.03</td> <td>38.73</td> <td>8.10</td> <td>36.31</td> <td>306</td> <td>75 Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	IMEI	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	5682.00	98.06	24.06	74.00	95.34	38.73	8.10	36.31	306	75 Peak	VERTICAL	2	5682.00	90.55	36.55	54.00	88.03	38.73	8.10	36.31	306	75 Average	VERTICAL
IMEI	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																											
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																												
1	5434.32	52.78	-21.38	74.00	49.79	38.89	8.41	36.39	306	75 Peak	VERTICAL																																																																											
IMEI	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																											
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																												
1	5682.00	98.06	24.06	74.00	95.34	38.73	8.10	36.31	306	75 Peak	VERTICAL																																																																											
2	5682.00	90.55	36.55	54.00	88.03	38.73	8.10	36.31	306	75 Average	VERTICAL																																																																											
Avg.	 <p>Site : 03CH3-K5 Condition : SG BAND 1---3 (AVG) 3m HF ANT-201704-91200 VERTICAL Project : (FR) 760219 Node : 29 Plane : Pad-X IMEI : Full-directivity PowerSetting : 84</p> <table border="1"> <thead> <tr> <th>IMEI</th> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5465.52</td> <td>41.85</td> <td>-12.15</td> <td>54.00</td> <td>39.01</td> <td>38.86</td> <td>8.35</td> <td>36.37</td> <td>306</td> <td>75 Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	IMEI	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	5465.52	41.85	-12.15	54.00	39.01	38.86	8.35	36.37	306	75 Average	VERTICAL																																																	
IMEI	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																											
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																												
1	5465.52	41.85	-12.15	54.00	39.01	38.86	8.35	36.37	306	75 Average	VERTICAL																																																																											



WIFI	Band 3 5470~5725MHz Band Edge @ 3m																																		
ANT	802.11ac VHT80 CH122 5610MHz - R																																		
1+2	Vertical	Fundamental																																	
<p><b>Peak</b></p>	 <pre> Site      : 03CH3-K5 Condition : 5G BAND 1----3 3m HF ANT-201704-91200 VERTICAL Project   : (FR) 760219 Mode      : 20 Plane     : Pad-X JME1      : Full-directivity Powersettig : 44           </pre> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5725.48</td> <td>53.63</td> <td>-20.37</td> <td>74.00</td> <td>50.28</td> <td>31.32</td> <td>8.31</td> <td>36.28</td> <td>306</td> <td>75 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1 5725.48	53.63	-20.37	74.00	50.28	31.32	8.31	36.28	306	75 Peak	VERTICAL	
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																										
1 5725.48	53.63	-20.37	74.00	50.28	31.32	8.31	36.28	306	75 Peak	VERTICAL																									
<p><b>Avg.</b></p>	 <pre> Site      : 03CH3-K5 Condition : 5G BAND 1----3 (AVG) 3m HF ANT-201704-91200 VERTICAL Project   : (FR) 760219 Mode      : 20 Plane     : Pad-X JME1      : Full-directivity Powersettig : 44           </pre> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5726.68</td> <td>43.37</td> <td>-18.63</td> <td>74.00</td> <td>40.02</td> <td>31.32</td> <td>8.31</td> <td>36.28</td> <td>306</td> <td>75 Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1 5726.68	43.37	-18.63	74.00	40.02	31.32	8.31	36.28	306	75 Average	VERTICAL	
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																										
1 5726.68	43.37	-18.63	74.00	40.02	31.32	8.31	36.28	306	75 Average	VERTICAL																									





**Band 3 - 5470~5725MHz**  
**WIFI 802.11a (Harmonic @ 3m)**

WIFI	Band 3 5470~5725MHz Harmonic @ 3m																																																																			
ANT	802.11a CH100 5500MHZ																																																																			
1+2	Horizontal	Vertical																																																																		
<b>Peak Avg.</b>	<p>Site : 03CH3-K5 Condition : SG BAND 1----3 3m HF ANT-201704-91200 HORIZONTAL Project : SHT-Auto Node : (FR) 760219 Plane : 7 Plane : Pad-X IMEI : Full-directivity PowerSetting : 84 Power : 13</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 11880.00</td> <td>47.28</td> <td>-26.72</td> <td>74.00</td> <td>62.67</td> <td>38.06</td> <td>12.25</td> <td>65.78</td> <td>100</td> <td>360 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1 11880.00	47.28	-26.72	74.00	62.67	38.06	12.25	65.78	100	360 Peak	HORIZONTAL	<p>Site : 03CH3-K5 Condition : SG BAND 1----3 3m HF ANT-201704-91200 VERTICAL Project : SHT-Auto Node : (FR) 760219 Plane : 7 Plane : Pad-X IMEI : Full-directivity PowerSetting : 84 Power : 13</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 11880.00</td> <td>58.55</td> <td>-23.45</td> <td>74.00</td> <td>65.94</td> <td>38.06</td> <td>12.25</td> <td>65.78</td> <td>100</td> <td>360 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1 11880.00	58.55	-23.45	74.00	65.94	38.06	12.25	65.78	100	360 Peak	VERTICAL
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																										
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																											
1 11880.00	47.28	-26.72	74.00	62.67	38.06	12.25	65.78	100	360 Peak	HORIZONTAL																																																										
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																										
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																											
1 11880.00	58.55	-23.45	74.00	65.94	38.06	12.25	65.78	100	360 Peak	VERTICAL																																																										



WIFI	Band 3 5470~5725MHz Harmonic @ 3m																																																																			
ANT	802.11a CH116 5580MHz																																																																			
1+2	Horizontal	Vertical																																																																		
Peak Avg.	<p>Site : 03CH03-KS            Condition : SG BAND 1-3 @ 3m HF ANT-201704-91200 HORIZONTAL            Project : (FR) 760219            Mode : S            Plane : Pad-X            : Full-directivity            JME1 : #4            Powersettig : 12</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>NHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11160.00</td> <td>44.53</td> <td>-29.47</td> <td>74.00</td> <td>59.51</td> <td>38.24</td> <td>12.36</td> <td>65.58</td> <td>100</td> <td>360 Peak HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	NHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	11160.00	44.53	-29.47	74.00	59.51	38.24	12.36	65.58	100	360 Peak HORIZONTAL	<p>Site : 03CH03-KS            Condition : SG BAND 1-3 @ 3m HF ANT-201704-91200 VERTICAL            Project : (FR) 760219            Mode : S            Plane : Pad-X            : Full-directivity            JME1 : #4            Powersettig : 12</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>NHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11160.00</td> <td>48.18</td> <td>-25.82</td> <td>74.00</td> <td>63.16</td> <td>38.24</td> <td>12.36</td> <td>65.58</td> <td>300</td> <td>360 Peak VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	NHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	11160.00	48.18	-25.82	74.00	63.16	38.24	12.36	65.58	300	360 Peak VERTICAL
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																										
NHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																											
1	11160.00	44.53	-29.47	74.00	59.51	38.24	12.36	65.58	100	360 Peak HORIZONTAL																																																										
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																										
NHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																											
1	11160.00	48.18	-25.82	74.00	63.16	38.24	12.36	65.58	300	360 Peak VERTICAL																																																										



WIFI	Band 3 5470~5725MHz Harmonic @ 3m	
ANT	802.11a CH140 5700MHz	
1+2	Horizontal	Vertical
<p><b>Peak Avg.</b></p>	 <pre> Site      : 03CH3-K5 Condition : 5G BAND 1-3 3m HF ANT-201784-91280 HORIZONTAL Project   : (FR) 760219 Node      : 9 Plane     : Padok Plane     : Full-directivity IMEI      : #4 Powersettig : 11.5 Freq Level Over Limit ReadAntenna Cable Preamp A/Pos T/Pos Pol/Phas MHz dBuV/m dB dBuV/m dBuV dB/m dB dB cm deg 1 11490.00 40.79 -33.21 74.00 55.19 38.49 12.52 65.41 100 360 Peak HORIZONTAL           </pre>	 <pre> Site      : 03CH3-K5 Condition : 5G BAND 1-3 3m HF ANT-201784-91280 VERTICAL Project   : (FR) 760219 Node      : 9 Plane     : Padok Plane     : Full-directivity IMEI      : #4 Powersettig : 11.5 Freq Level Over Limit ReadAntenna Cable Preamp A/Pos T/Pos Remark Pol/Phas MHz dBuV/m dB dBuV/m dBuV dB/m dB dB cm deg 1 11490.00 44.29 -29.71 74.00 56.69 38.49 12.52 65.41 100 360 Peak VERTICAL           </pre>



**Band 3 5470~5725MHz**  
**WIFI 802.11ac VHT20 (Harmonic @ 3m)**

WIFI	Band 3 5470~5725MHz Harmonic @ 3m																																																																									
ANT	802.11ac VHT20 CH100 5500MHz																																																																									
1+2	Horizontal	Vertical																																																																								
Peak Avg.	<pre> Site      : 03CM03-K5 Condition : 5G BAND 1-3---3 3m HF ANT-201704-91200 HORIZONTAL Project   : (FR) 760219 Mode      : IS Plane     : Pad-X Polariz   : Single-directivity IMEI      : #4 Powersettig : IS.5           </pre> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11800.00</td> <td>47.27</td> <td>-26.73</td> <td>74.00</td> <td>62.66</td> <td>38.86</td> <td>12.25</td> <td>65.78</td> <td>300</td> <td>360</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Line	Level	Factor	Loss Factor			MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg	1 11800.00	47.27	-26.73	74.00	62.66	38.86	12.25	65.78	300	360	Peak	HORIZONTAL	<pre> Site      : 03CM03-K5 Condition : 5G BAND 1-3---3 3m HF ANT-201704-91200 VERTICAL Project   : (FR) 760219 Mode      : IS Plane     : Pad-X Polariz   : Single-directivity IMEI      : #4 Powersettig : IS.5           </pre> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11895.00</td> <td>49.38</td> <td>-24.78</td> <td>74.00</td> <td>64.69</td> <td>38.86</td> <td>12.25</td> <td>65.78</td> <td>100</td> <td>360</td> <td>Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	Freq	Level	Line	Level	Factor	Loss Factor			MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg	1 11895.00	49.38	-24.78	74.00	64.69	38.86	12.25	65.78	100	360	Peak	VERTICAL
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																			
Freq	Level	Line	Level	Factor	Loss Factor																																																																					
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																																																			
1 11800.00	47.27	-26.73	74.00	62.66	38.86	12.25	65.78	300	360	Peak	HORIZONTAL																																																															
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																			
Freq	Level	Line	Level	Factor	Loss Factor																																																																					
MHz	dBuV/m	dB	dBuV/m	dB	dB	cm	deg																																																																			
1 11895.00	49.38	-24.78	74.00	64.69	38.86	12.25	65.78	100	360	Peak	VERTICAL																																																															



WIFI	Band 3 5470~5725MHz Harmonic @ 3m																																																											
ANT	802.11ac VHT20 CH116 5580MHz																																																											
1+2	Horizontal	Vertical																																																										
Peak Avg.	<p>Site : 83CMB-KS            Condition : SG BAND 1-3 3m HF ANT-201704-91200 HORIZONTAL            Project : SMT:Auto            Project : (FR) 760219            Mode : 17            Plane : Pa+K            Plane : Single-directivity            IM1 : 84            Powersettig : 12.5</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>NR2</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11155.00</td> <td>45.71</td> <td>-28.29</td> <td>74.00</td> <td>68.73</td> <td>38.22</td> <td>12.35</td> <td>65.59</td> <td>300</td> <td>360</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	NR2	dBuV/m	dB	dBuV/m	dB	cm	deg		1	11155.00	45.71	-28.29	74.00	68.73	38.22	12.35	65.59	300	360	Peak	HORIZONTAL	<p>Site : 83CMB-KS            Condition : SG BAND 1-3 3m HF ANT-201704-91200 VERTICAL            Project : SMT:Auto            Project : (FR) 760219            Mode : 17            Plane : Pa+K            Plane : Single-directivity            IM1 : 84            Powersettig : 12.5</p> <table border="1"> <thead> <tr> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>NR2</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11160.00</td> <td>48.23</td> <td>-25.77</td> <td>74.00</td> <td>63.21</td> <td>38.24</td> <td>12.36</td> <td>65.58</td> <td>300</td> <td>360</td> <td>Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	NR2	dBuV/m	dB	dBuV/m	dB	cm	deg		1	11160.00	48.23	-25.77	74.00	63.21	38.24	12.36	65.58	300	360	Peak	VERTICAL
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																					
NR2	dBuV/m	dB	dBuV/m	dB	cm	deg																																																						
1	11155.00	45.71	-28.29	74.00	68.73	38.22	12.35	65.59	300	360	Peak	HORIZONTAL																																																
Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																					
NR2	dBuV/m	dB	dBuV/m	dB	cm	deg																																																						
1	11160.00	48.23	-25.77	74.00	63.21	38.24	12.36	65.58	300	360	Peak	VERTICAL																																																



WIFI	Band 3 5470~5725MHz Harmonic @ 3m																																																																			
ANT	802.11ac VHT20 CH140 5700MHz																																																																			
1+2	Horizontal	Vertical																																																																		
Peak Avg.	<pre> Site      : 03CH03-K5 Condition : SG BAND 1----3 3e HF ANT-201704-91280 HORIZONTAL Project   : (FR) 760219 Model    : 18 Plane    : Pad-X           : Single-directivity IMEI     : #4 Powersettig : 13           </pre> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 11400.00</td> <td>42.96</td> <td>-31.04</td> <td>74.00</td> <td>57.36</td> <td>38.49</td> <td>12.52</td> <td>65.41</td> <td>100</td> <td>360</td> <td>Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1 11400.00	42.96	-31.04	74.00	57.36	38.49	12.52	65.41	100	360	Peak	<pre> Site      : 03CH03-K5 Condition : SG BAND 1----3 3e HF ANT-201704-91280 VERTICAL Project   : (FR) 760219 Model    : 18 Plane    : Pad-X           : Single-directivity IMEI     : #4 Powersettig : 13           </pre> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 11400.00</td> <td>44.78</td> <td>-29.22</td> <td>74.00</td> <td>59.18</td> <td>38.49</td> <td>12.52</td> <td>65.41</td> <td>300</td> <td>360</td> <td>Peak</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1 11400.00	44.78	-29.22	74.00	59.18	38.49	12.52	65.41	300	360	Peak
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																										
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																											
1 11400.00	42.96	-31.04	74.00	57.36	38.49	12.52	65.41	100	360	Peak																																																										
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																										
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																											
1 11400.00	44.78	-29.22	74.00	59.18	38.49	12.52	65.41	300	360	Peak																																																										



**Band 3 5470~5725MHz**  
**WIFI 802.11ac VHT40 (Harmonic @ 3m)**

WIFI	Band 3 5470~5725MHz Harmonic @ 3m																																																																			
ANT	802.11ac VHT40 CH102 5510MHz																																																																			
1+2	Horizontal	Vertical																																																																		
Peak Avg.	<p>Site : 03CM03-K5 Condition : SG BAND 1-...-3 3m HF ANT-201704-91200 HORIZONTAL Project : (FR) 760219 Node : 23 Plane : Pad-X Plane : Full-directivity IMEI : 86 PowerSetting : 8.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 11820.00</td> <td>43.01</td> <td>-30.99</td> <td>74.00</td> <td>58.36</td> <td>38.08</td> <td>12.26</td> <td>65.69</td> <td>100</td> <td>360</td> <td>Peak HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1 11820.00	43.01	-30.99	74.00	58.36	38.08	12.26	65.69	100	360	Peak HORIZONTAL	<p>Site : 03CM03-K5 Condition : SG BAND 1-...-3 3m HF ANT-201704-91200 VERTICAL Project : (FR) 760219 Node : 23 Plane : Pad-X Plane : Full-directivity IMEI : 86 PowerSetting : 8.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 11820.00</td> <td>43.27</td> <td>-30.73</td> <td>74.00</td> <td>58.62</td> <td>38.08</td> <td>12.26</td> <td>65.69</td> <td>100</td> <td>360</td> <td>Peak VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1 11820.00	43.27	-30.73	74.00	58.62	38.08	12.26	65.69	100	360	Peak VERTICAL
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																										
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																											
1 11820.00	43.01	-30.99	74.00	58.36	38.08	12.26	65.69	100	360	Peak HORIZONTAL																																																										
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																										
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																											
1 11820.00	43.27	-30.73	74.00	58.62	38.08	12.26	65.69	100	360	Peak VERTICAL																																																										



WIFI	Band 3 5470~5725MHz Harmonic @ 3m																																																															
ANT	802.11ac VHT40 CH110 5550MHz																																																															
1+2	Horizontal	Vertical																																																														
Peak Avg.	<pre> Site      : 83CH3-K5 Condition : 5G BAND 1----3 3m HF ANT-201704-91280 HORIZONTAL Project   : SPT-Rate Project   : (FR) 760219 Node      : 24 Plane     : Pad-X Plane     : Full-directivity IPE1      : #4 Powersettig : 33.5           </pre> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 11180.00</td> <td>45.01</td> <td>-30.99</td> <td>74.00</td> <td>58.15</td> <td>38.17</td> <td>12.32</td> <td>65.63</td> <td>100</td> <td>360 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1 11180.00	45.01	-30.99	74.00	58.15	38.17	12.32	65.63	100	360 Peak	HORIZONTAL	<pre> Site      : 83CH3-K5 Condition : 5G BAND 1----3 3m HF ANT-201704-91280 VERTICAL Project   : SPT-Rate Project   : (FR) 760219 Node      : 24 Plane     : Pad-X Plane     : Full-directivity IPE1      : #4 Powersettig : 33.5           </pre> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 11180.00</td> <td>45.25</td> <td>-28.75</td> <td>74.00</td> <td>60.39</td> <td>38.17</td> <td>12.32</td> <td>65.63</td> <td>100</td> <td>360 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1 11180.00	45.25	-28.75	74.00	60.39	38.17	12.32	65.63	100	360 Peak	VERTICAL
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																								
1 11180.00	45.01	-30.99	74.00	58.15	38.17	12.32	65.63	100	360 Peak	HORIZONTAL																																																						
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																								
1 11180.00	45.25	-28.75	74.00	60.39	38.17	12.32	65.63	100	360 Peak	VERTICAL																																																						



WIFI	Band 3 5470~5725MHz Harmonic @ 3m																																																																			
ANT	802.11ac VHT40 CH134 5670MHz																																																																			
1+2	Horizontal	Vertical																																																																		
Peak Avg.	<p>Site : 03CH3-K5            Condition : 5G BAND 1-3 3m HF ANT-201704-91200 HORIZONTAL            Project : (FR) 760219            Mode : 25            Plane : Pad-X            MEI : Full-directivity            PowerSetting : 32.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 11340.00</td> <td>41.89</td> <td>-32.11</td> <td>74.00</td> <td>56.46</td> <td>38.42</td> <td>12.47</td> <td>65.46</td> <td>100</td> <td>360 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	cm	deg			1 11340.00	41.89	-32.11	74.00	56.46	38.42	12.47	65.46	100	360 Peak	HORIZONTAL	<p>Site : 03CH3-K5            Condition : 5G BAND 1-3 3m HF ANT-201704-91200 VERTICAL            Project : (FR) 760219            Mode : 25            Plane : Pad-X            MEI : Full-directivity            PowerSetting : 32.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 11340.00</td> <td>43.52</td> <td>-30.48</td> <td>74.00</td> <td>58.09</td> <td>38.42</td> <td>12.47</td> <td>65.46</td> <td>100</td> <td>360 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	cm	deg			1 11340.00	43.52	-30.48	74.00	58.09	38.42	12.47	65.46	100	360 Peak	VERTICAL
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																										
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	cm	deg																																																												
1 11340.00	41.89	-32.11	74.00	56.46	38.42	12.47	65.46	100	360 Peak	HORIZONTAL																																																										
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																										
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	cm	deg																																																												
1 11340.00	43.52	-30.48	74.00	58.09	38.42	12.47	65.46	100	360 Peak	VERTICAL																																																										



**Band 3 5470~5725MHz**  
**WIFI 802.11ac VHT80 (Harmonic @ 3m)**

WIFI	Band 3 5470~5725MHz Harmonic @ 3m																																																																			
ANT	802.11ac VHT80 CH106 5530MHz																																																																			
1+2	Horizontal	Vertical																																																																		
<b>Peak</b>	<p>Site : 03CH3-KS            Condition : SG BAND 1----3 3m HF ANT-201784-91280 HORIZONTAL            Project : (FR) 760219            Mode : 2B            Plane : Pad-X            Mode : Full-directivity            IMEI : 84            PowerSetting : 9.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Poi/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 11860.00</td> <td>43.12</td> <td>-38.08</td> <td>74.00</td> <td>58.35</td> <td>38.13</td> <td>12.38</td> <td>65.66</td> <td>300</td> <td>0 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1 11860.00	43.12	-38.08	74.00	58.35	38.13	12.38	65.66	300	0 Peak	HORIZONTAL	<p>Site : 03CH3-KS            Condition : SG BAND 1----3 3m HF ANT-201784-91280 VERTICAL            Project : (FR) 760219            Mode : 2B            Plane : Pad-X            Mode : Full-directivity            IMEI : 84            PowerSetting : 9.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Poi/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 11860.00</td> <td>42.75</td> <td>-31.25</td> <td>74.00</td> <td>57.98</td> <td>38.13</td> <td>12.38</td> <td>65.66</td> <td>100</td> <td>0 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1 11860.00	42.75	-31.25	74.00	57.98	38.13	12.38	65.66	100	0 Peak	VERTICAL
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas																																																										
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																											
1 11860.00	43.12	-38.08	74.00	58.35	38.13	12.38	65.66	300	0 Peak	HORIZONTAL																																																										
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas																																																										
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																											
1 11860.00	42.75	-31.25	74.00	57.98	38.13	12.38	65.66	100	0 Peak	VERTICAL																																																										
<b>Avg.</b>	<p>Site : 03CH3-KS            Condition : SG BAND 1----3 3m HF ANT-201784-91280 HORIZONTAL            Project : (FR) 760219            Mode : 2B            Plane : Pad-X            Mode : Full-directivity            IMEI : 84            PowerSetting : 9.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Poi/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 11860.00</td> <td>43.12</td> <td>-38.08</td> <td>74.00</td> <td>58.35</td> <td>38.13</td> <td>12.38</td> <td>65.66</td> <td>300</td> <td>0 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1 11860.00	43.12	-38.08	74.00	58.35	38.13	12.38	65.66	300	0 Peak	HORIZONTAL	<p>Site : 03CH3-KS            Condition : SG BAND 1----3 3m HF ANT-201784-91280 VERTICAL            Project : (FR) 760219            Mode : 2B            Plane : Pad-X            Mode : Full-directivity            IMEI : 84            PowerSetting : 9.5</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Poi/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 11860.00</td> <td>42.75</td> <td>-31.25</td> <td>74.00</td> <td>57.98</td> <td>38.13</td> <td>12.38</td> <td>65.66</td> <td>100</td> <td>0 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1 11860.00	42.75	-31.25	74.00	57.98	38.13	12.38	65.66	100	0 Peak	VERTICAL
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas																																																										
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																											
1 11860.00	43.12	-38.08	74.00	58.35	38.13	12.38	65.66	300	0 Peak	HORIZONTAL																																																										
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Poi/Phas																																																										
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																											
1 11860.00	42.75	-31.25	74.00	57.98	38.13	12.38	65.66	100	0 Peak	VERTICAL																																																										



WIFI	Band 3 5470~5725MHz Harmonic @ 3m																																																							
ANT	802.11ac VHT80 CH122 5610MHz																																																							
1+2	Horizontal	Vertical																																																						
Peak Avg.	<pre> Site      : 03CH03-K5 Condition : 5G BAND 1-3 @ 3m HF ANT-201704-91280 HORIZONTAL Project   : SMT-Auto Project   : (FR) 760219 Mode      : 20 Plane     : Pad-X Plane     : Full-directivity IMEI      : 84 Powersettig : 12.5           </pre> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB/m</th> <th>dB</th> <th>ca</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 11220.00</td> <td>42.77</td> <td>-31.23</td> <td>74.00</td> <td>57.64</td> <td>38.29</td> <td>12.39</td> <td>65.55</td> <td>300 0 Peak HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB/m	dB	ca	deg		1 11220.00	42.77	-31.23	74.00	57.64	38.29	12.39	65.55	300 0 Peak HORIZONTAL	<pre> Site      : 03CH03-K5 Condition : 5G BAND 1-3 @ 3m HF ANT-201704-91280 VERTICAL Project   : SMT-Auto Project   : (FR) 760219 Mode      : 20 Plane     : Pad-X Plane     : Full-directivity IMEI      : 84 Powersettig : 12.5           </pre> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB/m</th> <th>dB</th> <th>ca</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 11220.00</td> <td>42.94</td> <td>-31.06</td> <td>74.00</td> <td>57.81</td> <td>38.29</td> <td>12.39</td> <td>65.55</td> <td>100 0 Peak VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Over Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB/m	dB	ca	deg		1 11220.00	42.94	-31.06	74.00	57.81	38.29	12.39	65.55	100 0 Peak VERTICAL
Freq	Level	Over Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	ca	deg																																																	
1 11220.00	42.77	-31.23	74.00	57.64	38.29	12.39	65.55	300 0 Peak HORIZONTAL																																																
Freq	Level	Over Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	ca	deg																																																	
1 11220.00	42.94	-31.06	74.00	57.81	38.29	12.39	65.55	100 0 Peak VERTICAL																																																



**Band 3 - Straddle Channel**  
**WIFI 802.11a (Fundamental @ 3m)**

WIFI	Band 3 Straddle Channel Fundamental @ 3m	
ANT	802.11a CH144 5720MHz	
1+2	Horizontal	Vertical
Peak Avg.	<pre> Site      : 03CH03-KS Condition : 5G BAND 1----3 3m HF ANT-201704-91200 HORIZONTAL Project   : SMTAuto Project   : (FR) 760219 Mode      : 39 Plane     : PadK Plane     : Full-directivity IMEI      : #4 Powersettig : 9           Over Limit ReadAntenna Cable Preamp A/Pos T/Pos           Freq Level Limit Line Level Factor Loss Factor Remark Pol/Phas           MHz dBuV/m dB dBuV/m dBuV dB/m dB cm deg 1 * 5718.00 104.98 38.00 74.00 101.55 31.32 8.31 36.28 100 159 Peak HORIZONTAL 2 * 5718.00 97.41 21.41 74.00 94.00 31.32 8.31 36.28 100 159 Average HORIZONTAL           </pre>	<pre> Site      : 03CH03-KS Condition : 5G BAND 1----3 3m HF ANT-201704-91200 VERTICAL Project   : SMTAuto Project   : (FR) 760219 Mode      : 39 Plane     : PadK Plane     : Full-directivity IMEI      : #4 Powersettig : 9           Over Limit ReadAntenna Cable Preamp A/Pos T/Pos           Freq Level Limit Line Level Factor Loss Factor Remark Pol/Phas           MHz dBuV/m dB dBuV/m dBuV dB/m dB dB cm deg 1 * 5722.00 102.24 28.24 74.00 98.09 31.32 8.31 36.28 118 200 Peak VERTICAL 2 * 5722.00 95.35 21.35 74.00 92.00 31.32 8.31 36.28 318 200 Average VERTICAL           </pre>



**Band 3 – Straddle Channel**  
**WIFI 802.11ac VHT20 (Fundamental @ 3m)**

WIFI	Band 3 Straddle Channel Fundamental @ 3m	
ANT	802.11ac VHT20 CH144 5720MHz	
1+2	Horizontal	Vertical
Peak Avg.	<pre> Site      : 03CH03-K5 Condition : SG BAND 1-3 3e HF ANT-201704-91200 HORIZONTAL Project   : (FR) 760219 Mode      : #0 Plane     : Pad-A Plane     : Single-directivity IMEI      : #4 Powersettig : 33.5           Freq Level Over Limit ReadAntenna Cable Preamp A/Pos T/Pos Pol/Phas           MHz dBuV/m dB dBuV/m dB/m dB dB cm dBq 1 * 5722.00 100.38 34.38 74.00 105.03 31.32 8.21 36.28 318 158 Peak HORIZONTAL 2 * 5722.00 101.16 27.16 74.00 97.81 31.32 8.31 36.28 318 158 Average HORIZONTAL           </pre>	<pre> Site      : 03CH03-K5 Condition : SG BAND 1-3 3e HF ANT-201704-91200 VERTICAL Project   : (FR) 760219 Mode      : #0 Plane     : Pad-A Plane     : Single-directivity IMEI      : #4 Powersettig : 33.5           Freq Level Over Limit ReadAntenna Cable Preamp A/Pos T/Pos Remark Pol/Phas           MHz dBuV/m dB dBuV/m dB/m dB dB cm dBq 1 * 5716.00 106.89 32.89 74.00 103.70 31.19 8.28 36.28 300 289 Peak VERTICAL 2 * 5716.00 100.00 26.00 74.00 96.81 31.19 8.28 36.28 300 289 Average VERTICAL           </pre>



**Band 3 – Straddle Channel**  
**WIFI 802.11ac VHT40 (Fundamental @ 3m)**

WIFI	Band 3 Straddle Channel Fundamental @ 3m																																																																																					
ANT	802.11ac VHT40 CH142 5710MHz																																																																																					
1+2	Horizontal	Vertical																																																																																				
Peak Avg.	<p>Site : 03CH3-K5 Condition : 5G BAND 1-3 3m HF ANT-201784-91280 HORIZONTAL Project : SUT-Huao Project : (FR) 760219 Mode : 4E Plane : Pad-X Plane : Full-directivity IMEI : 84 PowerSetting : 13</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 * 5720.00</td> <td>184.89</td> <td>38.89</td> <td>74.00</td> <td>181.54</td> <td>31.32</td> <td>8.31</td> <td>36.28</td> <td>387</td> <td>151 Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>2 * 5720.00</td> <td>96.58</td> <td>24.58</td> <td>74.00</td> <td>95.15</td> <td>31.32</td> <td>8.31</td> <td>36.28</td> <td>387</td> <td>151 Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 * 5720.00	184.89	38.89	74.00	181.54	31.32	8.31	36.28	387	151 Peak	HORIZONTAL	2 * 5720.00	96.58	24.58	74.00	95.15	31.32	8.31	36.28	387	151 Average	HORIZONTAL	<p>Site : 03CH3-K5 Condition : 5G BAND 1-3 3m HF ANT-201784-91280 VERTICAL Project : SUT-Huao Project : (FR) 760219 Mode : 4E Plane : Pad-X Plane : Full-directivity IMEI : 84 PowerSetting : 13</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 * 5706.00</td> <td>183.01</td> <td>29.81</td> <td>74.00</td> <td>180.62</td> <td>31.19</td> <td>8.28</td> <td>36.28</td> <td>388</td> <td>288 Peak</td> <td>VERTICAL</td> </tr> <tr> <td>2 * 5706.00</td> <td>96.25</td> <td>22.25</td> <td>74.00</td> <td>93.86</td> <td>31.19</td> <td>8.28</td> <td>36.28</td> <td>388</td> <td>288 Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 * 5706.00	183.01	29.81	74.00	180.62	31.19	8.28	36.28	388	288 Peak	VERTICAL	2 * 5706.00	96.25	22.25	74.00	93.86	31.19	8.28	36.28	388	288 Average	VERTICAL
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																													
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																													
1 * 5720.00	184.89	38.89	74.00	181.54	31.32	8.31	36.28	387	151 Peak	HORIZONTAL																																																																												
2 * 5720.00	96.58	24.58	74.00	95.15	31.32	8.31	36.28	387	151 Average	HORIZONTAL																																																																												
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																													
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																													
1 * 5706.00	183.01	29.81	74.00	180.62	31.19	8.28	36.28	388	288 Peak	VERTICAL																																																																												
2 * 5706.00	96.25	22.25	74.00	93.86	31.19	8.28	36.28	388	288 Average	VERTICAL																																																																												



**Band 3 – Straddle Channel  
WIFI 802.11ac VHT80 (Fundamental @ 3m)**

WIFI	Band 3 Straddle Channel Fundamental @ 3m																																																																																																	
ANT	802.11ac VHT80 CH138 5690MHz																																																																																																	
1+2	Horizontal	Vertical																																																																																																
Peak Avg.	<pre> Site          : 030W03-K5 Condition     : 5G BAND 1-3 3m HF ANT-201704-91200 HORIZONTAL Project      : SWTAuto Node         : (FR) 760219 Plane       : PacX Plane        : Full-directivity IMEI         : 86 PowerSetting : 13           </pre> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Line</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 * 5698.00</td> <td>182.83</td> <td>28.83</td> <td>74.00</td> <td>99.80</td> <td>31.07</td> <td>8.25</td> <td>36.29</td> <td>325</td> <td>151</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> <tr> <td>2 * 5698.00</td> <td>94.95</td> <td>28.95</td> <td>74.00</td> <td>91.92</td> <td>31.07</td> <td>8.25</td> <td>36.29</td> <td>325</td> <td>151</td> <td>Average</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Over	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	dB	cm	deg			1 * 5698.00	182.83	28.83	74.00	99.80	31.07	8.25	36.29	325	151	Peak	HORIZONTAL	2 * 5698.00	94.95	28.95	74.00	91.92	31.07	8.25	36.29	325	151	Average	HORIZONTAL	<pre> Site          : 030W03-K5 Condition     : 5G BAND 1-3 3m HF ANT-201704-91200 VERTICAL Project      : SWTAuto Node         : (FR) 760219 Plane       : PacX Plane        : Full-directivity IMEI         : 86 PowerSetting : 13           </pre> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Line</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 * 5678.00</td> <td>188.54</td> <td>26.54</td> <td>74.00</td> <td>97.66</td> <td>38.95</td> <td>8.22</td> <td>36.29</td> <td>317</td> <td>288</td> <td>Peak</td> <td>VERTICAL</td> </tr> <tr> <td>2 * 5678.00</td> <td>92.29</td> <td>28.29</td> <td>74.00</td> <td>89.41</td> <td>38.95</td> <td>8.22</td> <td>36.29</td> <td>317</td> <td>188</td> <td>Average</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Over	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	dB	cm	deg			1 * 5678.00	188.54	26.54	74.00	97.66	38.95	8.22	36.29	317	288	Peak	VERTICAL	2 * 5678.00	92.29	28.29	74.00	89.41	38.95	8.22	36.29	317	188	Average	VERTICAL
Freq	Level	Limit	Over	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																							
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	dB	cm	deg																																																																																									
1 * 5698.00	182.83	28.83	74.00	99.80	31.07	8.25	36.29	325	151	Peak	HORIZONTAL																																																																																							
2 * 5698.00	94.95	28.95	74.00	91.92	31.07	8.25	36.29	325	151	Average	HORIZONTAL																																																																																							
Freq	Level	Limit	Over	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																							
MHz	dBuV/m	dB	dBuV/m	dB/m	dB	dB	dB	cm	deg																																																																																									
1 * 5678.00	188.54	26.54	74.00	97.66	38.95	8.22	36.29	317	288	Peak	VERTICAL																																																																																							
2 * 5678.00	92.29	28.29	74.00	89.41	38.95	8.22	36.29	317	188	Average	VERTICAL																																																																																							





**Band 3 - Straddle Channel**  
**WIFI 802.11a (Harmonic @ 3m)**

WIFI	Band 3 Straddle Channel Harmonic @ 3m																																																															
ANT	802.11a CH144 5720MHz																																																															
1+2	Horizontal	Vertical																																																														
<b>Peak Avg.</b>	<pre> Site      : 83CH3-K5 Condition : SG BAND 1----3 3m HF ANT-201704-91200 HORIZONTAL Project   : SUT-Auto Node      : (FR) 760219 Plane    : Pad-X Plane     : Full-directivity IMEI      : #4 Powersettig : 9           </pre> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 11480.00</td> <td>42.85</td> <td>-31.15</td> <td>74.00</td> <td>57.25</td> <td>38.49</td> <td>12.52</td> <td>65.41</td> <td>300</td> <td>300 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1 11480.00	42.85	-31.15	74.00	57.25	38.49	12.52	65.41	300	300 Peak	HORIZONTAL	<pre> Site      : 83CH3-K5 Condition : SG BAND 1----3 3m HF ANT-201704-91200 VERTICAL Project   : SUT-Auto Node      : (FR) 760219 Plane    : Pad-X Plane     : Full-directivity IMEI      : #4 Powersettig : 9           </pre> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 11480.00</td> <td>42.83</td> <td>-31.17</td> <td>74.00</td> <td>57.23</td> <td>38.49</td> <td>12.52</td> <td>65.41</td> <td>100</td> <td>0 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1 11480.00	42.83	-31.17	74.00	57.23	38.49	12.52	65.41	100	0 Peak	VERTICAL
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																								
1 11480.00	42.85	-31.15	74.00	57.25	38.49	12.52	65.41	300	300 Peak	HORIZONTAL																																																						
Freq	Level	Over	Limit	ReadAntenna	Cable Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																								
1 11480.00	42.83	-31.17	74.00	57.23	38.49	12.52	65.41	100	0 Peak	VERTICAL																																																						



**Band 3 – Straddle Channel**  
**WIFI 802.11ac VHT20 (Harmonic @ 3m)**

WIFI	Band 3 Straddle Channel Harmonic @ 3m																																																																			
ANT	802.11ac VHT20 CH144 5720MHz																																																																			
1+2	Horizontal	Vertical																																																																		
<b>Peak</b>	 <p>Site : 03CH3-KS Condition : SG BAND 1----3 3m HF ANT-201784-91280 HORIZONTAL Project : (FR) 760219 Mode : 40 Plane : Pas-X JME1 : Single-directivity PowerSetting : 14</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 11440.00</td> <td>42.52</td> <td>-31.48</td> <td>74.00</td> <td>56.84</td> <td>38.53</td> <td>12.54</td> <td>65.39</td> <td>300</td> <td>360 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1 11440.00	42.52	-31.48	74.00	56.84	38.53	12.54	65.39	300	360 Peak	HORIZONTAL	 <p>Site : 03CH3-KS Condition : SG BAND 1----3 3m HF ANT-201784-91280 VERTICAL Project : (FR) 760219 Mode : 40 Plane : Pas-X JME1 : Single-directivity PowerSetting : 14</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 11440.00</td> <td>44.43</td> <td>-29.57</td> <td>74.00</td> <td>58.75</td> <td>38.53</td> <td>12.54</td> <td>65.39</td> <td>100</td> <td>0 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1 11440.00	44.43	-29.57	74.00	58.75	38.53	12.54	65.39	100	0 Peak	VERTICAL
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																										
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																											
1 11440.00	42.52	-31.48	74.00	56.84	38.53	12.54	65.39	300	360 Peak	HORIZONTAL																																																										
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																										
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																											
1 11440.00	44.43	-29.57	74.00	58.75	38.53	12.54	65.39	100	0 Peak	VERTICAL																																																										
<b>Avg.</b>																																																																				



**Band 3 – Straddle Channel**  
**WIFI 802.11ac VHT40 (Harmonic @ 3m)**

WIFI	Band 3 Straddle Channel Harmonic @ 3m																																																																			
ANT	802.11ac VHT40 CH142 5710MHz																																																																			
1+2	Horizontal	Vertical																																																																		
Peak Avg.	<pre> Site      : 03CH3-KS Condition : SG BAND 1----3 3m HF ANT-201784-91280 HORIZONTAL Project   : (FR) 760219 Node      : 41 Plane     : Full-directivity JME1      : 84 Powersettig : 13           </pre> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 11420.00</td> <td>42.18</td> <td>-31.02</td> <td>74.00</td> <td>56.54</td> <td>38.51</td> <td>12.53</td> <td>65.48</td> <td>308</td> <td>368 Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1 11420.00	42.18	-31.02	74.00	56.54	38.51	12.53	65.48	308	368 Peak	HORIZONTAL	<pre> Site      : 03CH3-KS Condition : SG BAND 1----3 3m HF ANT-201784-91280 VERTICAL Project   : (FR) 760219 Node      : 41 Plane     : Full-directivity JME1      : 84 Powersettig : 13           </pre> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Over</th> <th>Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 11420.00</td> <td>43.14</td> <td>-30.86</td> <td>74.00</td> <td>57.50</td> <td>38.51</td> <td>12.53</td> <td>65.48</td> <td>100</td> <td>0 Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1 11420.00	43.14	-30.86	74.00	57.50	38.51	12.53	65.48	100	0 Peak	VERTICAL
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																										
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																											
1 11420.00	42.18	-31.02	74.00	56.54	38.51	12.53	65.48	308	368 Peak	HORIZONTAL																																																										
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																										
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																											
1 11420.00	43.14	-30.86	74.00	57.50	38.51	12.53	65.48	100	0 Peak	VERTICAL																																																										



**Band 3 – Straddle Channel**  
**WIFI 802.11ac VHT80 (Harmonic @ 3m)**

WIFI	Band 3 Straddle Channel Harmonic @ 3m																																																																									
ANT	802.11ac VHT80 CH138 5690MHz																																																																									
1+2	Horizontal	Vertical																																																																								
Peak Avg.	<p>Site : 03CMB-KS            Condition : 5G BAND 1----3 3m HF ANT-201784-91280 HORIZONTAL            Project : (FR) 760219            Node : 42            Plane : Peak            : Full-directivity            IMEI : 84            Powersettig : 13</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Line</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 11388.00</td> <td>42.19</td> <td>-31.81</td> <td>74.00</td> <td>56.63</td> <td>38.47</td> <td>12.51</td> <td>65.42</td> <td>300</td> <td>360</td> <td>Peak</td> <td>HORIZONTAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Over	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg			1 11388.00	42.19	-31.81	74.00	56.63	38.47	12.51	65.42	300	360	Peak	HORIZONTAL	<p>Site : 03CMB-KS            Condition : 5G BAND 1----3 3m HF ANT-201784-91280 VERTICAL            Project : (FR) 760219            Node : 42            Plane : Peak            : Full-directivity            IMEI : 84            Powersettig : 13</p> <table border="1"> <thead> <tr> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Line</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 11388.00</td> <td>42.58</td> <td>-31.42</td> <td>74.00</td> <td>57.02</td> <td>38.47</td> <td>12.51</td> <td>65.42</td> <td>100</td> <td>0</td> <td>Peak</td> <td>VERTICAL</td> </tr> </tbody> </table>	Freq	Level	Limit	Over	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg			1 11388.00	42.58	-31.42	74.00	57.02	38.47	12.51	65.42	100	0	Peak	VERTICAL
	Freq	Level	Limit	Over	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																														
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																	
1 11388.00	42.19	-31.81	74.00	56.63	38.47	12.51	65.42	300	360	Peak	HORIZONTAL																																																															
Freq	Level	Limit	Over	Line	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																															
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																	
1 11388.00	42.58	-31.42	74.00	57.02	38.47	12.51	65.42	100	0	Peak	VERTICAL																																																															



Emission below 1GHz  
5GHz WIFI 802.11ac VHT80 (LF)

WIFI	5GHz WIFI																																																																																																																																																																																	
ANT	802.11ac VHT80 LF																																																																																																																																																																																	
1+2	Horizontal	Vertical																																																																																																																																																																																
QP / Peak	<p>Site : 03CH03-K5 Condition : 5G BAND 1----3 3m LF ANT 600 HORIZONTAL Project : SMT-auto Project : (FR) 760219 Mode : 20 Plane : Pad-X Plane : Full-directivity IMEI : #4 PowerSetting : 9</p> <table border="1"> <thead> <tr> <th>Line</th> <th>Freq</th> <th>Level</th> <th>Over Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>34.85</td> <td>27.75</td> <td>-12.25</td> <td>48.00</td> <td>33.84</td> <td>25.50</td> <td>0.71</td> <td>32.30</td> <td>---</td> <td>Peak HORIZONTAL</td> </tr> <tr> <td>2</td> <td>180.81</td> <td>30.58</td> <td>-22.52</td> <td>43.50</td> <td>32.75</td> <td>18.80</td> <td>1.22</td> <td>32.77</td> <td>---</td> <td>Peak HORIZONTAL</td> </tr> <tr> <td>3</td> <td>153.19</td> <td>30.26</td> <td>-13.24</td> <td>43.50</td> <td>43.26</td> <td>17.78</td> <td>1.50</td> <td>32.28</td> <td>---</td> <td>Peak HORIZONTAL</td> </tr> <tr> <td>4</td> <td>236.24</td> <td>34.35</td> <td>-11.75</td> <td>46.00</td> <td>46.00</td> <td>16.23</td> <td>1.73</td> <td>32.31</td> <td>100</td> <td>Peak HORIZONTAL</td> </tr> <tr> <td>5</td> <td>226.82</td> <td>27.24</td> <td>-18.76</td> <td>46.00</td> <td>36.84</td> <td>20.26</td> <td>2.22</td> <td>32.08</td> <td>---</td> <td>Peak HORIZONTAL</td> </tr> <tr> <td>6</td> <td>812.79</td> <td>30.15</td> <td>-15.85</td> <td>46.00</td> <td>29.91</td> <td>20.18</td> <td>2.62</td> <td>31.56</td> <td>---</td> <td>Peak HORIZONTAL</td> </tr> </tbody> </table>	Line	Freq	Level	Over Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	34.85	27.75	-12.25	48.00	33.84	25.50	0.71	32.30	---	Peak HORIZONTAL	2	180.81	30.58	-22.52	43.50	32.75	18.80	1.22	32.77	---	Peak HORIZONTAL	3	153.19	30.26	-13.24	43.50	43.26	17.78	1.50	32.28	---	Peak HORIZONTAL	4	236.24	34.35	-11.75	46.00	46.00	16.23	1.73	32.31	100	Peak HORIZONTAL	5	226.82	27.24	-18.76	46.00	36.84	20.26	2.22	32.08	---	Peak HORIZONTAL	6	812.79	30.15	-15.85	46.00	29.91	20.18	2.62	31.56	---	Peak HORIZONTAL	<p>Site : 03CH03-K5 Condition : 5G BAND 1----3 3m LF ANT 600 VERTICAL Project : SMT-auto Project : (FR) 760219 Mode : 20 Plane : Pad-X Plane : Full-directivity IMEI : #4 PowerSetting : 9</p> <table border="1"> <thead> <tr> <th>Line</th> <th>Freq</th> <th>Level</th> <th>Over Limit</th> <th>ReadAntenna</th> <th>Cable</th> <th>Preamp</th> <th>A/Pos</th> <th>T/Pos</th> <th>Remark</th> <th>Pol/Phas</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV/m</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>34.85</td> <td>25.52</td> <td>-4.48</td> <td>40.00</td> <td>40.01</td> <td>35.52</td> <td>0.68</td> <td>32.29</td> <td>100</td> <td>151 Peak VERTICAL</td> </tr> <tr> <td>2</td> <td>45.52</td> <td>30.31</td> <td>-9.69</td> <td>40.00</td> <td>42.79</td> <td>18.90</td> <td>0.83</td> <td>32.21</td> <td>---</td> <td>Peak VERTICAL</td> </tr> <tr> <td>3</td> <td>96.09</td> <td>30.08</td> <td>-12.52</td> <td>43.50</td> <td>42.55</td> <td>18.50</td> <td>1.17</td> <td>32.24</td> <td>---</td> <td>Peak VERTICAL</td> </tr> <tr> <td>4</td> <td>187.14</td> <td>23.76</td> <td>-19.74</td> <td>43.50</td> <td>38.85</td> <td>16.34</td> <td>1.06</td> <td>32.27</td> <td>---</td> <td>Peak VERTICAL</td> </tr> <tr> <td>5</td> <td>442.25</td> <td>26.39</td> <td>-19.61</td> <td>46.00</td> <td>30.58</td> <td>25.14</td> <td>2.62</td> <td>31.95</td> <td>---</td> <td>Peak VERTICAL</td> </tr> <tr> <td>6</td> <td>770.81</td> <td>29.77</td> <td>-16.23</td> <td>46.00</td> <td>30.21</td> <td>27.65</td> <td>3.50</td> <td>31.63</td> <td>---</td> <td>Peak VERTICAL</td> </tr> </tbody> </table>	Line	Freq	Level	Over Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	34.85	25.52	-4.48	40.00	40.01	35.52	0.68	32.29	100	151 Peak VERTICAL	2	45.52	30.31	-9.69	40.00	42.79	18.90	0.83	32.21	---	Peak VERTICAL	3	96.09	30.08	-12.52	43.50	42.55	18.50	1.17	32.24	---	Peak VERTICAL	4	187.14	23.76	-19.74	43.50	38.85	16.34	1.06	32.27	---	Peak VERTICAL	5	442.25	26.39	-19.61	46.00	30.58	25.14	2.62	31.95	---	Peak VERTICAL	6	770.81	29.77	-16.23	46.00	30.21	27.65	3.50	31.63	---	Peak VERTICAL
Line	Freq	Level	Over Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																																																																								
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																																																																																																																									
1	34.85	27.75	-12.25	48.00	33.84	25.50	0.71	32.30	---	Peak HORIZONTAL																																																																																																																																																																								
2	180.81	30.58	-22.52	43.50	32.75	18.80	1.22	32.77	---	Peak HORIZONTAL																																																																																																																																																																								
3	153.19	30.26	-13.24	43.50	43.26	17.78	1.50	32.28	---	Peak HORIZONTAL																																																																																																																																																																								
4	236.24	34.35	-11.75	46.00	46.00	16.23	1.73	32.31	100	Peak HORIZONTAL																																																																																																																																																																								
5	226.82	27.24	-18.76	46.00	36.84	20.26	2.22	32.08	---	Peak HORIZONTAL																																																																																																																																																																								
6	812.79	30.15	-15.85	46.00	29.91	20.18	2.62	31.56	---	Peak HORIZONTAL																																																																																																																																																																								
Line	Freq	Level	Over Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																																																																								
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																																																																																																																									
1	34.85	25.52	-4.48	40.00	40.01	35.52	0.68	32.29	100	151 Peak VERTICAL																																																																																																																																																																								
2	45.52	30.31	-9.69	40.00	42.79	18.90	0.83	32.21	---	Peak VERTICAL																																																																																																																																																																								
3	96.09	30.08	-12.52	43.50	42.55	18.50	1.17	32.24	---	Peak VERTICAL																																																																																																																																																																								
4	187.14	23.76	-19.74	43.50	38.85	16.34	1.06	32.27	---	Peak VERTICAL																																																																																																																																																																								
5	442.25	26.39	-19.61	46.00	30.58	25.14	2.62	31.95	---	Peak VERTICAL																																																																																																																																																																								
6	770.81	29.77	-16.23	46.00	30.21	27.65	3.50	31.63	---	Peak VERTICAL																																																																																																																																																																								




## Appendix C. Duty Cycle Plots


Antenna	Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
1+2	802.11a	94.74	2.061	0.485	1kHz
1+2	802.11ac VHT20	93.71	1.923	0.520	1kHz
1+2	802.11ac VHT40	89.95	0.959	1.042	3kHz
1+2	802.11ac VHT80	87.59	0.736	1.358	3kHz



802.11a




802.11ac VHT20





802.11ac VHT40



802.11ac VHT80

