



<Photographs of EUT>



<Antenna Location>

Primary Landscape



Secondary Landscape

Report Format Version 5.0.0


Report No.: SA120608C16A

Revision: R01

Reference No.: 120716C06



<Proximity Sensing Path Location>



Secondary Landscape

Note: Since the technical document related to the design of proximity sensor and power reduction is confidential, the detail is described in the separate document, not in this SAR report, and please refers to the PBA document of "The Proximity Sensor Technical Description" and "PBA Document for Power Reduction".

Report Format Version 5.0.0

Report No.: SA120608C16A

Revision: R01

Reference No.: 120716C06



<Photographs of SAR Setup>



Rear Face of EUT with 0 cm Gap



Rear Face of EUT with 1.5 cm Gap



Primary Landscape with 0 cm Gap



Primary Landscape with 1 cm Gap



Secondary Portrait with 0 cm Gap

Report Format Version 5.0.0

Report No.: SA120608C16A

Revision: R01

Reference No.: 120716C06





Rear Face with 0 cm Gap (Top Edge/Left Rear Corner at 35 degree)



Rear Face with 0 cm Gap (Top Edge/Right Rear Corner at 20 degree)



Primary Landscape with 0 cm Gap (Top Edge/Left Corner at 35 degree)



Primary Landscape with 0 cm Gap (Top Edge/Right Corner at 15 degree)