




BUREAU
VERITAS

Test Report No.: W7L-P22030011RF05



11AX80MIMO_Ant0_5775_996Tone_RU67




11AX80MIMO_Ant1_5775_26Tone_RU0



BUREAU
VERITAS

Test Report No.: W7L-P22030011RF05



11AX80MIMO_Ant1_5775_26Tone_RU18



11AX80MIMO_Ant1_5775_26Tone_RU36




BUREAU
VERITAS

Test Report No.: W7L-P22030011RF05



11AX80MIMO_Ant1_5775_996Tone_RU67



MAXIMUM CONDUCTED OUTPUT POWER TEST RESULT

Mode	TX Type	Frequency (MHz)	RUSize	RUIndex	Maximum Conducted Output Power (dBm)				Verdict
					Ant0	Ant1	MIMO	Limit	
802.11ax20	SISO	5180	RU26	0	12.24	11.40	/	<=23.98	Pass
		5200			12.14	11.58	/	<=23.98	Pass
		5240			12.42	11.67	/	<=23.98	Pass
		5260			12.48	12.57	/	<=23.98	Pass
		5300			12.45	12.60	/	<=23.98	Pass
		5320			12.41	12.43	/	<=23.98	Pass
		5500			12.24	11.72	/	<=23.98	Pass
		5580			12.36	12.30	/	<=23.98	Pass
		5700			12.15	12.37	/	<=23.98	Pass
		5720			12.25	12.31	/	<=23.98	Pass
		5720			12.25	12.31	/	<=23.98	Pass
		5745			11.83	11.40	/	<=30.00	Pass
		5785			11.98	11.51	/	<=30.00	Pass
		5825			12.07	11.41	/	<=30.00	Pass
	SISO	5180	RU26	4	12.24	11.40	/	<=23.98	Pass
		5200			12.31	11.40	/	<=23.98	Pass
		5240			12.46	11.46	/	<=23.98	Pass
		5260			12.42	12.50	/	<=23.98	Pass
		5300			12.46	12.61	/	<=23.98	Pass
		5320			12.17	12.44	/	<=23.98	Pass
		5500			12.18	11.73	/	<=23.98	Pass
		5580			12.18	12.24	/	<=23.98	Pass
		5700			12.13	12.42	/	<=23.98	Pass
		5720			12.23	12.46	/	<=23.98	Pass
		5720			12.23	12.46	/	<=23.98	Pass
		5745			11.87	11.46	/	<=30.00	Pass
		5785			11.75	11.54	/	<=30.00	Pass
		5825			11.83	11.39	/	<=30.00	Pass
		5180	RU26	8	12.41	11.56	/	<=23.98	Pass



BUREAU
VERITAS

Test Report No.: W7L-P22030011RF05

		5200			12.44	11.68	/	<=23.98	Pass		
		5240			12.38	11.68	/	<=23.98	Pass		
		5260			12.51	12.58	/	<=23.98	Pass		
		5300			12.55	12.58	/	<=23.98	Pass		
		5320			12.62	12.64	/	<=23.98	Pass		
		5500			12.57	11.90	/	<=23.98	Pass		
		5580			12.27	12.65	/	<=23.98	Pass		
		5700			12.26	12.40	/	<=23.98	Pass		
		5720			12.16	12.43	/	<=23.98	Pass		
		5720			12.16	12.43	/	<=23.98	Pass		
		5745			11.90	11.65	/	<=30.00	Pass		
		5785			12.07	11.66	/	<=30.00	Pass		
		5825			11.94	11.55	/	<=30.00	Pass		
		5180			RU52	37	11.88	11.37	/	<=23.98	Pass
		5200					11.74	11.14	/	<=23.98	Pass
		5240					12.04	11.31	/	<=23.98	Pass
		5260					12.37	12.27	/	<=23.98	Pass
		5300					12.19	12.33	/	<=23.98	Pass
		5320					12.03	12.18	/	<=23.98	Pass
		5500					12.10	11.45	/	<=23.98	Pass
		5580					12.19	12.02	/	<=23.98	Pass
		5700					11.72	12.15	/	<=23.98	Pass
		5720					12.05	12.18	/	<=23.98	Pass
		5720					12.05	12.18	/	<=23.98	Pass
		5745					11.75	11.28	/	<=30.00	Pass
		5785					11.78	11.34	/	<=30.00	Pass
		5825					11.72	11.22	/	<=30.00	Pass
		5180			RU52	39	11.98	11.40	/	<=23.98	Pass
		5200					12.03	11.10	/	<=23.98	Pass
		5240					12.11	11.13	/	<=23.98	Pass
		5260					12.30	12.45	/	<=23.98	Pass
		5300					12.24	12.47	/	<=23.98	Pass
		5320					11.96	12.17	/	<=23.98	Pass
		5500					12.19	11.28	/	<=23.98	Pass
		5580					12.33	11.75	/	<=23.98	Pass



BUREAU
VERITAS

Test Report No.: W7L-P22030011RF05

		5700			11.96	12.16	/	<=23.98	Pass
		5720			12.01	11.82	/	<=23.98	Pass
		5720			12.01	11.82	/	<=23.98	Pass
		5745			11.76	11.38	/	<=30.00	Pass
		5785			11.82	11.36	/	<=30.00	Pass
		5825			11.78	11.32	/	<=30.00	Pass
		5180	RU52	40	11.95	11.49	/	<=23.98	Pass
		5200			11.82	11.06	/	<=23.98	Pass
		5240			11.97	11.44	/	<=23.98	Pass
		5260			12.39	12.53	/	<=23.98	Pass
		5300			12.45	12.49	/	<=23.98	Pass
		5320			11.97	12.25	/	<=23.98	Pass
		5500			12.07	11.47	/	<=23.98	Pass
		5580			12.05	11.99	/	<=23.98	Pass
		5700			11.74	11.89	/	<=23.98	Pass
		5720			12.14	12.23	/	<=23.98	Pass
		5720			12.14	12.23	/	<=23.98	Pass
		5745			11.74	11.38	/	<=30.00	Pass
		5785			11.78	11.36	/	<=30.00	Pass
		5825			11.80	11.33	/	<=30.00	Pass
		5180	RU106	53	11.75	11.35	/	<=23.98	Pass
		5200			12.11	11.36	/	<=23.98	Pass
		5240			11.95	11.44	/	<=23.98	Pass
		5260			12.22	12.15	/	<=23.98	Pass
		5300			11.97	12.38	/	<=23.98	Pass
		5320			12.07	12.28	/	<=23.98	Pass
		5500			12.32	11.77	/	<=23.98	Pass
		5580			12.30	12.23	/	<=23.98	Pass
		5700			11.68	12.25	/	<=23.98	Pass
		5720			12.18	11.82	/	<=23.98	Pass
		5720			12.18	11.82	/	<=23.98	Pass
		5745			11.78	11.32	/	<=30.00	Pass
		5785			11.63	11.43	/	<=30.00	Pass
		5825			11.78	11.37	/	<=30.00	Pass
		5180	RU106	54	11.87	11.09	/	<=23.98	Pass



		5200			11.91	11.45	/	<=23.98	Pass
		5240			12.23	11.60	/	<=23.98	Pass
		5260			12.54	12.30	/	<=23.98	Pass
		5300			12.18	12.34	/	<=23.98	Pass
		5320			12.19	12.28	/	<=23.98	Pass
		5500			12.20	11.58	/	<=23.98	Pass
		5580			12.38	12.14	/	<=23.98	Pass
		5700			11.85	12.33	/	<=23.98	Pass
		5720			11.95	11.95	/	<=23.98	Pass
		5720			11.95	11.95	/	<=23.98	Pass
		5745			11.75	11.31	/	<=30.00	Pass
		5785			11.64	11.44	/	<=30.00	Pass
		5825			11.79	11.30	/	<=30.00	Pass
		5180	RU242	61	12.04	11.30	/	<=23.98	Pass
		5200			12.01	11.58	/	<=23.98	Pass
		5240			11.96	11.44	/	<=23.98	Pass
		5260			11.98	11.62	/	<=23.98	Pass
		5300			11.83	11.52	/	<=23.98	Pass
		5320			11.65	11.56	/	<=23.98	Pass
		5500			12.08	12.20	/	<=23.98	Pass
		5580			12.17	12.53	/	<=23.98	Pass
		5700			12.26	12.54	/	<=23.98	Pass
		5720			12.23	12.40	/	<=23.98	Pass
		5720			12.23	12.40	/	<=23.98	Pass
		5745			11.52	11.32	/	<=30.00	Pass
		5785			11.58	11.30	/	<=30.00	Pass
		5825			11.77	11.22	/	<=30.00	Pass
802.11ax20	MIMO	5180	RU26	0	12.26	11.53	14.92	<=23.98	Pass
		5200			12.28	11.65	14.99	<=23.98	Pass
		5240			12.48	11.73	15.13	<=23.98	Pass
		5260			12.58	12.74	15.67	<=23.98	Pass
		5300			12.57	12.63	15.61	<=23.98	Pass
		5320			12.48	12.59	15.55	<=23.98	Pass
		5500			12.43	11.86	15.16	<=23.98	Pass
		5580			12.54	12.43	15.50	<=23.98	Pass



		5700			12.23	12.46	15.36	<=23.98	Pass
		5720			12.43	12.37	15.41	<=23.98	Pass
		5720			12.43	12.37	15.41	<=23.98	Pass
		5745			12.04	11.48	14.78	<=30.00	Pass
		5785			12.11	11.63	14.89	<=30.00	Pass
		5825			12.02	11.46	14.76	<=30.00	Pass
		5180	RU26	4	12.34	11.58	14.99	<=23.98	Pass
		5200			12.38	11.60	15.02	<=23.98	Pass
		5240			12.52	11.64	15.11	<=23.98	Pass
		5260			12.62	12.65	15.65	<=23.98	Pass
		5300			12.58	12.66	15.63	<=23.98	Pass
		5320			12.29	12.58	15.45	<=23.98	Pass
		5500			12.19	11.82	15.02	<=23.98	Pass
		5580			12.26	12.41	15.35	<=23.98	Pass
		5700			12.24	12.44	15.35	<=23.98	Pass
		5720			12.37	12.53	15.46	<=23.98	Pass
		5720			12.37	12.53	15.46	<=23.98	Pass
		5745			12.12	11.37	14.77	<=30.00	Pass
		5785			12.15	11.45	14.82	<=30.00	Pass
		5825			12.07	11.37	14.74	<=30.00	Pass
		5180	RU26	8	12.55	11.62	15.12	<=23.98	Pass
		5200			12.48	11.70	15.12	<=23.98	Pass
		5240			12.47	11.84	15.18	<=23.98	Pass
		5260			12.56	12.75	15.67	<=23.98	Pass
		5300			12.66	12.78	15.73	<=23.98	Pass
		5320			12.64	12.76	15.71	<=23.98	Pass
		5500			12.57	11.94	15.28	<=23.98	Pass
		5580			12.45	12.65	15.56	<=23.98	Pass
		5700			12.33	12.53	15.44	<=23.98	Pass
		5720			12.28	12.51	15.41	<=23.98	Pass
		5720			12.28	12.51	15.41	<=23.98	Pass
		5745			12.04	11.68	14.87	<=30.00	Pass
		5785			12.05	11.66	14.87	<=30.00	Pass
		5825			11.81	11.56	14.70	<=30.00	Pass
		5180	RU52	37	11.95	11.43	14.71	<=23.98	Pass



BUREAU
VERITAS

Test Report No.: W7L-P22030011RF05

		5200			12.25	11.39	14.85	<=23.98	Pass		
		5240			12.08	11.54	14.83	<=23.98	Pass		
		5260			12.23	12.38	15.32	<=23.98	Pass		
		5300			12.19	12.43	15.32	<=23.98	Pass		
		5320			12.35	12.54	15.46	<=23.98	Pass		
		5500			12.36	11.78	15.09	<=23.98	Pass		
		5580			12.39	12.30	15.36	<=23.98	Pass		
		5700			11.88	12.31	15.11	<=23.98	Pass		
		5720			12.19	12.04	15.13	<=23.98	Pass		
		5720			12.19	12.04	15.13	<=23.98	Pass		
		5745			11.82	11.38	14.62	<=30.00	Pass		
		5785			11.76	11.56	14.67	<=30.00	Pass		
		5825			11.84	11.42	14.65	<=30.00	Pass		
		5180			RU52	39	12.26	11.42	14.87	<=23.98	Pass
		5200					12.23	11.27	14.79	<=23.98	Pass
		5240	12.22	11.34			14.81	<=23.98	Pass		
		5260	12.39	12.62			15.52	<=23.98	Pass		
		5300	12.42	12.60			15.52	<=23.98	Pass		
		5320	12.18	12.40			15.30	<=23.98	Pass		
		5500	12.30	11.51			14.93	<=23.98	Pass		
		5580	12.48	12.05			15.28	<=23.98	Pass		
		5700	12.20	12.20			15.21	<=23.98	Pass		
		5720	12.30	12.03			15.18	<=23.98	Pass		
		5720	12.30	12.03			15.18	<=23.98	Pass		
		5745	11.91	11.42			14.68	<=30.00	Pass		
		5785	11.81	11.45			14.64	<=30.00	Pass		
		5825	11.88	11.44			14.68	<=30.00	Pass		
		5180	RU52	40			12.02	11.52	14.79	<=23.98	Pass
		5200			12.06	11.27	14.69	<=23.98	Pass		
		5240			12.16	11.51	14.86	<=23.98	Pass		
		5260			12.48	12.65	15.58	<=23.98	Pass		
		5300			12.55	12.62	15.60	<=23.98	Pass		
		5320			12.20	12.29	15.26	<=23.98	Pass		
		5500			12.20	11.67	14.95	<=23.98	Pass		
		5580			12.31	12.28	15.31	<=23.98	Pass		



BUREAU
VERITAS

Test Report No.: W7L-P22030011RF05

		5700			11.93	12.11	15.03	<=23.98	Pass
		5720			12.41	12.30	15.37	<=23.98	Pass
		5720			12.41	12.30	15.37	<=23.98	Pass
		5745			11.82	11.36	14.61	<=30.00	Pass
		5785			11.99	11.42	14.72	<=30.00	Pass
		5825			11.82	11.46	14.65	<=30.00	Pass
		5180	RU106	53	11.95	11.43	14.71	<=23.98	Pass
		5200			12.25	11.39	14.85	<=23.98	Pass
		5240			12.08	11.54	14.83	<=23.98	Pass
		5260			12.23	12.38	15.32	<=23.98	Pass
		5300			12.19	12.43	15.32	<=23.98	Pass
		5320			12.35	12.54	15.46	<=23.98	Pass
		5500			12.36	11.78	15.09	<=23.98	Pass
		5580			12.39	12.30	15.36	<=23.98	Pass
		5700			11.88	12.31	15.11	<=23.98	Pass
		5720			12.19	12.04	15.13	<=23.98	Pass
		5720			12.19	12.04	15.13	<=23.98	Pass
		5745			11.82	11.38	14.62	<=30.00	Pass
		5785			11.76	11.56	14.67	<=30.00	Pass
		5825			11.84	11.42	14.65	<=30.00	Pass
		5180	RU106	54	11.95	11.17	14.59	<=23.98	Pass
		5200			12.08	11.60	14.86	<=23.98	Pass
		5240			12.42	11.71	15.09	<=23.98	Pass
		5260			12.58	12.37	15.49	<=23.98	Pass
		5300			12.22	12.60	15.42	<=23.98	Pass
		5320			12.35	12.48	15.43	<=23.98	Pass
		5500			12.27	11.67	14.99	<=23.98	Pass
		5580			12.49	12.28	15.40	<=23.98	Pass
		5700			11.90	12.43	15.18	<=23.98	Pass
		5720			12.22	12.09	15.17	<=23.98	Pass
		5720			12.22	12.09	15.17	<=23.98	Pass
		5745			11.82	11.44	14.64	<=30.00	Pass
		5785			11.91	11.56	14.75	<=30.00	Pass
		5825			11.82	11.40	14.63	<=30.00	Pass
		5180	RU242	61	12.08	11.59	14.85	<=23.98	Pass



BUREAU
VERITAS

Test Report No.: W7L-P22030011RF05

		5200			12.12	11.80	14.97	<=23.98	Pass
		5240			12.14	11.67	14.92	<=23.98	Pass
		5260			12.10	11.81	14.97	<=23.98	Pass
		5300			12.02	11.82	14.93	<=23.98	Pass
		5320			11.94	11.79	14.88	<=23.98	Pass
		5500			12.28	12.34	15.32	<=23.98	Pass
		5580			12.32	12.60	15.47	<=23.98	Pass
		5700			12.28	12.68	15.49	<=23.98	Pass
		5720			12.37	12.69	15.54	<=23.98	Pass
		5720			12.37	12.69	15.54	<=23.98	Pass
		5745			11.74	11.70	14.73	<=30.00	Pass
		5785			11.81	11.57	14.70	<=30.00	Pass
		5825			11.74	11.58	14.67	<=30.00	Pass
802.11ax40	SISO	5190	RU26	0	12.23	11.46	/	<=23.98	Pass
		5230			12.16	11.54	/	<=23.98	Pass
		5270			12.55	12.36	/	<=23.98	Pass
		5310			12.47	12.57	/	<=23.98	Pass
		5510			12.28	11.65	/	<=23.98	Pass
		5550			12.16	11.82	/	<=23.98	Pass
		5670			12.27	12.44	/	<=23.98	Pass
		5710			12.44	12.39	/	<=23.98	Pass
		5710			12.44	12.39	/	<=30.00	Pass
		5755			11.73	11.54	/	<=30.00	Pass
		5795			11.94	11.34	/	<=30.00	Pass
		5190	RU26	8	11.94	11.82	/	<=23.98	Pass
		5230			12.25	11.57	/	<=23.98	Pass
		5270			12.14	12.57	/	<=23.98	Pass
		5310			12.23	12.55	/	<=23.98	Pass
		5510			12.26	11.84	/	<=23.98	Pass
		5550			12.30	11.85	/	<=23.98	Pass
		5670			12.09	12.38	/	<=23.98	Pass
		5710			12.27	12.37	/	<=23.98	Pass
		5710			12.27	12.37	/	<=30.00	Pass
		5755			11.88	11.61	/	<=30.00	Pass
		5795			12.12	11.56	/	<=30.00	Pass



	5190	RU26	17	12.44	11.63	/	<=23.98	Pass
	5230			12.38	11.67	/	<=23.98	Pass
	5270			12.41	12.51	/	<=23.98	Pass
	5310			12.15	12.64	/	<=23.98	Pass
	5510			12.31	11.92	/	<=23.98	Pass
	5550			12.20	11.90	/	<=23.98	Pass
	5670			12.32	12.41	/	<=23.98	Pass
	5710			12.43	12.33	/	<=23.98	Pass
	5710			12.43	12.33	/	<=30.00	Pass
	5755			11.85	11.51	/	<=30.00	Pass
	5795			11.81	11.45	/	<=30.00	Pass
	5190	RU52	37	11.87	11.13	/	<=23.98	Pass
	5230			11.99	11.44	/	<=23.98	Pass
	5270			12.38	12.04	/	<=23.98	Pass
	5310			12.30	12.15	/	<=23.98	Pass
	5510			12.13	11.28	/	<=23.98	Pass
	5550			11.76	11.62	/	<=23.98	Pass
	5670			11.99	12.08	/	<=23.98	Pass
	5710			12.02	12.06	/	<=23.98	Pass
	5710			12.02	12.06	/	<=30.00	Pass
	5755			11.61	11.44	/	<=30.00	Pass
	5795			11.77	11.32	/	<=30.00	Pass
	5190	RU52	40	11.90	11.10	/	<=23.98	Pass
	5230			11.90	11.01	/	<=23.98	Pass
	5270			11.91	12.36	/	<=23.98	Pass
	5310			12.21	12.21	/	<=23.98	Pass
	5510			12.05	11.29	/	<=23.98	Pass
	5550			12.19	11.78	/	<=23.98	Pass
	5670			12.04	12.26	/	<=23.98	Pass
	5710			12.05	11.81	/	<=23.98	Pass
	5710			12.05	11.81	/	<=30.00	Pass
	5755			11.66	11.44	/	<=30.00	Pass
	5795			11.78	11.25	/	<=30.00	Pass
	5190	RU52	44	11.88	11.15	/	<=23.98	Pass



BUREAU
VERITAS

Test Report No.: W7L-P22030011RF05

	5230			11.95	11.24	/	<=23.98	Pass
				12.18	12.35	/	<=23.98	Pass
				12.17	12.21	/	<=23.98	Pass
				11.97	11.35	/	<=23.98	Pass
				11.94	11.59	/	<=23.98	Pass
				12.10	12.40	/	<=23.98	Pass
				11.96	11.80	/	<=23.98	Pass
				11.96	11.80	/	<=30.00	Pass
				11.68	11.40	/	<=30.00	Pass
				11.72	11.24	/	<=30.00	Pass
	5190	RU106	53	12.05	11.34	/	<=23.98	Pass
				12.17	11.30	/	<=23.98	Pass
				12.14	12.20	/	<=23.98	Pass
				12.24	12.08	/	<=23.98	Pass
				11.97	11.34	/	<=23.98	Pass
				12.03	11.50	/	<=23.98	Pass
				12.24	12.24	/	<=23.98	Pass
				12.17	12.00	/	<=23.98	Pass
				12.17	12.00	/	<=30.00	Pass
				11.64	11.45	/	<=30.00	Pass
				11.75	11.25	/	<=30.00	Pass
	5190	RU106	54	11.88	11.42	/	<=23.98	Pass
				11.86	11.39	/	<=23.98	Pass
				12.25	12.25	/	<=23.98	Pass
				12.43	12.32	/	<=23.98	Pass
				11.92	11.35	/	<=23.98	Pass
				11.90	11.82	/	<=23.98	Pass
				12.14	12.16	/	<=23.98	Pass
				12.13	11.92	/	<=23.98	Pass
				12.13	11.92	/	<=30.00	Pass
				11.62	11.48	/	<=30.00	Pass
				11.69	11.25	/	<=30.00	Pass
	5190	RU106	56	11.79	11.50	/	<=23.98	Pass
				11.85	11.32	/	<=23.98	Pass



BUREAU
VERITAS

Test Report No.: W7L-P22030011RF05

	5270			12.35	12.10	/	<=23.98	Pass
	5310			12.33	12.24	/	<=23.98	Pass
	5510			11.75	11.66	/	<=23.98	Pass
	5550			11.77	11.42	/	<=23.98	Pass
	5670			12.05	11.98	/	<=23.98	Pass
	5710			12.40	12.05	/	<=23.98	Pass
	5710			12.40	12.05	/	<=30.00	Pass
	5755			11.65	11.42	/	<=30.00	Pass
	5795			11.74	11.29	/	<=30.00	Pass
	5190	RU242	61	12.20	11.35	/	<=23.98	Pass
	5230			11.85	11.46	/	<=23.98	Pass
	5270			12.50	12.36	/	<=23.98	Pass
	5310			12.41	12.26	/	<=23.98	Pass
	5510			12.14	11.20	/	<=23.98	Pass
	5550			11.96	11.34	/	<=23.98	Pass
	5670			12.23	12.21	/	<=23.98	Pass
	5710			12.09	12.27	/	<=23.98	Pass
	5710			12.09	12.27	/	<=30.00	Pass
	5755			11.68	11.43	/	<=30.00	Pass
	5795			11.62	11.24	/	<=30.00	Pass
	5190	RU242	62	11.84	11.45	/	<=23.98	Pass
	5230			11.96	11.23	/	<=23.98	Pass
	5270			12.44	12.47	/	<=23.98	Pass
	5310			12.20	12.15	/	<=23.98	Pass
	5510			12.06	11.36	/	<=23.98	Pass
	5550			11.79	11.35	/	<=23.98	Pass
	5670			12.01	12.01	/	<=23.98	Pass
	5710			11.96	12.21	/	<=23.98	Pass
	5710			11.96	12.21	/	<=30.00	Pass
	5755			11.54	11.38	/	<=30.00	Pass
	5795			11.66	11.20	/	<=30.00	Pass
	5190	RU484	65	12.21	11.56	/	<=23.98	Pass
	5230			12.53	11.92	/	<=23.98	Pass
	5270			11.84	11.88	/	<=23.98	Pass



		5310			12.42	12.29	/	<=23.98	Pass
		5510			12.43	11.72	/	<=23.98	Pass
		5550			11.93	11.93	/	<=23.98	Pass
		5670			12.25	12.23	/	<=23.98	Pass
		5710			11.99	12.36	/	<=23.98	Pass
		5710			11.99	12.36	/	<=30.00	Pass
		5755			11.72	11.48	/	<=30.00	Pass
		5795			11.66	11.42	/	<=30.00	Pass
802.11ax40	MIMO	5190	RU26	0	12.37	11.58	15.00	<=23.98	Pass
		5230			12.26	11.59	14.95	<=23.98	Pass
		5270			12.57	12.53	15.56	<=23.98	Pass
		5310			12.59	12.64	15.63	<=23.98	Pass
		5510			12.34	11.73	15.06	<=23.98	Pass
		5550			12.22	11.93	15.09	<=23.98	Pass
		5670			12.43	12.51	15.48	<=23.98	Pass
		5710			12.47	12.43	15.46	<=23.98	Pass
		5710			12.47	12.43	15.46	<=30.00	Pass
		5755			12.11	11.70	14.92	<=30.00	Pass
		5795			11.98	11.81	14.91	<=30.00	Pass
		5190	RU26	8	11.96	11.85	14.92	<=23.98	Pass
		5230			12.38	11.71	15.07	<=23.98	Pass
		5270			12.32	12.72	15.53	<=23.98	Pass
		5310			12.40	12.70	15.56	<=23.98	Pass
		5510			12.38	12.02	15.21	<=23.98	Pass
		5550			12.39	11.98	15.20	<=23.98	Pass
		5670			12.27	12.53	15.41	<=23.98	Pass
		5710			12.42	12.48	15.46	<=23.98	Pass
		5710			12.42	12.48	15.46	<=30.00	Pass
		5755			12.08	11.69	14.90	<=30.00	Pass
		5795			12.13	11.57	14.87	<=30.00	Pass
		5190	RU26	17	12.46	11.72	15.12	<=23.98	Pass
		5230			12.44	11.73	15.11	<=23.98	Pass
		5270			12.47	12.63	15.56	<=23.98	Pass
		5310			12.34	12.69	15.53	<=23.98	Pass



	5510			12.41	12.05	15.24	<=23.98	Pass
	5550			12.37	12.07	15.23	<=23.98	Pass
	5670			12.36	12.56	15.47	<=23.98	Pass
	5710			12.44	12.51	15.49	<=23.98	Pass
	5710			12.44	12.51	15.49	<=30.00	Pass
	5755			12.12	11.54	14.85	<=30.00	Pass
	5795			11.87	11.46	14.68	<=30.00	Pass
	5190	RU52	37	11.98	11.21	14.62	<=23.98	Pass
	5230			12.12	11.53	14.85	<=23.98	Pass
	5270			12.42	12.21	15.33	<=23.98	Pass
	5310			12.52	12.30	15.42	<=23.98	Pass
	5510			12.16	11.38	14.80	<=23.98	Pass
	5550			11.95	11.73	14.85	<=23.98	Pass
	5670			12.23	12.28	15.27	<=23.98	Pass
	5710			12.25	12.14	15.21	<=23.98	Pass
	5710			12.25	12.14	15.21	<=30.00	Pass
	5755			12.02	11.63	14.84	<=30.00	Pass
	5795			11.85	11.41	14.65	<=30.00	Pass
	5190	RU52	40	12.03	11.29	14.69	<=23.98	Pass
	5230			12.07	11.26	14.69	<=23.98	Pass
	5270			12.21	12.43	15.33	<=23.98	Pass
	5310			12.34	12.50	15.43	<=23.98	Pass
	5510			12.19	11.38	14.81	<=23.98	Pass
	5550			12.22	11.82	15.03	<=23.98	Pass
	5670			12.05	12.44	15.26	<=23.98	Pass
	5710			12.07	12.10	15.10	<=23.98	Pass
	5710			12.07	12.10	15.10	<=30.00	Pass
	5755			11.84	11.45	14.66	<=30.00	Pass
	5795			11.82	11.42	14.63	<=30.00	Pass
	5190	RU52	44	12.17	11.26	14.75	<=23.98	Pass
	5230			12.21	11.26	14.77	<=23.98	Pass
	5270			12.23	12.52	15.39	<=23.98	Pass
	5310			12.32	12.35	15.35	<=23.98	Pass
	5510			12.12	11.44	14.80	<=23.98	Pass



		5550			12.00	11.88	14.95	<=23.98	Pass
		5670			12.21	12.46	15.35	<=23.98	Pass
		5710			12.13	12.09	15.12	<=23.98	Pass
		5710			12.13	12.09	15.12	<=30.00	Pass
		5755			12.02	11.42	14.74	<=30.00	Pass
		5795			11.73	11.25	14.51	<=30.00	Pass
		5190	RU106	53	12.08	11.40	14.76	<=23.98	Pass
		5230			12.19	11.38	14.81	<=23.98	Pass
		5270			12.24	12.39	15.33	<=23.98	Pass
		5310			12.54	12.34	15.45	<=23.98	Pass
		5510			12.17	11.53	14.87	<=23.98	Pass
		5550			12.22	11.62	14.94	<=23.98	Pass
		5670			12.36	12.31	15.35	<=23.98	Pass
		5710			12.35	12.16	15.27	<=23.98	Pass
		5710			12.35	12.16	15.27	<=30.00	Pass
		5755			11.80	11.71	14.77	<=30.00	Pass
		5795			11.74	11.51	14.64	<=30.00	Pass
		5190	RU106	54	12.16	11.47	14.84	<=23.98	Pass
		5230			11.96	11.57	14.78	<=23.98	Pass
		5270			12.49	12.29	15.40	<=23.98	Pass
		5310			12.57	12.46	15.53	<=23.98	Pass
		5510			11.96	11.36	14.68	<=23.98	Pass
		5550			11.99	11.87	14.94	<=23.98	Pass
		5670			12.38	12.32	15.36	<=23.98	Pass
		5710			12.24	12.08	15.17	<=23.98	Pass
		5710			12.24	12.08	15.17	<=30.00	Pass
		5755			11.81	11.72	14.78	<=30.00	Pass
		5795			11.74	11.52	14.64	<=30.00	Pass
		5190	RU106	56	11.99	11.54	14.78	<=23.98	Pass
		5230			11.96	11.55	14.77	<=23.98	Pass
		5270			12.40	12.34	15.38	<=23.98	Pass
		5310			12.47	12.40	15.45	<=23.98	Pass
		5510			11.98	11.66	14.83	<=23.98	Pass
		5550			11.91	11.64	14.79	<=23.98	Pass



BUREAU
VERITAS

Test Report No.: W7L-P22030011RF05

		5670			12.22	12.24	15.24	<=23.98	Pass
		5710			12.45	12.30	15.39	<=23.98	Pass
		5710			12.45	12.30	15.39	<=30.00	Pass
		5755			11.82	11.81	14.83	<=30.00	Pass
		5795			11.70	11.60	14.66	<=30.00	Pass
		5190	RU242	61	12.20	11.50	14.87	<=23.98	Pass
		5230			11.87	11.50	14.70	<=23.98	Pass
		5270			12.53	12.52	15.54	<=23.98	Pass
		5310			12.43	12.47	15.46	<=23.98	Pass
		5510			12.25	11.35	14.83	<=23.98	Pass
		5550			12.13	11.60	14.88	<=23.98	Pass
		5670			12.37	12.34	15.37	<=23.98	Pass
		5710			12.32	12.28	15.31	<=23.98	Pass
		5710			12.32	12.28	15.31	<=30.00	Pass
		5755			11.62	11.32	14.48	<=30.00	Pass
		5795			11.69	11.26	14.49	<=30.00	Pass
		5190	RU242	62	12.13	11.54	14.86	<=23.98	Pass
		5230			12.21	11.45	14.86	<=23.98	Pass
		5270			12.54	12.48	15.52	<=23.98	Pass
		5310			12.43	12.32	15.39	<=23.98	Pass
		5510			12.32	11.60	14.99	<=23.98	Pass
		5550			12.07	11.64	14.87	<=23.98	Pass
		5670			12.23	12.25	15.25	<=23.98	Pass
		5710			12.26	12.22	15.25	<=23.98	Pass
		5710			12.26	12.22	15.25	<=30.00	Pass
		5755			11.58	11.42	14.51	<=30.00	Pass
		5795			11.72	11.22	14.49	<=30.00	Pass
		5190	RU484	65	12.29	11.72	15.02	<=23.98	Pass
		5230			12.57	12.06	15.33	<=23.98	Pass
		5270			11.85	12.07	14.97	<=23.98	Pass
		5310			12.44	12.31	15.39	<=23.98	Pass
		5510			12.45	11.75	15.12	<=23.98	Pass
		5550			12.07	11.94	15.02	<=23.98	Pass
		5670			12.38	12.35	15.38	<=23.98	Pass



BUREAU
VERITAS

Test Report No.: W7L-P22030011RF05

		5710			12.14	12.38	15.27	<=23.98	Pass
		5710			12.29	11.72	15.02	<=30.00	Pass
		5755			11.88	11.76	14.83	<=30.00	Pass
		5795			11.78	11.71	14.76	<=30.00	Pass
802.11ax80	SISO	5210	RU26	0	12.40	11.46	/	<=23.98	Pass
		5290			12.03	12.39	/	<=23.98	Pass
		5530			12.07	11.50	/	<=23.98	Pass
		5610			11.99	12.16	/	<=23.98	Pass
		5690			12.01	12.21	/	<=23.98	Pass
		5690			12.01	12.21	/	<=30.00	Pass
		5775			11.68	11.28	/	<=30.00	Pass
		5210	RU26	18	12.64	11.99	/	<=23.98	Pass
		5290			12.36	12.55	/	<=23.98	Pass
		5530			12.27	11.77	/	<=23.98	Pass
		5610			12.20	12.45	/	<=23.98	Pass
		5690			12.03	12.41	/	<=23.98	Pass
		5690			12.03	12.41	/	<=30.00	Pass
		5775			11.82	11.46	/	<=30.00	Pass
		5210	RU26	36	12.54	11.68	/	<=23.98	Pass
		5290			11.91	12.27	/	<=23.98	Pass
		5530			11.86	11.60	/	<=23.98	Pass
		5610			12.02	12.27	/	<=23.98	Pass
		5690			12.22	12.18	/	<=23.98	Pass
		5690			12.22	12.18	/	<=30.00	Pass
		5775			11.72	11.31	/	<=30.00	Pass
		5210	RU52	37	12.34	11.17	/	<=23.98	Pass
		5290			11.94	12.25	/	<=23.98	Pass
		5530			12.02	11.45	/	<=23.98	Pass
		5610			11.65	11.72	/	<=23.98	Pass
		5690			11.84	11.99	/	<=23.98	Pass
		5690			11.84	11.99	/	<=30.00	Pass
		5775			11.63	11.24	/	<=30.00	Pass
		5210	RU52	40	12.26	11.11	/	<=23.98	Pass
		5290			11.61	12.16	/	<=23.98	Pass



	5530			11.64	11.43	/	<=23.98	Pass
	5610			11.49	12.24	/	<=23.98	Pass
	5690			11.99	11.97	/	<=23.98	Pass
	5690			11.99	11.97	/	<=30.00	Pass
	5775			11.65	11.24	/	<=30.00	Pass
	5210	RU52	44	12.40	11.18	/	<=23.98	Pass
	5290			11.75	12.22	/	<=23.98	Pass
	5530			11.43	11.41	/	<=23.98	Pass
	5610			11.68	11.92	/	<=23.98	Pass
	5690			12.19	12.01	/	<=23.98	Pass
	5690			12.40	11.18	/	<=30.00	Pass
	5775			11.65	11.21	/	<=30.00	Pass
	5210	RU106	53	12.13	11.05	/	<=23.98	Pass
	5290			11.78	12.07	/	<=23.98	Pass
	5530			11.57	11.20	/	<=23.98	Pass
	5610			11.84	11.88	/	<=23.98	Pass
	5690			11.99	12.05	/	<=23.98	Pass
	5690			11.99	12.05	/	<=30.00	Pass
	5775			11.66	11.18	/	<=30.00	Pass
	5210	RU106	54	12.30	11.37	/	<=23.98	Pass
	5290			11.70	12.11	/	<=23.98	Pass
	5530			11.66	11.55	/	<=23.98	Pass
	5610			11.86	12.07	/	<=23.98	Pass
	5690			11.79	12.16	/	<=23.98	Pass
	5690			11.79	12.16	/	<=30.00	Pass
	5775			11.60	11.19	/	<=30.00	Pass
	5210	RU106	56	11.91	11.14	/	<=23.98	Pass
	5290			11.87	11.92	/	<=23.98	Pass
	5530			11.64	11.16	/	<=23.98	Pass
	5610			11.88	11.88	/	<=23.98	Pass
	5690			11.92	12.25	/	<=23.98	Pass
	5690			11.92	12.25	/	<=30.00	Pass
	5775			11.59	11.25	/	<=30.00	Pass
	5210	RU242	61	11.97	11.15	/	<=23.98	Pass



BUREAU
VERITAS

Test Report No.: W7L-P22030011RF05

		5290			12.02	12.21	/	<=23.98	Pass
		5530			11.77	11.24	/	<=23.98	Pass
		5610			11.97	11.59	/	<=23.98	Pass
		5690			11.77	11.80	/	<=23.98	Pass
		5690			11.77	11.80	/	<=30.00	Pass
		5775			11.66	11.18	/	<=30.00	Pass
		5210	RU242	62	12.33	11.17	/	<=23.98	Pass
		5290			11.96	12.03	/	<=23.98	Pass
		5530			12.01	11.07	/	<=23.98	Pass
		5610			11.67	11.82	/	<=23.98	Pass
		5690			11.82	12.03	/	<=23.98	Pass
		5690			11.82	12.03	/	<=30.00	Pass
		5775			11.59	11.21	/	<=30.00	Pass
		5210	RU242	64	12.34	11.45	/	<=23.98	Pass
		5290			11.61	12.37	/	<=23.98	Pass
		5530			11.85	11.00	/	<=23.98	Pass
		5610			11.63	11.80	/	<=23.98	Pass
		5690			11.88	11.90	/	<=23.98	Pass
		5690			11.88	11.90	/	<=30.00	Pass
		5775			11.64	11.23	/	<=30.00	Pass
		5210	RU484	65	12.18	11.33	/	<=23.98	Pass
		5290			11.80	12.34	/	<=23.98	Pass
		5530			11.87	11.28	/	<=23.98	Pass
		5610			11.69	12.12	/	<=23.98	Pass
		5690			11.97	12.14	/	<=23.98	Pass
		5690			11.97	12.14	/	<=30.00	Pass
		5775			11.57	11.25	/	<=30.00	Pass
		5210	RU484	66	12.19	11.21	/	<=23.98	Pass
		5290			11.85	12.35	/	<=23.98	Pass
		5530			11.87	11.19	/	<=23.98	Pass
		5610			11.78	11.83	/	<=23.98	Pass
		5690			12.07	12.24	/	<=23.98	Pass
		5690			12.07	12.24	/	<=30.00	Pass
		5775			11.65	11.21	/	<=30.00	Pass



**BUREAU
VERITAS**

Test Report No.: W7L-P22030011RF05

		5210	RU996	67	12.22	12.08	/	<=23.98	Pass
		5290			12.13	12.38	/	<=23.98	Pass
		5530			12.28	11.94	/	<=23.98	Pass
		5610			12.29	12.58	/	<=23.98	Pass
		5690			12.33	12.69	/	<=23.98	Pass
		5690			12.22	12.08	/	<=30.00	Pass
		5775			11.61	11.17	/	<=30.00	Pass
802.11ax80	MIMO	5210	RU26	0	12.55	11.63	15.12	<=23.98	Pass
		5290			12.17	12.42	15.31	<=23.98	Pass
		5530			12.12	11.64	14.90	<=23.98	Pass
		5610			12.06	12.27	15.18	<=23.98	Pass
		5690			12.19	12.39	15.30	<=23.98	Pass
		5690			12.19	12.39	15.30	<=30.00	Pass
		5775			12.01	11.80	14.92	<=30.00	Pass
		5210	RU26	18	12.74	12.05	15.42	<=23.98	Pass
		5290			12.55	12.67	15.62	<=23.98	Pass
		5530			12.46	11.82	15.16	<=23.98	Pass
		5610			12.21	12.53	15.38	<=23.98	Pass
		5690			12.15	12.50	15.34	<=23.98	Pass
		5690			12.15	12.50	15.34	<=30.00	Pass
		5775			11.87	11.68	14.79	<=30.00	Pass
		5210	RU26	36	12.57	11.81	15.22	<=23.98	Pass
		5290			12.05	12.36	15.22	<=23.98	Pass
		5530			12.06	11.73	14.91	<=23.98	Pass
		5610			12.13	12.33	15.24	<=23.98	Pass
		5690			12.23	12.20	15.23	<=23.98	Pass
		5690			12.23	12.20	15.23	<=30.00	Pass
		5775			11.91	11.52	14.73	<=30.00	Pass
		5210	RU52	37	12.51	11.46	15.03	<=23.98	Pass
		5290			12.03	12.40	15.23	<=23.98	Pass
		5530			12.08	11.60	14.86	<=23.98	Pass
		5610			11.83	12.00	14.93	<=23.98	Pass
		5690			11.98	12.04	15.02	<=23.98	Pass
		5690			11.98	12.04	15.02	<=30.00	Pass



	5775			11.77	11.56	14.68	<=30.00	Pass
	5210	RU52	40	12.30	11.30	14.84	<=23.98	Pass
	5290			11.84	12.32	15.10	<=23.98	Pass
	5530			11.91	11.56	14.75	<=23.98	Pass
	5610			11.78	12.24	15.03	<=23.98	Pass
	5690			12.10	12.14	15.13	<=23.98	Pass
	5690			12.10	12.14	15.13	<=30.00	Pass
	5775			11.89	11.49	14.70	<=30.00	Pass
	5210	RU52	44	12.43	11.37	14.94	<=23.98	Pass
	5290			11.82	12.24	15.05	<=23.98	Pass
	5530			11.72	11.52	14.63	<=23.98	Pass
	5610			11.92	11.95	14.95	<=23.98	Pass
	5690			12.19	12.07	15.14	<=23.98	Pass
	5690			12.43	11.37	14.94	<=30.00	Pass
	5775			11.52	11.48	14.51	<=30.00	Pass
	5210	RU106	53	12.28	11.25	14.81	<=23.98	Pass
	5290			11.96	12.21	15.10	<=23.98	Pass
	5530			11.80	11.47	14.65	<=23.98	Pass
	5610			11.91	12.00	14.97	<=23.98	Pass
	5690			12.02	12.30	15.17	<=23.98	Pass
	5690			12.02	12.30	15.17	<=30.00	Pass
	5775			11.67	11.62	14.66	<=30.00	Pass
	5210	RU106	54	12.52	11.50	15.05	<=23.98	Pass
	5290			11.89	12.31	15.12	<=23.98	Pass
	5530			11.73	11.60	14.68	<=23.98	Pass
	5610			11.93	12.10	15.03	<=23.98	Pass
	5690			11.85	12.18	15.03	<=23.98	Pass
	5690			11.85	12.18	15.03	<=30.00	Pass
	5775			11.64	11.61	14.64	<=30.00	Pass
	5210	RU106	56	12.19	11.41	14.83	<=23.98	Pass
	5290			11.93	12.17	15.06	<=23.98	Pass
	5530			11.90	11.26	14.60	<=23.98	Pass
	5610			11.96	12.01	15.00	<=23.98	Pass
	5690			12.10	12.32	15.22	<=23.98	Pass



BUREAU
VERITAS

Test Report No.: W7L-P22030011RF05

	5690			12.10	12.32	15.22	<=30.00	Pass
	5775			11.68	11.65	14.68	<=30.00	Pass
	5210	RU242	61	12.21	11.42	14.84	<=23.98	Pass
	5290			12.15	12.26	15.22	<=23.98	Pass
	5530			11.90	11.50	14.71	<=23.98	Pass
	5610			12.06	11.89	14.99	<=23.98	Pass
	5690			11.98	11.99	15.00	<=23.98	Pass
	5690			11.98	11.99	15.00	<=30.00	Pass
	5775			11.56	11.52	14.55	<=30.00	Pass
	5210	RU242	62	12.43	11.43	14.97	<=23.98	Pass
	5290			11.96	12.09	15.04	<=23.98	Pass
	5530			12.01	11.26	14.66	<=23.98	Pass
	5610			11.93	12.10	15.03	<=23.98	Pass
	5690			12.06	12.26	15.17	<=23.98	Pass
	5690			12.06	12.26	15.17	<=30.00	Pass
	5775			11.64	11.55	14.61	<=30.00	Pass
	5210	RU242	64	12.39	11.54	15.00	<=23.98	Pass
	5290			11.87	12.37	15.14	<=23.98	Pass
	5530			12.11	11.25	14.71	<=23.98	Pass
	5610			11.89	11.89	14.90	<=23.98	Pass
	5690			12.17	12.19	15.19	<=23.98	Pass
	5690			12.17	12.19	15.19	<=30.00	Pass
	5775			11.62	11.21	14.43	<=30.00	Pass
	5210	RU484	65	12.28	11.51	14.92	<=23.98	Pass
	5290			11.80	12.38	15.11	<=23.98	Pass
	5530			12.04	11.44	14.76	<=23.98	Pass
	5610			11.84	12.23	15.05	<=23.98	Pass
	5690			11.99	12.28	15.15	<=23.98	Pass
	5690			11.99	12.28	15.15	<=30.00	Pass
	5775			11.71	11.66	14.70	<=30.00	Pass
	5210	RU484	66	12.33	11.40	14.90	<=23.98	Pass
	5290			12.00	12.39	15.21	<=23.98	Pass
	5530			11.89	11.29	14.61	<=23.98	Pass
	5610			11.90	11.91	14.92	<=23.98	Pass



		5690			12.11	12.34	15.24	<=23.98	Pass
		5690			12.11	12.34	15.24	<=30.00	Pass
		5775			11.88	11.45	14.68	<=30.00	Pass
		5210	RU996	67	12.35	12.10	15.24	<=23.98	Pass
		5290			12.13	12.40	15.28	<=23.98	Pass
		5530			12.34	12.10	15.23	<=23.98	Pass
		5610			12.40	12.76	15.59	<=23.98	Pass
		5690			12.42	12.75	15.60	<=23.98	Pass
		5690			12.35	12.10	15.24	<=30.00	Pass
		5775			11.89	11.88	14.90	<=30.00	Pass

Note1: Conducted Power=Measured Power +Duty Cycle Factor

Mode	TX Type	Frequency (MHz)	RUSize	RUIndex	Maximum Conducted Output Power (mW)				Verdict
					Ant0	Ant1	MIMO	Limit	
802.11ax20	SISO	5180	RU26	0	16.75	13.80	/	/	Pass
		5200			16.37	14.39	/	/	Pass
		5240			17.46	14.69	/	/	Pass
		5260			17.70	18.07	/	/	Pass
		5300			17.58	18.20	/	/	Pass
		5320			17.42	17.50	/	/	Pass
		5500			16.75	14.86	/	/	Pass
		5580			17.22	16.98	/	/	Pass
		5700			16.41	17.26	/	/	Pass
		5720			16.79	17.02	/	/	Pass
		5720			16.79	17.02	/	/	Pass
		5745			15.24	13.80	/	/	Pass
		5785			15.78	14.16	/	/	Pass
		5825			16.11	13.84	/	/	Pass
		5180	RU26	4	16.75	13.80	/	/	Pass
		5200			17.02	13.80	/	/	Pass
		5240			17.62	14.00	/	/	Pass
		5260			17.46	17.78	/	/	Pass
		5300			17.62	18.24	/	/	Pass
		5320			16.48	17.54	/	/	Pass
		5500			16.52	14.89	/	/	Pass
		5580			16.52	16.75	/	/	Pass
		5700			16.33	17.46	/	/	Pass
		5720			16.71	17.62	/	/	Pass
		5720			16.71	17.62	/	/	Pass
		5745			15.38	14.00	/	/	Pass
		5785			14.96	14.26	/	/	Pass
		5825			15.24	13.77	/	/	Pass
		5180	RU26	8	17.42	14.32	/	/	Pass
		5200			17.54	14.72	/	/	Pass



BUREAU
VERITAS

Test Report No.: W7L-P22030011RF05

		5240			17.30	14.72	/	/	Pass
		5260			17.82	18.11	/	/	Pass
		5300			17.99	18.11	/	/	Pass
		5320			18.28	18.37	/	/	Pass
		5500			18.07	15.49	/	/	Pass
		5580			16.87	18.41	/	/	Pass
		5700			16.83	17.38	/	/	Pass
		5720			16.44	17.50	/	/	Pass
		5720			16.44	17.50	/	/	Pass
		5745			15.49	14.62	/	/	Pass
		5785			16.11	14.66	/	/	Pass
		5825			15.63	14.29	/	/	Pass
		5180	RU52	37	15.42	13.71	/	/	Pass
		5200			14.93	13.00	/	/	Pass
		5240			16.00	13.52	/	/	Pass
		5260			17.26	16.87	/	/	Pass
		5300			16.56	17.10	/	/	Pass
		5320			15.96	16.52	/	/	Pass
		5500			16.22	13.96	/	/	Pass
		5580			16.56	15.92	/	/	Pass
		5700			14.86	16.41	/	/	Pass
		5720			16.03	16.52	/	/	Pass
		5720			16.03	16.52	/	/	Pass
		5745			14.96	13.43	/	/	Pass
		5785			15.07	13.61	/	/	Pass
		5825			14.86	13.24	/	/	Pass
		5180	RU52	39	15.78	13.80	/	/	Pass
		5200			15.96	12.88	/	/	Pass
		5240			16.26	12.97	/	/	Pass
		5260			16.98	17.58	/	/	Pass
		5300			16.75	17.66	/	/	Pass
		5320			15.70	16.48	/	/	Pass
		5500			16.56	13.43	/	/	Pass
		5580			17.10	14.96	/	/	Pass
		5700			15.70	16.44	/	/	Pass



BUREAU
VERITAS

Test Report No.: W7L-P22030011RF05

		5720			15.89	15.21	/	/	Pass
		5720			15.89	15.21	/	/	Pass
		5745			15.00	13.74	/	/	Pass
		5785			15.21	13.68	/	/	Pass
		5825			15.07	13.55	/	/	Pass
		5180	RU52	40	15.67	14.09	/	/	Pass
		5200			15.21	12.76	/	/	Pass
		5240			15.74	13.93	/	/	Pass
		5260			17.34	17.91	/	/	Pass
		5300			17.58	17.74	/	/	Pass
		5320			15.74	16.79	/	/	Pass
		5500			16.11	14.03	/	/	Pass
		5580			16.03	15.81	/	/	Pass
		5700			14.93	15.45	/	/	Pass
		5720			16.37	16.71	/	/	Pass
		5720			16.37	16.71	/	/	Pass
		5745			14.93	13.74	/	/	Pass
		5785			15.07	13.68	/	/	Pass
		5825			15.14	13.58	/	/	Pass
		5180	RU106	53	14.96	13.65	/	/	Pass
		5200			16.26	13.68	/	/	Pass
		5240			15.67	13.93	/	/	Pass
		5260			16.67	16.41	/	/	Pass
		5300			15.74	17.30	/	/	Pass
		5320			16.11	16.90	/	/	Pass
		5500			17.06	15.03	/	/	Pass
		5580			16.98	16.71	/	/	Pass
		5700			14.72	16.79	/	/	Pass
		5720			16.52	15.21	/	/	Pass
		5720			16.52	15.21	/	/	Pass
		5745			15.07	13.55	/	/	Pass
		5785			14.55	13.90	/	/	Pass
		5825			15.07	13.71	/	/	Pass
		5180	RU106	54	15.38	12.85	/	/	Pass
		5200			15.52	13.96	/	/	Pass



BUREAU
VERITAS

Test Report No.: W7L-P22030011RF05

		5240			16.71	14.45	/	/	Pass
		5260			17.95	16.98	/	/	Pass
		5300			16.52	17.14	/	/	Pass
		5320			16.56	16.90	/	/	Pass
		5500			16.60	14.39	/	/	Pass
		5580			17.30	16.37	/	/	Pass
		5700			15.31	17.10	/	/	Pass
		5720			15.67	15.67	/	/	Pass
		5720			15.67	15.67	/	/	Pass
		5745			14.96	13.52	/	/	Pass
		5785			14.59	13.93	/	/	Pass
		5825			15.10	13.49	/	/	Pass
		5180	RU242	61	16.00	13.49	/	/	Pass
		5200			15.89	14.39	/	/	Pass
		5240			15.70	13.93	/	/	Pass
		5260			15.78	14.52	/	/	Pass
		5300			15.24	14.19	/	/	Pass
		5320			14.62	14.32	/	/	Pass
		5500			16.14	16.60	/	/	Pass
		5580			16.48	17.91	/	/	Pass
		5700			16.83	17.95	/	/	Pass
		5720			16.71	17.38	/	/	Pass
		5720			16.71	17.38	/	/	Pass
		5745			14.19	13.55	/	/	Pass
		5785			14.39	13.49	/	/	Pass
		5825			15.03	13.24	/	/	Pass
802.11ax20	CDD	5180	RU26	0	16.83	14.22	31.05	/	Pass
		5200			16.90	14.62	31.55	/	Pass
		5240			17.70	14.89	32.58	/	Pass
		5260			18.11	18.79	36.90	/	Pass
		5300			18.07	18.32	36.39	/	Pass
		5320			17.70	18.16	35.89	/	Pass
		5500			17.50	15.35	32.81	/	Pass
		5580			17.95	17.50	35.48	/	Pass
		5700			16.71	17.62	34.36	/	Pass



		5720			17.50	17.26	34.75	/	Pass
		5720			17.50	17.26	34.75	/	Pass
		5745			16.00	14.06	30.06	/	Pass
		5785			16.26	14.55	30.83	/	Pass
		5825			15.92	14.00	29.92	/	Pass
		5180	RU26	4	17.14	14.39	31.55	/	Pass
		5200			17.30	14.45	31.77	/	Pass
		5240			17.86	14.59	32.43	/	Pass
		5260			18.28	18.41	36.73	/	Pass
		5300			18.11	18.45	36.56	/	Pass
		5320			16.94	18.11	35.08	/	Pass
		5500			16.56	15.21	31.77	/	Pass
		5580			16.83	17.42	34.28	/	Pass
		5700			16.75	17.54	34.28	/	Pass
		5720			17.26	17.91	35.16	/	Pass
		5720			17.26	17.91	35.16	/	Pass
		5745			16.29	13.71	29.99	/	Pass
		5785			16.41	13.96	30.34	/	Pass
		5825			16.11	13.71	29.79	/	Pass
		5180	RU26	8	17.99	14.52	32.51	/	Pass
		5200			17.70	14.79	32.51	/	Pass
		5240			17.66	15.28	32.96	/	Pass
		5260			18.03	18.84	36.90	/	Pass
		5300			18.45	18.97	37.41	/	Pass
		5320			18.37	18.88	37.24	/	Pass
		5500			18.07	15.63	33.73	/	Pass
		5580			17.58	18.41	35.97	/	Pass
		5700			17.10	17.91	34.99	/	Pass
		5720			16.90	17.82	34.75	/	Pass
		5720			16.90	17.82	34.75	/	Pass
		5745			16.00	14.72	30.69	/	Pass
		5785			16.03	14.66	30.69	/	Pass
		5825			15.17	14.32	29.51	/	Pass
		5180	RU52	37	15.67	13.90	29.58	/	Pass
		5200			16.79	13.77	30.55	/	Pass



BUREAU
VERITAS

Test Report No.: W7L-P22030011RF05

		5240			16.14	14.26	30.41	/	Pass
		5260			16.71	17.30	34.04	/	Pass
		5300			16.56	17.50	34.04	/	Pass
		5320			17.18	17.95	35.16	/	Pass
		5500			17.22	15.07	32.28	/	Pass
		5580			17.34	16.98	34.36	/	Pass
		5700			15.42	17.02	32.43	/	Pass
		5720			16.56	16.00	32.58	/	Pass
		5720			16.56	16.00	32.58	/	Pass
		5745			15.21	13.74	28.97	/	Pass
		5785			15.00	14.32	29.31	/	Pass
		5825			15.28	13.87	29.17	/	Pass
		5180	RU52	39	16.83	13.87	30.69	/	Pass
		5200			16.71	13.40	30.13	/	Pass
		5240			16.67	13.61	30.27	/	Pass
		5260			17.34	18.28	35.65	/	Pass
		5300			17.46	18.20	35.65	/	Pass
		5320			16.52	17.38	33.88	/	Pass
		5500			16.98	14.16	31.12	/	Pass
		5580			17.70	16.03	33.73	/	Pass
		5700			16.60	16.60	33.19	/	Pass
		5720			16.98	15.96	32.96	/	Pass
		5720			16.98	15.96	32.96	/	Pass
		5745			15.52	13.87	29.38	/	Pass
		5785			15.17	13.96	29.11	/	Pass
		5825			15.42	13.93	29.38	/	Pass
		5180	RU52	40	15.92	14.19	30.13	/	Pass
		5200			16.07	13.40	29.44	/	Pass
		5240			16.44	14.16	30.62	/	Pass
		5260			17.70	18.41	36.14	/	Pass
		5300			17.99	18.28	36.31	/	Pass
		5320			16.60	16.94	33.57	/	Pass
		5500			16.60	14.69	31.26	/	Pass
		5580			17.02	16.90	33.96	/	Pass
		5700			15.60	16.26	31.84	/	Pass



		5720			17.42	16.98	34.43	/	Pass
		5720			17.42	16.98	34.43	/	Pass
		5745			15.21	13.68	28.91	/	Pass
		5785			15.81	13.87	29.65	/	Pass
		5825			15.21	14.00	29.17	/	Pass
		5180	RU106	53	15.67	13.90	29.58	/	Pass
		5200			16.79	13.77	30.55	/	Pass
		5240			16.14	14.26	30.41	/	Pass
		5260			16.71	17.30	34.04	/	Pass
		5300			16.56	17.50	34.04	/	Pass
		5320			17.18	17.95	35.16	/	Pass
		5500			17.22	15.07	32.28	/	Pass
		5580			17.34	16.98	34.36	/	Pass
		5700			15.42	17.02	32.43	/	Pass
		5720			16.56	16.00	32.58	/	Pass
		5720			16.56	16.00	32.58	/	Pass
		5745			15.21	13.74	28.97	/	Pass
		5785			15.00	14.32	29.31	/	Pass
		5825			15.28	13.87	29.17	/	Pass
		5180	RU106	54	15.67	13.09	28.77	/	Pass
		5200			16.14	14.45	30.62	/	Pass
		5240			17.46	14.83	32.28	/	Pass
		5260			18.11	17.26	35.40	/	Pass
		5300			16.67	18.20	34.83	/	Pass
		5320			17.18	17.70	34.91	/	Pass
		5500			16.87	14.69	31.55	/	Pass
		5580			17.74	16.90	34.67	/	Pass
		5700			15.49	17.50	32.96	/	Pass
		5720			16.67	16.18	32.89	/	Pass
		5720			16.67	16.18	32.89	/	Pass
		5745			15.21	13.93	29.11	/	Pass
		5785			15.52	14.32	29.85	/	Pass
		5825			15.21	13.80	29.04	/	Pass
		5180	RU242	61	16.14	14.42	30.55	/	Pass
		5200			16.29	15.14	31.41	/	Pass



BUREAU
VERITAS

Test Report No.: W7L-P22030011RF05

		5240			16.37	14.69	31.05	/	Pass
		5260			16.22	15.17	31.41	/	Pass
		5300			15.92	15.21	31.12	/	Pass
		5320			15.63	15.10	30.76	/	Pass
		5500			16.90	17.14	34.04	/	Pass
		5580			17.06	18.20	35.24	/	Pass
		5700			16.90	18.54	35.40	/	Pass
		5720			17.26	18.58	35.81	/	Pass
		5720			17.26	18.58	35.81	/	Pass
		5745			14.93	14.79	29.72	/	Pass
		5785			15.17	14.35	29.51	/	Pass
		5825			14.93	14.39	29.31	/	Pass
802.11ax40	SISO	5190	RU26	0	16.71	14.00	/	/	Pass
		5230			16.44	14.26	/	/	Pass
		5270			17.99	17.22	/	/	Pass
		5310			17.66	18.07	/	/	Pass
		5510			16.90	14.62	/	/	Pass
		5550			16.44	15.21	/	/	Pass
		5670			16.87	17.54	/	/	Pass
		5710			17.54	17.34	/	/	Pass
		5710			17.54	17.34	/	/	Pass
		5755			14.89	14.26	/	/	Pass
		5795			15.63	13.61	/	/	Pass
		5190	RU26	8	15.63	15.21	/	/	Pass
		5230			16.79	14.35	/	/	Pass
		5270			16.37	18.07	/	/	Pass
		5310			16.71	17.99	/	/	Pass
		5510			16.83	15.28	/	/	Pass
		5550			16.98	15.31	/	/	Pass
		5670			16.18	17.30	/	/	Pass
		5710			16.87	17.26	/	/	Pass
		5710			16.87	17.26	/	/	Pass
		5755			15.42	14.49	/	/	Pass
		5795			16.29	14.32	/	/	Pass
		5190	RU26	17	17.54	14.55	/	/	Pass



BUREAU
VERITAS

Test Report No.: W7L-P22030011RF05

		5230			17.30	14.69	/	/	Pass
		5270			17.42	17.82	/	/	Pass
		5310			16.41	18.37	/	/	Pass
		5510			17.02	15.56	/	/	Pass
		5550			16.60	15.49	/	/	Pass
		5670			17.06	17.42	/	/	Pass
		5710			17.50	17.10	/	/	Pass
		5710			17.50	17.10	/	/	Pass
		5755			15.31	14.16	/	/	Pass
		5795			15.17	13.96	/	/	Pass
		5190	RU52	37	15.38	12.97	/	/	Pass
		5230			15.81	13.93	/	/	Pass
		5270			17.30	16.00	/	/	Pass
		5310			16.98	16.41	/	/	Pass
		5510			16.33	13.43	/	/	Pass
		5550			15.00	14.52	/	/	Pass
		5670			15.81	16.14	/	/	Pass
		5710			15.92	16.07	/	/	Pass
		5710			15.92	16.07	/	/	Pass
		5755			14.49	13.93	/	/	Pass
		5795			15.03	13.55	/	/	Pass
		5190	RU52	40	15.49	12.88	/	/	Pass
		5230			15.49	12.62	/	/	Pass
		5270			15.52	17.22	/	/	Pass
		5310			16.63	16.63	/	/	Pass
		5510			16.03	13.46	/	/	Pass
		5550			16.56	15.07	/	/	Pass
		5670			16.00	16.83	/	/	Pass
		5710			16.03	15.17	/	/	Pass
		5710			16.03	15.17	/	/	Pass
		5755			14.66	13.93	/	/	Pass
		5795			15.07	13.34	/	/	Pass
		5190	RU52	44	15.42	13.03	/	/	Pass
		5230			15.67	13.30	/	/	Pass



		5270			16.52	17.18	/	/	Pass
		5310			16.48	16.63	/	/	Pass
		5510			15.74	13.65	/	/	Pass
		5550			15.63	14.42	/	/	Pass
		5670			16.22	17.38	/	/	Pass
		5710			15.70	15.14	/	/	Pass
		5710			15.70	15.14	/	/	Pass
		5755			14.72	13.80	/	/	Pass
		5795			14.86	13.30	/	/	Pass
		5190	RU106	53	16.03	13.61	/	/	Pass
		5230			16.48	13.49	/	/	Pass
		5270			16.37	16.60	/	/	Pass
		5310			16.75	16.14	/	/	Pass
		5510			15.74	13.61	/	/	Pass
		5550			15.96	14.13	/	/	Pass
		5670			16.75	16.75	/	/	Pass
		5710			16.48	15.85	/	/	Pass
		5710			16.48	15.85	/	/	Pass
		5755			14.59	13.96	/	/	Pass
		5795			14.96	13.34	/	/	Pass
		5190	RU106	54	15.42	13.87	/	/	Pass
		5230			15.35	13.77	/	/	Pass
		5270			16.79	16.79	/	/	Pass
		5310			17.50	17.06	/	/	Pass
		5510			15.56	13.65	/	/	Pass
		5550			15.49	15.21	/	/	Pass
		5670			16.37	16.44	/	/	Pass
		5710			16.33	15.56	/	/	Pass
		5710			16.33	15.56	/	/	Pass
		5755			14.52	14.06	/	/	Pass
		5795			14.76	13.34	/	/	Pass
		5190	RU106	56	15.10	14.13	/	/	Pass
		5230			15.31	13.55	/	/	Pass
		5270			17.18	16.22	/	/	Pass



BUREAU
VERITAS

Test Report No.: W7L-P22030011RF05

		5310			17.10	16.75	/	/	Pass
		5510			14.96	14.66	/	/	Pass
		5550			15.03	13.87	/	/	Pass
		5670			16.03	15.78	/	/	Pass
		5710			17.38	16.03	/	/	Pass
		5710			17.38	16.03	/	/	Pass
		5755			14.62	13.87	/	/	Pass
		5795			14.93	13.46	/	/	Pass
		5190	RU242	61	16.60	13.65	/	/	Pass
		5230			15.31	14.00	/	/	Pass
		5270			17.78	17.22	/	/	Pass
		5310			17.42	16.83	/	/	Pass
		5510			16.37	13.18	/	/	Pass
		5550			15.70	13.61	/	/	Pass
		5670			16.71	16.63	/	/	Pass
		5710			16.18	16.87	/	/	Pass
		5710			16.18	16.87	/	/	Pass
		5755			14.72	13.90	/	/	Pass
		5795			14.52	13.30	/	/	Pass
		5190	RU242	62	15.28	13.96	/	/	Pass
		5230			15.70	13.27	/	/	Pass
		5270			17.54	17.66	/	/	Pass
		5310			16.60	16.41	/	/	Pass
		5510			16.07	13.68	/	/	Pass
		5550			15.10	13.65	/	/	Pass
		5670			15.89	15.89	/	/	Pass
		5710			15.70	16.63	/	/	Pass
		5710			15.70	16.63	/	/	Pass
		5755			14.26	13.74	/	/	Pass
		5795			14.66	13.18	/	/	Pass
		5190	RU484	65	16.63	14.32	/	/	Pass
		5230			17.91	15.56	/	/	Pass
		5270			15.28	15.42	/	/	Pass
		5310			17.46	16.94	/	/	Pass



		5510			17.50	14.86	/	/	Pass
		5550			15.60	15.60	/	/	Pass
		5670			16.79	16.71	/	/	Pass
		5710			15.81	17.22	/	/	Pass
		5710			15.81	17.22	/	/	Pass
		5755			14.86	14.06	/	/	Pass
		5795			14.66	13.87	/	/	Pass
802.11ax40	MIMO	5190	RU26	0	17.26	14.39	31.62	/	Pass
		5230			16.83	14.42	31.26	/	Pass
		5270			18.07	17.91	35.97	/	Pass
		5310			18.16	18.37	36.56	/	Pass
		5510			17.14	14.89	32.06	/	Pass
		5550			16.67	15.60	32.28	/	Pass
		5670			17.50	17.82	35.32	/	Pass
		5710			17.66	17.50	35.16	/	Pass
		5710			17.66	17.50	35.16	/	Pass
		5755			16.26	14.79	31.05	/	Pass
		5795			15.78	15.17	30.97	/	Pass
		5190	RU26	8	15.70	15.31	31.05	/	Pass
		5230			17.30	14.83	32.14	/	Pass
		5270			17.06	18.71	35.73	/	Pass
		5310			17.38	18.62	35.97	/	Pass
		5510			17.30	15.92	33.19	/	Pass
		5550			17.34	15.78	33.11	/	Pass
		5670			16.87	17.91	34.75	/	Pass
		5710			17.46	17.70	35.16	/	Pass
		5710			17.46	17.70	35.16	/	Pass
		5755			16.14	14.76	30.90	/	Pass
		5795			16.33	14.35	30.69	/	Pass
		5190	RU26	17	17.62	14.86	32.51	/	Pass
		5230			17.54	14.89	32.43	/	Pass
		5270			17.66	18.32	35.97	/	Pass
		5310			17.14	18.58	35.73	/	Pass
		5510			17.42	16.03	33.42	/	Pass



		5550			17.26	16.11	33.34	/	Pass
		5670			17.22	18.03	35.24	/	Pass
		5710			17.54	17.82	35.40	/	Pass
		5710			17.54	17.82	35.40	/	Pass
		5755			16.29	14.26	30.55	/	Pass
		5795			15.38	14.00	29.38	/	Pass
		5190	RU52	37	15.78	13.21	28.97	/	Pass
		5230			16.29	14.22	30.55	/	Pass
		5270			17.46	16.63	34.12	/	Pass
		5310			17.86	16.98	34.83	/	Pass
		5510			16.44	13.74	30.20	/	Pass
		5550			15.67	14.89	30.55	/	Pass
		5670			16.71	16.90	33.65	/	Pass
		5710			16.79	16.37	33.19	/	Pass
		5710			16.79	16.37	33.19	/	Pass
		5755			15.92	14.55	30.48	/	Pass
		5795			15.31	13.84	29.17	/	Pass
		5190	RU52	40	15.96	13.46	29.44	/	Pass
		5230			16.11	13.37	29.44	/	Pass
		5270			16.63	17.50	34.12	/	Pass
		5310			17.14	17.78	34.91	/	Pass
		5510			16.56	13.74	30.27	/	Pass
		5550			16.67	15.21	31.84	/	Pass
		5670			16.03	17.54	33.57	/	Pass
		5710			16.11	16.22	32.36	/	Pass
		5710			16.11	16.22	32.36	/	Pass
		5755			15.28	13.96	29.24	/	Pass
		5795			15.21	13.87	29.04	/	Pass
		5190	RU52	44	16.48	13.37	29.85	/	Pass
		5230			16.63	13.37	29.99	/	Pass
		5270			16.71	17.86	34.59	/	Pass
		5310			17.06	17.18	34.28	/	Pass
		5510			16.29	13.93	30.20	/	Pass
		5550			15.85	15.42	31.26	/	Pass



BUREAU
VERITAS

Test Report No.: W7L-P22030011RF05

		5670			16.63	17.62	34.28	/	Pass
		5710			16.33	16.18	32.51	/	Pass
		5710			16.33	16.18	32.51	/	Pass
		5755			15.92	13.87	29.79	/	Pass
		5795			14.89	13.34	28.25	/	Pass
		5190	RU106	53	16.14	13.80	29.92	/	Pass
		5230			16.56	13.74	30.27	/	Pass
		5270			16.75	17.34	34.12	/	Pass
		5310			17.95	17.14	35.08	/	Pass
		5510			16.48	14.22	30.69	/	Pass
		5550			16.67	14.52	31.19	/	Pass
		5670			17.22	17.02	34.28	/	Pass
		5710			17.18	16.44	33.65	/	Pass
		5710			17.18	16.44	33.65	/	Pass
		5755			15.14	14.83	29.99	/	Pass
		5795			14.93	14.16	29.11	/	Pass
		5190	RU106	54	16.44	14.03	30.48	/	Pass
		5230			15.70	14.35	30.06	/	Pass
		5270			17.74	16.94	34.67	/	Pass
		5310			18.07	17.62	35.73	/	Pass
		5510			15.70	13.68	29.38	/	Pass
		5550			15.81	15.38	31.19	/	Pass
		5670			17.30	17.06	34.36	/	Pass
		5710			16.75	16.14	32.89	/	Pass
		5710			16.75	16.14	32.89	/	Pass
		5755			15.17	14.86	30.06	/	Pass
		5795			14.93	14.19	29.11	/	Pass
		5190	RU106	56	15.81	14.26	30.06	/	Pass
		5230			15.70	14.29	29.99	/	Pass
		5270			17.38	17.14	34.51	/	Pass
		5310			17.66	17.38	35.08	/	Pass
		5510			15.78	14.66	30.41	/	Pass
		5550			15.52	14.59	30.13	/	Pass
		5670			16.67	16.75	33.42	/	Pass



BUREAU
VERITAS

Test Report No.: W7L-P22030011RF05

		5710			17.58	16.98	34.59	/	Pass
		5710			17.58	16.98	34.59	/	Pass
		5755			15.21	15.17	30.41	/	Pass
		5795			14.79	14.45	29.24	/	Pass
		5190	RU242	61	16.60	14.13	30.69	/	Pass
		5230			15.38	14.13	29.51	/	Pass
		5270			17.91	17.86	35.81	/	Pass
		5310			17.50	17.66	35.16	/	Pass
		5510			16.79	13.65	30.41	/	Pass
		5550			16.33	14.45	30.76	/	Pass
		5670			17.26	17.14	34.43	/	Pass
		5710			17.06	16.90	33.96	/	Pass
		5710			17.06	16.90	33.96	/	Pass
		5755			14.52	13.55	28.05	/	Pass
		5795			14.76	13.37	28.12	/	Pass
		5190	RU242	62	16.33	14.26	30.62	/	Pass
		5230			16.63	13.96	30.62	/	Pass
		5270			17.95	17.70	35.65	/	Pass
		5310			17.50	17.06	34.59	/	Pass
		5510			17.06	14.45	31.55	/	Pass
		5550			16.11	14.59	30.69	/	Pass
		5670			16.71	16.79	33.50	/	Pass
		5710			16.83	16.67	33.50	/	Pass
		5710			16.83	16.67	33.50	/	Pass
		5755			14.39	13.87	28.25	/	Pass
		5795			14.86	13.24	28.12	/	Pass
		5190	RU484	65	16.94	14.86	31.77	/	Pass
		5230			18.07	16.07	34.12	/	Pass
		5270			15.31	16.11	31.41	/	Pass
		5310			17.54	17.02	34.59	/	Pass
		5510			17.58	14.96	32.51	/	Pass
		5550			16.11	15.63	31.77	/	Pass
		5670			17.30	17.18	34.51	/	Pass
		5710			16.37	17.30	33.65	/	Pass



**BUREAU
VERITAS**

Test Report No.: W7L-P22030011RF05

		5710			16.94	14.86	31.77	/	Pass
		5755			15.42	15.00	30.41	/	Pass
		5795			15.07	14.83	29.92	/	Pass
802.11ax80	SISO	5210	RU26	0	17.38	14.00	/	/	Pass
		5290			15.96	17.34	/	/	Pass
		5530			16.11	14.13	/	/	Pass
		5610			15.81	16.44	/	/	Pass
		5690			15.89	16.63	/	/	Pass
		5690			15.89	16.63	/	/	Pass
		5775			14.72	13.43	/	/	Pass
		5210	RU26	18	18.37	15.81	/	/	Pass
		5290			17.22	17.99	/	/	Pass
		5530			16.87	15.03	/	/	Pass
		5610			16.60	17.58	/	/	Pass
		5690			15.96	17.42	/	/	Pass
		5690			15.96	17.42	/	/	Pass
		5775			15.21	14.00	/	/	Pass
		5210	RU26	36	17.95	14.72	/	/	Pass
		5290			15.52	16.87	/	/	Pass
		5530			15.35	14.45	/	/	Pass
		5610			15.92	16.87	/	/	Pass
		5690			16.67	16.52	/	/	Pass
		5690			16.67	16.52	/	/	Pass
		5775			14.86	13.52	/	/	Pass
		5210	RU52	37	17.14	13.09	/	/	Pass
		5290			15.63	16.79	/	/	Pass
		5530			15.92	13.96	/	/	Pass
		5610			14.62	14.86	/	/	Pass
		5690			15.28	15.81	/	/	Pass
		5690			15.28	15.81	/	/	Pass
		5775			14.55	13.30	/	/	Pass
		5210	RU52	40	16.83	12.91	/	/	Pass
		5290			14.49	16.44	/	/	Pass
		5530			14.59	13.90	/	/	Pass



BUREAU
VERITAS

Test Report No.: W7L-P22030011RF05

		5610			14.09	16.75	/	/	Pass
		5690			15.81	15.74	/	/	Pass
		5690			15.81	15.74	/	/	Pass
		5775			14.62	13.30	/	/	Pass
		5210	RU52	44	17.38	13.12	/	/	Pass
		5290			14.96	16.67	/	/	Pass
		5530			13.90	13.84	/	/	Pass
		5610			14.72	15.56	/	/	Pass
		5690			16.56	15.89	/	/	Pass
		5690			17.38	13.12	/	/	Pass
		5775			14.62	13.21	/	/	Pass
		5210	RU106	53	16.33	12.74	/	/	Pass
		5290			15.07	16.11	/	/	Pass
		5530			14.35	13.18	/	/	Pass
		5610			15.28	15.42	/	/	Pass
		5690			15.81	16.03	/	/	Pass
		5690			15.81	16.03	/	/	Pass
		5775			14.66	13.12	/	/	Pass
		5210	RU106	54	16.98	13.71	/	/	Pass
		5290			14.79	16.26	/	/	Pass
		5530			14.66	14.29	/	/	Pass
		5610			15.35	16.11	/	/	Pass
		5690			15.10	16.44	/	/	Pass
		5690			15.10	16.44	/	/	Pass
		5775			14.45	13.15	/	/	Pass
		5210	RU106	56	15.52	13.00	/	/	Pass
		5290			15.38	15.56	/	/	Pass
		5530			14.59	13.06	/	/	Pass
		5610			15.42	15.42	/	/	Pass
		5690			15.56	16.79	/	/	Pass
		5690			15.56	16.79	/	/	Pass
		5775			14.42	13.34	/	/	Pass
		5210	RU242	61	15.74	13.03	/	/	Pass
		5290			15.92	16.63	/	/	Pass



		5530			15.03	13.30	/	/	Pass
		5610			15.74	14.42	/	/	Pass
		5690			15.03	15.14	/	/	Pass
		5690			15.03	15.14	/	/	Pass
		5775			14.66	13.12	/	/	Pass
		5210			17.10	13.09	/	/	Pass
		5290			15.70	15.96	/	/	Pass
		5530			15.89	12.79	/	/	Pass
		5610	RU242	62	14.69	15.21	/	/	Pass
		5690			15.21	15.96	/	/	Pass
		5690			15.21	15.96	/	/	Pass
		5775			14.42	13.21	/	/	Pass
		5210			17.14	13.96	/	/	Pass
		5290			14.49	17.26	/	/	Pass
		5530			15.31	12.59	/	/	Pass
		5610	RU242	64	14.55	15.14	/	/	Pass
		5690			15.42	15.49	/	/	Pass
		5690			15.42	15.49	/	/	Pass
		5775			14.59	13.27	/	/	Pass
		5210			16.52	13.58	/	/	Pass
		5290			15.14	17.14	/	/	Pass
		5530			15.38	13.43	/	/	Pass
		5610	RU484	65	14.76	16.29	/	/	Pass
		5690			15.74	16.37	/	/	Pass
		5690			15.74	16.37	/	/	Pass
		5775			14.35	13.34	/	/	Pass
		5210			16.56	13.21	/	/	Pass
		5290			15.31	17.18	/	/	Pass
		5530			15.38	13.15	/	/	Pass
		5610	RU484	66	15.07	15.24	/	/	Pass
		5690			16.11	16.75	/	/	Pass
		5690			16.11	16.75	/	/	Pass
		5775			14.62	13.21	/	/	Pass
		5210	RU996	67	16.67	16.14	/	/	Pass



**BUREAU
VERITAS**

Test Report No.: W7L-P22030011RF05

802.11ax80		5290			16.33	17.30	/	/	Pass
		5530			16.90	15.63	/	/	Pass
		5610			16.94	18.11	/	/	Pass
		5690			17.10	18.58	/	/	Pass
		5690			16.67	16.14	/	/	Pass
		5775			14.49	13.09	/	/	Pass
	MIMO	5210	RU26	0	17.99	14.55	32.51	/	Pass
		5290			16.48	17.46	33.96	/	Pass
		5530			16.29	14.59	30.90	/	Pass
		5610			16.07	16.87	32.96	/	Pass
		5690			16.56	17.34	33.88	/	Pass
		5690			16.56	17.34	33.88	/	Pass
		5775			15.89	15.14	31.05	/	Pass
		5210	RU26	18	18.79	16.03	34.83	/	Pass
		5290			17.97	18.49	36.48	/	Pass
		5530			17.62	15.21	32.81	/	Pass
		5610			16.63	17.91	34.51	/	Pass
		5690			16.41	17.78	34.20	/	Pass
		5690			16.41	17.78	34.20	/	Pass
		5775			15.38	14.72	30.13	/	Pass
		5210	RU26	36	18.07	15.17	33.27	/	Pass
		5290			16.03	17.22	33.27	/	Pass
		5530			16.07	14.89	30.97	/	Pass
		5610			16.33	17.10	33.42	/	Pass
		5690			16.71	16.60	33.34	/	Pass
		5690			16.71	16.60	33.34	/	Pass
		5775			15.52	14.19	29.72	/	Pass
		5210	RU52	37	17.82	14.00	31.84	/	Pass
		5290			15.96	17.38	33.34	/	Pass
		5530			16.14	14.45	30.62	/	Pass
		5610			15.24	15.85	31.12	/	Pass
		5690			15.78	16.00	31.77	/	Pass
		5690			15.78	16.00	31.77	/	Pass
		5775			15.03	14.32	29.38	/	Pass



		5210	RU52	40	16.98	13.49	30.48	/	Pass
		5290			15.28	17.06	32.36	/	Pass
		5530			15.52	14.32	29.85	/	Pass
		5610			15.07	16.75	31.84	/	Pass
		5690			16.22	16.37	32.58	/	Pass
		5690			16.22	16.37	32.58	/	Pass
		5775			15.45	14.09	29.51	/	Pass
		5210	RU52	44	17.50	13.71	31.19	/	Pass
		5290			15.21	16.75	31.99	/	Pass
		5530			14.86	14.19	29.04	/	Pass
		5610			15.56	15.67	31.26	/	Pass
		5690			16.56	16.11	32.66	/	Pass
		5690			17.50	13.71	31.19	/	Pass
		5775			14.19	14.06	28.25	/	Pass
		5210	RU106	53	16.90	13.34	30.27	/	Pass
		5290			15.70	16.63	32.36	/	Pass
		5530			15.14	14.03	29.17	/	Pass
		5610			15.52	15.85	31.41	/	Pass
		5690			15.92	16.98	32.89	/	Pass
		5690			15.92	16.98	32.89	/	Pass
		5775			14.69	14.52	29.24	/	Pass
		5210	RU106	54	17.86	14.13	31.99	/	Pass
		5290			15.45	17.02	32.51	/	Pass
		5530			14.89	14.45	29.38	/	Pass
		5610			15.60	16.22	31.84	/	Pass
		5690			15.31	16.52	31.84	/	Pass
		5690			15.31	16.52	31.84	/	Pass
		5775			14.59	14.49	29.11	/	Pass
		5210	RU106	56	16.56	13.84	30.41	/	Pass
		5290			15.60	16.48	32.06	/	Pass
		5530			15.49	13.37	28.84	/	Pass
		5610			15.70	15.89	31.62	/	Pass
		5690			16.22	17.06	33.27	/	Pass
		5690			16.22	17.06	33.27	/	Pass



BUREAU
VERITAS

Test Report No.: W7L-P22030011RF05

		5775			14.72	14.62	29.38	/	Pass
		5210	RU242	61	16.63	13.87	30.48	/	Pass
		5290			16.41	16.83	33.27	/	Pass
		5530			15.49	14.13	29.58	/	Pass
		5610			16.07	15.45	31.55	/	Pass
		5690			15.78	15.81	31.62	/	Pass
		5690			15.78	15.81	31.62	/	Pass
		5775			14.32	14.19	28.51	/	Pass
		5210	RU242	62	17.50	13.90	31.41	/	Pass
		5290			15.70	16.18	31.92	/	Pass
		5530			15.89	13.37	29.24	/	Pass
		5610			15.60	16.22	31.84	/	Pass
		5690			16.07	16.83	32.89	/	Pass
		5690			16.07	16.83	32.89	/	Pass
		5775			14.59	14.29	28.91	/	Pass
		5210	RU242	64	17.34	14.26	31.62	/	Pass
		5290			15.38	17.26	32.66	/	Pass
		5530			16.26	13.34	29.58	/	Pass
		5610			15.45	15.45	30.90	/	Pass
		5690			16.48	16.56	33.04	/	Pass
		5690			16.48	16.56	33.04	/	Pass
		5775			14.52	13.21	27.73	/	Pass
		5210	RU484	65	16.90	14.16	31.05	/	Pass
		5290			15.14	17.30	32.43	/	Pass
		5530			16.00	13.93	29.92	/	Pass
		5610			15.28	16.71	31.99	/	Pass
		5690			15.81	16.90	32.73	/	Pass
		5690			15.81	16.90	32.73	/	Pass
		5775			14.83	14.66	29.51	/	Pass
		5210	RU484	66	17.10	13.80	30.90	/	Pass
		5290			15.85	17.34	33.19	/	Pass
		5530			15.45	13.46	28.91	/	Pass
		5610			15.49	15.52	31.05	/	Pass
		5690			16.26	17.14	33.42	/	Pass



		5690	RU996	67	16.26	17.14	33.42	/	Pass
		5775			15.42	13.96	29.38	/	Pass
		5210			17.18	16.22	33.42	/	Pass
		5290			16.33	17.38	33.73	/	Pass
		5530			17.14	16.22	33.34	/	Pass
		5610			17.38	18.88	36.22	/	Pass
		5690			17.46	18.84	36.31	/	Pass
		5690			17.18	16.22	33.42	/	Pass
		5775			15.45	15.42	30.90	/	Pass

Note1: Conducted Power=Measured Power +Duty Cycle Factor

MAXIMUM POWER SPECTRAL DENSITY TEST RESULT

Test Mode	Antenna	Frequency[MHz]	Ru Size	Ru Index	Result [dBm/MHz]	Limit [dBm/MHz]	Verdict
11AX20MIMO	Ant0	5180	26Tone	RU0	4.71	≤11.00	PASS
				RU4	5.82	≤11.00	PASS
				RU8	6.74	≤11.00	PASS
			242Tone	RU61	-2.88	≤11.00	PASS
	Ant1	5180	26Tone	RU0	5.02	≤11.00	PASS
				RU4	6.84	≤11.00	PASS
				RU8	6.2	≤11.00	PASS
			242Tone	RU61	3.64	≤11.00	PASS
	total	5180	26Tone	RU0	7.88	≤11.00	PASS
				RU4	9.37	≤11.00	PASS
				RU8	9.49	≤11.00	PASS
			242Tone	RU61	4.51	≤11.00	PASS
	Ant0	5200	26Tone	RU0	5.32	≤11.00	PASS
				RU4	4.71	≤11.00	PASS
				RU8	5.88	≤11.00	PASS
			242Tone	RU61	2.42	≤11.00	PASS
	Ant1	5200	26Tone	RU0	3.91	≤11.00	PASS
				RU4	4.11	≤11.00	PASS
				RU8	5.57	≤11.00	PASS
			242Tone	RU61	-2.66	≤11.00	PASS
	total	5200	26Tone	RU0	7.68	≤11.00	PASS
				RU4	7.43	≤11.00	PASS
				RU8	8.74	≤11.00	PASS
			242Tone	RU61	3.59	≤11.00	PASS
	Ant0	5240	26Tone	RU0	5.87	≤11.00	PASS
				RU4	6.82	≤11.00	PASS
				RU8	6.14	≤11.00	PASS
			242Tone	RU61	3.2	≤11.00	PASS
	Ant1	5240	26Tone	RU0	6	≤11.00	PASS
				RU4	5.38	≤11.00	PASS



				RU8	8.01	≤ 11.00	PASS
			242Tone	RU61	-1.29	≤ 11.00	PASS
total	5240	26Tone		RU0	8.95	≤ 11.00	PASS
				RU4	9.17	≤ 11.00	PASS
				RU8	10.19	≤ 11.00	PASS
		242Tone		RU61	4.52	≤ 11.00	PASS
Ant0	5260	26Tone		RU0	4.69	≤ 11.00	PASS
				RU4	4.92	≤ 11.00	PASS
				RU8	6.37	≤ 11.00	PASS
		242Tone		RU61	-2.01	≤ 11.00	PASS
Ant1	5260	26Tone		RU0	8.58	≤ 11.00	PASS
				RU4	7.26	≤ 11.00	PASS
				RU8	8.19	≤ 11.00	PASS
		242Tone		RU61	6.32	≤ 11.00	PASS
total	5260	26Tone		RU0	10.07	≤ 11.00	PASS
				RU4	9.26	≤ 11.00	PASS
				RU8	10.38	≤ 11.00	PASS
		242Tone		RU61	6.92	≤ 11.00	PASS
Ant0	5300	26Tone		RU0	6.08	≤ 11.00	PASS
				RU4	6.68	≤ 11.00	PASS
				RU8	6.87	≤ 11.00	PASS
		242Tone		RU61	4.2	≤ 11.00	PASS
Ant1	5300	26Tone		RU0	8.64	≤ 11.00	PASS
				RU4	7.24	≤ 11.00	PASS
				RU8	5.64	≤ 11.00	PASS
		242Tone		RU61	6.26	≤ 11.00	PASS
total	5300	26Tone		RU0	10.56	≤ 11.00	PASS
				RU4	9.98	≤ 11.00	PASS
				RU8	9.31	≤ 11.00	PASS
		242Tone		RU61	8.36	≤ 11.00	PASS
Ant0	5320	26Tone		RU0	5.37	≤ 11.00	PASS
				RU4	5.24	≤ 11.00	PASS
				RU8	6.42	≤ 11.00	PASS
		242Tone		RU61	-2.48	≤ 11.00	PASS
Ant1	5320	26Tone		RU0	7.78	≤ 11.00	PASS



				RU4	8.09	≤ 11.00	PASS
				RU8	7.24	≤ 11.00	PASS
			242Tone	RU61	4.8	≤ 11.00	PASS
	total	5320	26Tone	RU0	9.75	≤ 11.00	PASS
				RU4	9.91	≤ 11.00	PASS
				RU8	9.86	≤ 11.00	PASS
	242Tone			RU61	5.54	≤ 11.00	PASS
	Ant0	5500	26Tone	RU0	8.75	≤ 11.00	PASS
				RU4	5.89	≤ 11.00	PASS
				RU8	8.36	≤ 11.00	PASS
	242Tone			RU61	5.22	≤ 11.00	PASS
	Ant1	5500	26Tone	RU0	6.9	≤ 11.00	PASS
				RU4	5.57	≤ 11.00	PASS
				RU8	7.19	≤ 11.00	PASS
	242Tone			RU61	-0.2	≤ 11.00	PASS
	total	5500	26Tone	RU0	10.93	≤ 11.00	PASS
				RU4	8.74	≤ 11.00	PASS
				RU8	10.82	≤ 11.00	PASS
	242Tone			RU61	6.32	≤ 11.00	PASS
	Ant0	5580	26Tone	RU0	7.72	≤ 11.00	PASS
				RU4	8.36	≤ 11.00	PASS
				RU8	7.97	≤ 11.00	PASS
	242Tone			RU61	7.41	≤ 11.00	PASS
	Ant1	5580	26Tone	RU0	7.1	≤ 11.00	PASS
				RU4	7.75	≤ 11.00	PASS
				RU8	6.83	≤ 11.00	PASS
	242Tone			RU61	1.6	≤ 11.00	PASS
	total	5580	26Tone	RU0	10.43	≤ 11.00	PASS
				RU4	10.42	≤ 11.00	PASS
				RU8	10.45	≤ 11.00	PASS
	242Tone			RU61	8.42	≤ 11.00	PASS
	Ant0	5700	26Tone	RU0	8.25	≤ 11.00	PASS
				RU4	7.31	≤ 11.00	PASS
				RU8	8.27	≤ 11.00	PASS
	242Tone			RU61	0.34	≤ 11.00	PASS



	Ant1	5700	26Tone	RU0	6.21	≤ 11.00	PASS
				RU4	5.54	≤ 11.00	PASS
				RU8	7.15	≤ 11.00	PASS
			242Tone	RU61	4.45	≤ 11.00	PASS
	total	5700	26Tone	RU0	10.36	≤ 11.00	PASS
				RU4	9.52	≤ 11.00	PASS
				RU8	10.76	≤ 11.00	PASS
			242Tone	RU61	5.87	≤ 11.00	PASS
	Ant0	5720_UNII-2C	26Tone	RU0	8.05	≤ 11.00	PASS
				RU4	7.3	≤ 11.00	PASS
				RU8	-15.05	≤ 11.00	PASS
			242Tone	RU61	0.8	≤ 11.00	PASS
	Ant1	5720_UNII-2C	26Tone	RU0	7.36	≤ 11.00	PASS
				RU4	6.38	≤ 11.00	PASS
				RU8	-15.61	≤ 11.00	PASS
			242Tone	RU61	0.68	≤ 11.00	PASS
	total	5720_UNII-2C	26Tone	RU0	10.73	≤ 11.00	PASS
				RU4	9.87	≤ 11.00	PASS
				RU8	-12.31	≤ 11.00	PASS
			242Tone	RU61	3.75	≤ 11.00	PASS
	Ant0	5720_UNII-3	26Tone	RU0	-17.43	≤ 11.00	PASS
				RU4	-18.7	≤ 11.00	PASS
				RU8	5.86	≤ 11.00	PASS
			242Tone	RU61	-2.52	≤ 11.00	PASS
	Ant1	5720_UNII-3	26Tone	RU0	-18.99	≤ 11.00	PASS
				RU4	-19.39	≤ 11.00	PASS
				RU8	4.96	≤ 11.00	PASS
			242Tone	RU61	-3	≤ 11.00	PASS
	total	5720_UNII-3	26Tone	RU0	-15.13	≤ 11.00	PASS
				RU4	-16.02	≤ 11.00	PASS
				RU8	8.44	≤ 11.00	PASS
			242Tone	RU61	0.26	≤ 11.00	PASS
	Ant0	5745	26Tone	RU0	6.75	≤ 30.00	PASS
				RU4	6.58	≤ 30.00	PASS
				RU8	5.22	≤ 30.00	PASS



	Ant1	5745	242Tone	RU61	1.21	≤30.00	PASS
			26Tone	RU0	5.6	≤30.00	PASS
				RU4	5.19	≤30.00	PASS
				RU8	5.02	≤30.00	PASS
			242Tone	RU61	-1.98	≤30.00	PASS
	total	5745	26Tone	RU0	9.22	≤30.00	PASS
				RU4	8.95	≤30.00	PASS
				RU8	8.13	≤30.00	PASS
			242Tone	RU61	2.91	≤30.00	PASS
	Ant0	5785	26Tone	RU0	5.84	≤30.00	PASS
				RU4	5.24	≤30.00	PASS
				RU8	6.31	≤30.00	PASS
			242Tone	RU61	1.4	≤30.00	PASS
	Ant1	5785	26Tone	RU0	7.16	≤30.00	PASS
				RU4	6.93	≤30.00	PASS
				RU8	4.88	≤30.00	PASS
			242Tone	RU61	-3.31	≤30.00	PASS
	total	5785	26Tone	RU0	9.56	≤30.00	PASS
				RU4	9.18	≤30.00	PASS
				RU8	8.66	≤30.00	PASS
			242Tone	RU61	2.66	≤30.00	PASS
	Ant0	5825	26Tone	RU0	6.24	≤30.00	PASS
				RU4	6.56	≤30.00	PASS
				RU8	6.54	≤30.00	PASS
			242Tone	RU61	0.29	≤30.00	PASS
	Ant1	5825	26Tone	RU0	3.28	≤30.00	PASS
				RU4	2.95	≤30.00	PASS
				RU8	3.87	≤30.00	PASS
			242Tone	RU61	-5.44	≤30.00	PASS
	total	5825	26Tone	RU0	8.02	≤30.00	PASS
				RU4	8.13	≤30.00	PASS
				RU8	8.41	≤30.00	PASS
			242Tone	RU61	1.32	≤30.00	PASS
11AX40MIMO	Ant0	5190	26Tone	RU0	5.92	≤11.00	PASS
				RU8	5.82	≤11.00	PASS



				RU17	5.91	≤ 11.00	PASS
			484Tone	RU65	-2.79	≤ 11.00	PASS
Ant1	5190	26Tone		RU0	6.2	≤ 11.00	PASS
				RU8	6.23	≤ 11.00	PASS
				RU17	6.9	≤ 11.00	PASS
		484Tone		RU65	-2.4	≤ 11.00	PASS
total	5190	26Tone		RU0	9.07	≤ 11.00	PASS
				RU8	9.04	≤ 11.00	PASS
				RU17	9.44	≤ 11.00	PASS
		484Tone		RU65	0.42	≤ 11.00	PASS
Ant0	5230	26Tone		RU0	5.66	≤ 11.00	PASS
				RU8	5.99	≤ 11.00	PASS
				RU17	6.99	≤ 11.00	PASS
		484Tone		RU65	-3.1	≤ 11.00	PASS
Ant1	5230	26Tone		RU0	3.6	≤ 11.00	PASS
				RU8	5.97	≤ 11.00	PASS
				RU17	7.92	≤ 11.00	PASS
		484Tone		RU65	-2.89	≤ 11.00	PASS
total	5230	26Tone		RU0	7.76	≤ 11.00	PASS
				RU8	8.99	≤ 11.00	PASS
				RU17	10.49	≤ 11.00	PASS
		484Tone		RU65	0.02	≤ 11.00	PASS
Ant0	5270	26Tone		RU0	4.75	≤ 11.00	PASS
				RU8	4.21	≤ 11.00	PASS
				RU17	6.62	≤ 11.00	PASS
		484Tone		RU65	-1.39	≤ 11.00	PASS
Ant1	5270	26Tone		RU0	7.83	≤ 11.00	PASS
				RU8	8.15	≤ 11.00	PASS
				RU17	6.95	≤ 11.00	PASS
		484Tone		RU65	1.14	≤ 11.00	PASS
total	5270	26Tone		RU0	9.57	≤ 11.00	PASS
				RU8	9.62	≤ 11.00	PASS
				RU17	9.80	≤ 11.00	PASS
		484Tone		RU65	3.07	≤ 11.00	PASS
	Ant0	5310	26Tone	RU0	5.14	≤ 11.00	PASS



			484Tone	RU8	6.57	≤ 11.00	PASS
				RU17	6.97	≤ 11.00	PASS
				RU65	4.86	≤ 11.00	PASS
	Ant1	5310	26Tone	RU0	8.49	≤ 11.00	PASS
				RU8	8.1	≤ 11.00	PASS
				RU17	8.71	≤ 11.00	PASS
			484Tone	RU65	0.01	≤ 11.00	PASS
	total	5310	26Tone	RU0	10.14	≤ 11.00	PASS
				RU8	10.41	≤ 11.00	PASS
				RU17	10.94	≤ 11.00	PASS
			484Tone	RU65	6.09	≤ 11.00	PASS
	Ant0	5510	26Tone	RU0	9.37	≤ 11.00	PASS
				RU8	6.81	≤ 11.00	PASS
				RU17	8.66	≤ 11.00	PASS
			484Tone	RU65	4.57	≤ 11.00	PASS
	Ant1	5510	26Tone	RU0	5.7	≤ 11.00	PASS
				RU8	5.53	≤ 11.00	PASS
				RU17	6.72	≤ 11.00	PASS
			484Tone	RU65	-2.24	≤ 11.00	PASS
	total	5510	26Tone	RU0	10.92	≤ 11.00	PASS
				RU8	9.23	≤ 11.00	PASS
				RU17	10.81	≤ 11.00	PASS
			484Tone	RU65	5.39	≤ 11.00	PASS
	Ant0	5550	26Tone	RU0	6.31	≤ 11.00	PASS
				RU8	8.32	≤ 11.00	PASS
				RU17	7.72	≤ 11.00	PASS
			484Tone	RU65	-3.09	≤ 11.00	PASS
	Ant1	5550	26Tone	RU0	4.35	≤ 11.00	PASS
				RU8	7.27	≤ 11.00	PASS
				RU17	8.23	≤ 11.00	PASS
			484Tone	RU65	4.77	≤ 11.00	PASS
	total	5550	26Tone	RU0	8.45	≤ 11.00	PASS
				RU8	10.84	≤ 11.00	PASS
				RU17	10.99	≤ 11.00	PASS
			484Tone	RU65	5.43	≤ 11.00	PASS



	Ant0	5670	26Tone	RU0	8.56	≤ 11.00	PASS
				RU8	8.4	≤ 11.00	PASS
				RU17	7.97	≤ 11.00	PASS
			484Tone	RU65	0.69	≤ 11.00	PASS
	Ant1	5670	26Tone	RU0	6.02	≤ 11.00	PASS
				RU8	7.05	≤ 11.00	PASS
				RU17	7.44	≤ 11.00	PASS
			484Tone	RU65	-0.34	≤ 11.00	PASS
	total	5670	26Tone	RU0	10.48	≤ 11.00	PASS
				RU8	10.79	≤ 11.00	PASS
				RU17	10.72	≤ 11.00	PASS
			484Tone	RU65	3.22	≤ 11.00	PASS
	Ant0	5710_UNII-2C	26Tone	RU0	7.68	≤ 11.00	PASS
				RU8	7.95	≤ 11.00	PASS
				RU17	-14.52	≤ 11.00	PASS
			484Tone	RU65	-0.06	≤ 11.00	PASS
	Ant1	5710_UNII-2C	26Tone	RU0	7.24	≤ 11.00	PASS
				RU8	7.34	≤ 11.00	PASS
				RU17	-14.83	≤ 11.00	PASS
			484Tone	RU65	-1.34	≤ 11.00	PASS
	total	5710_UNII-2C	26Tone	RU0	10.48	≤ 11.00	PASS
				RU8	10.67	≤ 11.00	PASS
				RU17	-11.66	≤ 11.00	PASS
			484Tone	RU65	2.36	≤ 11.00	PASS
	Ant0	5710_UNII-3	26Tone	RU0	-42.6	≤ 11.00	PASS
				RU8	-42.5	≤ 11.00	PASS
				RU17	5.86	≤ 11.00	PASS
			484Tone	RU65	-3.62	≤ 11.00	PASS
	Ant1	5710_UNII-3	26Tone	RU0	-44.17	≤ 11.00	PASS
				RU8	-41.92	≤ 11.00	PASS
				RU17	5.92	≤ 11.00	PASS
			484Tone	RU65	-3.26	≤ 11.00	PASS
	total	5710_UNII-3	26Tone	RU0	-40.30	≤ 11.00	PASS
				RU8	-39.19	≤ 11.00	PASS
				RU17	8.90	≤ 11.00	PASS



	Ant0	5755	484Tone	RU65	-0.43	≤11.00	PASS
			26Tone	RU0	6.31	≤30.00	PASS
				RU8	6.71	≤30.00	PASS
				RU17	5.71	≤30.00	PASS
			484Tone	RU65	-3.38	≤30.00	PASS
	Ant1	5755	26Tone	RU0	5.07	≤30.00	PASS
				RU8	5.67	≤30.00	PASS
				RU17	7.84	≤30.00	PASS
			484Tone	RU65	-1.12	≤30.00	PASS
	total	5755	26Tone	RU0	8.74	≤30.00	PASS
				RU8	9.23	≤30.00	PASS
				RU17	9.91	≤30.00	PASS
			484Tone	RU65	0.91	≤30.00	PASS
	Ant0	5795	26Tone	RU0	6.04	≤30.00	PASS
				RU8	4.05	≤30.00	PASS
				RU17	4.56	≤30.00	PASS
			484Tone	RU65	-4.56	≤30.00	PASS
	Ant1	5795	26Tone	RU0	7.87	≤30.00	PASS
				RU8	5.66	≤30.00	PASS
				RU17	4.3	≤30.00	PASS
			484Tone	RU65	-5.31	≤30.00	PASS
	total	5795	26Tone	RU0	10.06	≤30.00	PASS
				RU8	7.94	≤30.00	PASS
				RU17	7.44	≤30.00	PASS
			484Tone	RU65	-1.91	≤30.00	PASS
11AX80MIMO	Ant0	5210	26Tone	RU0	5.15	≤11.00	PASS
				RU18	5.71	≤11.00	PASS
				RU36	6.03	≤11.00	PASS
			996Tone	RU67	-4.39	≤11.00	PASS
	Ant1	5210	26Tone	RU0	1.2	≤11.00	PASS
				RU18	2.86	≤11.00	PASS
				RU36	2.91	≤11.00	PASS
			996Tone	RU67	-7.26	≤11.00	PASS
	total	5210	26Tone	RU0	6.62	≤11.00	PASS
				RU18	7.53	≤11.00	PASS



				RU36	7.75	≤11.00	PASS
			996Tone	RU67	-2.58	≤11.00	PASS
	Ant0	5290	26Tone	RU0	6.16	≤11.00	PASS
				RU18	5.23	≤11.00	PASS
				RU36	7.08	≤11.00	PASS
			996Tone	RU67	-3.48	≤11.00	PASS
	Ant1	5290	26Tone	RU0	8.29	≤11.00	PASS
				RU18	6.17	≤11.00	PASS
				RU36	7.22	≤11.00	PASS
			996Tone	RU67	-4.92	≤11.00	PASS
	total	5290	26Tone	RU0	10.36	≤11.00	PASS
				RU18	8.74	≤11.00	PASS
				RU36	10.16	≤11.00	PASS
			996Tone	RU67	-1.13	≤11.00	PASS
	Ant0	5530	26Tone	RU0	8.01	≤11.00	PASS
				RU18	6.92	≤11.00	PASS
				RU36	7.92	≤11.00	PASS
			996Tone	RU67	-3.5	≤11.00	PASS
	Ant1	5530	26Tone	RU0	2.99	≤11.00	PASS
				RU18	6.6	≤11.00	PASS
				RU36	7.44	≤11.00	PASS
			996Tone	RU67	-3.3	≤11.00	PASS
	total	5530	26Tone	RU0	5.86	≤11.00	PASS
				RU18	9.77	≤11.00	PASS
				RU36	10.70	≤11.00	PASS
			996Tone	RU67	-0.39	≤11.00	PASS
	Ant0	5610	26Tone	RU0	7.61	≤11.00	PASS
				RU18	7.13	≤11.00	PASS
				RU36	7.42	≤11.00	PASS
			996Tone	RU67	-2.91	≤11.00	PASS
	Ant1	5610	26Tone	RU0	7.98	≤11.00	PASS
				RU18	7.29	≤11.00	PASS
				RU36	7.66	≤11.00	PASS
			996Tone	RU67	-3.09	≤11.00	PASS
	total	5610	26Tone	RU0	10.81	≤11.00	PASS



				RU18	10.22	≤ 11.00	PASS
				RU36	10.55	≤ 11.00	PASS
			996Tone	RU67	0.01	≤ 11.00	PASS
	Ant0	5690_UNII-2C	26Tone	RU0	6.31	≤ 11.00	PASS
				RU18	6.91	≤ 11.00	PASS
				RU36	-16.34	≤ 11.00	PASS
			996Tone	RU67	-3.21	≤ 11.00	PASS
	Ant1	5690_UNII-2C	26Tone	RU0	7.05	≤ 11.00	PASS
				RU18	7.08	≤ 11.00	PASS
				RU36	-15.26	≤ 11.00	PASS
			996Tone	RU67	-2.89	≤ 11.00	PASS
	total	5690_UNII-2C	26Tone	RU0	9.71	≤ 11.00	PASS
				RU18	10.01	≤ 11.00	PASS
				RU36	-12.76	≤ 11.00	PASS
			996Tone	RU67	-0.04	≤ 11.00	PASS
	Ant0	5690_UNII-3	26Tone	RU0	-40.87	≤ 11.00	PASS
				RU18	-45.11	≤ 11.00	PASS
				RU36	5.16	≤ 11.00	PASS
			996Tone	RU67	-7.2	≤ 11.00	PASS
	Ant1	5690_UNII-3	26Tone	RU0	-44.36	≤ 11.00	PASS
				RU18	-45.25	≤ 11.00	PASS
				RU36	5.62	≤ 11.00	PASS
			996Tone	RU67	-6.6	≤ 11.00	PASS
	total	5690_UNII-3	26Tone	RU0	-39.26	≤ 11.00	PASS
				RU18	-42.17	≤ 11.00	PASS
				RU36	8.41	≤ 11.00	PASS
			996Tone	RU67	-3.88	≤ 11.00	PASS
	Ant0	5775	26Tone	RU0	5.48	≤ 30.00	PASS
				RU18	5.55	≤ 30.00	PASS
				RU36	4.63	≤ 30.00	PASS
			996Tone	RU67	-6.03	≤ 30.00	PASS
	Ant1	5775	26Tone	RU0	4.83	≤ 30.00	PASS
				RU18	4.82	≤ 30.00	PASS
				RU36	3.9	≤ 30.00	PASS
			996Tone	RU67	-6.64	≤ 30.00	PASS




Test Report No.: W7L-P22030011RF05

	total	5775	26Tone	RU0	8.18	≤ 30.00	PASS
				RU18	8.21	≤ 30.00	PASS
				RU36	7.29	≤ 30.00	PASS
			996Tone	RU67	-3.31	≤ 30.00	PASS

Note: 1. The Result and Limit Unit is dBm/500 kHz in the band 5.725–5.85 GHz.

2. The Duty Cycle Factor and RBW Factor is compensated in the graph.


TEST GRAPHS





BUREAU
VERITAS

Test Report No.: W7L-P22030011RF05



11AX20MIMO_Ant0_5180_242Tone_RU61




11AX20MIMO_Ant1_5180_26Tone_RU0



BUREAU
VERITAS

Test Report No.: W7L-P22030011RF05



11AX20MIMO_Ant1_5180_26Tone_RU4




11AX20MIMO_Ant1_5180_26Tone_RU8



BUREAU
VERITAS

Test Report No.: W7L-P22030011RF05



11AX20MIMO_Ant1_5180_242Tone_RU61



11AX20MIMO_Ant0_5200_26Tone_RU0




BUREAU
VERITAS

Test Report No.: W7L-P22030011RF05



11AX20MIMO_Ant0_5200_26Tone_RU4



11AX20MIMO_Ant0_5200_26Tone_RU8



BUREAU
VERITAS

Test Report No.: W7L-P22030011RF05



11AX20MIMO_Ant0_5200_242Tone_RU61




11AX20MIMO_Ant1_5200_26Tone_RU0




BUREAU
VERITAS

Test Report No.: W7L-P22030011RF05




11AX20MIMO_Ant1_5200_26Tone_RU4



11AX20MIMO_Ant1_5200_26Tone_RU8



Test Report No.: W7L-P22030011RF05



11AX20MIMO_Ant1_5200_242Tone_RU61




11AX20MIMO_Ant0_5240_26Tone_RU0




BUREAU
VERITAS

Test Report No.: W7L-P22030011RF05



11AX20MIMO_Ant0_5240_26Tone_RU4



11AX20MIMO_Ant0_5240_26Tone_RU8



BUREAU
VERITAS

Test Report No.: W7L-P22030011RF05



11AX20MIMO_Ant0_5240_242Tone_RU61



11AX20MIMO_Ant1_5240_26Tone_RU0




BUREAU
VERITAS

Test Report No.: W7L-P22030011RF05



11AX20MIMO_Ant1_5240_26Tone_RU4



11AX20MIMO_Ant1_5240_26Tone_RU8



BUREAU
VERITAS

Test Report No.: W7L-P22030011RF05



11AX20MIMO_Ant1_5240_242Tone_RU61




11AX20MIMO_Ant0_5260_26Tone_RU0




BUREAU
VERITAS

Test Report No.: W7L-P22030011RF05



11AX20MIMO_Ant0_5260_26Tone_RU4



11AX20MIMO_Ant0_5260_26Tone_RU8



BUREAU
VERITAS

Test Report No.: W7L-P22030011RF05



11AX20MIMO_Ant0_5260_242Tone_RU61



11AX20MIMO_Ant1_5260_26Tone_RU0




BUREAU
VERITAS

Test Report No.: W7L-P22030011RF05



11AX20MIMO_Ant1_5260_26Tone_RU4



11AX20MIMO_Ant1_5260_26Tone_RU8



BUREAU
VERITAS

Test Report No.: W7L-P22030011RF05




11AX20MIMO_Ant1_5260_242Tone_RU61



11AX20MIMO_Ant0_5300_26Tone_RU0



Test Report No.: W7L-P22030011RF05



11AX20MIMO Ant0 5300 26Tone RU4




11AX20MIMO Ant0 5300 26Tone RU8



BUREAU
VERITAS

Test Report No.: W7L-P22030011RF05




11AX20MIMO_Ant0_5300_242Tone_RU61




11AX20MIMO_Ant1_5300_26Tone_RU0



Test Report No.: W7L-P22030011RF05



11AX20MIMO Ant1 5300 26Tone RU4



11AX20MIMO Ant1 5300 26Tone RU8



BUREAU
VERITAS

Test Report No.: W7L-P22030011RF05



11AX20MIMO_Ant1_5300_242Tone_RU61




11AX20MIMO_Ant0_5320_26Tone_RU0




BUREAU
VERITAS

Test Report No.: W7L-P22030011RF05



11AX20MIMO_Ant0_5320_26Tone_RU4




11AX20MIMO_Ant0_5320_26Tone_RU8



BUREAU
VERITAS

Test Report No.: W7L-P22030011RF05



11AX20MIMO_Ant0_5320_242Tone_RU61



11AX20MIMO_Ant1_5320_26Tone_RU0