





11BE20MIMO_Ant2_5180_52Tone+26Tone_RU38+RU1



Date: 1 SEP 2024 15:48:11


11BE20MIMO_Ant2_5180_106Tone+26Tone_RU53+RU4



Date: 1 SEP 2024 15:48:53




11BE20MIMO_Ant0_5320_52Tone+26Tone_RU39+RU7



Date: 1 SEP 2024 14:49:17


11BE20MIMO_Ant0_5320_106Tone+26Tone_RU54+RU4



Date: 1 SEP 2024 14:51:15



11BE20MIMO_Ant2_5320_52Tone+26Tone_RU39+RU7



Date: 1 SEP 2024 15:52:01


11BE20MIMO_Ant2_5320_106Tone+26Tone_RU54+RU4



Date: 1 SEP 2024 15:52:51




11BE20MIMO_Ant0_5500_52Tone+26Tone_RU38+RU1



Date: 1 SEP 2024 14:54:28


11BE20MIMO_Ant0_5500_106Tone+26Tone_RU53+RU4



Date: 1 SEP 2024 14:55:12




11BE20MIMO_Ant2_5500_52Tone+26Tone_RU38+RU1



Date: 1 SEP 2024 15:54:55


11BE20MIMO_Ant2_5500_106Tone+26Tone_RU53+RU4



Date: 1 SEP 2024 15:55:56




11BE20MIMO_Ant0_5700_52Tone+26Tone_RU39+RU7



Date: 1 SEP 2024 15:02:51


11BE20MIMO_Ant0_5700_106Tone+26Tone_RU54+RU4



Date: 1 SEP 2024 15:03:34




11BE20MIMO_Ant2_5700_52Tone+26Tone_RU39+RU7



Date: 1 SEP 2024 15:56:37


11BE20MIMO_Ant2_5700_106Tone+26Tone_RU54+RU4



Date: 1 SEP 2024 15:57:26




11BE20MIMO_Ant0_5745_52Tone+26Tone_RU38+RU1



Date: 1 SEP 2024 15:06:31


11BE20MIMO_Ant0_5745_106Tone+26Tone_RU53+RU4



Date: 1 SEP 2024 15:07:33




11BE20MIMO_Ant2_5745_52Tone+26Tone_RU38+RU1



Date: 1 SEP 2024 15:58:30


11BE20MIMO_Ant2_5745_106Tone+26Tone_RU53+RU4



Date: 1 SEP 2024 16:00:12




11BE20MIMO_Ant0_5825_52Tone+26Tone_RU39+RU7



Date: 1 SEP 2024 15:08:22


11BE20MIMO_Ant0_5825_106Tone+26Tone_RU54+RU4



Date: 1 SEP 2024 15:42:27




11BE20MIMO_Ant2_5825_52Tone+26Tone_RU39+RU7



Date: 1 SEP 2024 16:02:27

11BE20MIMO_Ant2_5825_106Tone+26Tone_RU54+RU4




Date: 1 SEP 2024 16:03:11



Appendix B. AC Conducted Emission Test Results

Test Engineer :	Amos Zhang	Temperature :	25.3~26.2°C
		Relative Humidity :	38~40%
Test Voltage :	120Vac / 60Hz	Phase :	Line
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		




Site : CO01-KS
 Condition : 15E RSS247-QP LISN-060105-L 2024 LINE

	Freq	Level	Over	Limit	Read	LISN	Cable	Remark
	MHz	dBuV	Limit	Line	Level	Factor	Loss	
			dB	dBuV	dBuV	dB	dB	
1	0.158	50.73	-14.83	65.56	40.20	0.11	10.42	QP
2	0.158	32.83	-22.73	55.56	22.30	0.11	10.42	Average
3 *	0.171	52.72	-12.18	64.90	42.20	0.10	10.42	QP
4	0.171	36.02	-18.88	54.90	25.50	0.10	10.42	Average
5	0.187	47.70	-16.46	64.15	37.20	0.09	10.41	QP
6	0.187	27.30	-26.85	54.15	16.80	0.09	10.41	Average
7	0.242	43.26	-18.78	62.04	32.81	0.08	10.37	QP
8	0.242	25.96	-26.08	52.04	15.51	0.08	10.37	Average
9	0.497	37.31	-18.74	56.05	27.20	-0.11	10.22	QP
10	0.497	22.71	-23.34	46.05	12.60	-0.11	10.22	Average
11	0.647	35.52	-20.48	56.00	25.50	-0.14	10.16	QP
12	0.647	22.22	-23.78	46.00	12.20	-0.14	10.16	Average



Test Engineer :	Amos Zhang	Temperature :	25.3~26.2°C
		Relative Humidity :	38~40%
Test Voltage :	120Vac / 60Hz	Phase :	Neutral
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		



Site : CO01-KS
 Condition : 15E RSS247-QP LISN-060105-N 2024 NEUTRAL

	Freq	Level	Over	Limit	Read	LISN	Cable	Remark
	MHz	dBuV	dB	dBuV	dBuV	dB	dB	
1 *	0.164	56.04	-9.21	65.25	45.50	0.12	10.42	QP
2	0.164	40.74	-14.51	55.25	30.20	0.12	10.42	Average
3	0.178	52.74	-11.85	64.59	42.20	0.13	10.41	QP
4	0.178	37.84	-16.75	54.59	27.30	0.13	10.41	Average
5	0.232	41.92	-20.47	62.39	31.50	0.04	10.38	QP
6	0.232	24.02	-28.37	52.39	13.60	0.04	10.38	Average
7	0.426	41.92	-15.41	57.33	31.80	-0.14	10.26	QP
8	0.426	30.32	-17.01	47.33	20.20	-0.14	10.26	Average
9	0.505	40.27	-15.73	56.00	30.20	-0.15	10.22	QP
10	0.505	26.37	-19.63	46.00	16.30	-0.15	10.22	Average
11	0.634	38.80	-17.20	56.00	28.80	-0.16	10.16	QP
12	0.634	25.90	-20.10	46.00	15.90	-0.16	10.16	Average

Note:

- Level(dBμV) = Read Level(dBμV) + LISN Factor(dB) + Cable Loss(dB)
- Over Limit(dB) = Level(dBμV) – Limit Line(dBμV)



Appendix C. Radiated Spurious Emission Test Data

Test Engineer :	levi zhao	Relative Humidity :	53 ~ 58%
		Temperature :	22 ~ 26°C

Radiated Spurious Emission Test Modes

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 1	U-NII-1	5.15-5.25	0+2	802.11a	36	5180	6Mbps	-	-
Mode 2	U-NII-1	5.15-5.25	0+2	802.11a	44	5220	6Mbps	-	-
Mode 3	U-NII-1	5.15-5.25	0+2	802.11a	48	5240	6Mbps	-	-
Mode 4	U-NII-2A	5.25-5.35	0+2	802.11a	52	5260	6Mbps	-	-
Mode 5	U-NII-2A	5.25-5.35	0+2	802.11a	60	5300	6Mbps	-	-
Mode 6	U-NII-2A	5.25-5.35	0+2	802.11a	64	5320	6Mbps	-	-
Mode 7	U-NII-2C	5.47-5.725	0+2	802.11a	100	5500	6Mbps	-	-
Mode 8	U-NII-2C	5.47-5.725	0+2	802.11a	116	5580	6Mbps	-	-
Mode 9	U-NII-2C	5.47-5.725	0+2	802.11a	140	5700	6Mbps	-	-
Mode 10	U-NII-1	5.15-5.25	0+2	802.11BE EHT20	36	5180	MCS0	Full RU	-
Mode 11	U-NII-1	5.15-5.25	0+2	802.11BE EHT20	44	5220	MCS0	Full RU	-
Mode 12	U-NII-1	5.15-5.25	0+2	802.11BE EHT20	48	5240	MCS0	Full RU	-
Mode 13	U-NII-2A	5.25-5.35	0+2	802.11BE EHT20	52	5260	MCS0	Full RU	-
Mode 14	U-NII-2A	5.25-5.35	0+2	802.11BE EHT20	60	5300	MCS0	Full RU	-
Mode 15	U-NII-2A	5.25-5.35	0+2	802.11BE EHT20	64	5320	MCS0	Full RU	-
Mode 16	U-NII-2C	5.47-5.725	0+2	802.11BE EHT20	100	5500	MCS0	-	-
Mode 17	U-NII-2C	5.47-5.725	0+2	802.11BE EHT20	116	5580	MCS0	-	-
Mode 18	U-NII-2C	5.47-5.725	0+2	802.11BE EHT20	140	5700	MCS0	-	-
Mode 19	U-NII-1	5.15-5.25	0+2	802.11BE EHT40	38	5190	MCS0	Full	-
Mode 20	U-NII-1	5.15-5.25	0+2	802.11BE EHT40	46	5230	MCS0	Full	-
Mode 21	U-NII-2A	5.25-5.35	0+2	802.11BE EHT40	54	5270	MCS0	Full	-
Mode 22	U-NII-2A	5.25-5.35	0+2	802.11BE EHT40	62	5310	MCS0	Full	-
Mode 23	U-NII-2C	5.47-5.725	0+2	802.11BE EHT40	102	5510	MCS0	Full	-
Mode 24	U-NII-2C	5.47-5.725	0+2	802.11BE EHT40	110	5550	MCS0	Full	-
Mode 25	U-NII-2C	5.47-5.725	0+2	802.11BE EHT40	134	5670	MCS0	Full	-
Mode 26	U-NII-1	5.15-5.25	0+2	802.11BE EHT80	42	5210	MCS0	Full	-
Mode 27	U-NII-2A	5.25-5.35	0+2	802.11BE EHT80	58	5290	MCS0	Full	-
Mode 28	U-NII-2C	5.47-5.725	0+2	802.11BE EHT80	106	5530	MCS0	Full	-
Mode 29	U-NII-2C	5.47-5.725	0+2	802.11BE EHT80	122	5610	MCS0	Full	-
Mode 30	U-NII-2A	5.15-5.35	0+2	802.11BE EHT160	50	5250	MCS0	Full	-
Mode 31	U-NII-2C	5.47-5.725	0+2	802.11BE EHT160	114	5570	MCS0	Full	-
Mode 32	U-NII-3	5.725-5.85	0+2	802.11a	149	5745	6Mbps	Full	-
Mode 33	U-NII-3	5.725-5.85	0+2	802.11a	157	5785	6Mbps	Full	-
Mode 34	U-NII-3	5.725-5.85	0+2	802.11a	165	5825	6Mbps	Full	-
Mode 35	U-NII-3	5.725-5.85	0+2	802.11BE EHT20	149	5745	MCS0	Full	-
Mode 36	U-NII-3	5.725-5.85	0+2	802.11BE EHT20	157	5785	MCS0	Full	-



Mode 37	U-NII-3	5.725-5.85	0+2	802.11BE EHT20	165	5825	MCS0	Full	-
Mode 38	U-NII-3	5.725-5.85	0+2	802.11BE EHT40	151	5755	MCS0	Full	-
Mode 39	U-NII-3	5.725-5.85	0+2	802.11BE EHT40	159	5795	MCS0	Full	-
Mode 40	U-NII-3	5.725-5.85	0+2	802.11BE EHT80	155	5775	MCS0	Full	-
Mode 41	U-NII-2C	5.725-5.85	0+2	802.11a	144	5720	6Mbps	-	-
Mode 42	U-NII-2C	5.725-5.85	0+2	802.11BE EHT20	144	5720	MCS0	Full	-
Mode 43	U-NII-2C	5.725-5.85	0+2	802.11BE EHT40	142	5710	MCS0	Full	-
Mode 44	U-NII-2C	5.725-5.85	0+2	802.11BE EHT80	138	5690	MCS0	Full	-
Mode 45	U-NII-1	5.15-5.25	0+2	802.11BE EHT20	36	5180	MCS0	Single RU RU26/0	-
Mode 46	U-NII-1	5.15-5.25	0+2	802.11BE EHT20	36	5180	MCS0	Single RU RU52/37	-
Mode 47	U-NII-1	5.15-5.25	0+2	802.11BE EHT20	36	5180	MCS0	single RURU106/53	-
Mode 48	U-NII-2A	5.25-5.35	0+2	802.11BE EHT20	64	5320	MCS0	single RU RU26/8	-
Mode 49	U-NII-2A	5.25-5.35	0+2	802.11BE EHT20	64	5320	MCS0	single RU RU52/40	-
Mode 50	U-NII-2A	5.25-5.35	0+2	802.11BE EHT20	64	5320	MCS0	single RU RU106/54	-
Mode 51	U-NII-2C	5.47-5.725	0+2	802.11BE EHT20	100	5500	MCS0	single RU RU26/0	-
Mode 52	U-NII-2C	5.47-5.725	0+2	802.11BE EHT20	100	5500	MCS0	single RU RU52/37	-
Mode 53	U-NII-2C	5.47-5.725	0+2	802.11BE EHT20	100	5500	MCS0	single RURU106/53	-
Mode 54	U-NII-2C	5.47-5.725	0+2	802.11BE EHT20	140	5700	MCS0	single RU RU26/8	-
Mode 55	U-NII-2C	5.47-5.725	0+2	802.11BE EHT20	140	5700	MCS0	single RU RU52/40	-
Mode 56	U-NII-2C	5.47-5.725	0+2	802.11BE EHT20	140	5700	MCS0	single RURU106/54	-
Mode 57	U-NII-3	5.725-5.85	0+2	802.11BE EHT20	149	5745	MCS0	single RU RU26/0	-
Mode 58	U-NII-3	5.725-5.85	0+2	802.11BE EHT20	149	5745	MCS0	single RU RU52/37	-
Mode 59	U-NII-3	5.725-5.85	0+2	802.11BE EHT20	149	5745	MCS0	single RU RU106/53	-
Mode 60	U-NII-3	5.725-5.85	0+2	802.11BE EHT20	165	5825	MCS0	single RU RU26/8	-
Mode 61	U-NII-3	5.725-5.85	0+2	802.11BE EHT20	165	5825	MCS0	single RU RU52/40	-
Mode 62	U-NII-3	5.725-5.85	0+2	802.11BE EHT20	165	5825	MCS0	single RU RU106/54	-
Mode 63	U-NII-1	5.15-5.25	0+2	802.11BE EHT20	36	5180	MCS0	small RU 38+1	-
Mode 64	U-NII-1	5.15-5.25	0+2	802.11BE EHT20	36	5180	MCS0	small RU 53+4	-
Mode 65	U-NII-2A	5.25-5.35	0+2	802.11BE EHT20	64	5320	MCS0	small RU 39+7	-
Mode 66	U-NII-2A	5.25-5.35	0+2	802.11BE EHT20	64	5320	MCS0	small RU 54+4	-
Mode 67	U-NII-2C	5.47-5.725	0+2	802.11BE EHT20	100	5500	MCS0	small RU 38+1	-
Mode 68	U-NII-2C	5.47-5.725	0+2	802.11BE EHT20	100	5500	MCS0	small RU 53+4	-
Mode 69	U-NII-2C	5.47-5.725	0+2	802.11BE EHT20	140	5700	MCS0	small RU 39+7	-
Mode 70	U-NII-2C	5.47-5.725	0+2	802.11BE EHT20	140	5700	MCS0	small RU 54+4	-
Mode 71	U-NII-3	5.725-5.85	0+2	802.11BE EHT20	149	5745	MCS0	small RU 38+1	-
Mode 72	U-NII-3	5.725-5.85	0+2	802.11BE EHT20	149	5745	MCS0	small RU 53+4	-
Mode 73	U-NII-3	5.725-5.85	0+2	802.11BE EHT20	165	5825	MCS0	small RU 39+7	-
Mode 74	U-NII-3	5.725-5.85	0+2	802.11BE EHT20	165	5825	MCS0	small RU 54+4	-
Mode 75	U-NII-1	5.15-5.25	0+2	802.11BE EHT80	42	5210	MCS0	Puncturing 20M ④	-
Mode 76	U-NII-2A	5.25-5.35	0+2	802.11BE EHT80	58	5290	MCS0	Puncturing 20M ①	-



Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 77	U-NII-2C	5.47-5.725	0+2	802.11BE EHT80	106	5530	MCS0	Puncturing 20M ④	-
Mode 78	U-NII-2C	5.47-5.725	0+2	802.11BE EHT80	122	5610	MCS0	Puncturing 20M ①	-
Mode 79	U-NII-2A	5.15-5.35	0+2	802.11BE EHT160	50	5250	MCS0	Puncturing 40M ④	-
Mode 80	U-NII-2A	5.15-5.35	0+2	802.11BE EHT160	50	5250	MCS0	Puncturing 40M ①	-
Mode 81	U-NII-2C	5.47-5.725	0+2	802.11BE EHT160	114	5570	MCS0	Puncturing 40M ④	-
Mode 82	U-NII-2C	5.47-5.725	0+2	802.11BE EHT160	114	5570	MCS0	Puncturing 40M ①	-
Mode 83	U-NII-2A	5.15-5.35	0+2	802.11BE EHT160	50	5250	MCS0	Puncturing 20M ①	-
Mode 84	U-NII-2A	5.15-5.35	0+2	802.11BE EHT160	50	5250	MCS0	Puncturing 20M ⑧	-
Mode 85	U-NII-2C	5.47-5.725	0+2	802.11BE EHT160	114	5570	MCS0	Puncturing 20M ①	-
Mode 86	U-NII-2C	5.47-5.725	0+2	802.11BE EHT160	114	5570	MCS0	Puncturing 20M ⑧	-
Mode 87	U-NII-3	5.725-5.85	0+2	802.11BE EHT80	155	5775	MCS0	Puncturing 20M ①	-
Mode 88	U-NII-3	5.725-5.85	0+2	802.11BE EHT80	155	5775	MCS0	Puncturing 20M ④	-
Mode 90	U-NII-1	5.15-5.25	0+2	802.11BE EHT80	42	5210	MCS0	Large RU 484+242 ④	-
Mode 91	U-NII-2A	5.25-5.35	0+2	802.11BE EHT80	58	5290	MCS0	Large RU 484+242 ①	-
Mode 93	U-NII-2C	5.47-5.725	0+2	802.11BE EHT80	122	5610	MCS0	Large RU 484+242 ①	-
Mode 94	U-NII-2A	5.15-5.35	0+2	802.11BE EHT160	50	5250	MCS0	Large RU 996+484 ④	-
Mode 95	U-NII-2A	5.15-5.35	0+2	802.11BE EHT160	50	5250	MCS0	Large RU 996+484 ①	-
Mode 96	U-NII-2C	5.47-5.725	0+2	802.11BE EHT160	114	5570	MCS0	Large RU 996+484 ④	-
Mode 97	U-NII-2C	5.47-5.725	0+2	802.11BE EHT160	114	5570	MCS0	Large RU 996+484 ①	-
Mode 98	U-NII-3	5.725-5.85	0+2	802.11BE EHT80	155	5775	MCS0	Large RU 484+242 ④	-
Mode 99	U-NII-3	5.725-5.85	0+2	802.11BE EHT80	155	5775	MCS0	Large RU 484+242 ①	-
Mode 103	2400-2483.5	2400-2483.5	0	Bluetooth-LE_GFSK	39	2480	2Mbps	-	-
	2400-2483.5	2400-2483.5	1	802.11be EHT40	3	2422	MCS0	Full RU	-
	U-NII-2A	5.25-5.35	0+2	802.11be EHT20	64	5320	MCS0	Full RU	-
Mode 104	2400-2483.5	2400-2483.5	1	BluetoothBR_GFSK	78	2480	1Mbps	-	-
	2400-2483.5	2400-2483.5	0	802.11be EHT40	3	2422	MCS0	Full RU	-
	U-NII-2A	5.25-5.35	0+2	802.11be EHT20	64	5320	MCS0	Full RU	-
Mode 105	2400-2483.5	2400-2483.5	0+1	802.11be EHT40	3	2422	MCS0	Full RU	-
	U-NII-2A	5.25-5.35	0+2	802.11be EHT20	64	5320	MCS0	Full RU	-
Mode 106	2400-2483.5	2400-2483.5	1	Bluetooth-LE_GFSK	39	2480	2Mbps	-	-
	U-NII-2C	5.47-5.725	0+2	802.11a	140	5700	6Mbps	-	-
	U-NII-2A	5.25-5.35	0+2	802.11be EHT20	64	5320	MCS0	Full RU	-

Note: For 802.11n/11ac/11ax/11be mode, the whole testing have assessed only 802.11be EHT20/EHT40/EHT80/EHT160 by referring to the higher output power.



Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
1	802.11a	36	5149.90	50.49	54.00	-3.51	H	AVERAGE	Pass	Band Edge
	802.11a	36	10360.00	63.58	68.20	-4.62	V	PEAK	Pass	Harmonic
2	802.11a	44	-	-	-	-	-	-	-	Band Edge
	802.11a	44	10440.00	61.80	68.20	-6.40	V	PEAK	Pass	Harmonic
3	802.11a	48	-	-	-	-	-	-	-	Band Edge
	802.11a	48	10480.00	64.22	68.20	-3.98	V	PEAK	Pass	Harmonic
4	802.11a	52	-	-	-	-	-	-	-	Band Edge
	802.11a	52	10520.00	64.60	68.20	-3.60	V	PEAK	Pass	Harmonic
5	802.11a	60	-	-	-	-	-	-	-	Band Edge
	802.11a	60	10600.00	50.33	54.00	-3.67	V	AVERAGE	Pass	Harmonic
6	802.11a	64	5350.00	50.43	54.00	-3.57	H	AVERAGE	Pass	Band Edge
6	802.11a	64	10640.00	50.43	54.00	-3.57	H	AVERAGE	Pass	Harmonic
7	802.11a	100	5458.16	44.31	54.00	-9.69	H	AVERAGE	Pass	Band Edge
7	802.11a	100	7694.50	43.80	54.00	-10.20	H	AVERAGE	Pass	Harmonic
8	802.11a	116	-	-	-	-	-	-	-	Band Edge
8	802.11a	116	7805.93	49.42	68.20	-18.78	H	Peak	Pass	Harmonic
9	802.11a	140	5725.32	64.83	68.20	-3.37	H	PEAK	Pass	Band Edge
9	802.11a	140	7974.60	47.42	68.20	-20.78	H	Peak	Pass	Harmonic
10	802.11BE EHT20	36	5150.00	46.13	54.00	-7.87	H	AVERAGE	Pass	Band Edge
10	802.11BE EHT20	36	10360.00	59.63	68.20	-8.57	V	PEAK	Pass	Harmonic
11	802.11BE EHT20	44	-	-	-	-	-	-	-	Band Edge
11	802.11BE EHT20	44	10440.00	54.68	68.20	-13.52	V	PEAK	Pass	Harmonic
12	802.11BE EHT20	48	-	-	-	-	-	-	-	Band Edge
12	802.11BE EHT20	48	10480.00	63.71	68.20	-4.49	V	PEAK	Pass	Harmonic
13	802.11BE EHT20	52	-	-	-	-	-	-	-	Band Edge
13	802.11BE EHT20	52	10513.40	64.09	68.20	-4.11	Vertical	Peak	Pass	Harmonic
14	802.11BE EHT20	60	-	-	-	-	-	-	-	Band Edge
14	802.11BE EHT20	60	10600.00	50.52	54.00	-3.48	V	AVERAGE	Pass	Harmonic
15	802.11BE EHT20	64	5350.00	49.56	54.00	-4.44	H	AVERAGE	Pass	Band Edge
15	802.11BE EHT20	64	10640.00	50.80	54.00	-3.20	V	AVERAGE	Pass	Harmonic
16	802.11BE EHT20	100	5454.32	42.08	54.00	-11.92	H	AVERAGE	Pass	Band Edge
16	802.11BE EHT20	100	7700.00	43.40	54.00	-10.60	H	AVERAGE	Pass	Harmonic
17	802.11BE EHT20	116	-	-	-	-	-	-	-	Band Edge
17	802.11BE EHT20	116	7812.00	49.06	68.20	-19.14	H	PEAK	Pass	Harmonic
18	802.11BE EHT20	140	5725.24	62.82	68.20	-5.38	H	PEAK	Pass	Band Edge
18	802.11BE EHT20	140	7980.00	47.85	68.20	-20.35	H	PEAK	Pass	Harmonic
19	802.11BE EHT40	38	5138.72	48.38	54.00	-5.62	H	AVERAGE	Pass	Band Edge
19	802.11BE EHT40	38	10380.00	51.41	68.20	-16.79	V	PEAK	Pass	Harmonic



Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
20	802.11BE EHT40	46	-	-	-	-	-	-	-	Band Edge
	802.11BE EHT40	46	10460.00	51.83	68.20	-16.37	V	PEAK	Pass	Harmonic
21	802.11BE EHT40	54	-	-	-	-	-	-	-	Band Edge
	802.11BE EHT40	54	10540.00	60.34	68.20	-7.86	V	PEAK	Pass	Harmonic
22	802.11BE EHT40	62	5351.10	49.64	54.00	-4.36	V	AVERAGE	Pass	Band Edge
	802.11BE EHT40	62	10620.00	50.18	54.00	-3.82	V	AVERAGE	Pass	Harmonic
23	802.11BE EHT40	102	5464.88	63.73	68.20	-4.47	H	PEAK	Pass	Band Edge
	802.11BE EHT40	102	11020.00	37.42	54.00	-16.58	V	AVERAGE	Pass	Harmonic
24	802.11BE EHT40	110	-	-	-	-	-	-	-	Band Edge
	802.11BE EHT40	110	7770.00	45.11	68.20	-23.09	H	PEAK	Pass	Harmonic
25	802.11BE EHT40	134	5725.32	56.75	68.20	-11.45	H	PEAK	Pass	Band Edge
25	802.11BE EHT40	134	7938.00	46.34	68.20	-21.86	H	PEAK	Pass	Harmonic
26	802.11BE EHT80	42	5149.92	46.04	54.00	-7.96	H	AVERAGE	Pass	Band Edge
26	802.11BE EHT80	42	10420.00	47.73	68.20	-20.47	V	PEAK	Pass	Harmonic
27	802.11BE EHT80	58	5350.50	44.24	54.00	-9.76	V	AVERAGE	Pass	Band Edge
27	802.11BE EHT80	58	10580.00	49.51	68.20	-18.69	V	PEAK	Pass	Harmonic
28	802.11BE EHT80	106	5459.92	44.04	54.00	-9.96	H	AVERAGE	Pass	Band Edge
28	802.11BE EHT80	106	7742.00	47.27	74.00	-26.73	V	PEAK	Pass	Harmonic
29	802.11BE EHT80	122	5459.92	40.63	54.00	-13.37	H	AVERAGE	Pass	Band Edge
29	802.11BE EHT80	122	7854.00	45.44	68.20	-22.76	H	PEAK	Pass	Harmonic
30	802.11BE EHT160	50	5141.00	45.59	54.00	-8.41	H	AVERAGE	Pass	Band Edge
30	802.11BE EHT160	50	10500.00	48.25	68.20	-19.95	V	PEAK	Pass	Harmonic
31	802.11BE EHT160	114	5460.00	46.92	54.00	-7.08	H	AVERAGE	Pass	Band Edge
31	802.11BE EHT160	114	7798.00	44.03	68.20	-24.17	H	PEAK	Pass	Harmonic
32	802.11a	149	5633.42	52.97	68.20	-15.23	H	PEAK	Pass	Band Edge
32	802.11a	149	8045.73	46.58	54.00	-7.42	H	Average	Pass	Harmonic
33	802.11a	157	-	-	-	-	-	-	-	Band Edge
33	802.11a	157	8099.00	45.95	74.00	-28.05	H	PEAK	Pass	Harmonic
34	802.11a	165	5947.42	50.67	68.20	-17.53	V	PEAK	Pass	Band Edge
34	802.11a	165	8155.00	45.11	74.00	-28.89	H	PEAK	Pass	Harmonic
35	802.11BE EHT20	149	5629.42	52.06	68.20	-16.14	H	PEAK	Pass	Band Edge
35	802.11BE EHT20	149	11490.00	46.09	74.00	-27.91	V	PEAK	Pass	Harmonic
36	802.11BE EHT20	157	-	-	-	-	-	-	-	Band Edge
36	802.11BE EHT20	157	8099.00	46.24	74.00	-27.76	H	PEAK	Pass	Harmonic
37	802.11BE EHT20	165	5967.42	49.76	68.20	-18.44	V	PEAK	Pass	Band Edge
37	802.11BE EHT20	165	8155.00	45.68	74.00	-28.32	H	PEAK	Pass	Harmonic
38	802.11BE EHT40	151	5637.12	55.54	68.20	-12.66	H	PEAK	Pass	Band Edge
38	802.11BE EHT40	151	11510.00	45.94	74.00	-28.06	V	PEAK	Pass	Harmonic



Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
39	802.11BE EHT40	159	5615.42	53.21	68.20	-14.99	H	PEAK	Pass	Band Edge
	802.11BE EHT40	159	11590.00	44.71	74.00	-29.29	V	PEAK	Pass	Harmonic
40	802.11BE EHT80	155	5642.60	54.58	68.20	-13.62	H	PEAK	Pass	Band Edge
	802.11BE EHT80	155	11550.00	45.47	74.00	-28.53	V	PEAK	Pass	Harmonic
41	802.11a	144	-	-	-	-	-	-	-	Band Edge
	802.11a	144	8008.00	45.98	68.20	-22.22	H	PEAK	Pass	Harmonic
42	802.11ax HE20	144	-	-	-	-	-	-	-	Band Edge
	802.11ax HE20	144	8008.00	46.13	68.20	-22.07	H	PEAK	Pass	Harmonic
43	802.11ax HE40	142	-	-	-	-	-	-	-	Band Edge
	802.11ax HE40	142	7994.00	44.72	68.20	-23.48	V	PEAK	Pass	Harmonic
44	802.11ax HE80	138	-	-	-	-	-	-	-	Band Edge
44	802.11ax HE80	138	7966.00	44.22	68.20	-23.98	H	PEAK	Pass	Harmonic
45	802.11BE EHT20	36	5137.70	39.24	54.00	-14.76	H	AVERAGE	Pass	Band Edge
45	802.11BE EHT20	36	-	-	-	-	-	-	-	Harmonic
46	802.11BE EHT20	36	5138.00	39.33	54.00	-14.67	H	AVERAGE	Pass	Band Edge
47	802.11BE EHT20	36	5142.80	39.45	54.00	-14.55	V	AVERAGE	Pass	Band Edge
47	802.11BE EHT20	36	-	-	-	-	-	-	-	Harmonic
48	802.11BE EHT20	64	5353.70	38.24	54.00	-15.76	H	AVERAGE	Pass	Band Edge
48	802.11BE EHT20	64	-	-	-	-	-	-	-	Harmonic
49	802.11BE EHT20	64	5350.00	38.93	54.00	-15.07	H	AVERAGE	Pass	Band Edge
49	802.11BE EHT20	64	-	-	-	-	-	-	-	Harmonic
50	802.11BE EHT20	64	5350.00	40.04	54.00	-13.96	H	AVERAGE	Pass	Band Edge
50	802.11BE EHT20	64	-	-	-	-	-	-	-	Harmonic
51	802.11BE EHT20	100	5458.48	38.90	54.00	-15.10	V	AVERAGE	Pass	Band Edge
51	802.11BE EHT20	100	-	-	-	-	-	-	-	Harmonic
52	802.11BE EHT20	100	5458.32	39.69	54.00	-14.31	H	AVERAGE	Pass	Band Edge
52	802.11BE EHT20	100	-	-	-	-	-	-	-	Harmonic
53	802.11BE EHT20	100	5459.28	39.55	54.00	-14.45	H	AVERAGE	Pass	Band Edge
53	802.11BE EHT20	100	-	-	-	-	-	-	-	Harmonic
54	802.11BE EHT20	140	5727.32	50.26	68.20	-17.94	H	PEAK	Pass	Band Edge
54	802.11BE EHT20	140	-	-	-	-	-	-	-	Harmonic
55	802.11BE EHT20	140	5763.24	52.23	68.20	-15.97	H	PEAK	Pass	Band Edge
55	802.11BE EHT20	140	-	-	-	-	-	-	-	Harmonic
56	802.11BE EHT20	140	5727.00	59.85	68.20	-8.35	V	PEAK	Pass	Band Edge
56	802.11BE EHT20	140	-	-	-	-	-	-	-	Harmonic
57	802.11BE EHT20	149	5630.40	50.87	68.20	-17.33	H	PEAK	Pass	Band Edge
57	802.11BE EHT20	149	-	-	-	-	-	-	-	Harmonic
58	802.11BE EHT20	149	5632.60	49.44	68.20	-18.76	V	PEAK	Pass	Band Edge
58	802.11BE EHT20	149	-	-	-	-	-	-	-	Harmonic



Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
59	802.11BE EHT20	149	5617.80	49.08	68.20	-19.12	H	PEAK	Pass	Band Edge
	802.11BE EHT20	149	-	-	-	-	-	-	-	Harmonic
60	802.11BE EHT20	165	5939.80	47.22	68.20	-20.98	V	PEAK	Pass	Band Edge
	802.11BE EHT20	165	-	-	-	-	-	-	-	Harmonic
61	802.11BE EHT20	165	5934.40	47.75	68.20	-20.45	H	PEAK	Pass	Band Edge
	802.11BE EHT20	165	-	-	-	-	-	-	-	Harmonic
62	802.11BE EHT20	165	5925.20	47.09	68.20	-21.11	V	PEAK	Pass	Band Edge
	802.11BE EHT20	165	-	-	-	-	-	-	-	Harmonic
63	802.11BE EHT20	36	5149.30	40.11	54.00	-13.89	V	AVERAGE	Pass	Band Edge
	802.11BE EHT20	36	-	-	-	-	-	-	-	Harmonic
64	802.11BE EHT20	36	5142.00	43.23	54.00	-10.77	V	AVERAGE	Pass	Band Edge
64	802.11BE EHT20	36	-	-	-	-	-	-	-	Harmonic
65	802.11BE EHT20	64	5350.00	41.90	54.00	-12.10	H	AVERAGE	Pass	Band Edge
65	802.11BE EHT20	64	-	-	-	-	-	-	-	Harmonic
66	802.11BE EHT20	64	5355.50	39.40	54.00	-14.60	V	AVERAGE	Pass	Band Edge
66	802.11BE EHT20	64	-	-	-	-	-	-	-	Harmonic
67	802.11BE EHT20	100	5457.68	41.96	54.00	-12.04	H	AVERAGE	Pass	Band Edge
67	802.11BE EHT20	100	-	-	-	-	-	-	-	Harmonic
68	802.11BE EHT20	100	5458.48	41.11	54.00	-12.89	H	AVERAGE	Pass	Band Edge
68	802.11BE EHT20	100	-	-	-	-	-	-	-	Harmonic
69	802.11BE EHT20	140	5745.80	53.95	68.20	-14.25	H	PEAK	Pass	Band Edge
69	802.11BE EHT20	140	-	-	-	-	-	-	-	Harmonic
70	802.11BE EHT20	140	5725.00	56.16	68.20	-12.04	H	PEAK	Pass	Band Edge
70	802.11BE EHT20	140	-	-	-	-	-	-	-	Harmonic
71	802.11BE EHT20	149	5602.80	53.21	68.20	-14.99	H	PEAK	Pass	Band Edge
71	802.11BE EHT20	149	-	-	-	-	-	-	-	Harmonic
72	802.11BE EHT20	149	5614.00	52.76	68.20	-15.44	H	PEAK	Pass	Band Edge
72	802.11BE EHT20	149	-	-	-	-	-	-	-	Harmonic
73	802.11BE EHT20	165	5946.00	51.19	68.20	-17.01	H	PEAK	Pass	Band Edge
73	802.11BE EHT20	165	-	-	-	-	-	-	-	Harmonic
74	802.11BE EHT20	165	5927.60	50.91	68.20	-17.29	H	PEAK	Pass	Band Edge
74	802.11BE EHT20	165	-	-	-	-	-	-	-	Harmonic
75	802.11BE EHT80	42	5149.12	66.79	74.00	-7.21	H	PEAK	Pass	Band Edge
75	802.11BE EHT80	42	-	-	-	-	-	-	-	Harmonic
76	802.11BE EHT80	58	5350.10	43.61	54.00	-10.39	V	AVERAGE	Pass	Band Edge
76	802.11BE EHT80	58	-	-	-	-	-	-	-	Harmonic
77	802.11BE EHT80	106	5464.72	58.49	68.20	-9.71	H	PEAK	Pass	Band Edge
77	802.11BE EHT80	106	-	-	-	-	-	-	-	Harmonic
78	802.11BE EHT80	122	5731.08	56.85	68.20	-11.35	H	PEAK	Pass	Band Edge
78	802.11BE EHT80	122	-	-	-	-	-	-	-	Harmonic







Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
79	802.11BE EHT160	50	5123.50	66.47	74.00	-7.53	H	PEAK	Pass	Band Edge
	802.11BE EHT160	50	-	-	-	-	-	-	-	Harmonic
80	802.11BE EHT160	50	5142.75	66.53	74.00	-7.47	H	PEAK	Pass	Band Edge
	802.11BE EHT160	50	-	-	-	-	-	-	-	Harmonic
81	802.11BE EHT160	114	5460.00	45.70	54.00	-8.30	H	AVERAGE	Pass	Band Edge
	802.11BE EHT160	114	-	-	-	-	-	-	-	Harmonic
82	802.11BE EHT160	114	5453.84	70.58	74.00	-3.42	V	PEAK	Pass	Band Edge
	802.11BE EHT160	114	-	-	-	-	-	-	-	Harmonic
83	802.11BE EHT160	50	5113.75	50.52	54.00	-3.48	V	AVERAGE	Pass	Band Edge
	802.11BE EHT160	50	-	-	-	-	-	-	-	Harmonic
84	802.11BE EHT160	50	-	-	-	-	-	-	-	Harmonic
85	802.11BE EHT160	114	5438.22	49.15	54.00	-4.85	H	AVERAGE	Pass	Band Edge
85	802.11BE EHT160	114	-	-	-	-	-	-	-	Harmonic
86	802.11BE EHT160	114	5458.46	48.05	54.00	-5.95	H	AVERAGE	Pass	Band Edge
86	802.11BE EHT160	114	-	-	-	-	-	-	-	Harmonic
87	802.11BE EHT80	155	5643.20	57.38	68.20	-10.82	V	PEAK	Pass	Band Edge
87	802.11BE EHT80	155	-	-	-	-	-	-	-	Harmonic
88	802.11BE EHT80	155	5629.20	60.33	68.20	-7.87	H	PEAK	Pass	Band Edge
88	802.11BE EHT80	155	-	-	-	-	-	-	-	Harmonic
90	802.11BE EHT80	42	5149.92	49.73	54.00	-4.27	H	AVERAGE	Pass	Band Edge
90	802.11BE EHT80	42	-	-	-	-	-	-	-	Harmonic
91	802.11BE EHT80	58	5350.60	47.84	54.00	-6.16	V	AVERAGE	Pass	Band Edge
91	802.11BE EHT80	58	-	-	-	-	-	-	-	Harmonic
92	802.11BE EHT80	106	5462.00	63.82	68.20	-4.38	H	PEAK	Pass	Band Edge
92	802.11BE EHT80	106	-	-	-	-	-	-	-	Harmonic
93	802.11BE EHT80	122	5726.20	61.26	68.20	-6.94	V	PEAK	Pass	Band Edge
93	802.11BE EHT80	122	-	-	-	-	-	-	-	Harmonic
94	802.11BE EHT160	50	5364.03	70.28	74.00	-3.72	V	PEAK	Pass	Band Edge
94	802.11BE EHT160	50	-	-	-	-	-	-	-	Harmonic
95	802.11BE EHT160	50	5148.50	47.27	54.00	-6.73	V	AVERAGE	Pass	Band Edge
95	802.11BE EHT160	50	-	-	-	-	-	-	-	Harmonic
96	802.11BE EHT160	114	5466.16	64.81	68.20	-3.39	H	PEAK	Pass	Band Edge
96	802.11BE EHT160	114	-	-	-	-	-	-	-	Harmonic
97	802.11BE EHT160	114	5464.18	60.51	68.20	-7.69	H	PEAK	Pass	Band Edge
97	802.11BE EHT160	114	-	-	-	-	-	-	-	Harmonic
98	802.11BE EHT80	155	5640.00	60.20	68.20	-7.92	H	PEAK	Pass	Band Edge
98	802.11BE EHT80	155	-	-	-	-	-	-	-	Harmonic
99	802.11BE EHT80	155	5923.60	59.29	69.23	-9.94	H	PEAK	Pass	Band Edge
99	802.11BE EHT80	155	-	-	-	-	-	-	-	Harmonic



Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
103	Bluetooth-LE_GFSK	39	2483.62	42.21	54.00	-11.79	V	AVERAGE	Pass	Band Edge
	Bluetooth-LE_GFSK	39	4960.00	37.03	74.00	-36.97	H	PEAK	Pass	Harmonic
	802.11be EHT40	3	2389.95	49.01	54.00	-4.99	H	AVERAGE	Pass	Band Edge
	802.11be EHT40	3	4844.00	40.96	74.00	-33.04	V	PEAK	Pass	Harmonic
	802.11be EHT20	64	5350.00	42.72	54.00	-11.28	H	AVERAGE	Pass	Band Edge
	802.11be EHT20	64	10640.00	49.92	54.00	-4.08	V	AVERAGE	Pass	Harmonic
104	Bluetooth BR_GFSK	78	2487.37	55.50	74.00	-18.50	H	PEAK	Pass	Band Edge
	Bluetooth BR_GFSK	78	4960.00	37.47	74.00	-36.53	V	PEAK	Pass	Harmonic
	802.11be EHT40	3	2389.82	60.50	74.00	-13.50	V	PEAK	Pass	Band Edge
	802.11be EHT40	3	4844.00	41.20	74.00	-32.80	V	PEAK	Pass	Harmonic
	802.11be EHT20	64	5350.00	41.44	54.00	-12.56	H	AVERAGE	Pass	Band Edge
104	802.11be EHT20	64	10640.00	50.65	54.00	-3.35	V	AVERAGE	Pass	Harmonic
105	802.11be EHT40	3	2389.95	50.09	54.00	-3.91	V	AVERAGE	Pass	Band Edge
	802.11be EHT40	3	4844.00	41.95	74.00	-32.05	V	PEAK	Pass	Harmonic
	802.11be EHT20	64	5350.00	41.58	54.00	-12.42	H	AVERAGE	Pass	Band Edge
	802.11be EHT20	64	10640.00	50.55	54.00	-3.45	V	AVERAGE	Pass	Harmonic
	Bluetooth-LE_GFSK	39	2483.50	41.91	54.00	-12.09	V	AVERAGE	Pass	Band Edge
	Bluetooth-LE_GFSK	39	4960.00	40.42	74.00	-33.58	V	PEAK	Pass	Harmonic
106	802.11a	140	5727.00	63.86	68.20	-4.34	V	PEAK	Pass	Band Edge
	802.11a	140	7973.13	53.90	68.20	-14.30	H	PEAK	Pass	Harmonic
	802.11be EHT20	64	5351.60	41.20	54.00	-12.80	H	AVERAGE	Pass	Band Edge
	802.11be EHT20	64	10640.00	49.81	54.00	-4.19	V	AVERAGE	Pass	Harmonic



		1																																																																														
Mode		Band Edge																																																																														
		U-NII-1_5.15-5.25_802.11a_CH36_5180MHz																																																																														
ANT		0+2																																																																														
Pol.		Horizontal					Fundamental																																																																									
Peak	 <p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>U-NII-1-U-NII-2A-U-NII-2C</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5147.10</td> <td>62.37</td> <td>74.00</td> <td>-11.63</td> <td>54.02</td> <td>34.40</td> <td>10.61</td> <td>36.66</td> <td>0.00</td> <td>107</td> <td>145</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5147.10	62.37	74.00	-11.63	54.02	34.40	10.61	36.66	0.00	107	145	PEAK	 <p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>U-NII-1-U-NII-2A-U-NII-2C</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5180.00</td> <td>110.90</td> <td>-----</td> <td>-----</td> <td>102.53</td> <td>34.43</td> <td>10.64</td> <td>36.62</td> <td>0.00</td> <td>107</td> <td>145</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	110.90	-----	-----	102.53	34.43	10.64	36.62	0.00	107	145	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	Remark																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	5147.10	62.37	74.00	-11.63	54.02	34.40	10.61	36.66	0.00	107	145	PEAK																																																																				
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	Remark																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	5180.00	110.90	-----	-----	102.53	34.43	10.64	36.62	0.00	107	145	PEAK																																																																				
Avg	 <p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>U-NII-1-U-NII-2A-U-NII-2C(AVG)</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5149.90</td> <td>50.49</td> <td>54.00</td> <td>-3.51</td> <td>42.13</td> <td>34.40</td> <td>10.61</td> <td>36.65</td> <td>0.00</td> <td>107</td> <td>145</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.90	50.49	54.00	-3.51	42.13	34.40	10.61	36.65	0.00	107	145	AVERAGE	 <p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>U-NII-1-U-NII-2A-U-NII-2C(AVG)</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5180.00</td> <td>102.35</td> <td>-----</td> <td>-----</td> <td>93.90</td> <td>34.43</td> <td>10.64</td> <td>36.62</td> <td>0.00</td> <td>107</td> <td>145</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	102.35	-----	-----	93.90	34.43	10.64	36.62	0.00	107	145	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	Remark																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	5149.90	50.49	54.00	-3.51	42.13	34.40	10.61	36.65	0.00	107	145	AVERAGE																																																																				
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	Remark																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	5180.00	102.35	-----	-----	93.90	34.43	10.64	36.62	0.00	107	145	AVERAGE																																																																				



Mode	1																																																																											
	Band Edge																																																																											
	U-NII-1_5.15-5.25_802.11a_CH36_5180MHz																																																																											
ANT	0+2																																																																											
Pol.	Vertical	Fundamental																																																																										
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5149.60</td> <td>59.87</td> <td>74.00</td> <td>-14.13</td> <td>51.51</td> <td>34.40</td> <td>10.61</td> <td>36.65</td> <td>0.00</td> <td>100</td> <td>18</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5149.60	59.87	74.00	-14.13	51.51	34.40	10.61	36.65	0.00	100	18	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5180.00</td> <td>109.07</td> <td>-----</td> <td>-----</td> <td>100.61</td> <td>34.43</td> <td>10.64</td> <td>36.61</td> <td>0.00</td> <td>100</td> <td>18</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5180.00	109.07	-----	-----	100.61	34.43	10.64	36.61	0.00	100	18	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																					
1	5149.60	59.87	74.00	-14.13	51.51	34.40	10.61	36.65	0.00	100	18	PEAK																																																																
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																					
1	5180.00	109.07	-----	-----	100.61	34.43	10.64	36.61	0.00	100	18	PEAK																																																																
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5150.00</td> <td>49.80</td> <td>54.00</td> <td>-4.20</td> <td>41.44</td> <td>34.40</td> <td>10.61</td> <td>36.65</td> <td>0.00</td> <td>100</td> <td>18</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5150.00	49.80	54.00	-4.20	41.44	34.40	10.61	36.65	0.00	100	18	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5180.00</td> <td>102.49</td> <td>-----</td> <td>-----</td> <td>94.04</td> <td>34.43</td> <td>10.64</td> <td>36.62</td> <td>0.00</td> <td>100</td> <td>18</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5180.00	102.49	-----	-----	94.04	34.43	10.64	36.62	0.00	100	18	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																					
1	5150.00	49.80	54.00	-4.20	41.44	34.40	10.61	36.65	0.00	100	18	AVERAGE																																																																
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																					
1	5180.00	102.49	-----	-----	94.04	34.43	10.64	36.62	0.00	100	18	AVERAGE																																																																



Mode	1																																																																															
	Harmonic																																																																															
	U-NII-1_5.15-5.25_802.11a_CH36_5180MHz																																																																															
ANT	0+2																																																																															
Pol.	Horizontal	Vertical																																																																														
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 10360.00</td> <td>61.48</td> <td>68.20</td> <td>-6.72</td> <td>75.63</td> <td>37.36</td> <td>15.45</td> <td>66.96</td> <td>0.00</td> <td>244</td> <td>58 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 10360.00	61.48	68.20	-6.72	75.63	37.36	15.45	66.96	0.00	244	58 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 10360.00</td> <td>63.58</td> <td>68.20</td> <td>-4.62</td> <td>77.73</td> <td>37.36</td> <td>15.45</td> <td>66.96</td> <td>0.00</td> <td>136</td> <td>18 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 10360.00	63.58	68.20	-4.62	77.73	37.36	15.45	66.96	0.00	136	18 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 10360.00	61.48	68.20	-6.72	75.63	37.36	15.45	66.96	0.00	244	58 PEAK																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 10360.00	63.58	68.20	-4.62	77.73	37.36	15.45	66.96	0.00	136	18 PEAK																																																																						



Mode	2																																																																									
	Harmonic																																																																									
	U-NII-1_5.15-5.25_802.11a_CH44_5220MHz																																																																									
ANT	0+2																																																																									
Pol.	Horizontal	Vertical																																																																								
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 10440.00</td> <td>60.08</td> <td>68.20</td> <td>-8.12</td> <td>74.01</td> <td>37.45</td> <td>15.53</td> <td>66.91</td> <td>0.00</td> <td>187</td> <td>53</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 10440.00	60.08	68.20	-8.12	74.01	37.45	15.53	66.91	0.00	187	53	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 10440.00</td> <td>61.80</td> <td>68.20</td> <td>-6.40</td> <td>75.73</td> <td>37.45</td> <td>15.53</td> <td>66.91</td> <td>0.00</td> <td>104</td> <td>29</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 10440.00	61.80	68.20	-6.40	75.73	37.45	15.53	66.91	0.00	104	29	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Remark																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1 10440.00	60.08	68.20	-8.12	74.01	37.45	15.53	66.91	0.00	187	53	PEAK																																																															
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Remark																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1 10440.00	61.80	68.20	-6.40	75.73	37.45	15.53	66.91	0.00	104	29	PEAK																																																															



Mode	3																																																																									
	Harmonic																																																																									
	U-NII-1_5.15-5.25_802.11a_CH48_5240MHz																																																																									
ANT	0+2																																																																									
Pol.	Horizontal	Vertical																																																																								
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 10480.00</td> <td>62.85</td> <td>68.20</td> <td>-5.35</td> <td>76.70</td> <td>37.48</td> <td>15.56</td> <td>66.89</td> <td>0.00</td> <td>279</td> <td>66</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 10480.00	62.85	68.20	-5.35	76.70	37.48	15.56	66.89	0.00	279	66	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 10480.00</td> <td>64.22</td> <td>68.20</td> <td>-3.98</td> <td>78.05</td> <td>37.49</td> <td>15.57</td> <td>66.89</td> <td>0.00</td> <td>100</td> <td>29</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 10480.00	64.22	68.20	-3.98	78.05	37.49	15.57	66.89	0.00	100	29	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1 10480.00	62.85	68.20	-5.35	76.70	37.48	15.56	66.89	0.00	279	66	PEAK																																																															
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1 10480.00	64.22	68.20	-3.98	78.05	37.49	15.57	66.89	0.00	100	29	PEAK																																																															







Mode	4																																																																																																																															
	Harmonic																																																																																																																															
	U-NII-2A_5.25-5.35_802.11a_CH52_5260MHz																																																																																																																															
ANT	0+2																																																																																																																															
Pol.	Horizontal	Vertical																																																																																																																														
Peak																																																																																																																																
Avg																																																																																																																																
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 10520.00</td> <td>63.49</td> <td>68.20</td> <td>-4.71</td> <td>77.24</td> <td>37.52</td> <td>15.60</td> <td>66.87</td> <td>0.00</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>282</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>65</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1 10520.00	63.49	68.20	-4.71	77.24	37.52	15.60	66.87	0.00									282									65									PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 10520.00</td> <td>64.60</td> <td>68.20</td> <td>-3.60</td> <td>78.35</td> <td>37.52</td> <td>15.60</td> <td>66.87</td> <td>0.00</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>131</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>28</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1 10520.00	64.60	68.20	-3.60	78.35	37.52	15.60	66.87	0.00									131									28									PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Remark																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																																																								
1 10520.00	63.49	68.20	-4.71	77.24	37.52	15.60	66.87	0.00																																																																																																																								
								282																																																																																																																								
								65																																																																																																																								
								PEAK																																																																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Remark																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																																																								
1 10520.00	64.60	68.20	-3.60	78.35	37.52	15.60	66.87	0.00																																																																																																																								
								131																																																																																																																								
								28																																																																																																																								
								PEAK																																																																																																																								



Mode	5																																																																																																
	Harmonic																																																																																																
	U-NII-2A_5.25-5.35_802.11a_CH60_5300MHz																																																																																																
ANT	0+2																																																																																																
Pol.	Horizontal	Vertical																																																																																															
Peak Avg																																																																																																	
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 10600.00</td> <td>60.66</td> <td>74.00</td> <td>-13.34</td> <td>74.22</td> <td>37.60</td> <td>15.67</td> <td>66.83</td> <td>0.00</td> <td>278 63 PEAK</td> </tr> <tr> <td>2 10600.00</td> <td>49.48</td> <td>54.00</td> <td>-4.52</td> <td>63.04</td> <td>37.60</td> <td>15.67</td> <td>66.83</td> <td>0.00</td> <td>278 63 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 10600.00	60.66	74.00	-13.34	74.22	37.60	15.67	66.83	0.00	278 63 PEAK	2 10600.00	49.48	54.00	-4.52	63.04	37.60	15.67	66.83	0.00	278 63 AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 10600.00</td> <td>61.30</td> <td>74.00</td> <td>-12.70</td> <td>74.06</td> <td>37.60</td> <td>15.67</td> <td>66.83</td> <td>0.00</td> <td>192 22 PEAK</td> </tr> <tr> <td>2 10600.00</td> <td>50.33</td> <td>54.00</td> <td>-3.67</td> <td>63.89</td> <td>37.60</td> <td>15.67</td> <td>66.83</td> <td>0.00</td> <td>192 22 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 10600.00	61.30	74.00	-12.70	74.06	37.60	15.67	66.83	0.00	192 22 PEAK	2 10600.00	50.33	54.00	-3.67	63.89	37.60	15.67	66.83	0.00
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1 10600.00	60.66	74.00	-13.34	74.22	37.60	15.67	66.83	0.00	278 63 PEAK																																																																																								
2 10600.00	49.48	54.00	-4.52	63.04	37.60	15.67	66.83	0.00	278 63 AVERAGE																																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1 10600.00	61.30	74.00	-12.70	74.06	37.60	15.67	66.83	0.00	192 22 PEAK																																																																																								
2 10600.00	50.33	54.00	-3.67	63.89	37.60	15.67	66.83	0.00	192 22 AVERAGE																																																																																								



Mode	6																																																																																			
	Band Edge																																																																																			
	U-NII-2A_5.25-5.35_802.11a_CH64_5320MHz																																																																																			
ANT	0+2																																																																																			
Pol.	Horizontal	Fundamental																																																																																		
Peak	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5353.20</td> <td>61.97</td> <td>74.00</td> <td>-12.03</td> <td>52.99</td> <td>34.60</td> <td>10.75</td> <td>36.37</td> <td>0.00</td> <td>102</td> <td>144</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5353.20	61.97	74.00	-12.03	52.99	34.60	10.75	36.37	0.00	102	144	PEAK	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5320.00</td> <td>109.66</td> <td>-----</td> <td>-----</td> <td>100.79</td> <td>34.56</td> <td>10.73</td> <td>36.42</td> <td>0.00</td> <td>102</td> <td>144</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	109.66	-----	-----	100.79	34.56	10.73	36.42	0.00	102	144	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5353.20	61.97	74.00	-12.03	52.99	34.60	10.75	36.37	0.00	102	144	PEAK																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5320.00	109.66	-----	-----	100.79	34.56	10.73	36.42	0.00	102	144	PEAK																																																																								
Avg	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5350.00</td> <td>50.43</td> <td>54.00</td> <td>-3.57</td> <td>41.46</td> <td>34.59</td> <td>10.75</td> <td>36.37</td> <td>0.00</td> <td>102</td> <td>144</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.00	50.43	54.00	-3.57	41.46	34.59	10.75	36.37	0.00	102	144	AVERAGE	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5320.00</td> <td>102.63</td> <td>-----</td> <td>-----</td> <td>93.75</td> <td>34.56</td> <td>10.73</td> <td>36.41</td> <td>0.00</td> <td>102</td> <td>144</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	102.63	-----	-----	93.75	34.56	10.73	36.41	0.00	102	144	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5350.00	50.43	54.00	-3.57	41.46	34.59	10.75	36.37	0.00	102	144	AVERAGE																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5320.00	102.63	-----	-----	93.75	34.56	10.73	36.41	0.00	102	144	AVERAGE																																																																								







Mode	6																																																																																							
	Band Edge																																																																																							
	U-NII-2A_5.25-5.35_802.11a_CH64_5320MHz																																																																																							
ANT	0+2																																																																																							
Pol.	Vertical	Fundamental																																																																																						
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5350.00</td> <td>57.89</td> <td>74.00</td> <td>-16.11</td> <td>48.92</td> <td>34.59</td> <td>10.75</td> <td>36.37</td> <td>0.00</td> <td>100</td> <td>11</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5350.00	57.89	74.00	-16.11	48.92	34.59	10.75	36.37	0.00	100	11	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5320.00</td> <td>110.99</td> <td>-----</td> <td>-----</td> <td>102.12</td> <td>34.56</td> <td>10.73</td> <td>36.42</td> <td>0.00</td> <td>100</td> <td>11</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5320.00	110.99	-----	-----	102.12	34.56	10.73	36.42	0.00	100	11	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1 5350.00	57.89	74.00	-16.11	48.92	34.59	10.75	36.37	0.00	100	11	PEAK																																																																													
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1 5320.00	110.99	-----	-----	102.12	34.56	10.73	36.42	0.00	100	11	PEAK																																																																													
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5350.00</td> <td>46.21</td> <td>54.00</td> <td>-7.79</td> <td>37.24</td> <td>34.59</td> <td>10.75</td> <td>36.37</td> <td>0.00</td> <td>100</td> <td>11</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5350.00	46.21	54.00	-7.79	37.24	34.59	10.75	36.37	0.00	100	11	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5320.00</td> <td>102.45</td> <td>-----</td> <td>-----</td> <td>93.58</td> <td>34.56</td> <td>10.73</td> <td>36.42</td> <td>0.00</td> <td>100</td> <td>11</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5320.00	102.45	-----	-----	93.58	34.56	10.73	36.42	0.00	100	11	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1 5350.00	46.21	54.00	-7.79	37.24	34.59	10.75	36.37	0.00	100	11	AVERAGE																																																																													
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1 5320.00	102.45	-----	-----	93.58	34.56	10.73	36.42	0.00	100	11	AVERAGE																																																																													



Mode	6																																																																																																				
	Harmonic																																																																																																				
	U-NII-2A_5.25-5.35_802.11a_CH64_5320MHz																																																																																																				
ANT	0+2																																																																																																				
Pol.	Horizontal	Vertical																																																																																																			
Peak Avg																																																																																																					
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 10640.00</td> <td>61.36</td> <td>74.00</td> <td>-12.64</td> <td>74.86</td> <td>37.60</td> <td>15.71</td> <td>66.81</td> <td>0.00</td> <td>277</td> <td>61 PEAK</td> </tr> <tr> <td>2 10640.00</td> <td>50.43</td> <td>54.00</td> <td>-3.57</td> <td>63.93</td> <td>37.60</td> <td>15.71</td> <td>66.81</td> <td>0.00</td> <td>277</td> <td>61 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 10640.00	61.36	74.00	-12.64	74.86	37.60	15.71	66.81	0.00	277	61 PEAK	2 10640.00	50.43	54.00	-3.57	63.93	37.60	15.71	66.81	0.00	277	61 AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 10640.00</td> <td>62.50</td> <td>74.00</td> <td>-11.50</td> <td>76.00</td> <td>37.60</td> <td>15.71</td> <td>66.81</td> <td>0.00</td> <td>300</td> <td>28 PEAK</td> </tr> <tr> <td>2 10640.00</td> <td>50.31</td> <td>54.00</td> <td>-3.69</td> <td>63.81</td> <td>37.60</td> <td>15.71</td> <td>66.81</td> <td>0.00</td> <td>300</td> <td>28 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 10640.00	62.50	74.00	-11.50	76.00	37.60	15.71	66.81	0.00	300	28 PEAK	2 10640.00	50.31	54.00	-3.69	63.81	37.60	15.71	66.81	0.00	300
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																													
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1 10640.00	61.36	74.00	-12.64	74.86	37.60	15.71	66.81	0.00	277	61 PEAK																																																																																											
2 10640.00	50.43	54.00	-3.57	63.93	37.60	15.71	66.81	0.00	277	61 AVERAGE																																																																																											
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																													
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																												
1 10640.00	62.50	74.00	-11.50	76.00	37.60	15.71	66.81	0.00	300	28 PEAK																																																																																											
2 10640.00	50.31	54.00	-3.69	63.81	37.60	15.71	66.81	0.00	300	28 AVERAGE																																																																																											



Mode	7																																																																																																				
	Band Edge																																																																																																				
	U-NII-2C_5.47-5.725_802.11a_CH100_5500MHz																																																																																																				
ANT	0+2																																																																																																				
Pol.	Horizontal	Fundamental																																																																																																			
Peak	 <table border="1" data-bbox="255 1097 798 1254"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 5458.16</td> <td>56.71</td> <td>74.00</td> <td>-17.29</td> <td>47.40</td> <td>34.69</td> <td>10.84</td> <td>36.22</td> <td>0.00</td> </tr> <tr> <td>2 5466.16</td> <td>58.35</td> <td>68.20</td> <td>-9.85</td> <td>49.01</td> <td>34.70</td> <td>10.85</td> <td>36.21</td> <td>0.00</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>107 326 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1 5458.16	56.71	74.00	-17.29	47.40	34.69	10.84	36.22	0.00	2 5466.16	58.35	68.20	-9.85	49.01	34.70	10.85	36.21	0.00									107 326 PEAK	 <table border="1" data-bbox="877 1097 1436 1254"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 5500.00</td> <td>113.42</td> <td>-----</td> <td>-----</td> <td>103.96</td> <td>34.73</td> <td>10.89</td> <td>36.16</td> <td>0.00</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>107 326 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1 5500.00	113.42	-----	-----	103.96	34.73	10.89	36.16	0.00									107 326 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																													
1 5458.16	56.71	74.00	-17.29	47.40	34.69	10.84	36.22	0.00																																																																																													
2 5466.16	58.35	68.20	-9.85	49.01	34.70	10.85	36.21	0.00																																																																																													
								107 326 PEAK																																																																																													
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																													
1 5500.00	113.42	-----	-----	103.96	34.73	10.89	36.16	0.00																																																																																													
								107 326 PEAK																																																																																													
Avg	 <table border="1" data-bbox="255 1792 798 1926"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 5458.16</td> <td>44.31</td> <td>54.00</td> <td>-9.69</td> <td>35.00</td> <td>34.69</td> <td>10.84</td> <td>36.22</td> <td>0.00</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>107 326 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1 5458.16	44.31	54.00	-9.69	35.00	34.69	10.84	36.22	0.00									107 326 AVERAGE	 <table border="1" data-bbox="877 1792 1436 1926"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 5500.00</td> <td>104.66</td> <td>-----</td> <td>-----</td> <td>95.18</td> <td>34.74</td> <td>10.89</td> <td>36.15</td> <td>0.00</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>107 326 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1 5500.00	104.66	-----	-----	95.18	34.74	10.89	36.15	0.00									107 326 AVERAGE									
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																													
1 5458.16	44.31	54.00	-9.69	35.00	34.69	10.84	36.22	0.00																																																																																													
								107 326 AVERAGE																																																																																													
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																													
1 5500.00	104.66	-----	-----	95.18	34.74	10.89	36.15	0.00																																																																																													
								107 326 AVERAGE																																																																																													



Mode	7																																																																																									
	Band Edge																																																																																									
	U-NII-2C_5.47-5.725_802.11a_CH100_5500MHz																																																																																									
ANT	0+2																																																																																									
Pol.	Vertical	Fundamental																																																																																								
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5458.64</td> <td>52.93</td> <td>74.00</td> <td>-21.07</td> <td>43.62</td> <td>34.69</td> <td>10.84</td> <td>36.22</td> <td>0.00</td> <td>100</td> <td>9 PEAK</td> </tr> <tr> <td>2</td> <td>5468.72</td> <td>55.78</td> <td>68.20</td> <td>-12.42</td> <td>46.43</td> <td>34.70</td> <td>10.85</td> <td>36.20</td> <td>0.00</td> <td>100</td> <td>9 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5458.64	52.93	74.00	-21.07	43.62	34.69	10.84	36.22	0.00	100	9 PEAK	2	5468.72	55.78	68.20	-12.42	46.43	34.70	10.85	36.20	0.00	100	9 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>111.73</td> <td>-----</td> <td>-----</td> <td>102.25</td> <td>34.74</td> <td>10.89</td> <td>36.15</td> <td>0.00</td> <td>100</td> <td>9 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	111.73	-----	-----	102.25	34.74	10.89	36.15	0.00	100	9 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																		
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Remark																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	5458.64	52.93	74.00	-21.07	43.62	34.69	10.84	36.22	0.00	100	9 PEAK																																																																															
2	5468.72	55.78	68.20	-12.42	46.43	34.70	10.85	36.20	0.00	100	9 PEAK																																																																															
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Remark																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	5500.00	111.73	-----	-----	102.25	34.74	10.89	36.15	0.00	100	9 PEAK																																																																															
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.12</td> <td>42.96</td> <td>54.00</td> <td>-11.04</td> <td>33.64</td> <td>34.70</td> <td>10.84</td> <td>36.22</td> <td>0.00</td> <td>100</td> <td>9 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.12	42.96	54.00	-11.04	33.64	34.70	10.84	36.22	0.00	100	9 AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>102.80</td> <td>-----</td> <td>-----</td> <td>93.32</td> <td>34.74</td> <td>10.89</td> <td>36.15</td> <td>0.00</td> <td>100</td> <td>9 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	102.80	-----	-----	93.32	34.74	10.89	36.15	0.00	100	9 AVERAGE												
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Remark																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	5459.12	42.96	54.00	-11.04	33.64	34.70	10.84	36.22	0.00	100	9 AVERAGE																																																																															
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Remark																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	5500.00	102.80	-----	-----	93.32	34.74	10.89	36.15	0.00	100	9 AVERAGE																																																																															



Mode	7																																																																																																																					
	Harmonic																																																																																																																					
	U-NII-2C_5.47-5.725_802.11a_CH100_5500MHz																																																																																																																					
ANT	0+2																																																																																																																					
Pol.	Horizontal	Vertical																																																																																																																				
Peak Avg																																																																																																																						
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 7694.50</td> <td>52.03</td> <td>74.00</td> <td>-21.97</td> <td>69.72</td> <td>36.09</td> <td>13.10</td> <td>66.88</td> <td>0.00</td> <td>332 296 PEAK</td> </tr> <tr> <td>2 7694.50</td> <td>43.80</td> <td>54.00</td> <td>-10.20</td> <td>61.49</td> <td>36.09</td> <td>13.10</td> <td>66.88</td> <td>0.00</td> <td>332 296 AVERAGE</td> </tr> <tr> <td>3 11000.00</td> <td>46.16</td> <td>74.00</td> <td>-27.84</td> <td>58.83</td> <td>37.90</td> <td>16.04</td> <td>66.61</td> <td>0.00</td> <td>-- -- PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 7694.50	52.03	74.00	-21.97	69.72	36.09	13.10	66.88	0.00	332 296 PEAK	2 7694.50	43.80	54.00	-10.20	61.49	36.09	13.10	66.88	0.00	332 296 AVERAGE	3 11000.00	46.16	74.00	-27.84	58.83	37.90	16.04	66.61	0.00	-- -- PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 7694.50</td> <td>45.03</td> <td>74.00</td> <td>-28.97</td> <td>62.72</td> <td>36.09</td> <td>13.10</td> <td>66.88</td> <td>0.00</td> <td>-- -- PEAK</td> </tr> <tr> <td>2 11000.00</td> <td>49.65</td> <td>74.00</td> <td>-24.35</td> <td>62.32</td> <td>37.90</td> <td>16.04</td> <td>66.61</td> <td>0.00</td> <td>100 360 PEAK</td> </tr> <tr> <td>3 11000.00</td> <td>39.24</td> <td>54.00</td> <td>-14.76</td> <td>51.91</td> <td>37.90</td> <td>16.04</td> <td>66.61</td> <td>0.00</td> <td>100 360 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 7694.50	45.03	74.00	-28.97	62.72	36.09	13.10	66.88	0.00	-- -- PEAK	2 11000.00	49.65	74.00	-24.35	62.32	37.90	16.04	66.61	0.00	100 360 PEAK	3 11000.00	39.24	54.00	-14.76	51.91	37.90	16.04	66.61	0.00
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																														
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																													
1 7694.50	52.03	74.00	-21.97	69.72	36.09	13.10	66.88	0.00	332 296 PEAK																																																																																																													
2 7694.50	43.80	54.00	-10.20	61.49	36.09	13.10	66.88	0.00	332 296 AVERAGE																																																																																																													
3 11000.00	46.16	74.00	-27.84	58.83	37.90	16.04	66.61	0.00	-- -- PEAK																																																																																																													
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																														
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																												
1 7694.50	45.03	74.00	-28.97	62.72	36.09	13.10	66.88	0.00	-- -- PEAK																																																																																																													
2 11000.00	49.65	74.00	-24.35	62.32	37.90	16.04	66.61	0.00	100 360 PEAK																																																																																																													
3 11000.00	39.24	54.00	-14.76	51.91	37.90	16.04	66.61	0.00	100 360 AVERAGE																																																																																																													



Mode	8																																																																																				
	Harmonic																																																																																				
	U-NII-2C_5.47-5.725_802.11a_CH116_5580MHz																																																																																				
ANT	0+2																																																																																				
Pol.	Horizontal	Vertical																																																																																			
Peak Avg																																																																																					
	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7805.93</td> <td>49.42</td> <td>68.20</td> <td>-18.78</td> <td>66.94</td> <td>36.21</td> <td>13.20</td> <td>66.93</td> <td>0.00</td> <td>-- -- Peak</td> </tr> <tr> <td>2</td> <td>11160.00</td> <td>44.76</td> <td>74.00</td> <td>-29.24</td> <td>57.27</td> <td>37.86</td> <td>16.15</td> <td>66.52</td> <td>0.00</td> <td>-- -- PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark	1	7805.93	49.42	68.20	-18.78	66.94	36.21	13.20	66.93	0.00	-- -- Peak	2	11160.00	44.76	74.00	-29.24	57.27	37.86	16.15	66.52	0.00	-- -- PEAK	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7816.20</td> <td>48.21</td> <td>68.20</td> <td>-19.99</td> <td>65.71</td> <td>36.23</td> <td>13.21</td> <td>66.94</td> <td>0.00</td> <td>-- -- Peak</td> </tr> <tr> <td>2</td> <td>11160.00</td> <td>45.49</td> <td>74.00</td> <td>-28.51</td> <td>58.00</td> <td>37.86</td> <td>16.15</td> <td>66.52</td> <td>0.00</td> <td>-- -- PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark	1	7816.20	48.21	68.20	-19.99	65.71	36.23	13.21	66.94	0.00	-- -- Peak	2	11160.00	45.49	74.00	-28.51	58.00	37.86	16.15	66.52	0.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																												
1	7805.93	49.42	68.20	-18.78	66.94	36.21	13.20	66.93	0.00	-- -- Peak																																																																											
2	11160.00	44.76	74.00	-29.24	57.27	37.86	16.15	66.52	0.00	-- -- PEAK																																																																											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																												
1	7816.20	48.21	68.20	-19.99	65.71	36.23	13.21	66.94	0.00	-- -- Peak																																																																											
2	11160.00	45.49	74.00	-28.51	58.00	37.86	16.15	66.52	0.00	-- -- PEAK																																																																											



Mode	9																																																																																																	
	Band Edge																																																																																																	
	U-NII-2C_5.47-5.725_802.11a_CH140_5700MHz																																																																																																	
ANT	0+2																																																																																																	
Pol.	Horizontal	Fundamental																																																																																																
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5725.32</td> <td>64.83</td> <td>68.20</td> <td>-3.37</td> <td>56.00</td> <td>34.95</td> <td>11.18</td> <td>37.30</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> <td></td> <td>300</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>349 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5725.32	64.83	68.20	-3.37	56.00	34.95	11.18	37.30						0.00		300								349 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5700.00</td> <td>112.40</td> <td>-----</td> <td>-----</td> <td>103.21</td> <td>34.92</td> <td>11.14</td> <td>36.87</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> <td></td> <td>300</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>349 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5700.00	112.40	-----	-----	103.21	34.92	11.14	36.87						0.00		300								349 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																											
1 5725.32	64.83	68.20	-3.37	56.00	34.95	11.18	37.30																																																																																											
					0.00		300																																																																																											
							349 PEAK																																																																																											
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																											
1 5700.00	112.40	-----	-----	103.21	34.92	11.14	36.87																																																																																											
					0.00		300																																																																																											
							349 PEAK																																																																																											
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5700.00</td> <td>104.00</td> <td>-----</td> <td>-----</td> <td>94.90</td> <td>34.92</td> <td>11.14</td> <td>36.87</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> <td></td> <td>300</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>349 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5700.00	104.00	-----	-----	94.90	34.92	11.14	36.87						0.00		300								349 AVERAGE																																																
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																											
1 5700.00	104.00	-----	-----	94.90	34.92	11.14	36.87																																																																																											
					0.00		300																																																																																											
							349 AVERAGE																																																																																											



Mode	9																																																																																																																	
	Band Edge																																																																																																																	
	U-NII-2C_5.47-5.725_802.11a_CH140_5700MHz																																																																																																																	
ANT	0+2																																																																																																																	
Pol.	Vertical	Fundamental																																																																																																																
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5729.24</td> <td>61.24</td> <td>68.20</td> <td>-6.96</td> <td>52.47</td> <td>34.95</td> <td>11.18</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td>37.36</td> <td>0.00</td> <td>111</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>12</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5729.24	61.24	68.20	-6.96	52.47	34.95	11.18						37.36	0.00	111								12								PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5700.00</td> <td>109.48</td> <td>-----</td> <td>-----</td> <td>100.29</td> <td>34.92</td> <td>11.14</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td>36.87</td> <td>0.00</td> <td>111</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>12</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5700.00	109.48	-----	-----	100.29	34.92	11.14						36.87	0.00	111								12								PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																											
1	5729.24	61.24	68.20	-6.96	52.47	34.95	11.18																																																																																																											
					37.36	0.00	111																																																																																																											
							12																																																																																																											
							PEAK																																																																																																											
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																											
1	5700.00	109.48	-----	-----	100.29	34.92	11.14																																																																																																											
					36.87	0.00	111																																																																																																											
							12																																																																																																											
							PEAK																																																																																																											
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5700.00</td> <td>101.12</td> <td>-----</td> <td>-----</td> <td>91.93</td> <td>34.92</td> <td>11.14</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td>36.87</td> <td>0.00</td> <td>111</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>12</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5700.00	101.12	-----	-----	91.93	34.92	11.14						36.87	0.00	111								12								AVERAGE																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																											
1	5700.00	101.12	-----	-----	91.93	34.92	11.14																																																																																																											
					36.87	0.00	111																																																																																																											
							12																																																																																																											
							AVERAGE																																																																																																											







Mode	9																																																																																																													
	Harmonic																																																																																																													
	U-NII-2C_5.47-5.725_802.11a_CH140_5700MHz																																																																																																													
ANT	0+2																																																																																																													
Pol.	Horizontal	Vertical																																																																																																												
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7974.60</td> <td>47.42</td> <td>68.20</td> <td>-20.78</td> <td>64.70</td> <td>36.40</td> <td>13.33</td> <td>67.01</td> <td>0.00</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>11400.00</td> <td>45.93</td> <td>74.00</td> <td>-28.07</td> <td>58.02</td> <td>38.00</td> <td>16.30</td> <td>66.39</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7974.60	47.42	68.20	-20.78	64.70	36.40	13.33	67.01	0.00	--	--	Peak	2	11400.00	45.93	74.00	-28.07	58.02	38.00	16.30	66.39	0.00	--	--	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7974.60</td> <td>46.27</td> <td>68.20</td> <td>-21.93</td> <td>63.55</td> <td>36.40</td> <td>13.33</td> <td>67.01</td> <td>0.00</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>11400.00</td> <td>45.32</td> <td>74.00</td> <td>-28.68</td> <td>57.41</td> <td>38.00</td> <td>16.30</td> <td>66.39</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7974.60	46.27	68.20	-21.93	63.55	36.40	13.33	67.01	0.00	--	--	Peak	2	11400.00	45.32	74.00	-28.68	57.41	38.00	16.30	66.39	0.00	--	--	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	7974.60	47.42	68.20	-20.78	64.70	36.40	13.33	67.01	0.00	--	--	Peak																																																																																																		
2	11400.00	45.93	74.00	-28.07	58.02	38.00	16.30	66.39	0.00	--	--	PEAK																																																																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	7974.60	46.27	68.20	-21.93	63.55	36.40	13.33	67.01	0.00	--	--	Peak																																																																																																		
2	11400.00	45.32	74.00	-28.68	57.41	38.00	16.30	66.39	0.00	--	--	PEAK																																																																																																		



Mode	10																																																																											
	Band Edge																																																																											
	U-NII-1_5.15-5.25_802.11BE EHT20_CH36_Full RU_5180MHz																																																																											
ANT	0+2																																																																											
Pol.	Horizontal	Fundamental																																																																										
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5149.80</td> <td>58.29</td> <td>74.00</td> <td>-15.71</td> <td>49.93</td> <td>34.40</td> <td>10.61</td> <td>36.65</td> <td>0.00</td> <td>100</td> <td>65 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5149.80	58.29	74.00	-15.71	49.93	34.40	10.61	36.65	0.00	100	65 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5180.00</td> <td>108.72</td> <td>-----</td> <td>-----</td> <td>100.30</td> <td>34.42</td> <td>10.63</td> <td>36.63</td> <td>0.00</td> <td>100</td> <td>65 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5180.00	108.72	-----	-----	100.30	34.42	10.63	36.63	0.00	100	65 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	Remark																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																			
1 5149.80	58.29	74.00	-15.71	49.93	34.40	10.61	36.65	0.00	100	65 PEAK																																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	Remark																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																			
1 5180.00	108.72	-----	-----	100.30	34.42	10.63	36.63	0.00	100	65 PEAK																																																																		
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5150.00</td> <td>46.13</td> <td>54.00</td> <td>-7.87</td> <td>37.77</td> <td>34.40</td> <td>10.61</td> <td>36.65</td> <td>0.00</td> <td>100</td> <td>65 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5150.00	46.13	54.00	-7.87	37.77	34.40	10.61	36.65	0.00	100	65 AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5180.00</td> <td>100.74</td> <td>-----</td> <td>-----</td> <td>92.32</td> <td>34.42</td> <td>10.63</td> <td>36.63</td> <td>0.00</td> <td>100</td> <td>65 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5180.00	100.74	-----	-----	92.32	34.42	10.63	36.63	0.00	100	65 AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	Remark																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																			
1 5150.00	46.13	54.00	-7.87	37.77	34.40	10.61	36.65	0.00	100	65 AVERAGE																																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	Remark																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																			
1 5180.00	100.74	-----	-----	92.32	34.42	10.63	36.63	0.00	100	65 AVERAGE																																																																		



Mode	10																																																																																	
	Band Edge																																																																																	
	U-NII-1_5.15-5.25_802.11BE EHT20_CH36_Full RU_5180MHz																																																																																	
ANT	0+2																																																																																	
Pol.	Vertical	Fundamental																																																																																
Peak	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5146.40</td> <td>54.56</td> <td>74.00</td> <td>-19.44</td> <td>46.22</td> <td>34.40</td> <td>10.60</td> <td>36.66</td> <td>0.00</td> <td>100</td> <td>19</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5146.40	54.56	74.00	-19.44	46.22	34.40	10.60	36.66	0.00	100	19	PEAK	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5180.00</td> <td>108.58</td> <td>-----</td> <td>-----</td> <td>100.12</td> <td>34.43</td> <td>10.64</td> <td>36.61</td> <td>0.00</td> <td>100</td> <td>19</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5180.00	108.58	-----	-----	100.12	34.43	10.64	36.61	0.00	100	19	PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	Remark																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5146.40	54.56	74.00	-19.44	46.22	34.40	10.60	36.66	0.00	100	19	PEAK																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	Remark																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																								
1	5180.00	108.58	-----	-----	100.12	34.43	10.64	36.61	0.00	100	19	PEAK																																																																						
Avg	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5147.00</td> <td>42.79</td> <td>54.00</td> <td>-11.21</td> <td>34.44</td> <td>34.40</td> <td>10.61</td> <td>36.66</td> <td>0.00</td> <td>100</td> <td>19</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5147.00	42.79	54.00	-11.21	34.44	34.40	10.61	36.66	0.00	100	19	AVERAGE	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5180.00</td> <td>100.84</td> <td>-----</td> <td>-----</td> <td>92.38</td> <td>34.43</td> <td>10.64</td> <td>36.61</td> <td>0.00</td> <td>100</td> <td>19</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5180.00	100.84	-----	-----	92.38	34.43	10.64	36.61	0.00	100	19	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	Remark																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																								
1	5147.00	42.79	54.00	-11.21	34.44	34.40	10.61	36.66	0.00	100	19	AVERAGE																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	Remark																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																								
1	5180.00	100.84	-----	-----	92.38	34.43	10.64	36.61	0.00	100	19	AVERAGE																																																																						



Mode	10																																																																															
	Harmonic																																																																															
	U-NII-1_5.15-5.25_802.11BE EHT20_CH36_Full RU_5180MHz																																																																															
ANT	0+2																																																																															
Pol.	Horizontal	Vertical																																																																														
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 10360.00</td> <td>58.62</td> <td>68.20</td> <td>-9.58</td> <td>72.77</td> <td>37.36</td> <td>15.45</td> <td>66.96</td> <td>0.00</td> <td>247</td> <td>57 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 10360.00	58.62	68.20	-9.58	72.77	37.36	15.45	66.96	0.00	247	57 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 10360.00</td> <td>59.63</td> <td>68.20</td> <td>-8.57</td> <td>73.78</td> <td>37.36</td> <td>15.45</td> <td>66.96</td> <td>0.00</td> <td>136</td> <td>35 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 10360.00	59.63	68.20	-8.57	73.78	37.36	15.45	66.96	0.00	136	35 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 10360.00	58.62	68.20	-9.58	72.77	37.36	15.45	66.96	0.00	247	57 PEAK																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 10360.00	59.63	68.20	-8.57	73.78	37.36	15.45	66.96	0.00	136	35 PEAK																																																																						



Mode	11																																																																															
	Harmonic																																																																															
	U-NII-1_5.15-5.25_802.11BE EHT20_CH44_Full RU_5220MHz																																																																															
ANT	0+2																																																																															
Pol.	Horizontal	Vertical																																																																														
Peak																																																																																
Avg																																																																																
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 10449.60</td> <td>50.85</td> <td>68.20</td> <td>-17.35</td> <td>64.78</td> <td>37.45</td> <td>15.53</td> <td>66.91</td> <td>0.00</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 10449.60	50.85	68.20	-17.35	64.78	37.45	15.53	66.91	0.00	--	Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 10440.00</td> <td>54.68</td> <td>68.20</td> <td>-13.52</td> <td>68.61</td> <td>37.45</td> <td>15.53</td> <td>66.91</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 10440.00	54.68	68.20	-13.52	68.61	37.45	15.53	66.91	0.00	--	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor			Remark																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 10449.60	50.85	68.20	-17.35	64.78	37.45	15.53	66.91	0.00	--	Peak																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor			Remark																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 10440.00	54.68	68.20	-13.52	68.61	37.45	15.53	66.91	0.00	--	PEAK																																																																						



Mode	12																																																																											
	Harmonic																																																																											
	U-NII-1_5.15-5.25_802.11BE EHT20_CH48_Full RU_5240MHz																																																																											
ANT	0+2																																																																											
Pol.	Horizontal	Vertical																																																																										
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 10480.00</td> <td>60.44</td> <td>68.20</td> <td>-7.76</td> <td>74.28</td> <td>37.48</td> <td>15.57</td> <td>66.89</td> <td>0.00</td> <td>277</td> <td>64 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 10480.00	60.44	68.20	-7.76	74.28	37.48	15.57	66.89	0.00	277	64 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 10480.00</td> <td>63.71</td> <td>68.20</td> <td>-4.49</td> <td>77.56</td> <td>37.48</td> <td>15.56</td> <td>66.89</td> <td>0.00</td> <td>133</td> <td>14 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 10480.00	63.71	68.20	-4.49	77.56	37.48	15.56	66.89	0.00	133	14 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Remark																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																			
1 10480.00	60.44	68.20	-7.76	74.28	37.48	15.57	66.89	0.00	277	64 PEAK																																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Remark																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																			
1 10480.00	63.71	68.20	-4.49	77.56	37.48	15.56	66.89	0.00	133	14 PEAK																																																																		







Mode	13																																																																																											
	Harmonic																																																																																											
	U-NII-2A_5.25-5.35_802.11BE EHT20_CH52_Full RU_5260MHz																																																																																											
ANT	0+2																																																																																											
Pol.	Horizontal	Vertical																																																																																										
Peak																																																																																												
Avg																																																																																												
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 10520.00</td> <td>60.80</td> <td>68.20</td> <td>-7.40</td> <td>74.55</td> <td>37.52</td> <td>15.60</td> <td>66.87</td> <td>0.00</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>277 64 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 10520.00	60.80	68.20	-7.40	74.55	37.52	15.60	66.87	0.00									277 64 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 10513.40</td> <td>64.09</td> <td>68.20</td> <td>-4.11</td> <td>77.87</td> <td>37.51</td> <td>15.59</td> <td>66.88</td> <td>0.00</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>132 14 Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 10513.40	64.09	68.20	-4.11	77.87	37.51	15.59	66.88	0.00									132 14 Peak
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Remark																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																				
1 10520.00	60.80	68.20	-7.40	74.55	37.52	15.60	66.87	0.00																																																																																				
								277 64 PEAK																																																																																				
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Remark																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																				
1 10513.40	64.09	68.20	-4.11	77.87	37.51	15.59	66.88	0.00																																																																																				
								132 14 Peak																																																																																				



Mode	14																																																																																																
	Harmonic																																																																																																
	U-NII-2A_5.25-5.35_802.11BE EHT20_CH60_Full RU_5300MHz																																																																																																
ANT	0+2																																																																																																
Pol.	Horizontal	Vertical																																																																																															
Peak Avg																																																																																																	
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 10600.00</td> <td>59.67</td> <td>74.00</td> <td>-14.33</td> <td>73.23</td> <td>37.60</td> <td>15.67</td> <td>66.83</td> <td>0.00</td> <td>294 68 PEAK</td> </tr> <tr> <td>2 10600.00</td> <td>49.06</td> <td>54.00</td> <td>-4.94</td> <td>62.62</td> <td>37.60</td> <td>15.67</td> <td>66.83</td> <td>0.00</td> <td>294 68 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 10600.00	59.67	74.00	-14.33	73.23	37.60	15.67	66.83	0.00	294 68 PEAK	2 10600.00	49.06	54.00	-4.94	62.62	37.60	15.67	66.83	0.00	294 68 AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 10600.00</td> <td>62.11</td> <td>74.00</td> <td>-11.89</td> <td>75.67</td> <td>37.60</td> <td>15.67</td> <td>66.83</td> <td>0.00</td> <td>128 21 PEAK</td> </tr> <tr> <td>2 10600.00</td> <td>50.52</td> <td>54.00</td> <td>-3.48</td> <td>64.08</td> <td>37.60</td> <td>15.67</td> <td>66.83</td> <td>0.00</td> <td>128 21 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 10600.00	62.11	74.00	-11.89	75.67	37.60	15.67	66.83	0.00	128 21 PEAK	2 10600.00	50.52	54.00	-3.48	64.08	37.60	15.67	66.83	0.00
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1 10600.00	59.67	74.00	-14.33	73.23	37.60	15.67	66.83	0.00	294 68 PEAK																																																																																								
2 10600.00	49.06	54.00	-4.94	62.62	37.60	15.67	66.83	0.00	294 68 AVERAGE																																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1 10600.00	62.11	74.00	-11.89	75.67	37.60	15.67	66.83	0.00	128 21 PEAK																																																																																								
2 10600.00	50.52	54.00	-3.48	64.08	37.60	15.67	66.83	0.00	128 21 AVERAGE																																																																																								



Mode	15																																																																														
	Band Edge																																																																														
	U-NII-2A_5.25-5.35_802.11BE EHT20_CH64_Full RU_5320MHz																																																																														
ANT	0+2																																																																														
Pol.	Horizontal	Fundamental																																																																													
Peak	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5351.00</td> <td>59.94</td> <td>74.00</td> <td>-14.06</td> <td>50.97</td> <td>34.59</td> <td>10.75</td> <td>36.37</td> <td>0.00</td> <td>100</td> <td>142</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5351.00	59.94	74.00	-14.06	50.97	34.59	10.75	36.37	0.00	100	142	PEAK	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5320.00</td> <td>109.98</td> <td>-----</td> <td>101.11</td> <td>34.56</td> <td>10.73</td> <td>36.42</td> <td>0.00</td> <td>100</td> <td>142</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	109.98	-----	101.11	34.56	10.73	36.42	0.00	100	142	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																						
1	5351.00	59.94	74.00	-14.06	50.97	34.59	10.75	36.37	0.00	100	142	PEAK																																																																			
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																						
1	5320.00	109.98	-----	101.11	34.56	10.73	36.42	0.00	100	142	PEAK																																																																				
Avg	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5350.00</td> <td>49.56</td> <td>54.00</td> <td>-4.44</td> <td>40.59</td> <td>34.59</td> <td>10.75</td> <td>36.37</td> <td>0.00</td> <td>100</td> <td>142</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.00	49.56	54.00	-4.44	40.59	34.59	10.75	36.37	0.00	100	142	AVERAGE	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5320.00</td> <td>101.34</td> <td>-----</td> <td>92.47</td> <td>34.56</td> <td>10.73</td> <td>36.42</td> <td>0.00</td> <td>100</td> <td>142</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	101.34	-----	92.47	34.56	10.73	36.42	0.00	100	142	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																						
1	5350.00	49.56	54.00	-4.44	40.59	34.59	10.75	36.37	0.00	100	142	AVERAGE																																																																			
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																						
1	5320.00	101.34	-----	92.47	34.56	10.73	36.42	0.00	100	142	AVERAGE																																																																				







Mode	15																																																																											
	Band Edge																																																																											
	U-NII-2A_5.25-5.35_802.11BE EHT20_CH64_Full RU_5320MHz																																																																											
ANT	0+2																																																																											
Pol.	Vertical	Fundamental																																																																										
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5352.60</td> <td>57.37</td> <td>74.00</td> <td>-16.63</td> <td>48.40</td> <td>34.59</td> <td>10.75</td> <td>36.37</td> <td>0.00</td> <td>100</td> <td>360 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5352.60	57.37	74.00	-16.63	48.40	34.59	10.75	36.37	0.00	100	360 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5320.00</td> <td>109.89</td> <td>-----</td> <td>-----</td> <td>101.01</td> <td>34.56</td> <td>10.73</td> <td>36.41</td> <td>0.00</td> <td>100</td> <td>360 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5320.00	109.89	-----	-----	101.01	34.56	10.73	36.41	0.00	100	360 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																			
1 5352.60	57.37	74.00	-16.63	48.40	34.59	10.75	36.37	0.00	100	360 PEAK																																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																			
1 5320.00	109.89	-----	-----	101.01	34.56	10.73	36.41	0.00	100	360 PEAK																																																																		
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5351.60</td> <td>45.46</td> <td>54.00</td> <td>-8.54</td> <td>36.49</td> <td>34.59</td> <td>10.75</td> <td>36.37</td> <td>0.00</td> <td>100</td> <td>360 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5351.60	45.46	54.00	-8.54	36.49	34.59	10.75	36.37	0.00	100	360 AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5320.00</td> <td>101.73</td> <td>-----</td> <td>-----</td> <td>92.85</td> <td>34.56</td> <td>10.73</td> <td>36.41</td> <td>0.00</td> <td>100</td> <td>360 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5320.00	101.73	-----	-----	92.85	34.56	10.73	36.41	0.00	100	360 AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																			
1 5351.60	45.46	54.00	-8.54	36.49	34.59	10.75	36.37	0.00	100	360 AVERAGE																																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																			
1 5320.00	101.73	-----	-----	92.85	34.56	10.73	36.41	0.00	100	360 AVERAGE																																																																		







Mode	15																																																																																																								
	Harmonic																																																																																																								
	U-NII-2A_5.25-5.35_802.11BE EHT20_CH64_Full RU_5320MHz																																																																																																								
ANT	0+2																																																																																																								
Pol.	Horizontal	Vertical																																																																																																							
Peak Avg																																																																																																									
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 10640.00</td> <td>60.98</td> <td>74.00</td> <td>-13.02</td> <td>74.48</td> <td>37.60</td> <td>15.71</td> <td>66.81</td> <td>0.00</td> <td>279</td> <td>63</td> <td>PEAK</td> </tr> <tr> <td>2 10640.00</td> <td>49.07</td> <td>54.00</td> <td>-4.93</td> <td>62.57</td> <td>37.60</td> <td>15.71</td> <td>66.81</td> <td>0.00</td> <td>279</td> <td>63</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 10640.00	60.98	74.00	-13.02	74.48	37.60	15.71	66.81	0.00	279	63	PEAK	2 10640.00	49.07	54.00	-4.93	62.57	37.60	15.71	66.81	0.00	279	63	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 10640.00</td> <td>60.77</td> <td>74.00</td> <td>-13.23</td> <td>74.27</td> <td>37.60</td> <td>15.71</td> <td>66.81</td> <td>0.00</td> <td>140</td> <td>19</td> <td>PEAK</td> </tr> <tr> <td>2 10640.00</td> <td>50.80</td> <td>54.00</td> <td>-3.20</td> <td>64.30</td> <td>37.60</td> <td>15.71</td> <td>66.81</td> <td>0.00</td> <td>140</td> <td>19</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 10640.00	60.77	74.00	-13.23	74.27	37.60	15.71	66.81	0.00	140	19	PEAK	2 10640.00	50.80	54.00	-3.20	64.30	37.60	15.71	66.81	0.00	140	19
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																
1 10640.00	60.98	74.00	-13.02	74.48	37.60	15.71	66.81	0.00	279	63	PEAK																																																																																														
2 10640.00	49.07	54.00	-4.93	62.57	37.60	15.71	66.81	0.00	279	63	AVERAGE																																																																																														
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																
1 10640.00	60.77	74.00	-13.23	74.27	37.60	15.71	66.81	0.00	140	19	PEAK																																																																																														
2 10640.00	50.80	54.00	-3.20	64.30	37.60	15.71	66.81	0.00	140	19	AVERAGE																																																																																														



Mode	16																																																																																																
	Band Edge																																																																																																
	U-NII-2C_5.47-5.725_802.11BE EHT20_CH100_5500MHz																																																																																																
ANT	0+2																																																																																																
Pol.	Horizontal	Fundamental																																																																																															
Peak	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5450.96</td> <td>52.79</td> <td>74.00</td> <td>-21.21</td> <td>43.50</td> <td>34.69</td> <td>10.83</td> <td>36.23</td> <td>0.00</td> <td>100</td> <td>323</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5469.68</td> <td>52.70</td> <td>68.20</td> <td>-15.50</td> <td>43.34</td> <td>34.71</td> <td>10.85</td> <td>36.20</td> <td>0.00</td> <td>100</td> <td>323</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5450.96	52.79	74.00	-21.21	43.50	34.69	10.83	36.23	0.00	100	323	PEAK	2	5469.68	52.70	68.20	-15.50	43.34	34.71	10.85	36.20	0.00	100	323	PEAK	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>111.39</td> <td>-----</td> <td>-----</td> <td>101.95</td> <td>34.73</td> <td>10.88</td> <td>36.17</td> <td>0.00</td> <td>100</td> <td>323</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	111.39	-----	-----	101.95	34.73	10.88	36.17	0.00	100	323	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5450.96	52.79	74.00	-21.21	43.50	34.69	10.83	36.23	0.00	100	323	PEAK																																																																																					
2	5469.68	52.70	68.20	-15.50	43.34	34.71	10.85	36.20	0.00	100	323	PEAK																																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5500.00	111.39	-----	-----	101.95	34.73	10.88	36.17	0.00	100	323	PEAK																																																																																					
Avg	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5454.32</td> <td>42.00</td> <td>54.00</td> <td>-11.92</td> <td>32.78</td> <td>34.69</td> <td>10.83</td> <td>36.22</td> <td>0.00</td> <td>100</td> <td>323</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5454.32	42.00	54.00	-11.92	32.78	34.69	10.83	36.22	0.00	100	323	AVERAGE	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>102.97</td> <td>-----</td> <td>-----</td> <td>93.53</td> <td>34.73</td> <td>10.88</td> <td>36.17</td> <td>0.00</td> <td>100</td> <td>323</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	102.97	-----	-----	93.53	34.73	10.88	36.17	0.00	100	323	AVERAGE													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5454.32	42.00	54.00	-11.92	32.78	34.69	10.83	36.22	0.00	100	323	AVERAGE																																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5500.00	102.97	-----	-----	93.53	34.73	10.88	36.17	0.00	100	323	AVERAGE																																																																																					



Mode	16																																																																																																
	Band Edge																																																																																																
	U-NII-2C_5.47-5.725_802.11BE EHT20_CH100_5500MHz																																																																																																
ANT	0+2																																																																																																
Pol.	Vertical	Fundamental																																																																																															
Peak	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5450.64</td> <td>51.73</td> <td>74.00</td> <td>-22.27</td> <td>42.44</td> <td>34.69</td> <td>10.83</td> <td>36.23</td> <td>0.00</td> <td>103</td> <td>360</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5467.44</td> <td>51.80</td> <td>68.20</td> <td>-16.40</td> <td>42.45</td> <td>34.70</td> <td>10.85</td> <td>36.20</td> <td>0.00</td> <td>103</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5450.64	51.73	74.00	-22.27	42.44	34.69	10.83	36.23	0.00	103	360	PEAK	2	5467.44	51.80	68.20	-16.40	42.45	34.70	10.85	36.20	0.00	103	360	PEAK	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>109.77</td> <td>-----</td> <td>-----</td> <td>100.31</td> <td>34.73</td> <td>10.89</td> <td>36.16</td> <td>0.00</td> <td>103</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	109.77	-----	-----	100.31	34.73	10.89	36.16	0.00	103	360	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5450.64	51.73	74.00	-22.27	42.44	34.69	10.83	36.23	0.00	103	360	PEAK																																																																																					
2	5467.44	51.80	68.20	-16.40	42.45	34.70	10.85	36.20	0.00	103	360	PEAK																																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5500.00	109.77	-----	-----	100.31	34.73	10.89	36.16	0.00	103	360	PEAK																																																																																					
Avg	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5457.20</td> <td>41.21</td> <td>54.00</td> <td>-12.79</td> <td>31.90</td> <td>34.69</td> <td>10.84</td> <td>36.22</td> <td>0.00</td> <td>103</td> <td>360</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5457.20	41.21	54.00	-12.79	31.90	34.69	10.84	36.22	0.00	103	360	AVERAGE	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>100.90</td> <td>-----</td> <td>-----</td> <td>91.44</td> <td>34.73</td> <td>10.89</td> <td>36.16</td> <td>0.00</td> <td>103</td> <td>360</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	100.90	-----	-----	91.44	34.73	10.89	36.16	0.00	103	360	AVERAGE													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5457.20	41.21	54.00	-12.79	31.90	34.69	10.84	36.22	0.00	103	360	AVERAGE																																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5500.00	100.90	-----	-----	91.44	34.73	10.89	36.16	0.00	103	360	AVERAGE																																																																																					






Mode	16																																																																																																																	
	Harmonic																																																																																																																	
	U-NII-2C_5.47-5.725_802.11BE EHT20_CH100_5500MHz																																																																																																																	
ANT	0+2																																																																																																																	
Pol.	Horizontal	Vertical																																																																																																																
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 7700.00</td> <td>52.60</td> <td>74.00</td> <td>-21.40</td> <td>70.27</td> <td>36.10</td> <td>13.11</td> <td>66.88</td> <td>0.00</td> <td>100</td> <td>51 PEAK</td> </tr> <tr> <td>2 7700.00</td> <td>43.40</td> <td>54.00</td> <td>-10.60</td> <td>61.07</td> <td>36.10</td> <td>13.11</td> <td>66.88</td> <td>0.00</td> <td>100</td> <td>51 AVERAGE</td> </tr> <tr> <td>3 11000.00</td> <td>46.09</td> <td>74.00</td> <td>-27.91</td> <td>58.76</td> <td>37.90</td> <td>16.04</td> <td>66.61</td> <td>0.00</td> <td>--</td> <td>-- PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 7700.00	52.60	74.00	-21.40	70.27	36.10	13.11	66.88	0.00	100	51 PEAK	2 7700.00	43.40	54.00	-10.60	61.07	36.10	13.11	66.88	0.00	100	51 AVERAGE	3 11000.00	46.09	74.00	-27.91	58.76	37.90	16.04	66.61	0.00	--	-- PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 7700.00</td> <td>44.41</td> <td>74.00</td> <td>-29.59</td> <td>62.08</td> <td>36.10</td> <td>13.11</td> <td>66.88</td> <td>0.00</td> <td>--</td> <td>-- PEAK</td> </tr> <tr> <td>2 11000.00</td> <td>46.83</td> <td>74.00</td> <td>-27.17</td> <td>59.50</td> <td>37.90</td> <td>16.04</td> <td>66.61</td> <td>0.00</td> <td>--</td> <td>-- PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 7700.00	44.41	74.00	-29.59	62.08	36.10	13.11	66.88	0.00	--	-- PEAK	2 11000.00	46.83	74.00	-27.17	59.50	37.90	16.04	66.61	0.00	--	-- PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																										
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																									
1 7700.00	52.60	74.00	-21.40	70.27	36.10	13.11	66.88	0.00	100	51 PEAK																																																																																																								
2 7700.00	43.40	54.00	-10.60	61.07	36.10	13.11	66.88	0.00	100	51 AVERAGE																																																																																																								
3 11000.00	46.09	74.00	-27.91	58.76	37.90	16.04	66.61	0.00	--	-- PEAK																																																																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																										
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																								
1 7700.00	44.41	74.00	-29.59	62.08	36.10	13.11	66.88	0.00	--	-- PEAK																																																																																																								
2 11000.00	46.83	74.00	-27.17	59.50	37.90	16.04	66.61	0.00	--	-- PEAK																																																																																																								






Mode	17																																																																																																												
	Harmonic																																																																																																												
	U-NII-2C_5.47-5.725_802.11BE EHT20_CH116_5580MHz																																																																																																												
ANT	0+2																																																																																																												
Pol.	Horizontal	Vertical																																																																																																											
Peak Avg																																																																																																													
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7812.00</td> <td>49.06</td> <td>68.20</td> <td>-19.14</td> <td>66.56</td> <td>36.22</td> <td>13.21</td> <td>66.93</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>11160.00</td> <td>44.73</td> <td>74.00</td> <td>-29.27</td> <td>57.24</td> <td>37.86</td> <td>16.15</td> <td>66.52</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7812.00	49.06	68.20	-19.14	66.56	36.22	13.21	66.93	0.00	--	--	PEAK	2	11160.00	44.73	74.00	-29.27	57.24	37.86	16.15	66.52	0.00	--	--	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7812.00</td> <td>46.38</td> <td>68.20</td> <td>-21.82</td> <td>63.88</td> <td>36.22</td> <td>13.21</td> <td>66.93</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>11160.00</td> <td>45.04</td> <td>74.00</td> <td>-28.96</td> <td>57.55</td> <td>37.86</td> <td>16.15</td> <td>66.52</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7812.00	46.38	68.20	-21.82	63.88	36.22	13.21	66.93	0.00	--	--	PEAK	2	11160.00	45.04	74.00	-28.96	57.55	37.86	16.15	66.52	0.00	--	--
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																					
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	7812.00	49.06	68.20	-19.14	66.56	36.22	13.21	66.93	0.00	--	--	PEAK																																																																																																	
2	11160.00	44.73	74.00	-29.27	57.24	37.86	16.15	66.52	0.00	--	--	PEAK																																																																																																	
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																					
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	7812.00	46.38	68.20	-21.82	63.88	36.22	13.21	66.93	0.00	--	--	PEAK																																																																																																	
2	11160.00	45.04	74.00	-28.96	57.55	37.86	16.15	66.52	0.00	--	--	PEAK																																																																																																	



Mode	18																																																																															
	Band Edge																																																																															
	U-NII-2C_5.47-5.725_802.11BE EHT20_CH140_5700MHz																																																																															
ANT	0+2																																																																															
Pol.	Horizontal	Fundamental																																																																														
Peak	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5725.24</td> <td>62.82</td> <td>68.20</td> <td>-5.38</td> <td>53.99</td> <td>34.95</td> <td>11.18</td> <td>37.30</td> <td>0.00</td> <td>288</td> <td>66 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5725.24	62.82	68.20	-5.38	53.99	34.95	11.18	37.30	0.00	288	66 PEAK	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5700.00</td> <td>111.83</td> <td>-----</td> <td>-----</td> <td>102.71</td> <td>34.93</td> <td>11.15</td> <td>36.96</td> <td>0.00</td> <td>288</td> <td>66 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5700.00	111.83	-----	-----	102.71	34.93	11.15	36.96	0.00	288	66 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 5725.24	62.82	68.20	-5.38	53.99	34.95	11.18	37.30	0.00	288	66 PEAK																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 5700.00	111.83	-----	-----	102.71	34.93	11.15	36.96	0.00	288	66 PEAK																																																																						
Avg	Blank	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5700.00</td> <td>102.54</td> <td>-----</td> <td>-----</td> <td>93.42</td> <td>34.93</td> <td>11.15</td> <td>36.96</td> <td>0.00</td> <td>288</td> <td>66 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5700.00	102.54	-----	-----	93.42	34.93	11.15	36.96	0.00	288	66 AVERAGE																																							
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 5700.00	102.54	-----	-----	93.42	34.93	11.15	36.96	0.00	288	66 AVERAGE																																																																						



Mode	18																																																																																																																	
	Band Edge																																																																																																																	
	U-NII-2C_5.47-5.725_802.11BE EHT20_CH140_5700MHz																																																																																																																	
ANT	0+2																																																																																																																	
Pol.	Vertical	Fundamental																																																																																																																
Peak	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5726.20</td> <td>60.89</td> <td>68.20</td> <td>-7.31</td> <td>52.07</td> <td>34.95</td> <td>11.18</td> <td>37.31</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> <td></td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>100</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>16 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5726.20	60.89	68.20	-7.31	52.07	34.95	11.18	37.31							0.00									100								16 PEAK	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5700.00</td> <td>108.78</td> <td>-----</td> <td>-----</td> <td>99.59</td> <td>34.92</td> <td>11.14</td> <td>36.87</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> <td></td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>100</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>16 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5700.00	108.78	-----	-----	99.59	34.92	11.14	36.87							0.00									100								16 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																											
1 5726.20	60.89	68.20	-7.31	52.07	34.95	11.18	37.31																																																																																																											
						0.00																																																																																																												
							100																																																																																																											
							16 PEAK																																																																																																											
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																											
1 5700.00	108.78	-----	-----	99.59	34.92	11.14	36.87																																																																																																											
						0.00																																																																																																												
							100																																																																																																											
							16 PEAK																																																																																																											
Avg	Blank	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5700.00</td> <td>99.74</td> <td>-----</td> <td>-----</td> <td>90.55</td> <td>34.92</td> <td>11.14</td> <td>36.87</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0.00</td> <td></td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>100</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>16 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5700.00	99.74	-----	-----	90.55	34.92	11.14	36.87							0.00									100								16 AVERAGE																																																								
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																											
1 5700.00	99.74	-----	-----	90.55	34.92	11.14	36.87																																																																																																											
						0.00																																																																																																												
							100																																																																																																											
							16 AVERAGE																																																																																																											



Mode	18																																																																																																												
	Harmonic																																																																																																												
	U-NII-2C_5.47-5.725_802.11BE EHT20_CH140_5700MHz																																																																																																												
ANT	0+2																																																																																																												
Pol.	Horizontal	Vertical																																																																																																											
Peak Avg																																																																																																													
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7980.00</td> <td>47.85</td> <td>68.20</td> <td>-20.35</td> <td>65.13</td> <td>36.40</td> <td>13.33</td> <td>67.01</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>11400.00</td> <td>46.25</td> <td>74.00</td> <td>-27.75</td> <td>58.34</td> <td>38.00</td> <td>16.30</td> <td>66.39</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7980.00	47.85	68.20	-20.35	65.13	36.40	13.33	67.01	0.00	--	--	PEAK	2	11400.00	46.25	74.00	-27.75	58.34	38.00	16.30	66.39	0.00	--	--	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7980.00</td> <td>44.40</td> <td>68.20</td> <td>-23.80</td> <td>61.68</td> <td>36.40</td> <td>13.33</td> <td>67.01</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>11400.00</td> <td>45.29</td> <td>74.00</td> <td>-28.71</td> <td>57.38</td> <td>38.00</td> <td>16.30</td> <td>66.39</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7980.00	44.40	68.20	-23.80	61.68	36.40	13.33	67.01	0.00	--	--	PEAK	2	11400.00	45.29	74.00	-28.71	57.38	38.00	16.30	66.39	0.00	--	--
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	7980.00	47.85	68.20	-20.35	65.13	36.40	13.33	67.01	0.00	--	--	PEAK																																																																																																	
2	11400.00	46.25	74.00	-27.75	58.34	38.00	16.30	66.39	0.00	--	--	PEAK																																																																																																	
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	7980.00	44.40	68.20	-23.80	61.68	36.40	13.33	67.01	0.00	--	--	PEAK																																																																																																	
2	11400.00	45.29	74.00	-28.71	57.38	38.00	16.30	66.39	0.00	--	--	PEAK																																																																																																	



Mode	19																																																																																	
	Band Edge - L																																																																																	
	U-NII-1_5.15-5.25_802.11BE EHT40_CH38_Full_5190MHz																																																																																	
ANT	0+2																																																																																	
Pol.	Horizontal	Fundamental																																																																																
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5139.20</td> <td>60.19</td> <td>74.00</td> <td>-13.81</td> <td>51.87</td> <td>34.39</td> <td>10.60</td> <td>36.67</td> <td>0.00</td> <td>100</td> <td>64</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5139.20	60.19	74.00	-13.81	51.87	34.39	10.60	36.67	0.00	100	64	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5190.00</td> <td>106.46</td> <td>-----</td> <td>-----</td> <td>98.00</td> <td>34.43</td> <td>10.64</td> <td>36.61</td> <td>0.00</td> <td>100</td> <td>64</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5190.00	106.46	-----	-----	98.00	34.43	10.64	36.61	0.00	100	64	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	5139.20	60.19	74.00	-13.81	51.87	34.39	10.60	36.67	0.00	100	64	PEAK																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	5190.00	106.46	-----	-----	98.00	34.43	10.64	36.61	0.00	100	64	PEAK																																																																						
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5138.72</td> <td>48.38</td> <td>54.00</td> <td>-5.62</td> <td>40.06</td> <td>34.39</td> <td>10.60</td> <td>36.67</td> <td>0.00</td> <td>100</td> <td>64</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5138.72	48.38	54.00	-5.62	40.06	34.39	10.60	36.67	0.00	100	64	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5190.00</td> <td>97.25</td> <td>-----</td> <td>-----</td> <td>88.79</td> <td>34.43</td> <td>10.64</td> <td>36.61</td> <td>0.00</td> <td>100</td> <td>64</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5190.00	97.25	-----	-----	88.79	34.43	10.64	36.61	0.00	100	64	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	5138.72	48.38	54.00	-5.62	40.06	34.39	10.60	36.67	0.00	100	64	AVERAGE																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1	5190.00	97.25	-----	-----	88.79	34.43	10.64	36.61	0.00	100	64	AVERAGE																																																																						



Mode	19																																											
	Band Edge - R																																											
	U-NII-1_5.15-5.25_802.11BE EHT40_CH38_Full_5190MHz																																											
ANT	0+2																																											
Pol.	Horizontal	Fundamental																																										
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5359.56</td> <td>49.42</td> <td>74.00</td> <td>-24.58</td> <td>40.43</td> <td>34.60</td> <td>10.75</td> <td>36.36</td> <td>0.00</td> <td>100</td> <td>64 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5359.56	49.42	74.00	-24.58	40.43	34.60	10.75	36.36	0.00	100	64 PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																		
1 5359.56	49.42	74.00	-24.58	40.43	34.60	10.75	36.36	0.00	100	64 PEAK																																		
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5351.19</td> <td>38.41</td> <td>54.00</td> <td>-15.59</td> <td>29.44</td> <td>34.59</td> <td>10.75</td> <td>36.37</td> <td>0.00</td> <td>100</td> <td>64 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5351.19	38.41	54.00	-15.59	29.44	34.59	10.75	36.37	0.00	100	64 AVERAGE	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																		
1 5351.19	38.41	54.00	-15.59	29.44	34.59	10.75	36.37	0.00	100	64 AVERAGE																																		



Mode	19																																																																	
	Band Edge - L																																																																	
	U-NII-1_5.15-5.25_802.11BE EHT40_CH38_Full_5190MHz																																																																	
ANT	0+2																																																																	
Pol.	Vertical	Fundamental																																																																
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq Level Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz dBuV/m dBuV/m dB</th> <th>dBuV dB/m dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5148.80 58.56 74.00 -15.44</td> <td>50.21 34.40</td> <td>10.61 36.66</td> <td>0.00</td> <td>100</td> <td>18</td> <td>PEAK</td> <td></td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq Level Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark	MHz dBuV/m dBuV/m dB	dBuV dB/m dB	dB	dB	dB	cm	deg		1 5148.80 58.56 74.00 -15.44	50.21 34.40	10.61 36.66	0.00	100	18	PEAK		<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq Level Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz dBuV/m dBuV/m dB</th> <th>dBuV dB/m dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5190.00 106.10</td> <td>97.65 34.43</td> <td>10.64 36.62</td> <td>0.00</td> <td>100</td> <td>18</td> <td>PEAK</td> <td></td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq Level Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark	MHz dBuV/m dBuV/m dB	dBuV dB/m dB	dB	dB	dB	cm	deg		1 5190.00 106.10	97.65 34.43	10.64 36.62	0.00	100	18	PEAK	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																										
Freq Level Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																											
MHz dBuV/m dBuV/m dB	dBuV dB/m dB	dB	dB	dB	cm	deg																																																												
1 5148.80 58.56 74.00 -15.44	50.21 34.40	10.61 36.66	0.00	100	18	PEAK																																																												
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																											
Freq Level Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																											
MHz dBuV/m dBuV/m dB	dBuV dB/m dB	dB	dB	dB	cm	deg																																																												
1 5190.00 106.10	97.65 34.43	10.64 36.62	0.00	100	18	PEAK																																																												
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq Level Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz dBuV/m dBuV/m dB</th> <th>dBuV dB/m dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5149.92 47.14 54.00 -6.86</td> <td>38.78 34.40</td> <td>10.61 36.65</td> <td>0.00</td> <td>100</td> <td>18</td> <td>AVERAGE</td> <td></td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq Level Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark	MHz dBuV/m dBuV/m dB	dBuV dB/m dB	dB	dB	dB	cm	deg		1 5149.92 47.14 54.00 -6.86	38.78 34.40	10.61 36.65	0.00	100	18	AVERAGE		<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq Level Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz dBuV/m dBuV/m dB</th> <th>dBuV dB/m dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5190.00 97.26</td> <td>88.81 34.43</td> <td>10.64 36.62</td> <td>0.00</td> <td>100</td> <td>18</td> <td>AVERAGE</td> <td></td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq Level Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark	MHz dBuV/m dBuV/m dB	dBuV dB/m dB	dB	dB	dB	cm	deg		1 5190.00 97.26	88.81 34.43	10.64 36.62	0.00	100	18	AVERAGE	
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																											
Freq Level Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																											
MHz dBuV/m dBuV/m dB	dBuV dB/m dB	dB	dB	dB	cm	deg																																																												
1 5149.92 47.14 54.00 -6.86	38.78 34.40	10.61 36.65	0.00	100	18	AVERAGE																																																												
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																											
Freq Level Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																											
MHz dBuV/m dBuV/m dB	dBuV dB/m dB	dB	dB	dB	cm	deg																																																												
1 5190.00 97.26	88.81 34.43	10.64 36.62	0.00	100	18	AVERAGE																																																												



Mode	19																																													
	Band Edge - R																																													
	U-NII-1_5.15-5.25_802.11BE EHT40_CH38_Full_5190MHz																																													
ANT	0+2																																													
Pol.	Vertical	Fundamental																																												
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5424.09</td> <td>50.43</td> <td>74.00</td> <td>-23.57</td> <td>41.24</td> <td>34.66</td> <td>10.80</td> <td>36.27</td> <td>0.00</td> <td>100</td> <td>18</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5424.09	50.43	74.00	-23.57	41.24	34.66	10.80	36.27	0.00	100	18	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																				
1	5424.09	50.43	74.00	-23.57	41.24	34.66	10.80	36.27	0.00	100	18	PEAK																																		
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5351.46</td> <td>38.43</td> <td>54.00</td> <td>-15.57</td> <td>29.46</td> <td>34.59</td> <td>10.75</td> <td>36.37</td> <td>0.00</td> <td>100</td> <td>18</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5351.46	38.43	54.00	-15.57	29.46	34.59	10.75	36.37	0.00	100	18	AVERAGE	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																				
1	5351.46	38.43	54.00	-15.57	29.46	34.59	10.75	36.37	0.00	100	18	AVERAGE																																		



Mode	19																																																																											
	Harmonic																																																																											
	U-NII-1_5.15-5.25_802.11BE EHT40_CH38_Full_5190MHz																																																																											
ANT	0+2																																																																											
Pol.	Horizontal	Vertical																																																																										
Peak																																																																												
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 10380.00</td> <td>47.15</td> <td>68.20</td> <td>-21.05</td> <td>61.30</td> <td>37.36</td> <td>15.45</td> <td>66.96</td> <td>0.00</td> <td>-- -- PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 10380.00	47.15	68.20	-21.05	61.30	37.36	15.45	66.96	0.00	-- -- PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 10380.00</td> <td>51.41</td> <td>68.20</td> <td>-16.79</td> <td>65.56</td> <td>37.36</td> <td>15.45</td> <td>66.96</td> <td>0.00</td> <td>-- -- PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 10380.00	51.41	68.20	-16.79	65.56	37.36	15.45	66.96	0.00	-- -- PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																				
1 10380.00	47.15	68.20	-21.05	61.30	37.36	15.45	66.96	0.00	-- -- PEAK																																																																			
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																				
1 10380.00	51.41	68.20	-16.79	65.56	37.36	15.45	66.96	0.00	-- -- PEAK																																																																			



Mode	20																																																																															
	Harmonic																																																																															
	U-NII-1_5.15-5.25_802.11BE EHT40_CH46_Full_5230MHz																																																																															
ANT	0+2																																																																															
Pol.	Horizontal	Vertical																																																																														
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 10460.00</td> <td>49.11</td> <td>68.20</td> <td>-19.09</td> <td>62.97</td> <td>37.48</td> <td>15.56</td> <td>66.90</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 10460.00	49.11	68.20	-19.09	62.97	37.48	15.56	66.90	0.00	--	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 10460.00</td> <td>51.83</td> <td>68.20</td> <td>-16.37</td> <td>65.68</td> <td>37.48</td> <td>15.56</td> <td>66.89</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 10460.00	51.83	68.20	-16.37	65.68	37.48	15.56	66.89	0.00	--	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 10460.00	49.11	68.20	-19.09	62.97	37.48	15.56	66.90	0.00	--	PEAK																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 10460.00	51.83	68.20	-16.37	65.68	37.48	15.56	66.89	0.00	--	PEAK																																																																						



Mode	21																																																																																	
	Harmonic																																																																																	
	U-NII-2A_5.25-5.35_802.11BE EHT40_CH54_Full_5270MHz																																																																																	
ANT	0+2																																																																																	
Pol.	Horizontal	Vertical																																																																																
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 10540.00</td> <td>57.64</td> <td>68.20</td> <td>-10.56</td> <td>71.32</td> <td>37.55</td> <td>15.63</td> <td>66.86</td> <td>0.00</td> <td>281</td> <td>62</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 10540.00	57.64	68.20	-10.56	71.32	37.55	15.63	66.86	0.00	281	62	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 10540.00</td> <td>60.34</td> <td>68.20</td> <td>-7.86</td> <td>74.04</td> <td>37.54</td> <td>15.62</td> <td>66.86</td> <td>0.00</td> <td>132</td> <td>14</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 10540.00	60.34	68.20	-7.86	74.04	37.54	15.62	66.86	0.00	132	14	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 10540.00	57.64	68.20	-10.56	71.32	37.55	15.63	66.86	0.00	281	62	PEAK																																																																							
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1 10540.00	60.34	68.20	-7.86	74.04	37.54	15.62	66.86	0.00	132	14	PEAK																																																																							



Mode	22																																																																																															
	Band Edge - L																																																																																															
	U-NII-2A_5.25-5.35_802.11BE EHT40_CH62_Full_5310MHz																																																																																															
ANT	0+2																																																																																															
Pol.	Horizontal	Fundamental																																																																																														
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5144.32</td> <td>50.93</td> <td>74.00</td> <td>-23.07</td> <td>42.59</td> <td>34.40</td> <td>10.60</td> <td>36.66</td> <td>0.00</td> <td>312</td> <td>67</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	cm	deg	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	Remark	1	5144.32	50.93	74.00	-23.07	42.59	34.40	10.60	36.66	0.00	312	67	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5310.00</td> <td>106.95</td> <td>-----</td> <td>-----</td> <td>98.07</td> <td>34.56</td> <td>10.73</td> <td>36.41</td> <td>0.00</td> <td>312</td> <td>67</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	cm	deg	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	Remark	1	5310.00	106.95	-----	-----	98.07	34.56	10.73	36.41	0.00	312	67	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	cm	deg	Remark																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	Remark																																																																																				
1	5144.32	50.93	74.00	-23.07	42.59	34.40	10.60	36.66	0.00	312	67	PEAK																																																																																				
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	cm	deg	Remark																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	Remark																																																																																				
1	5310.00	106.95	-----	-----	98.07	34.56	10.73	36.41	0.00	312	67	PEAK																																																																																				
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5149.92</td> <td>39.64</td> <td>54.00</td> <td>-14.36</td> <td>31.28</td> <td>34.40</td> <td>10.61</td> <td>36.65</td> <td>0.00</td> <td>312</td> <td>67</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	cm	deg	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	Remark	1	5149.92	39.64	54.00	-14.36	31.28	34.40	10.61	36.65	0.00	312	67	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5310.00</td> <td>97.51</td> <td>-----</td> <td>-----</td> <td>88.70</td> <td>34.54</td> <td>10.72</td> <td>36.45</td> <td>0.00</td> <td>312</td> <td>67</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	cm	deg	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	Remark	1	5310.00	97.51	-----	-----	88.70	34.54	10.72	36.45	0.00	312	67	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	cm	deg	Remark																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	Remark																																																																																				
1	5149.92	39.64	54.00	-14.36	31.28	34.40	10.61	36.65	0.00	312	67	AVERAGE																																																																																				
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	cm	deg	Remark																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	Remark																																																																																				
1	5310.00	97.51	-----	-----	88.70	34.54	10.72	36.45	0.00	312	67	AVERAGE																																																																																				



Mode	22																																											
	Band Edge - R																																											
	U-NII-2A_5.25-5.35_802.11BE EHT40_CH62_Full_5310MHz																																											
ANT	0+2																																											
Pol.	Horizontal	Fundamental																																										
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5354.90</td> <td>62.12</td> <td>74.00</td> <td>-11.88</td> <td>53.13</td> <td>34.60</td> <td>10.75</td> <td>36.36</td> <td>0.00</td> <td>312</td> <td>67 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5354.90	62.12	74.00	-11.88	53.13	34.60	10.75	36.36	0.00	312	67 PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																		
1 5354.90	62.12	74.00	-11.88	53.13	34.60	10.75	36.36	0.00	312	67 PEAK																																		
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5356.20</td> <td>49.22</td> <td>54.00</td> <td>-4.78</td> <td>40.23</td> <td>34.60</td> <td>10.75</td> <td>36.36</td> <td>0.00</td> <td>312</td> <td>67 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5356.20	49.22	54.00	-4.78	40.23	34.60	10.75	36.36	0.00	312	67 AVERAGE	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																		
1 5356.20	49.22	54.00	-4.78	40.23	34.60	10.75	36.36	0.00	312	67 AVERAGE																																		



Mode	22																																																																												
	Band Edge - L																																																																												
	U-NII-2A_5.25-5.35_802.11BE EHT40_CH62_Full_5310MHz																																																																												
ANT	0+2																																																																												
Pol.	Vertical	Fundamental																																																																											
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5122.24</td> <td>50.33</td> <td>74.00</td> <td>-23.67</td> <td>42.06</td> <td>34.38</td> <td>10.58</td> <td>36.69</td> <td>0.00</td> <td>129</td> <td>9 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5122.24	50.33	74.00	-23.67	42.06	34.38	10.58	36.69	0.00	129	9 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5310.00</td> <td>105.71</td> <td>-----</td> <td>96.84</td> <td>34.56</td> <td>10.73</td> <td>36.42</td> <td>0.00</td> <td>129</td> <td>9 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5310.00	105.71	-----	96.84	34.56	10.73	36.42	0.00	129	9 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	Remark																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																				
1	5122.24	50.33	74.00	-23.67	42.06	34.38	10.58	36.69	0.00	129	9 PEAK																																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	Remark																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																				
1	5310.00	105.71	-----	96.84	34.56	10.73	36.42	0.00	129	9 PEAK																																																																			
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5149.60</td> <td>39.77</td> <td>54.00</td> <td>-14.23</td> <td>31.41</td> <td>34.40</td> <td>10.61</td> <td>36.65</td> <td>0.00</td> <td>129</td> <td>9 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.60	39.77	54.00	-14.23	31.41	34.40	10.61	36.65	0.00	129	9 AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5310.00</td> <td>96.93</td> <td>-----</td> <td>88.06</td> <td>34.56</td> <td>10.73</td> <td>36.42</td> <td>0.00</td> <td>129</td> <td>9 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5310.00	96.93	-----	88.06	34.56	10.73	36.42	0.00	129	9 AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	Remark																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																				
1	5149.60	39.77	54.00	-14.23	31.41	34.40	10.61	36.65	0.00	129	9 AVERAGE																																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	Remark																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																				
1	5310.00	96.93	-----	88.06	34.56	10.73	36.42	0.00	129	9 AVERAGE																																																																			







Mode	22																																								
	Band Edge - R																																								
	U-NII-2A_5.25-5.35_802.11BE EHT40_CH62_Full_5310MHz																																								
ANT	0+2																																								
Pol.	Vertical	Fundamental																																							
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5352.90</td> <td>61.07</td> <td>74.00</td> <td>-12.93</td> <td>52.09</td> <td>34.60</td> <td>10.75</td> <td>36.37</td> <td>0.00</td> <td>129</td> <td>9 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5352.90	61.07	74.00	-12.93	52.09	34.60	10.75	36.37	0.00	129	9 PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																
1 5352.90	61.07	74.00	-12.93	52.09	34.60	10.75	36.37	0.00	129	9 PEAK																															
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5351.10</td> <td>49.64</td> <td>54.00</td> <td>-4.36</td> <td>40.67</td> <td>34.59</td> <td>10.75</td> <td>36.37</td> <td>0.00</td> <td>129</td> <td>9 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5351.10	49.64	54.00	-4.36	40.67	34.59	10.75	36.37	0.00	129	9 AVERAGE	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																
1 5351.10	49.64	54.00	-4.36	40.67	34.59	10.75	36.37	0.00	129	9 AVERAGE																															



Mode	22																																																																																																												
	Harmonic																																																																																																												
	U-NII-2A_5.25-5.35_802.11BE EHT40_CH62_Full_5310MHz																																																																																																												
ANT	0+2																																																																																																												
Pol.	Horizontal	Vertical																																																																																																											
Peak Avg																																																																																																													
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10620.00</td> <td>59.52</td> <td>74.00</td> <td>-14.48</td> <td>73.05</td> <td>37.60</td> <td>15.69</td> <td>66.82</td> <td>0.00</td> <td>277</td> <td>62</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>10620.00</td> <td>48.39</td> <td>54.00</td> <td>-5.61</td> <td>61.92</td> <td>37.60</td> <td>15.69</td> <td>66.82</td> <td>0.00</td> <td>277</td> <td>62</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10620.00	59.52	74.00	-14.48	73.05	37.60	15.69	66.82	0.00	277	62	PEAK	2	10620.00	48.39	54.00	-5.61	61.92	37.60	15.69	66.82	0.00	277	62	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10620.00</td> <td>61.06</td> <td>74.00</td> <td>-12.94</td> <td>74.59</td> <td>37.60</td> <td>15.69</td> <td>66.82</td> <td>0.00</td> <td>136</td> <td>25</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>10620.00</td> <td>50.18</td> <td>54.00</td> <td>-3.82</td> <td>63.71</td> <td>37.60</td> <td>15.69</td> <td>66.82</td> <td>0.00</td> <td>136</td> <td>25</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10620.00	61.06	74.00	-12.94	74.59	37.60	15.69	66.82	0.00	136	25	PEAK	2	10620.00	50.18	54.00	-3.82	63.71	37.60	15.69	66.82	0.00	136	25
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	10620.00	59.52	74.00	-14.48	73.05	37.60	15.69	66.82	0.00	277	62	PEAK																																																																																																	
2	10620.00	48.39	54.00	-5.61	61.92	37.60	15.69	66.82	0.00	277	62	AVERAGE																																																																																																	
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	10620.00	61.06	74.00	-12.94	74.59	37.60	15.69	66.82	0.00	136	25	PEAK																																																																																																	
2	10620.00	50.18	54.00	-3.82	63.71	37.60	15.69	66.82	0.00	136	25	AVERAGE																																																																																																	



Mode	23																																																																																																
	Band Edge - L																																																																																																
	U-NII-2C_5.47-5.725_802.11BE EHT40_CH102_Full_5510MHz																																																																																																
ANT	0+2																																																																																																
Pol.	Horizontal	Fundamental																																																																																															
Peak	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5458.80</td> <td>58.50</td> <td>74.00</td> <td>-15.50</td> <td>49.18</td> <td>34.70</td> <td>10.84</td> <td>36.22</td> <td>0.00</td> <td>300</td> <td>321</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5464.88</td> <td>63.73</td> <td>68.20</td> <td>-4.47</td> <td>54.39</td> <td>34.70</td> <td>10.85</td> <td>36.21</td> <td>0.00</td> <td>300</td> <td>321</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5458.80	58.50	74.00	-15.50	49.18	34.70	10.84	36.22	0.00	300	321	PEAK	2	5464.88	63.73	68.20	-4.47	54.39	34.70	10.85	36.21	0.00	300	321	PEAK	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5510.00</td> <td>109.09</td> <td>-----</td> <td>-----</td> <td>99.61</td> <td>34.74</td> <td>10.89</td> <td>36.15</td> <td>0.00</td> <td>300</td> <td>321</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	109.09	-----	-----	99.61	34.74	10.89	36.15	0.00	300	321	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor		Remark																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5458.80	58.50	74.00	-15.50	49.18	34.70	10.84	36.22	0.00	300	321	PEAK																																																																																					
2	5464.88	63.73	68.20	-4.47	54.39	34.70	10.85	36.21	0.00	300	321	PEAK																																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor		Remark																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5510.00	109.09	-----	-----	99.61	34.74	10.89	36.15	0.00	300	321	PEAK																																																																																					
Avg	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.92</td> <td>47.62</td> <td>54.00</td> <td>-6.38</td> <td>38.29</td> <td>34.70</td> <td>10.84</td> <td>36.21</td> <td>0.00</td> <td>300</td> <td>321</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.92	47.62	54.00	-6.38	38.29	34.70	10.84	36.21	0.00	300	321	AVERAGE	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5510.00</td> <td>99.25</td> <td>-----</td> <td>-----</td> <td>89.77</td> <td>34.74</td> <td>10.89</td> <td>36.15</td> <td>0.00</td> <td>300</td> <td>321</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	99.25	-----	-----	89.77	34.74	10.89	36.15	0.00	300	321	AVERAGE													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor		Remark																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5459.92	47.62	54.00	-6.38	38.29	34.70	10.84	36.21	0.00	300	321	AVERAGE																																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor		Remark																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5510.00	99.25	-----	-----	89.77	34.74	10.89	36.15	0.00	300	321	AVERAGE																																																																																					



Mode	23																																							
	Band Edge - R																																							
	U-NII-2C_5.47-5.725_802.11BE EHT40_CH102_Full_5510MHz																																							
ANT	0+2																																							
Pol.	Horizontal	Fundamental																																						
Peak	<p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>U-NII-1-U-NII-2A-U-NII-2C</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5755.72</td> <td>49.22</td> <td>68.20</td> <td>-18.98</td> <td>40.80</td> <td>34.98</td> <td>11.22</td> <td>37.78</td> <td>0.00</td> <td>300 321 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5755.72	49.22	68.20	-18.98	40.80	34.98	11.22	37.78	0.00	300 321 PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																															
1 5755.72	49.22	68.20	-18.98	40.80	34.98	11.22	37.78	0.00	300 321 PEAK																															



Mode	23																																																																																										
	Band Edge - L																																																																																										
	U-NII-2C_5.47-5.725_802.11BE EHT40_CH102_Full_5510MHz																																																																																										
ANT	0+2																																																																																										
Pol.	Vertical	Fundamental																																																																																									
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5459.28</td> <td>57.43</td> <td>74.00</td> <td>-16.57</td> <td>48.11</td> <td>34.70</td> <td>10.84</td> <td>36.22</td> <td>0.00</td> <td>100</td> <td>10 PEAK</td> </tr> <tr> <td>2 5469.04</td> <td>63.46</td> <td>68.20</td> <td>-4.74</td> <td>54.11</td> <td>34.70</td> <td>10.85</td> <td>36.20</td> <td>0.00</td> <td>100</td> <td>10 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5459.28	57.43	74.00	-16.57	48.11	34.70	10.84	36.22	0.00	100	10 PEAK	2 5469.04	63.46	68.20	-4.74	54.11	34.70	10.85	36.20	0.00	100	10 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5510.00</td> <td>106.71</td> <td>-----</td> <td>-----</td> <td>97.20</td> <td>34.75</td> <td>10.90</td> <td>36.14</td> <td>0.00</td> <td>100</td> <td>10 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5510.00	106.71	-----	-----	97.20	34.75	10.90	36.14	0.00	100	10 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																		
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1 5459.28	57.43	74.00	-16.57	48.11	34.70	10.84	36.22	0.00	100	10 PEAK																																																																																	
2 5469.04	63.46	68.20	-4.74	54.11	34.70	10.85	36.20	0.00	100	10 PEAK																																																																																	
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1 5510.00	106.71	-----	-----	97.20	34.75	10.90	36.14	0.00	100	10 PEAK																																																																																	
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5459.92</td> <td>44.19</td> <td>54.00</td> <td>-9.81</td> <td>34.86</td> <td>34.70</td> <td>10.84</td> <td>36.21</td> <td>0.00</td> <td>100</td> <td>10 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5459.92	44.19	54.00	-9.81	34.86	34.70	10.84	36.21	0.00	100	10 AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5510.00</td> <td>97.92</td> <td>-----</td> <td>-----</td> <td>88.44</td> <td>34.74</td> <td>10.89</td> <td>36.15</td> <td>0.00</td> <td>100</td> <td>10 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5510.00	97.92	-----	-----	88.44	34.74	10.89	36.15	0.00	100	10 AVERAGE											
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1 5459.92	44.19	54.00	-9.81	34.86	34.70	10.84	36.21	0.00	100	10 AVERAGE																																																																																	
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1 5510.00	97.92	-----	-----	88.44	34.74	10.89	36.15	0.00	100	10 AVERAGE																																																																																	



Mode	23																																							
	Band Edge - R																																							
	U-NII-2C_5.47-5.725_802.11BE EHT40_CH102_Full_5510MHz																																							
ANT	0+2																																							
Pol.	Vertical	Fundamental																																						
Peak	<p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>U-NII-1-U-NII-2A-U-NII-2C</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5748.68</td> <td>49.34</td> <td>68.20</td> <td>-18.86</td> <td>40.83</td> <td>34.97</td> <td>11.21</td> <td>37.67</td> <td>0.00</td> <td>100</td> <td>10</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5748.68	49.34	68.20	-18.86	40.83	34.97	11.21	37.67	0.00	100	10	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Remark																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																															
1 5748.68	49.34	68.20	-18.86	40.83	34.97	11.21	37.67	0.00	100	10	PEAK																													







Mode	23																																																																																																																										
	Harmonic																																																																																																																										
	U-NII-2C_5.47-5.725_802.11BE EHT40_CH102_Full_5510MHz																																																																																																																										
ANT	0+2																																																																																																																										
Pol.	Horizontal	Vertical																																																																																																																									
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7710.60</td> <td>46.65</td> <td>74.00</td> <td>-27.35</td> <td>64.30</td> <td>36.12</td> <td>13.12</td> <td>66.89</td> <td>0.00</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>11020.00</td> <td>45.65</td> <td>74.00</td> <td>-28.35</td> <td>58.31</td> <td>37.88</td> <td>16.06</td> <td>66.60</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7710.60	46.65	74.00	-27.35	64.30	36.12	13.12	66.89	0.00	--	--	Peak	2	11020.00	45.65	74.00	-28.35	58.31	37.88	16.06	66.60	0.00	--	--	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7728.20</td> <td>44.69</td> <td>74.00</td> <td>-29.31</td> <td>62.29</td> <td>36.16</td> <td>13.13</td> <td>66.89</td> <td>0.00</td> <td>--</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>11020.00</td> <td>48.17</td> <td>74.00</td> <td>-25.83</td> <td>60.83</td> <td>37.88</td> <td>16.06</td> <td>66.60</td> <td>0.00</td> <td>100</td> <td>0</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>11020.00</td> <td>37.42</td> <td>54.00</td> <td>-16.58</td> <td>50.08</td> <td>37.87</td> <td>16.06</td> <td>66.59</td> <td>0.00</td> <td>100</td> <td>0</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7728.20	44.69	74.00	-29.31	62.29	36.16	13.13	66.89	0.00	--	--	Peak	2	11020.00	48.17	74.00	-25.83	60.83	37.88	16.06	66.60	0.00	100	0	PEAK	3	11020.00	37.42	54.00	-16.58	50.08	37.87	16.06	66.59	0.00	100	0	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	7710.60	46.65	74.00	-27.35	64.30	36.12	13.12	66.89	0.00	--	--	Peak																																																																																																															
2	11020.00	45.65	74.00	-28.35	58.31	37.88	16.06	66.60	0.00	--	--	PEAK																																																																																																															
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																		
1	7728.20	44.69	74.00	-29.31	62.29	36.16	13.13	66.89	0.00	--	--	Peak																																																																																																															
2	11020.00	48.17	74.00	-25.83	60.83	37.88	16.06	66.60	0.00	100	0	PEAK																																																																																																															
3	11020.00	37.42	54.00	-16.58	50.08	37.87	16.06	66.59	0.00	100	0	AVERAGE																																																																																																															



Mode	24																																																																																																										
	Harmonic																																																																																																										
	U-NII-2C_5.47-5.725_802.11BE EHT40_CH110_Full_5550MHz																																																																																																										
ANT	0+2																																																																																																										
Pol.	Horizontal	Vertical																																																																																																									
Peak Avg																																																																																																											
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7770.00</td> <td>45.11</td> <td>68.20</td> <td>-23.09</td> <td>62.65</td> <td>36.20</td> <td>13.17</td> <td>66.91</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>11100.00</td> <td>45.57</td> <td>74.00</td> <td>-28.43</td> <td>58.21</td> <td>37.80</td> <td>16.11</td> <td>66.55</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	7770.00	45.11	68.20	-23.09	62.65	36.20	13.17	66.91	0.00	--	--	PEAK	2	11100.00	45.57	74.00	-28.43	58.21	37.80	16.11	66.55	0.00	--	--	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7770.00</td> <td>44.40</td> <td>68.20</td> <td>-23.80</td> <td>61.94</td> <td>36.20</td> <td>13.17</td> <td>66.91</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>11100.00</td> <td>47.20</td> <td>74.00</td> <td>-26.80</td> <td>59.84</td> <td>37.80</td> <td>16.11</td> <td>66.55</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	7770.00	44.40	68.20	-23.80	61.94	36.20	13.17	66.91	0.00	--	--	PEAK	2	11100.00	47.20	74.00	-26.80	59.84	37.80	16.11	66.55	0.00	--	--
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																			
1	7770.00	45.11	68.20	-23.09	62.65	36.20	13.17	66.91	0.00	--	--	PEAK																																																																																															
2	11100.00	45.57	74.00	-28.43	58.21	37.80	16.11	66.55	0.00	--	--	PEAK																																																																																															
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																			
1	7770.00	44.40	68.20	-23.80	61.94	36.20	13.17	66.91	0.00	--	--	PEAK																																																																																															
2	11100.00	47.20	74.00	-26.80	59.84	37.80	16.11	66.55	0.00	--	--	PEAK																																																																																															







Mode	25																																																																																																
	Band Edge - L																																																																																																
	U-NII-2C_5.47-5.725_802.11BE EHT40_CH134_Full_5670MHz																																																																																																
ANT	0+2																																																																																																
Pol.	Horizontal	Fundamental																																																																																															
Peak	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5363.44</td> <td>49.54</td> <td>74.00</td> <td>-24.46</td> <td>40.53</td> <td>34.61</td> <td>10.75</td> <td>36.35</td> <td>0.00</td> <td>100</td> <td>329</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5466.32</td> <td>49.45</td> <td>68.20</td> <td>-18.75</td> <td>40.11</td> <td>34.70</td> <td>10.85</td> <td>36.21</td> <td>0.00</td> <td>100</td> <td>329</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5363.44	49.54	74.00	-24.46	40.53	34.61	10.75	36.35	0.00	100	329	PEAK	2	5466.32	49.45	68.20	-18.75	40.11	34.70	10.85	36.21	0.00	100	329	PEAK	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5670.00</td> <td>107.65</td> <td>-----</td> <td>-----</td> <td>97.98</td> <td>34.89</td> <td>11.09</td> <td>36.31</td> <td>0.00</td> <td>100</td> <td>329</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	107.65	-----	-----	97.98	34.89	11.09	36.31	0.00	100	329	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5363.44	49.54	74.00	-24.46	40.53	34.61	10.75	36.35	0.00	100	329	PEAK																																																																																					
2	5466.32	49.45	68.20	-18.75	40.11	34.70	10.85	36.21	0.00	100	329	PEAK																																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5670.00	107.65	-----	-----	97.98	34.89	11.09	36.31	0.00	100	329	PEAK																																																																																					
Avg	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5456.72</td> <td>38.81</td> <td>54.00</td> <td>-15.19</td> <td>29.50</td> <td>34.69</td> <td>10.84</td> <td>36.22</td> <td>0.00</td> <td>100</td> <td>329</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5456.72	38.81	54.00	-15.19	29.50	34.69	10.84	36.22	0.00	100	329	AVERAGE	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5670.00</td> <td>99.04</td> <td>-----</td> <td>-----</td> <td>89.37</td> <td>34.89</td> <td>11.09</td> <td>36.31</td> <td>0.00</td> <td>100</td> <td>329</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	99.04	-----	-----	89.37	34.89	11.09	36.31	0.00	100	329	AVERAGE													
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5456.72	38.81	54.00	-15.19	29.50	34.69	10.84	36.22	0.00	100	329	AVERAGE																																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5670.00	99.04	-----	-----	89.37	34.89	11.09	36.31	0.00	100	329	AVERAGE																																																																																					



Mode	25																																							
	Band Edge - R																																							
	U-NII-2C_5.47-5.725_802.11BE EHT40_CH134_Full_5670MHz																																							
ANT	0+2																																							
Pol.	Horizontal	Fundamental																																						
Peak	<p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>U-NII-1-U-NII-2A-U-NII-2C</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5725.32</td> <td>56.75</td> <td>68.20</td> <td>-11.45</td> <td>47.92</td> <td>34.95</td> <td>11.18</td> <td>37.30</td> <td>0.00</td> <td>100 329 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5725.32	56.75	68.20	-11.45	47.92	34.95	11.18	37.30	0.00	100 329 PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																															
1 5725.32	56.75	68.20	-11.45	47.92	34.95	11.18	37.30	0.00	100 329 PEAK																															



Mode	25																																																																																																
	Band Edge - L																																																																																																
	U-NII-2C_5.47-5.725_802.11BE EHT40_CH134_Full_5670MHz																																																																																																
ANT	0+2																																																																																																
Pol.	Vertical	Fundamental																																																																																															
Peak	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5408.24</td> <td>50.49</td> <td>74.00</td> <td>-23.51</td> <td>41.35</td> <td>34.65</td> <td>10.78</td> <td>36.29</td> <td>0.00</td> <td>100</td> <td>16</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5463.60</td> <td>49.73</td> <td>68.20</td> <td>-18.47</td> <td>40.40</td> <td>34.70</td> <td>10.84</td> <td>36.21</td> <td>0.00</td> <td>100</td> <td>16</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5408.24	50.49	74.00	-23.51	41.35	34.65	10.78	36.29	0.00	100	16	PEAK	2	5463.60	49.73	68.20	-18.47	40.40	34.70	10.84	36.21	0.00	100	16	PEAK	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5670.00</td> <td>106.07</td> <td>-----</td> <td>-----</td> <td>96.72</td> <td>34.91</td> <td>11.12</td> <td>36.68</td> <td>0.00</td> <td>100</td> <td>16</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	106.07	-----	-----	96.72	34.91	11.12	36.68	0.00	100	16	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5408.24	50.49	74.00	-23.51	41.35	34.65	10.78	36.29	0.00	100	16	PEAK																																																																																					
2	5463.60	49.73	68.20	-18.47	40.40	34.70	10.84	36.21	0.00	100	16	PEAK																																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5670.00	106.07	-----	-----	96.72	34.91	11.12	36.68	0.00	100	16	PEAK																																																																																					
Avg	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.44</td> <td>38.87</td> <td>54.00</td> <td>-15.13</td> <td>29.55</td> <td>34.70</td> <td>10.84</td> <td>36.22</td> <td>0.00</td> <td>100</td> <td>16</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.44	38.87	54.00	-15.13	29.55	34.70	10.84	36.22	0.00	100	16	AVERAGE	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5670.00</td> <td>96.00</td> <td>-----</td> <td>-----</td> <td>86.41</td> <td>34.89</td> <td>11.10</td> <td>36.40</td> <td>0.00</td> <td>100</td> <td>16</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	96.00	-----	-----	86.41	34.89	11.10	36.40	0.00	100	16	AVERAGE													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5459.44	38.87	54.00	-15.13	29.55	34.70	10.84	36.22	0.00	100	16	AVERAGE																																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5670.00	96.00	-----	-----	86.41	34.89	11.10	36.40	0.00	100	16	AVERAGE																																																																																					



Mode	25																																												
	Band Edge - R																																												
	U-NII-2C_5.47-5.725_802.11BE EHT40_CH134_Full_5670MHz																																												
ANT	0+2																																												
Pol.	Vertical	Fundamental																																											
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th></th> <th></th> </tr> </thead> <tbody> <tr> <td>1 5725.56</td> <td>56.52</td> <td>68.20</td> <td>-11.68</td> <td>47.69</td> <td>34.95</td> <td>11.18</td> <td>37.30</td> <td>0.00</td> <td>100</td> <td>16</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB			1 5725.56	56.52	68.20	-11.68	47.69	34.95	11.18	37.30	0.00	100	16	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																					
1 5725.56	56.52	68.20	-11.68	47.69	34.95	11.18	37.30	0.00	100	16	PEAK																																		



Mode	25																																																																																																													
	Harmonic																																																																																																													
	U-NII-2C_5.47-5.725_802.11BE EHT40_CH134_Full_5670MHz																																																																																																													
ANT	0+2																																																																																																													
Pol.	Horizontal	Vertical																																																																																																												
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7938.00</td> <td>46.34</td> <td>68.20</td> <td>-21.86</td> <td>63.63</td> <td>36.40</td> <td>13.30</td> <td>66.99</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>11340.00</td> <td>45.37</td> <td>74.00</td> <td>-28.63</td> <td>57.59</td> <td>37.94</td> <td>16.26</td> <td>66.42</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7938.00	46.34	68.20	-21.86	63.63	36.40	13.30	66.99	0.00	--	--	PEAK	2	11340.00	45.37	74.00	-28.63	57.59	37.94	16.26	66.42	0.00	--	--	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7938.00</td> <td>44.79</td> <td>68.20</td> <td>-23.41</td> <td>62.08</td> <td>36.40</td> <td>13.30</td> <td>66.99</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>11340.00</td> <td>45.07</td> <td>74.00</td> <td>-28.93</td> <td>57.29</td> <td>37.94</td> <td>16.26</td> <td>66.42</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7938.00	44.79	68.20	-23.41	62.08	36.40	13.30	66.99	0.00	--	--	PEAK	2	11340.00	45.07	74.00	-28.93	57.29	37.94	16.26	66.42	0.00	--	--	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	7938.00	46.34	68.20	-21.86	63.63	36.40	13.30	66.99	0.00	--	--	PEAK																																																																																																		
2	11340.00	45.37	74.00	-28.63	57.59	37.94	16.26	66.42	0.00	--	--	PEAK																																																																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	7938.00	44.79	68.20	-23.41	62.08	36.40	13.30	66.99	0.00	--	--	PEAK																																																																																																		
2	11340.00	45.07	74.00	-28.93	57.29	37.94	16.26	66.42	0.00	--	--	PEAK																																																																																																		







Mode	26																																																																																									
	Band Edge - L																																																																																									
	U-NII-1_5.15-5.25_802.11BE EHT80_CH42_Full_5210MHz																																																																																									
ANT	0+2																																																																																									
Pol.	Horizontal	Fundamental																																																																																								
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5130.40</td> <td>57.16</td> <td>74.00</td> <td>-16.84</td> <td>48.86</td> <td>34.39</td> <td>10.59</td> <td>36.68</td> <td>0.00</td> <td>100</td> <td>156</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5130.40	57.16	74.00	-16.84	48.86	34.39	10.59	36.68	0.00	100	156	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5210.00</td> <td>103.28</td> <td>-----</td> <td>-----</td> <td>94.60</td> <td>34.50</td> <td>10.69</td> <td>36.51</td> <td>0.00</td> <td>100</td> <td>156</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5210.00	103.28	-----	-----	94.60	34.50	10.69	36.51	0.00	100	156	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	5130.40	57.16	74.00	-16.84	48.86	34.39	10.59	36.68	0.00	100	156	PEAK																																																																														
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	5210.00	103.28	-----	-----	94.60	34.50	10.69	36.51	0.00	100	156	PEAK																																																																														
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5149.92</td> <td>46.04</td> <td>54.00</td> <td>-7.96</td> <td>37.68</td> <td>34.40</td> <td>10.61</td> <td>36.65</td> <td>0.00</td> <td>100</td> <td>156</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5149.92	46.04	54.00	-7.96	37.68	34.40	10.61	36.65	0.00	100	156	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5310.00</td> <td>96.93</td> <td>-----</td> <td>-----</td> <td>88.06</td> <td>34.56</td> <td>10.73</td> <td>36.42</td> <td>0.00</td> <td>129</td> <td>9</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5310.00	96.93	-----	-----	88.06	34.56	10.73	36.42	0.00	129	9	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	5149.92	46.04	54.00	-7.96	37.68	34.40	10.61	36.65	0.00	100	156	AVERAGE																																																																														
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	5310.00	96.93	-----	-----	88.06	34.56	10.73	36.42	0.00	129	9	AVERAGE																																																																														



Mode	26																																												
	Band Edge - R																																												
	U-NII-1_5.15-5.25_802.11BE EHT80_CH42_Full_5210MHz																																												
ANT	0+2																																												
Pol.	Horizontal	Fundamental																																											
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5351.22</td> <td>50.57</td> <td>74.00</td> <td>-23.43</td> <td>41.60</td> <td>34.59</td> <td>10.75</td> <td>36.37</td> <td>0.00</td> <td>100</td> <td>156</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5351.22	50.57	74.00	-23.43	41.60	34.59	10.75	36.37	0.00	100	156	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																			
1 5351.22	50.57	74.00	-23.43	41.60	34.59	10.75	36.37	0.00	100	156	PEAK																																		
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5350.14</td> <td>40.59</td> <td>54.00</td> <td>-13.41</td> <td>31.62</td> <td>34.59</td> <td>10.75</td> <td>36.37</td> <td>0.00</td> <td>100</td> <td>156</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5350.14	40.59	54.00	-13.41	31.62	34.59	10.75	36.37	0.00	100	156	AVERAGE	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																			
1 5350.14	40.59	54.00	-13.41	31.62	34.59	10.75	36.37	0.00	100	156	AVERAGE																																		



Mode	26																																																																																
	Band Edge - L																																																																																
	U-NII-1_5.15-5.25_802.11BE EHT80_CH42_Full_5210MHz																																																																																
ANT	0+2																																																																																
Pol.	Vertical	Fundamental																																																																															
Peak	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5142.88</td> <td>55.42</td> <td>74.00</td> <td>-18.58</td> <td>47.08</td> <td>34.40</td> <td>10.60</td> <td>36.66</td> <td>0.00</td> <td>132</td> <td>5 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5142.88	55.42	74.00	-18.58	47.08	34.40	10.60	36.66	0.00	132	5 PEAK	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5210.00</td> <td>102.35</td> <td>-----</td> <td>93.76</td> <td>34.47</td> <td>10.67</td> <td>36.55</td> <td>0.00</td> <td>132</td> <td>5 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5210.00	102.35	-----	93.76	34.47	10.67	36.55	0.00	132	5 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5142.88	55.42	74.00	-18.58	47.08	34.40	10.60	36.66	0.00	132	5 PEAK																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5210.00	102.35	-----	93.76	34.47	10.67	36.55	0.00	132	5 PEAK																																																																							
Avg	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5148.32</td> <td>44.30</td> <td>54.00</td> <td>-9.70</td> <td>35.95</td> <td>34.40</td> <td>10.61</td> <td>36.66</td> <td>0.00</td> <td>132</td> <td>5 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5148.32	44.30	54.00	-9.70	35.95	34.40	10.61	36.66	0.00	132	5 AVERAGE	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5210.00</td> <td>93.94</td> <td>-----</td> <td>85.26</td> <td>34.50</td> <td>10.69</td> <td>36.51</td> <td>0.00</td> <td>132</td> <td>5 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5210.00	93.94	-----	85.26	34.50	10.69	36.51	0.00	132	5 AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5148.32	44.30	54.00	-9.70	35.95	34.40	10.61	36.66	0.00	132	5 AVERAGE																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	5210.00	93.94	-----	85.26	34.50	10.69	36.51	0.00	132	5 AVERAGE																																																																							



Mode	26																																											
	Band Edge - R																																											
	U-NII-1_5.15-5.25_802.11BE EHT80_CH42_Full_5210MHz																																											
ANT	0+2																																											
Pol.	Vertical	Fundamental																																										
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5372.28</td> <td>49.10</td> <td>74.00</td> <td>-24.90</td> <td>40.07</td> <td>34.61</td> <td>10.76</td> <td>36.34</td> <td>0.00</td> <td>132</td> <td>5 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5372.28	49.10	74.00	-24.90	40.07	34.61	10.76	36.34	0.00	132	5 PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																		
1 5372.28	49.10	74.00	-24.90	40.07	34.61	10.76	36.34	0.00	132	5 PEAK																																		
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5351.40</td> <td>38.79</td> <td>54.00</td> <td>-15.21</td> <td>29.82</td> <td>34.59</td> <td>10.75</td> <td>36.37</td> <td>0.00</td> <td>132</td> <td>5 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5351.40	38.79	54.00	-15.21	29.82	34.59	10.75	36.37	0.00	132	5 AVERAGE	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																		
1 5351.40	38.79	54.00	-15.21	29.82	34.59	10.75	36.37	0.00	132	5 AVERAGE																																		



Mode	26																																																																											
	Harmonic																																																																											
	U-NII-1_5.15-5.25_802.11BE EHT80_CH42_Full_5210MHz																																																																											
ANT	0+2																																																																											
Pol.	Horizontal	Vertical																																																																										
Peak																																																																												
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 10420.00</td> <td>46.33</td> <td>68.20</td> <td>-21.87</td> <td>60.38</td> <td>37.40</td> <td>15.49</td> <td>66.94</td> <td>0.00</td> <td>-- -- PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 10420.00	46.33	68.20	-21.87	60.38	37.40	15.49	66.94	0.00	-- -- PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 10420.00</td> <td>47.73</td> <td>68.20</td> <td>-20.47</td> <td>61.74</td> <td>37.42</td> <td>15.50</td> <td>66.93</td> <td>0.00</td> <td>-- -- PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 10420.00	47.73	68.20	-20.47	61.74	37.42	15.50	66.93	0.00	-- -- PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																				
1 10420.00	46.33	68.20	-21.87	60.38	37.40	15.49	66.94	0.00	-- -- PEAK																																																																			
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																				
1 10420.00	47.73	68.20	-20.47	61.74	37.42	15.50	66.93	0.00	-- -- PEAK																																																																			



Mode	27																																																																															
	Band Edge - L																																																																															
	U-NII-2A_5.25-5.35_802.11BE EHT80_CH58_Full_5290MHz																																																																															
ANT	0+2																																																																															
Pol.	Horizontal	Fundamental																																																																														
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5139.36</td> <td>56.09</td> <td>74.00</td> <td>-17.91</td> <td>47.77</td> <td>34.39</td> <td>10.60</td> <td>36.67</td> <td>0.00</td> <td>119</td> <td>62 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5139.36	56.09	74.00	-17.91	47.77	34.39	10.60	36.67	0.00	119	62 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5290.00</td> <td>106.60</td> <td>-----</td> <td>-----</td> <td>97.72</td> <td>34.56</td> <td>10.73</td> <td>36.41</td> <td>0.00</td> <td>119</td> <td>62 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5290.00	106.60	-----	-----	97.72	34.56	10.73	36.41	0.00	119	62 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 5139.36	56.09	74.00	-17.91	47.77	34.39	10.60	36.67	0.00	119	62 PEAK																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 5290.00	106.60	-----	-----	97.72	34.56	10.73	36.41	0.00	119	62 PEAK																																																																						
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5141.12</td> <td>42.45</td> <td>54.00</td> <td>-11.55</td> <td>34.12</td> <td>34.40</td> <td>10.60</td> <td>36.67</td> <td>0.00</td> <td>119</td> <td>62 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5141.12	42.45	54.00	-11.55	34.12	34.40	10.60	36.67	0.00	119	62 AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5290.00</td> <td>93.90</td> <td>-----</td> <td>-----</td> <td>85.19</td> <td>34.51</td> <td>10.70</td> <td>36.50</td> <td>0.00</td> <td>119</td> <td>62 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5290.00	93.90	-----	-----	85.19	34.51	10.70	36.50	0.00	119	62 AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 5141.12	42.45	54.00	-11.55	34.12	34.40	10.60	36.67	0.00	119	62 AVERAGE																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 5290.00	93.90	-----	-----	85.19	34.51	10.70	36.50	0.00	119	62 AVERAGE																																																																						



Mode	27																																											
	Band Edge - R																																											
	U-NII-2A_5.25-5.35_802.11BE EHT80_CH58_Full_5290MHz																																											
ANT	0+2																																											
Pol.	Horizontal	Fundamental																																										
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5360.20</td> <td>55.22</td> <td>74.00</td> <td>-18.78</td> <td>46.23</td> <td>34.60</td> <td>10.75</td> <td>36.36</td> <td>0.00</td> <td>119</td> <td>62 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5360.20	55.22	74.00	-18.78	46.23	34.60	10.75	36.36	0.00	119	62 PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																		
1 5360.20	55.22	74.00	-18.78	46.23	34.60	10.75	36.36	0.00	119	62 PEAK																																		
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5360.30</td> <td>44.18</td> <td>54.00</td> <td>-9.82</td> <td>35.19</td> <td>34.60</td> <td>10.75</td> <td>36.36</td> <td>0.00</td> <td>119</td> <td>62 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5360.30	44.18	54.00	-9.82	35.19	34.60	10.75	36.36	0.00	119	62 AVERAGE	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																		
1 5360.30	44.18	54.00	-9.82	35.19	34.60	10.75	36.36	0.00	119	62 AVERAGE																																		



Mode	27																																																																																									
	Band Edge - L																																																																																									
	U-NII-2A_5.25-5.35_802.11BE EHT80_CH58_Full_5290MHz																																																																																									
ANT	0+2																																																																																									
Pol.	Vertical	Fundamental																																																																																								
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5148.32</td> <td>55.67</td> <td>74.00</td> <td>-18.33</td> <td>47.32</td> <td>34.40</td> <td>10.61</td> <td>36.66</td> <td>0.00</td> <td>100</td> <td>359 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	Remark	1	5148.32	55.67	74.00	-18.33	47.32	34.40	10.61	36.66	0.00	100	359 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5290.00</td> <td>102.40</td> <td>-----</td> <td>-----</td> <td>93.50</td> <td>34.57</td> <td>10.73</td> <td>36.40</td> <td>0.00</td> <td>100</td> <td>359 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	Remark	1	5290.00	102.40	-----	-----	93.50	34.57	10.73	36.40	0.00	100	359 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	Remark																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	Remark																																																																															
1	5148.32	55.67	74.00	-18.33	47.32	34.40	10.61	36.66	0.00	100	359 PEAK																																																																															
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	Remark																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	Remark																																																																															
1	5290.00	102.40	-----	-----	93.50	34.57	10.73	36.40	0.00	100	359 PEAK																																																																															
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5149.12</td> <td>42.04</td> <td>54.00</td> <td>-11.96</td> <td>33.68</td> <td>34.40</td> <td>10.61</td> <td>36.65</td> <td>0.00</td> <td>100</td> <td>359 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	Remark	1	5149.12	42.04	54.00	-11.96	33.68	34.40	10.61	36.65	0.00	100	359 AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5290.00</td> <td>93.70</td> <td>-----</td> <td>-----</td> <td>84.80</td> <td>34.57</td> <td>10.73</td> <td>36.40</td> <td>0.00</td> <td>100</td> <td>359 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	Remark	1	5290.00	93.70	-----	-----	84.80	34.57	10.73	36.40	0.00	100	359 AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	Remark																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	Remark																																																																															
1	5149.12	42.04	54.00	-11.96	33.68	34.40	10.61	36.65	0.00	100	359 AVERAGE																																																																															
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	Remark																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	Remark																																																																															
1	5290.00	93.70	-----	-----	84.80	34.57	10.73	36.40	0.00	100	359 AVERAGE																																																																															







Mode	27																																												
	Band Edge - R																																												
	U-NII-2A_5.25-5.35_802.11BE EHT80_CH58_Full_5290MHz																																												
ANT	0+2																																												
Pol.	Vertical	Fundamental																																											
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5369.40</td> <td>54.88</td> <td>74.00</td> <td>-19.12</td> <td>45.85</td> <td>34.61</td> <td>10.76</td> <td>36.34</td> <td>0.00</td> <td>100</td> <td>359</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5369.40	54.88	74.00	-19.12	45.85	34.61	10.76	36.34	0.00	100	359	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																			
1 5369.40	54.88	74.00	-19.12	45.85	34.61	10.76	36.34	0.00	100	359	PEAK																																		
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5350.50</td> <td>44.24</td> <td>54.00</td> <td>-9.76</td> <td>35.27</td> <td>34.59</td> <td>10.75</td> <td>36.37</td> <td>0.00</td> <td>100</td> <td>359</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5350.50	44.24	54.00	-9.76	35.27	34.59	10.75	36.37	0.00	100	359	AVERAGE	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																			
1 5350.50	44.24	54.00	-9.76	35.27	34.59	10.75	36.37	0.00	100	359	AVERAGE																																		



Mode	27																																																																											
	Harmonic																																																																											
	U-NII-2A_5.25-5.35_802.11BE EHT80_CH58_Full_5290MHz																																																																											
ANT	0+2																																																																											
Pol.	Horizontal	Vertical																																																																										
Peak																																																																												
Avg																																																																												
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 10580.00</td> <td>45.76</td> <td>68.20</td> <td>-22.44</td> <td>59.40</td> <td>37.57</td> <td>15.64</td> <td>66.85</td> <td>0.00</td> <td>-- -- PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 10580.00	45.76	68.20	-22.44	59.40	37.57	15.64	66.85	0.00	-- -- PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 10580.00</td> <td>49.51</td> <td>68.20</td> <td>-18.69</td> <td>63.18</td> <td>37.55</td> <td>15.63</td> <td>66.85</td> <td>0.00</td> <td>-- -- PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 10580.00	49.51	68.20	-18.69	63.18	37.55	15.63	66.85	0.00	-- -- PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																				
1 10580.00	45.76	68.20	-22.44	59.40	37.57	15.64	66.85	0.00	-- -- PEAK																																																																			
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																				
1 10580.00	49.51	68.20	-18.69	63.18	37.55	15.63	66.85	0.00	-- -- PEAK																																																																			







Mode	28																																																																																													
	Band Edge - L																																																																																													
	U-NII-2C_5.47-5.725_802.11BE EHT80_CH106_Full_5530MHz																																																																																													
ANT	0+2																																																																																													
Pol.	Horizontal	Fundamental																																																																																												
Peak	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5444.72</td> <td>56.36</td> <td>74.00</td> <td>-17.64</td> <td>47.10</td> <td>34.68</td> <td>10.82</td> <td>36.24</td> <td>0.00</td> <td>100</td> <td>325</td> <td>PEAK</td> </tr> <tr> <td>2 5460.88</td> <td>55.97</td> <td>68.20</td> <td>-12.23</td> <td>46.64</td> <td>34.70</td> <td>10.84</td> <td>36.21</td> <td>0.00</td> <td>100</td> <td>325</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5444.72	56.36	74.00	-17.64	47.10	34.68	10.82	36.24	0.00	100	325	PEAK	2 5460.88	55.97	68.20	-12.23	46.64	34.70	10.84	36.21	0.00	100	325	PEAK	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5530.00</td> <td>104.69</td> <td>-----</td> <td>-----</td> <td>94.99</td> <td>34.80</td> <td>10.96</td> <td>36.06</td> <td>0.00</td> <td>100</td> <td>325</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5530.00	104.69	-----	-----	94.99	34.80	10.96	36.06	0.00	100	325	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1 5444.72	56.36	74.00	-17.64	47.10	34.68	10.82	36.24	0.00	100	325	PEAK																																																																																			
2 5460.88	55.97	68.20	-12.23	46.64	34.70	10.84	36.21	0.00	100	325	PEAK																																																																																			
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1 5530.00	104.69	-----	-----	94.99	34.80	10.96	36.06	0.00	100	325	PEAK																																																																																			
Avg	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5459.92</td> <td>44.04</td> <td>54.00</td> <td>-9.96</td> <td>34.71</td> <td>34.70</td> <td>10.84</td> <td>36.21</td> <td>0.00</td> <td>100</td> <td>325</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5459.92	44.04	54.00	-9.96	34.71	34.70	10.84	36.21	0.00	100	325	AVERAGE	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5530.00</td> <td>95.76</td> <td>-----</td> <td>-----</td> <td>86.08</td> <td>34.79</td> <td>10.96</td> <td>36.07</td> <td>0.00</td> <td>100</td> <td>325</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5530.00	95.76	-----	-----	86.08	34.79	10.96	36.07	0.00	100	325	AVERAGE												
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1 5459.92	44.04	54.00	-9.96	34.71	34.70	10.84	36.21	0.00	100	325	AVERAGE																																																																																			
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1 5530.00	95.76	-----	-----	86.08	34.79	10.96	36.07	0.00	100	325	AVERAGE																																																																																			



Mode	28																																										
	Band Edge - R																																										
	U-NII-2C_5.47-5.725_802.11BE EHT80_CH106_Full_5530MHz																																										
ANT	0+2																																										
Pol.	Horizontal	Fundamental																																									
Peak	<p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>U-NII-1-U-NII-2A-U-NII-2C</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5753.40</td> <td>51.94</td> <td>68.20</td> <td>-16.26</td> <td>43.49</td> <td>34.97</td> <td>11.22</td> <td>37.74</td> <td>0.00</td> <td>100</td> <td>325</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5753.40	51.94	68.20	-16.26	43.49	34.97	11.22	37.74	0.00	100	325	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																			
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	cm	deg																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																		
1	5753.40	51.94	68.20	-16.26	43.49	34.97	11.22	37.74	0.00	100	325	PEAK																															



Mode	28																																																																																													
	Band Edge - L																																																																																													
	U-NII-2C_5.47-5.725_802.11BE EHT80_CH106_Full_5530MHz																																																																																													
ANT	0+2																																																																																													
Pol.	Vertical	Fundamental																																																																																												
Peak	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5453.84</td> <td>53.00</td> <td>74.00</td> <td>-21.00</td> <td>43.70</td> <td>34.69</td> <td>10.83</td> <td>36.22</td> <td>0.00</td> <td>101</td> <td>2 PEAK</td> </tr> <tr> <td>2</td> <td>5464.24</td> <td>53.01</td> <td>68.20</td> <td>-15.19</td> <td>43.67</td> <td>34.70</td> <td>10.85</td> <td>36.21</td> <td>0.00</td> <td>101</td> <td>2 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5453.84	53.00	74.00	-21.00	43.70	34.69	10.83	36.22	0.00	101	2 PEAK	2	5464.24	53.01	68.20	-15.19	43.67	34.70	10.85	36.21	0.00	101	2 PEAK	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5530.00</td> <td>103.86</td> <td>-----</td> <td>-----</td> <td>94.16</td> <td>34.80</td> <td>10.96</td> <td>36.06</td> <td>0.00</td> <td>101</td> <td>2 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	103.86	-----	-----	94.16	34.80	10.96	36.06	0.00	101	2 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	5453.84	53.00	74.00	-21.00	43.70	34.69	10.83	36.22	0.00	101	2 PEAK																																																																																			
2	5464.24	53.01	68.20	-15.19	43.67	34.70	10.85	36.21	0.00	101	2 PEAK																																																																																			
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	5530.00	103.86	-----	-----	94.16	34.80	10.96	36.06	0.00	101	2 PEAK																																																																																			
Avg	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.92</td> <td>42.68</td> <td>54.00</td> <td>-11.32</td> <td>33.35</td> <td>34.70</td> <td>10.84</td> <td>36.21</td> <td>0.00</td> <td>101</td> <td>2 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.92	42.68	54.00	-11.32	33.35	34.70	10.84	36.21	0.00	101	2 AVERAGE	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5530.00</td> <td>93.76</td> <td>-----</td> <td>-----</td> <td>84.06</td> <td>34.80</td> <td>10.96</td> <td>36.06</td> <td>0.00</td> <td>101</td> <td>2 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	93.76	-----	-----	84.06	34.80	10.96	36.06	0.00	101	2 AVERAGE												
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	5459.92	42.68	54.00	-11.32	33.35	34.70	10.84	36.21	0.00	101	2 AVERAGE																																																																																			
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	5530.00	93.76	-----	-----	84.06	34.80	10.96	36.06	0.00	101	2 AVERAGE																																																																																			







Mode	28																																						
	Band Edge - R																																						
	U-NII-2C_5.47-5.725_802.11BE EHT80_CH106_Full_5530MHz																																						
ANT	0+2																																						
Pol.	Vertical	Fundamental																																					
Peak	<p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>U-NII-1-U-NII-2A-U-NII-2C</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5748.12</td> <td>50.79</td> <td>68.20</td> <td>-17.41</td> <td>42.27</td> <td>34.97</td> <td>11.21</td> <td>37.66</td> <td>0.00</td> <td>101</td> <td>2 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5748.12	50.79	68.20	-17.41	42.27	34.97	11.21	37.66	0.00	101	2 PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Remark																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																														
1 5748.12	50.79	68.20	-17.41	42.27	34.97	11.21	37.66	0.00	101	2 PEAK																													



Mode	28																																																																																																												
	Harmonic																																																																																																												
	U-NII-2C_5.47-5.725_802.11BE EHT80_CH106_Full_5530MHz																																																																																																												
ANT	0+2																																																																																																												
Pol.	Horizontal	Vertical																																																																																																											
Peak Avg																																																																																																													
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7742.00</td> <td>46.87</td> <td>74.00</td> <td>-27.13</td> <td>64.44</td> <td>36.18</td> <td>13.15</td> <td>66.90</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>11060.00</td> <td>44.80</td> <td>74.00</td> <td>-29.20</td> <td>57.45</td> <td>37.84</td> <td>16.08</td> <td>66.57</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7742.00	46.87	74.00	-27.13	64.44	36.18	13.15	66.90	0.00	--	--	PEAK	2	11060.00	44.80	74.00	-29.20	57.45	37.84	16.08	66.57	0.00	--	--	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7742.00</td> <td>47.27</td> <td>74.00</td> <td>-26.73</td> <td>64.84</td> <td>36.18</td> <td>13.15</td> <td>66.90</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>11060.00</td> <td>45.93</td> <td>74.00</td> <td>-28.07</td> <td>58.58</td> <td>37.84</td> <td>16.08</td> <td>66.57</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7742.00	47.27	74.00	-26.73	64.84	36.18	13.15	66.90	0.00	--	--	PEAK	2	11060.00	45.93	74.00	-28.07	58.58	37.84	16.08	66.57	0.00	--	--
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	7742.00	46.87	74.00	-27.13	64.44	36.18	13.15	66.90	0.00	--	--	PEAK																																																																																																	
2	11060.00	44.80	74.00	-29.20	57.45	37.84	16.08	66.57	0.00	--	--	PEAK																																																																																																	
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	7742.00	47.27	74.00	-26.73	64.84	36.18	13.15	66.90	0.00	--	--	PEAK																																																																																																	
2	11060.00	45.93	74.00	-28.07	58.58	37.84	16.08	66.57	0.00	--	--	PEAK																																																																																																	







Mode	29																																																																																													
	Band Edge - L																																																																																													
	U-NII-2C_5.47-5.725_802.11BE EHT80_CH122_Full_5610MHz																																																																																													
ANT	0+2																																																																																													
Pol.	Horizontal	Fundamental																																																																																												
Peak	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5444.40</td> <td>50.71</td> <td>74.00</td> <td>-23.29</td> <td>41.45</td> <td>34.68</td> <td>10.82</td> <td>36.24</td> <td>0.00</td> <td>100</td> <td>330</td> <td>PEAK</td> </tr> <tr> <td>2 5463.28</td> <td>50.06</td> <td>68.20</td> <td>-18.14</td> <td>40.73</td> <td>34.70</td> <td>10.84</td> <td>36.21</td> <td>0.00</td> <td>100</td> <td>330</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5444.40	50.71	74.00	-23.29	41.45	34.68	10.82	36.24	0.00	100	330	PEAK	2 5463.28	50.06	68.20	-18.14	40.73	34.70	10.84	36.21	0.00	100	330	PEAK	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5610.00</td> <td>106.62</td> <td>-----</td> <td>-----</td> <td>96.71</td> <td>34.87</td> <td>11.06</td> <td>36.02</td> <td>0.00</td> <td>100</td> <td>330</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5610.00	106.62	-----	-----	96.71	34.87	11.06	36.02	0.00	100	330	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1 5444.40	50.71	74.00	-23.29	41.45	34.68	10.82	36.24	0.00	100	330	PEAK																																																																																			
2 5463.28	50.06	68.20	-18.14	40.73	34.70	10.84	36.21	0.00	100	330	PEAK																																																																																			
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1 5610.00	106.62	-----	-----	96.71	34.87	11.06	36.02	0.00	100	330	PEAK																																																																																			
Avg	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5459.92</td> <td>40.63</td> <td>54.00</td> <td>-13.37</td> <td>31.30</td> <td>34.70</td> <td>10.84</td> <td>36.21</td> <td>0.00</td> <td>100</td> <td>330</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5459.92	40.63	54.00	-13.37	31.30	34.70	10.84	36.21	0.00	100	330	AVERAGE	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5610.00</td> <td>95.94</td> <td>-----</td> <td>-----</td> <td>86.03</td> <td>34.87</td> <td>11.06</td> <td>36.02</td> <td>0.00</td> <td>100</td> <td>330</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5610.00	95.94	-----	-----	86.03	34.87	11.06	36.02	0.00	100	330	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1 5459.92	40.63	54.00	-13.37	31.30	34.70	10.84	36.21	0.00	100	330	AVERAGE																																																																																			
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1 5610.00	95.94	-----	-----	86.03	34.87	11.06	36.02	0.00	100	330	AVERAGE																																																																																			



Mode	29																																							
	Band Edge - R																																							
	U-NII-2C_5.47-5.725_802.11BE EHT80_CH122_Full_5610MHz																																							
ANT	0+2																																							
Pol.	Horizontal	Fundamental																																						
Peak	<p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>U-NII-1-U-NII-2A-U-NII-2C</p>	Blank																																						
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5765.00</td> <td>53.75</td> <td>68.20</td> <td>-14.45</td> <td>45.46</td> <td>34.98</td> <td>11.23</td> <td>37.92</td> <td>0.00</td> <td>100 330 PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5765.00	53.75	68.20	-14.45	45.46	34.98	11.23	37.92	0.00	100 330 PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																															
1 5765.00	53.75	68.20	-14.45	45.46	34.98	11.23	37.92	0.00	100 330 PEAK																															



Mode	29																																																																																																						
	Band Edge - L																																																																																																						
	U-NII-2C_5.47-5.725_802.11BE EHT80_CH122_Full_5610MHz																																																																																																						
ANT	0+2																																																																																																						
Pol.	Vertical	Fundamental																																																																																																					
Peak	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5451.28</td> <td>51.38</td> <td>74.00</td> <td>-22.62</td> <td>42.09</td> <td>34.69</td> <td>10.83</td> <td>36.23</td> <td>0.00</td> <td>103</td> <td>12</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5464.56</td> <td>52.42</td> <td>68.20</td> <td>-15.78</td> <td>43.08</td> <td>34.70</td> <td>10.85</td> <td>36.21</td> <td>0.00</td> <td>103</td> <td>12</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5451.28	51.38	74.00	-22.62	42.09	34.69	10.83	36.23	0.00	103	12	PEAK	2	5464.56	52.42	68.20	-15.78	43.08	34.70	10.85	36.21	0.00	103	12	PEAK	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5610.00</td> <td>103.29</td> <td>-----</td> <td>-----</td> <td>93.46</td> <td>34.88</td> <td>11.07</td> <td>36.12</td> <td>0.00</td> <td>103</td> <td>12</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5610.00	103.29	-----	-----	93.46	34.88	11.07	36.12	0.00	103	12	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																													
1	5451.28	51.38	74.00	-22.62	42.09	34.69	10.83	36.23	0.00	103	12	PEAK																																																																																											
2	5464.56	52.42	68.20	-15.78	43.08	34.70	10.85	36.21	0.00	103	12	PEAK																																																																																											
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																													
1	5610.00	103.29	-----	-----	93.46	34.88	11.07	36.12	0.00	103	12	PEAK																																																																																											
Avg	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.92</td> <td>40.07</td> <td>54.00</td> <td>-13.93</td> <td>30.74</td> <td>34.70</td> <td>10.84</td> <td>36.21</td> <td>0.00</td> <td>103</td> <td>12</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5459.92	40.07	54.00	-13.93	30.74	34.70	10.84	36.21	0.00	103	12	AVERAGE	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5610.00</td> <td>93.48</td> <td>-----</td> <td>-----</td> <td>83.57</td> <td>34.87</td> <td>11.06</td> <td>36.02</td> <td>0.00</td> <td>103</td> <td>12</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5610.00	93.48	-----	-----	83.57	34.87	11.06	36.02	0.00	103	12	AVERAGE													
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																													
1	5459.92	40.07	54.00	-13.93	30.74	34.70	10.84	36.21	0.00	103	12	AVERAGE																																																																																											
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																													
1	5610.00	93.48	-----	-----	83.57	34.87	11.06	36.02	0.00	103	12	AVERAGE																																																																																											







Mode	29																																								
	Band Edge - R																																								
	U-NII-2C_5.47-5.725_802.11BE EHT80_CH122_Full_5610MHz																																								
ANT	0+2																																								
Pol.	Vertical	Fundamental																																							
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5728.04</td> <td>52.23</td> <td>68.20</td> <td>-15.97</td> <td>43.44</td> <td>34.95</td> <td>11.18</td> <td>37.34</td> <td>0.00</td> <td>103</td> <td>12 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5728.04	52.23	68.20	-15.97	43.44	34.95	11.18	37.34	0.00	103	12 PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																
1 5728.04	52.23	68.20	-15.97	43.44	34.95	11.18	37.34	0.00	103	12 PEAK																															



Mode	29																																																																																																													
	Harmonic																																																																																																													
	U-NII-2C_5.47-5.725_802.11BE EHT80_CH122_Full_5610MHz																																																																																																													
ANT	0+2																																																																																																													
Pol.	Horizontal	Vertical																																																																																																												
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7854.00</td> <td>45.44</td> <td>68.20</td> <td>-22.76</td> <td>62.84</td> <td>36.31</td> <td>13.24</td> <td>66.95</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>11220.00</td> <td>44.92</td> <td>74.00</td> <td>-29.08</td> <td>57.32</td> <td>37.90</td> <td>16.18</td> <td>66.48</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7854.00	45.44	68.20	-22.76	62.84	36.31	13.24	66.95	0.00	--	--	PEAK	2	11220.00	44.92	74.00	-29.08	57.32	37.90	16.18	66.48	0.00	--	--	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7854.00</td> <td>44.01</td> <td>68.20</td> <td>-24.19</td> <td>61.41</td> <td>36.31</td> <td>13.24</td> <td>66.95</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>11220.00</td> <td>46.34</td> <td>74.00</td> <td>-27.66</td> <td>58.74</td> <td>37.90</td> <td>16.18</td> <td>66.48</td> <td>0.00</td> <td>--</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7854.00	44.01	68.20	-24.19	61.41	36.31	13.24	66.95	0.00	--	--	PEAK	2	11220.00	46.34	74.00	-27.66	58.74	37.90	16.18	66.48	0.00	--	--	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	7854.00	45.44	68.20	-22.76	62.84	36.31	13.24	66.95	0.00	--	--	PEAK																																																																																																		
2	11220.00	44.92	74.00	-29.08	57.32	37.90	16.18	66.48	0.00	--	--	PEAK																																																																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	7854.00	44.01	68.20	-24.19	61.41	36.31	13.24	66.95	0.00	--	--	PEAK																																																																																																		
2	11220.00	46.34	74.00	-27.66	58.74	37.90	16.18	66.48	0.00	--	--	PEAK																																																																																																		



Mode	30																																																																														
	Band Edge - L																																																																														
	U-NII-2A_5.15-5.35_802.11BE EHT160_CH50_Full_5250MHz																																																																														
ANT	0+2																																																																														
Pol.	Horizontal	Fundamental																																																																													
Peak	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5122.50</td> <td>59.06</td> <td>74.00</td> <td>-14.94</td> <td>50.79</td> <td>34.38</td> <td>10.58</td> <td>36.69</td> <td>0.00</td> <td>107</td> <td>63</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5122.50	59.06	74.00	-14.94	50.79	34.38	10.58	36.69	0.00	107	63	PEAK	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5250.00</td> <td>101.70</td> <td>-----</td> <td>93.05</td> <td>34.49</td> <td>10.68</td> <td>36.52</td> <td>0.00</td> <td>107</td> <td>63</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5250.00	101.70	-----	93.05	34.49	10.68	36.52	0.00	107	63	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																							
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Remark																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																						
1	5122.50	59.06	74.00	-14.94	50.79	34.38	10.58	36.69	0.00	107	63	PEAK																																																																			
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Remark																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																						
1	5250.00	101.70	-----	93.05	34.49	10.68	36.52	0.00	107	63	PEAK																																																																				
Avg	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5141.00</td> <td>45.59</td> <td>54.00</td> <td>-8.41</td> <td>37.26</td> <td>34.40</td> <td>10.60</td> <td>36.67</td> <td>0.00</td> <td>107</td> <td>63</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5141.00	45.59	54.00	-8.41	37.26	34.40	10.60	36.67	0.00	107	63	AVERAGE	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5250.00</td> <td>92.29</td> <td>-----</td> <td>83.64</td> <td>34.49</td> <td>10.68</td> <td>36.52</td> <td>0.00</td> <td>107</td> <td>63</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5250.00	92.29	-----	83.64	34.49	10.68	36.52	0.00	107	63	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Remark																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																						
1	5141.00	45.59	54.00	-8.41	37.26	34.40	10.60	36.67	0.00	107	63	AVERAGE																																																																			
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Remark																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																						
1	5250.00	92.29	-----	83.64	34.49	10.68	36.52	0.00	107	63	AVERAGE																																																																				



Mode	30																																											
	Band Edge - R																																											
	U-NII-2A_5.15-5.35_802.11BE EHT160_CH50_Full_5250MHz																																											
ANT	0+2																																											
Pol.	Horizontal	Fundamental																																										
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5356.89</td> <td>53.00</td> <td>74.00</td> <td>-21.00</td> <td>44.01</td> <td>34.60</td> <td>10.75</td> <td>36.36</td> <td>0.00</td> <td>107</td> <td>63 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5356.89	53.00	74.00	-21.00	44.01	34.60	10.75	36.36	0.00	107	63 PEAK	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																		
1 5356.89	53.00	74.00	-21.00	44.01	34.60	10.75	36.36	0.00	107	63 PEAK																																		
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5359.20</td> <td>42.37</td> <td>54.00</td> <td>-11.63</td> <td>33.38</td> <td>34.60</td> <td>10.75</td> <td>36.36</td> <td>0.00</td> <td>107</td> <td>63 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5359.20	42.37	54.00	-11.63	33.38	34.60	10.75	36.36	0.00	107	63 AVERAGE	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																		
1 5359.20	42.37	54.00	-11.63	33.38	34.60	10.75	36.36	0.00	107	63 AVERAGE																																		