





11BE20MIMO_Ant0_7095_106Tone_RU54



Date: 1 SEP 2024 19:14:36


11BE20MIMO_Ant2_7095_26Tone_RU8



Date: 1 SEP 2024 18:56:55




11BE20MIMO_Ant2_7095_52Tone_RU40



Date: 1 SEP 2024 19:01:24

11BE20MIMO_Ant2_7095_106Tone_RU54



Date: 1 SEP 2024 19:15:25





**<Large RU>
Maximum power spectral density
Test Result**

Test Mode	Antenna	Freq(MHz)	Ru Size	Ru Index	Result [dBm/MHz]	Gain	EIRP [dBm/MHz]	Limit [dBm/MHz]	Verdict
11BE320MIMO	Ant0	6105	3*996Tone	RU4	-9.86	-3.6	-13.46	≤-1.00	PASS
			2*996Tone+484Tone	RU6	-9.67	-3.6	-13.27	≤-1.00	PASS
			3*996Tone+484Tone	RU8	-10.02	-3.6	-13.62	≤-1.00	PASS
	Ant2	6105	3*996Tone	RU4	-9.59	-3.6	-13.19	≤-1.00	PASS
			2*996Tone+484Tone	RU6	-9.25	-3.6	-12.85	≤-1.00	PASS
			3*996Tone+484Tone	RU8	-9.71	-3.6	-13.31	≤-1.00	PASS
	total	6105	3*996Tone	RU4	-6.71	-0.59	-7.30	≤-1.00	PASS
			2*996Tone+484Tone	RU6	-6.44	-0.59	-7.03	≤-1.00	PASS
			3*996Tone+484Tone	RU8	-6.85	-0.59	-7.44	≤-1.00	PASS
	Ant0	6905	3*996Tone	RU1	-13.45	-3.7	-17.15	≤-1.00	PASS
			3*996Tone+484Tone	RU1	-13.41	-3.7	-17.11	≤-1.00	PASS
			2*996Tone+484Tone	RU7	-13.21	-3.7	-16.91	≤-1.00	PASS
	Ant2	6905	3*996Tone+484Tone	RU1	-9.84	-3.4	-13.24	≤-1.00	PASS
			3*996Tone	RU1	-9.71	-3.4	-13.11	≤-1.00	PASS
			2*996Tone+484Tone	RU7	-9.49	-3.4	-12.89	≤-1.00	PASS
total	6905	3*996Tone+484Tone	RU1	-8.26	-0.54	-8.80	≤-1.00	PASS	
		3*996Tone	RU1	-8.18	-0.54	-8.72	≤-1.00	PASS	
		2*996Tone+484Tone	RU7	-7.95	-0.54	-8.49	≤-1.00	PASS	
11BE80MIMO	Ant0	5985	484Tone+242Tone	RU4	-5.3	-3.6	-8.90	≤-1.00	PASS
	Ant2	5985	484Tone+242Tone	RU4	-5.41	-3.6	-9.01	≤-1.00	PASS
	total	5985	484Tone+242Tone	RU4	-2.34	-0.59	-2.93	≤-1.00	PASS
	Ant0	7025	484Tone+242Tone	RU1	-7.29	-3.8	-11.09	≤-1.00	PASS
	Ant2	7025	484Tone+242Tone	RU1	-5.14	-3.4	-8.54	≤-1.00	PASS
	total	7025	484Tone+242Tone	RU1	-3.07	-0.59	-3.66	≤-1.00	PASS
11BE160MIMO	Ant0	6025	996Tone+484Tone	RU4	-5.75	-3.6	-9.35	≤-1.00	PASS
	Ant2	6025	996Tone+484Tone	RU4	-5.67	-3.6	-9.27	≤-1.00	PASS
	total	6025	996Tone+484Tone	RU4	-2.70	-0.59	-3.29	≤-1.00	PASS
	Ant0	6985	996Tone+484Tone	RU1	-11.56	-3.8	-15.36	≤-1.00	PASS
	Ant2	6985	996Tone+484Tone	RU1	-8.22	-3.4	-11.62	≤-1.00	PASS
	total	6985	996Tone+484Tone	RU1	-6.57	-0.59	-7.16	≤-1.00	PASS



Test Graphs






11BE320MIMO_Ant0_6105_3*996Tone+484Tone_RU8



Date: 1 SEP 2024 17:20:26


11BE320MIMO_Ant2_6105_3*996Tone_RU4



Date: 1 SEP 2024 17:16:16



11BE320MIMO_Ant2_6105_2*996Tone+484Tone_RU6



Date: 1 SEP 2024 17:18:27

11BE320MIMO_Ant2_6105_3*996Tone+484Tone_RU8



Date: 1 SEP 2024 17:20:35



11BE320MIMO_Ant0_6905_2*996Tone+484Tone_RU7



Date: 1 SEP 2024 17:37:42

11BE320MIMO_Ant2_6905_3*996Tone+484Tone_RU1



Date: 1 SEP 2024 17:27:49



11BE320MIMO_Ant2_6905_3*996Tone_RU1



Date: 1 SEP 2024 17:32:08

11BE320MIMO_Ant2_6905_2*996Tone+484Tone_RU7



Date: 1 SEP 2024 17:38:59




11BE80MIMO_Ant0_5985_484Tone+242Tone_RU4



Date: 1 SEP 2024 16:59:36


11BE80MIMO_Ant2_5985_484Tone+242Tone_RU4



Date: 1 SEP 2024 16:59:45



11BE80MIMO_Ant0_7025_484Tone+242Tone_RU1



Date: 1 SEP 2024 17:03:15


11BE80MIMO_Ant2_7025_484Tone+242Tone_RU1



Date: 1 SEP 2024 17:04:25



11BE160MIMO_Ant0_6025_996Tone+484Tone_RU4



Date: 1 SEP 2024 17:07:53


11BE160MIMO_Ant2_6025_996Tone+484Tone_RU4



Date: 1 SEP 2024 17:08:03



11BE160MIMO_Ant0_6985_996Tone+484Tone_RU1



Date: 1 SEP 2024 17:10:29

11BE160MIMO_Ant2_6985_996Tone+484Tone_RU1



Date: 1 SEP 2024 17:11:34





**<Puncturing>
Maximum power spectral density
Test Result**

Test Mode	Antenna	Freq(MHz)	Ru Size	Ru Index	Result [dBm/MHz]	Gain	EIRP [dBm/MHz]	Limit [dBm/MHz]	Verdict
11BE320 MIMO	Ant0	6105	Puncturing 80M	RU4	-9.36	-3.6	-12.96	≤-1.00	PASS
			Puncturing 80+40M	RU6	-8.83	-3.6	-12.43	≤-1.00	PASS
			Puncturing 40M	RU8	-9.36	-3.6	-12.96	≤-1.00	PASS
	Ant2	6105	Puncturing 80M	RU4	-9.41	-3.6	-13.01	≤-1.00	PASS
			Puncturing 80+40M	RU6	-8.96	-3.6	-12.56	≤-1.00	PASS
			Puncturing 40M	RU8	-9.33	-3.6	-12.93	≤-1.00	PASS
	total	6105	Puncturing 80M	RU4	-6.37	-0.59	-6.96	≤-1.00	PASS
			Puncturing 80+40M	RU6	-5.88	-0.59	-6.47	≤-1.00	PASS
			Puncturing 40M	RU8	-6.33	-0.59	-6.92	≤-1.00	PASS
	Ant0	6905	Puncturing 80M	RU1	-13.92	-3.7	-17.62	≤-1.00	PASS
			Puncturing 40M	RU1	-13.79	-3.7	-17.49	≤-1.00	PASS
			Puncturing 80+40M	RU7	-13.93	-3.7	-17.63	≤-1.00	PASS
	Ant2	6905	Puncturing 80M	RU1	-8.8	-3.4	-12.20	≤-1.00	PASS
			Puncturing 40M	RU1	-8.9	-3.4	-12.30	≤-1.00	PASS
			Puncturing 80+40M	RU7	-9.47	-3.4	-12.87	≤-1.00	PASS
total	6905	Puncturing 40M	RU1	-7.68	-0.54	-8.22	≤-1.00	PASS	
		Puncturing 80M	RU1	-7.64	-0.54	-8.18	≤-1.00	PASS	
		Puncturing 80+40M	RU7	-8.14	-0.54	-8.68	≤-1.00	PASS	
11BE80 MIMO	Ant0	5985	Puncturing 20M	RU4	-5.67	-3.6	-9.27	≤-1.00	PASS
	Ant2	5985	Puncturing 20M	RU4	-5.48	-3.6	-9.08	≤-1.00	PASS
	total	5985	Puncturing 20M	RU4	-2.56	-0.59	-3.15	≤-1.00	PASS
	Ant0	7025	Puncturing 20M	RU1	-7.54	-3.8	-11.34	≤-1.00	PASS
	Ant2	7025	Puncturing 20M	RU1	-5.17	-3.4	-8.57	≤-1.00	PASS
	total	7025	Puncturing 20M	RU1	-3.18	-0.59	-3.77	≤-1.00	PASS
11BE160 MIMO	Ant0	6025	Puncturing 40M	RU4	-5.93	-3.6	-9.53	≤-1.00	PASS
			Puncturing 20M	RU8	-6.02	-3.6	-9.62	≤-1.00	PASS
	Ant2	6025	Puncturing 40M	RU4	-5.73	-3.6	-9.33	≤-1.00	PASS
			Puncturing 20M	RU8	-5.78	-3.6	-9.38	≤-1.00	PASS
	total	6025	Puncturing 40M	RU4	-2.82	-0.59	-3.41	≤-1.00	PASS
			Puncturing 20M	RU8	-2.89	-0.59	-3.48	≤-1.00	PASS
	Ant0	6985	Puncturing 20M	RU1	-11.84	-3.8	-15.64	≤-1.00	PASS
			Puncturing 40M	RU1	-11.67	-3.8	-15.47	≤-1.00	PASS
	Ant2	6985	Puncturing 20M	RU1	-8.04	-3.4	-11.44	≤-1.00	PASS
			Puncturing 40M	RU1	-8.42	-3.4	-11.82	≤-1.00	PASS
total	6985	Puncturing 20M	RU1	-6.53	-0.59	-7.12	≤-1.00	PASS	
		Puncturing 40M	RU1	-6.74	-0.59	-7.33	≤-1.00	PASS	



Test Graphs





11BE320MIMO_Ant0_6105_Puncturing 40M_RU8



Date: 5 SEP 2024 02:17:03


11BE320MIMO_Ant2_6105_Puncturing 80M_RU4



Date: 5 SEP 2024 02:11:53



11BE320MIMO_Ant2_6105_Puncturing 80+40M_RU6



Date: 5.SEP.2024 02:13:31


11BE320MIMO_Ant2_6105_Puncturing 40M_RU8



Date: 5.SEP.2024 02:17:12



11BE320MIMO_Ant0_6905_Puncturing 80M_RU1



Date: 5 SEP 2024 02:24:59

11BE320MIMO_Ant0_6905_Puncturing 40M_RU1



Date: 5 SEP 2024 02:20:25



11BE320MIMO_Ant0_6905_Puncturing 80+40M_RU7



Date: 5 SEP 2024 02:29:03


11BE320MIMO_Ant2_6905_Puncturing 80M_RU1



Date: 5 SEP 2024 02:25:59




11BE80MIMO_Ant0_5985_Puncturing 20M_RU4



Date: 3. SEP. 2024 14:39:02


11BE80MIMO_Ant2_5985_Puncturing 20M_RU4



Date: 3. SEP. 2024 14:39:12




11BE80MIMO_Ant0_7025_Puncturing 20M_RU1



Date: 3.SEP.2024 14:53:19

11BE80MIMO_Ant2_7025_Puncturing 20M_RU1



Date: 3.SEP.2024 14:54:29



11BE160MIMO_Ant0_6025_Puncturing 40M_RU4



Date: 3.SEP.2024 15:05:16


11BE160MIMO_Ant0_6025_Puncturing 20M_RU8



Date: 3.SEP.2024 15:07:43



11BE160MIMO_Ant2_6025_Puncturing 40M_RU4



Date: 3.SEP.2024 15:05:44

11BE160MIMO_Ant2_6025_Puncturing 20M_RU8



Date: 3.SEP.2024 15:08:09




11BE160MIMO_Ant0_6985_Puncturing 20M_RU1



Date: 3.SEP.2024 15:09:16


11BE160MIMO_Ant0_6985_Puncturing 40M_RU1



Date: 3.SEP.2024 15:11:29



11BE160MIMO_Ant2_6985_Puncturing 20M_RU1



Date: 3.SEP.2024 15:10:24

11BE160MIMO_Ant2_6985_Puncturing 40M_RU1



Date: 3.SEP.2024 15:12:57





**<Small RU>
Maximum power spectral density
Test Result**

Test Mode	Antenna	Freq (MHz)	Ru Size	Ru Index	Result [dBm /MHz]	Gain	EIRP [dBm /MHz]	Limit [dBm /MHz]	Verdict
11BE20MIMO	Ant0	5955	52Tone+26Tone	RU38+RU1	-4.73	-3.6	-8.33	≤-1.00	PASS
			106Tone+26Tone	RU53+RU4	-5.07	-3.6	-8.67	≤-1.00	PASS
	Ant2	5955	52Tone+26Tone	RU38+RU1	-4.81	-3.6	-8.41	≤-1.00	PASS
			106Tone+26Tone	RU53+RU4	-5.09	-3.6	-8.69	≤-1.00	PASS
	total	5955	52Tone+26Tone	RU38+RU1	-1.76	-0.59	-2.35	≤-1.00	PASS
			106Tone+26Tone	RU53+RU4	-2.07	-0.59	-2.66	≤-1.00	PASS
	Ant0	6435	52Tone+26Tone	RU38+RU1	-5.09	-3.6	-8.69	≤-1.00	PASS
			106Tone+26Tone	RU53+RU4	-5.1	-3.6	-8.70	≤-1.00	PASS
	Ant2	6435	52Tone+26Tone	RU38+RU1	-4.66	-3.4	-8.06	≤-1.00	PASS
			106Tone+26Tone	RU53+RU4	-5.05	-3.4	-8.45	≤-1.00	PASS
	total	6435	52Tone+26Tone	RU38+RU1	-1.86	-0.49	-2.35	≤-1.00	PASS
			106Tone+26Tone	RU53+RU4	-2.06	-0.49	-2.55	≤-1.00	PASS
	Ant0	6535	52Tone+26Tone	RU38+RU1	-4.67	-3.7	-8.37	≤-1.00	PASS
			106Tone+26Tone	RU53+RU4	-4.79	-3.7	-8.49	≤-1.00	PASS
	Ant2	6535	52Tone+26Tone	RU38+RU1	-4.96	-3.5	-8.46	≤-1.00	PASS
			106Tone+26Tone	RU53+RU4	-5.34	-3.5	-8.84	≤-1.00	PASS
	total	6535	52Tone+26Tone	RU38+RU1	-1.80	-0.59	-2.39	≤-1.00	PASS
			106Tone+26Tone	RU53+RU4	-2.05	-0.59	-2.64	≤-1.00	PASS
	Ant0	7095	52Tone+26Tone	RU39+RU7	-4.87	-3.8	-8.67	≤-1.00	PASS
			106Tone+26Tone	RU54+RU4	-5.07	-3.8	-8.87	≤-1.00	PASS
Ant2	7095	52Tone+26Tone	RU39+RU7	-5.1	-3.4	-8.50	≤-1.00	PASS	
		106Tone+26Tone	RU54+RU4	-4.78	-3.4	-8.18	≤-1.00	PASS	
total	7095	52Tone+26Tone	RU39+RU7	-1.97	-0.59	-2.56	≤-1.00	PASS	
		106Tone+26Tone	RU54+RU4	-1.91	-0.59	-2.50	≤-1.00	PASS	




Test Graphs






11BE20MIMO_Ant2_5955_52Tone+26Tone_RU38+RU1



Date: 1 SEP 2024 19:24:36


11BE20MIMO_Ant2_5955_106Tone+26Tone_RU53+RU4



Date: 1 SEP 2024 19:26:20




11BE20MIMO_Ant0_6435_52Tone+26Tone_RU38+RU1



Date: 1 SEP 2024 19:31:17


11BE20MIMO_Ant0_6435_106Tone+26Tone_RU53+RU4



Date: 1 SEP 2024 19:32:17




11BE20MIMO_Ant2_6435_52Tone+26Tone_RU38+RU1



Date: 1 SEP 2024 19:31:27


11BE20MIMO_Ant2_6435_106Tone+26Tone_RU53+RU4



Date: 1 SEP 2024 19:32:37




11BE20MIMO_Ant0_6535_52Tone+26Tone_RU38+RU1



Date: 1 SEP 2024 19:41:58


11BE20MIMO_Ant0_6535_106Tone+26Tone_RU53+RU4



Date: 1 SEP 2024 19:43:31




11BE20MIMO_Ant2_6535_52Tone+26Tone_RU38+RU1



Date: 1 SEP 2024 19:42:18


11BE20MIMO_Ant2_6535_106Tone+26Tone_RU53+RU4



Date: 1 SEP 2024 19:43:52



11BE20MIMO_Ant0_7095_52Tone+26Tone_RU39+RU7



Date: 1 SEP 2024 19:46:14


11BE20MIMO_Ant0_7095_106Tone+26Tone_RU54+RU4



Date: 1 SEP 2024 19:50:52




11BE20MIMO_Ant2_7095_52Tone+26Tone_RU39+RU7



Date: 1 SEP 2024 19:46:23

11BE20MIMO_Ant2_7095_106Tone+26Tone_RU54+RU4




Date: 1 SEP 2024 19:51:01



Appendix B. AC Conducted Emission Test Results

Test Engineer :	Amos Zhang	Temperature :	25.3~26.2°C
		Relative Humidity :	38~40%
Test Voltage :	120Vac / 60Hz	Phase :	Line
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		




Site : CO01-KS
 Condition : 15E RSS247-QP LISN-060105-L 2024 LINE

	Freq	Level	Over	Limit	Read	LISN	Cable	Remark
	MHz	dBuV	Limit	Line	Level	Factor	Loss	
			dB	dBuV	dBuV	dB	dB	
1 *	0.164	53.02	-12.23	65.25	42.49	0.11	10.42	QP
2	0.164	35.72	-19.53	55.25	25.19	0.11	10.42	Average
3	0.175	52.41	-12.31	64.72	41.90	0.10	10.41	QP
4	0.175	36.41	-18.31	54.72	25.90	0.10	10.41	Average
5	0.266	44.24	-17.01	61.25	33.79	0.09	10.36	QP
6	0.266	27.94	-23.31	51.25	17.49	0.09	10.36	Average
7	0.494	37.62	-18.48	56.10	27.51	-0.11	10.22	QP
8	0.494	23.42	-22.68	46.10	13.31	-0.11	10.22	Average
9	0.601	34.64	-21.36	56.00	24.59	-0.13	10.18	QP
10	0.601	23.34	-22.66	46.00	13.29	-0.13	10.18	Average
11	0.857	33.74	-22.26	56.00	23.81	-0.17	10.10	QP
12	0.857	22.54	-23.46	46.00	12.61	-0.17	10.10	Average



Test Engineer :	Amos Zhang	Temperature :	25.3~26.2°C
		Relative Humidity :	38~40%
Test Voltage :	120Vac / 60Hz	Phase :	Neutral
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		



Site : CO01-KS
 Condition : 15E RSS247-QP LISN-060105-N 2024 NEUTRAL

	Freq	Level	Over	Limit	Read	LISN	Cable	Remark
	MHz	dBuV	Limit	Line	Level	Factor	Loss	
			dB	dBuV	dBuV	dB	dB	
1 *	0.169	51.74	-13.29	65.03	41.20	0.12	10.42	QP
2	0.169	37.44	-17.59	55.03	26.90	0.12	10.42	Average
3	0.269	43.10	-18.06	61.16	32.81	-0.06	10.35	QP
4	0.269	28.80	-22.36	51.16	18.51	-0.06	10.35	Average
5	0.431	40.72	-16.52	57.24	30.60	-0.14	10.26	QP
6	0.431	29.42	-17.82	47.24	19.30	-0.14	10.26	Average
7	0.529	40.55	-15.45	56.00	30.49	-0.15	10.21	QP
8	0.529	26.35	-19.65	46.00	16.29	-0.15	10.21	Average
9	0.641	38.20	-17.80	56.00	28.20	-0.16	10.16	QP
10	0.641	25.90	-20.10	46.00	15.90	-0.16	10.16	Average
11	0.830	36.73	-19.27	56.00	26.79	-0.17	10.11	QP
12	0.830	26.23	-19.77	46.00	16.29	-0.17	10.11	Average

Note:

- Level(dBμV) = Read Level(dBμV) + LISN Factor(dB) + Cable Loss(dB)
- Over Limit(dB) = Level(dBμV) – Limit Line(dBμV)



Appendix C. Radiated Spurious Emission Test Data

Test Engineer :	Jack Xia	Relative Humidity :	53 ~ 58 %
		Temperature :	22 ~ 26 °C

Radiated Spurious Emission Test Modes

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 1	UNII-5	5.925-6.425	CDD 0+2	802.11be EHT20	1	5955	MCS0	-	-
Mode 2	UNII-5	5.925-6.425	CDD 0+2	802.11be EHT20	45	6175	MCS0	-	-
Mode 3	UNII-5	5.925-6.425	CDD 0+2	802.11be EHT20	93	6415	MCS0	-	-
Mode 4	UNII-6	5.925-6.425	CDD 0+2	802.11be EHT20	97	6435	MCS0	-	-
Mode 5	UNII-6	6.425-6.525	CDD 0+2	802.11be EHT20	105	6475	MCS0	-	-
Mode 6	UNII-6	6.425-6.525	CDD 0+2	802.11be EHT20	113	6515	MCS0	-	-
Mode 7	UNII-7	6.525-6.875	CDD 0+2	802.11be EHT20	117	6535	MCS0	-	-
Mode 8	UNII-7	6.525-6.875	CDD 0+2	802.11be EHT20	149	6695	MCS0	-	-
Mode 9	UNII-7	6.525-6.875	CDD 0+2	802.11be EHT20	181	6855	MCS0	-	-
Mode 10	UNII-8	6.875-7.125	CDD 0+2	802.11be EHT20	189	6895	MCS0	-	-
Mode 11	UNII-8	6.875-7.125	CDD 0+2	802.11be EHT20	209	6995	MCS0	-	-
Mode 12	UNII-8	5.925-6.425	CDD 0+2	802.11be EHT20	229	7095	MCS0	-	-
Mode 13	UNII-5	5.925-6.425	CDD 0+2	802.11be EHT40	3	5965	MCS0	-	-
Mode 14	UNII-5	5.925-6.425	CDD 0+2	802.11be EHT40	43	6165	MCS0	-	-
Mode 15	UNII-5	5.925-6.425	CDD 0+2	802.11be EHT40	91	6405	MCS0	-	-
Mode 16	UNII-6	6.425-6.525	CDD 0+2	802.11be EHT40	99	6445	MCS0	-	-
Mode 17	UNII-6	6.425-6.525	CDD 0+2	802.11be EHT40	107	6485	MCS0	-	-
Mode 18	UNII-7	6.525-6.875	CDD 0+2	802.11be EHT40	123	6565	MCS0	-	-
Mode 19	UNII-7	6.525-6.875	CDD 0+2	802.11be EHT40	147	6685	MCS0	-	-
Mode 20	UNII-7	6.525-6.875	CDD 0+2	802.11be EHT40	179	6845	MCS0	-	-
Mode 21	UNII-8	6.525-6.875	CDD 0+2	802.11be EHT40	195	6925	MCS0	-	-
Mode 22	UNII-8	6.525-6.875	CDD 0+2	802.11be EHT40	203	6965	MCS0	-	-
Mode 23	UNII-8	5.925-6.425	CDD 0+2	802.11be EHT40	227	7085	MCS0	-	-
Mode 24	UNII-5	5.925-6.425	CDD 0+2	802.11be EHT80	7	5985	MCS0	-	-
Mode 25	UNII-5	5.925-6.425	CDD 0+2	802.11be EHT80	39	6145	MCS0	-	-
Mode 26	UNII-5	5.925-6.425	CDD 0+2	802.11be EHT80	87	6385	MCS0	-	-
Mode 27	UNII-6	6.425-6.525	CDD 0+2	802.11be EHT80	103	6465	MCS0	-	-
Mode 28	UNII-7	6.525-6.875	CDD 0+2	802.11be EHT80	135	6625	MCS0	-	-
Mode 29	UNII-7	6.525-6.875	CDD 0+2	802.11be EHT80	151	6705	MCS0	-	-
Mode 30	UNII-7	6.525-6.875	CDD 0+2	802.11be EHT80	167	6785	MCS0	-	-



Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 31	UNII-8	6.875-7.125	CDD 0+2	802.11be EHT80	199	6945	MCS0	-	-
Mode 32	UNII-8	5.925-6.425	CDD 0+2	802.11be EHT80	215	7025	MCS0	-	-
Mode 33	UNII-5	5.925-6.425	CDD 0+2	802.11be EHT160	15	6025	MCS0	-	-
Mode 34	UNII-5	5.925-6.425	CDD 0+2	802.11be EHT160	47	6185	MCS0	-	-
Mode 35	UNII-5	5.925-6.425	CDD 0+2	802.11be EHT160	79	6345	MCS0	-	-
Mode 36	UNII-7	6.525-6.875	CDD 0+2	802.11be EHT160	143	6665	MCS0	-	-
Mode 37	UNII-8	5.925-6.425	CDD 0+2	802.11be EHT160	207	6985	MCS0	-	-
Mode 38	UNII-5	5.925-6.425	CDD 0+2	802.11be EHT320	31	6105	MCS0	-	-
Mode 39	UNII-5	5.925-6.425	CDD 0+2	802.11be EHT320	63	6265	MCS0	-	-
Mode 40	UNII-7-8	6.525-7.125	CDD 0+2	802.11be EHT20	185	6875	MCS0	-	-
Mode 41	UNII-7-8	6.525-7.125	CDD 0+2	802.11be EHT40	187	6885	MCS0	-	-
Mode 42	UNII-7-8	5.925-6.425	CDD 0+2	802.11be EHT80	183	6865	MCS0	-	-
Mode 43	UNII-7-8	6.425-6.525	CDD 0+2	802.11be EHT160	175	6825	MCS0	-	-
Mode 44	UNII-7-8	6.525-6.875	CDD 0+2	802.11be EHT320	159	6745	MCS0	-	-
Mode 45	UNII-7-8	5.925-6.425	CDD 0+2	802.11be EHT320	191	6905	MCS0	-	-
Mode 46	UNII-6-7	6.425-6.525	CDD 0+2	802.11be EHT40	115	6525	MCS0	-	-
Mode 47	UNII-6-7	6.425-6.525	CDD 0+2	802.11be EHT80	119	6545	MCS0	-	-
Mode 48	UNII-6-7	6.425-6.525	CDD 0+2	802.11be EHT160	111	6505	MCS0	-	-
Mode 49	UNII-5-6	5.925-6.425	CDD 0+2	802.11be EHT320	95	6425	MCS0	-	-
Mode 50	UNII-6-7	6.425-6.525	CDD 0+2	802.11be EHT320	127	6585	MCS0	-	-
Mode 51	UNII-5	5.925-6.425	CDD 0+2	802.11be EHT20	1	5955	MCS0	RU26/0	-
Mode 52	UNII-5	5.925-6.425	CDD 0+2	802.11be EHT20	1	5955	MCS0	RU52/37	-
Mode 53	UNII-5	5.925-6.425	CDD 0+2	802.11be EHT20	1	5955	MCS0	RU106/53	-
Mode 54	UNII-8	5.925-6.425	CDD 0+2	802.11be EHT20	229	7095	MCS0	RU26/8	-
Mode 55	UNII-8	5.925-6.425	CDD 0+2	802.11be EHT20	229	7095	MCS0	RU52/40	-
Mode 56	UNII-8	5.925-6.425	CDD 0+2	802.11be EHT20	229	7095	MCS0	RU106/54	-
Mode 57	UNII-5	5.925-6.425	CDD 0+2	802.11be EHT20	1	5955	MCS0	Index 38+1	-
Mode 58	UNII-5	6.425-6.525	CDD 0+2	802.11be EHT20	1	5955	MCS0	Index 53+4	-
Mode 59	UNII-8	6.425-6.525	CDD 0+2	802.11be EHT20	229	7095	MCS0	Index 39+7	-
Mode 60	UNII-8	6.425-6.525	CDD 0+2	802.11be EHT20	229	7095	MCS0	Index 54+4	-



Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 61	UNII-5	6.425-6.525	CDD 0+2	802.11be EHT80	7	5985	MCS0	Puncturing 20M ④	-
Mode 62	UNII-8	6.425-6.525	CDD 0+2	802.11be EHT80	215	7025	MCS0	Puncturing 20M ①	-
Mode 63	UNII-5	6.425-6.525	CDD 0+2	802.11be EHT160	15	6025	MCS0	Puncturing 40M ④	-
Mode 64	UNII-8	6.425-6.525	CDD 0+2	802.11be EHT160	207	6985	MCS0	Puncturing 40M ①	-
Mode 65	UNII-5	6.425-6.525	CDD 0+2	802.11be EHT160	15	6025	MCS0	Puncturing 20M ⑧	-
Mode 66	UNII-8	6.425-6.525	CDD 0+2	802.11be EHT160	207	6985	MCS0	Puncturing 20M ①	-
Mode 67	UNII-5	6.525-6.875	CDD 0+2	802.11be EHT320	31	6105	MCS0	Puncturing 80M +40M③	-
Mode 68	UNII-7-8	6.525-6.875	CDD 0+2	802.11be EHT320	191	6905	MCS0	Puncturing 80M+40M⑦	-
Mode 69	UNII-5	6.525-6.875	CDD 0+2	802.11be EHT320	31	6105	MCS0	Puncturing 80M ④	-
Mode 70	UNII-7-8	6.525-6.875	CDD 0+2	802.11be EHT320	191	6905	MCS0	Puncturing 80M ①	-
Mode 71	UNII-5	6.525-6.875	CDD 0+2	802.11be EHT320	31	6105	MCS0	Puncturing 40M ⑧	-
Mode 72	UNII-7-8	6.525-6.875	CDD 0+2	802.11be EHT320	191	6905	MCS0	Puncturing 40M ①	-
Mode 73	UNII-5	6.525-6.875	CDD 0+2	802.11be EHT80	7	5985	MCS0	Large RU 484+242 ④	-
Mode 74	UNII-8	6.525-6.875	CDD 0+2	802.11be EHT80	215	7025	MCS0	Large RU 484+242 ①	-
Mode 75	UNII-5	6.525-6.875	CDD 0+2	802.11be EHT160	15	6025	MCS0	Large RU 996+484 ④	-
Mode 76	UNII-8	6.525-6.875	CDD 0+2	802.11be EHT160	207	6985	MCS0	Large RU 996+484 ①	-
Mode 77	UNII-7-8	6.525-6.875	CDD 0+2	802.11be EHT320	31	6105	MCS0	Large RU 996*2+484 ⑥	-
Mode 78	UNII-7-8	6.525-6.875	CDD 0+2	802.11be EHT320	191	6905	MCS0	Large RU 996*2+484 ⑦	-
Mode 79	UNII-5	6.875-7.125	CDD 0+2	802.11be EHT320	31	6105	MCS0	Large RU 996*3 ④	-
Mode 80	UNII-5	6.875-7.125	CDD 0+2	802.11be EHT320	31	6105	MCS0	Large RU 996*3+484 ⑧	-
Mode 81	UNII-7-8	6.875-7.125	CDD 0+2	802.11be EHT320	191	6905	MCS0	Large RU 996*3 ①	-
Mode 82	UNII-7-8	6.875-7.125	CDD 0+2	802.11be EHT320	191	6905	MCS0	Large RU 996*3+484 ①	-



<Simultaneous transmission>

Radiated Spurious Emission Test Modes

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 83	2400-2483.5	2400-2483.5	1	802.11be EHT20	3	2422	MCS0	-	-
	U-NII-5	5.925-6.425	CDD 0+2	802.11be EHT160	15	6025	MCS0	-	-
Mode 84	2400-2483.5	2400-2483.5	1	Bluetooth-LE	39	2480	2Mbps	-	-
	2400-2483.5	2400-2483.5	1	802.11be EHT20	3	2422	MCS0	-	-
Mode 85	U-NII-5	5.925-6.425	CDD 0+2	802.11be EHT160	15	6025	MCS0	-	-
	2400-2483.5	2400-2483.5	1	Bluetooth-LE	39	2480	2Mbps	-	-
	U-NII-2A	5.25-5.35	0+2	802.11be EHT20	64	5320	MCS0	-	-
Mode 86	U-NII-5	5.925-6.425	CDD 0+2	802.11be EHT160	15	6025	MCS0	-	-
	2400-2483.5	2400-2483.5	1	Bluetooth BR_GFSK	78	2480	1Mbps	-	-
	2400-2483.5	2400-2483.5	1	802.11be EHT20	3	2422	MCS0	-	-
	U-NII-5	5.925-6.425	CDD 0+2	802.11be EHT160	15	6025	MCS0	-	-



Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
1	802.11be EHT20	1	7939.00	53.67	68.20	-14.53	H	Average	Pass	Band Edge
1	802.11be EHT20	1	11910.00	46.13	74.00	-27.87	V	PEAK	Pass	Harmonic
2	802.11be EHT20	45	-	-	-	-	-	-	-	Band Edge
2	802.11be EHT20	45	12350.00	46.11	74.00	-27.89	H	PEAK	Pass	Harmonic
3	802.11be EHT20	93	-	-	-	-	-	-	-	Band Edge
3	802.11be EHT20	93	12830.00	46.03	88.20	-42.17	H	PEAK	Pass	Harmonic
4	802.11be EHT20	97	-	-	-	-	-	-	-	Band Edge
4	802.11be EHT20	97	12870.00	46.63	88.20	-41.57	V	PEAK	Pass	Harmonic
5	802.11be EHT20	105	-	-	-	-	-	-	-	Band Edge
5	802.11be EHT20	105	12950.00	46.54	88.20	-41.66	H	PEAK	Pass	Harmonic
6	802.11be EHT20	113	-	-	-	-	-	-	-	Band Edge
6	802.11be EHT20	113	13030.00	46.36	88.20	-41.84	H	PEAK	Pass	Harmonic
7	802.11be EHT20	117	-	-	-	-	-	-	-	Band Edge
7	802.11be EHT20	117	13070.00	46.35	88.20	-41.85	H	PEAK	Pass	Harmonic
8	802.11be EHT20	149	-	-	-	-	-	-	-	Band Edge
8	802.11be EHT20	149	13390.00	46.33	74.00	-27.67	H	PEAK	Pass	Harmonic
9	802.11be EHT20	181	-	-	-	-	-	-	-	Band Edge
9	802.11be EHT20	181	13710.00	45.38	88.20	-42.82	V	PEAK	Pass	Harmonic
10	802.11be EHT20	189	-	-	-	-	-	-	-	Band Edge
10	802.11be EHT20	189	13790.00	46.65	88.20	-41.55	V	PEAK	Pass	Harmonic
11	802.11be EHT20	209	-	-	-	-	-	-	-	Band Edge
11	802.11be EHT20	209	13990.00	45.84	88.20	-42.36	V	PEAK	Pass	Harmonic
12	802.11be EHT20	229	9460.00	49.29	54.00	-4.71	H	Average	Pass	Band Edge
12	802.11be EHT20	229	14190.00	47.26	88.20	-40.94	H	PEAK	Pass	Harmonic
13	802.11be EHT40	3	7957.00	45.47	68.20	-22.73	H	Average	Pass	Band Edge
13	802.11be EHT40	3	11930.00	45.92	74.00	-28.08	H	PEAK	Pass	Harmonic
14	802.11be EHT40	43	-	-	-	-	-	-	-	Band Edge
14	802.11be EHT40	43	12330.00	46.64	74.00	-27.36	H	PEAK	Pass	Harmonic
15	802.11be EHT40	91	-	-	-	-	-	-	-	Band Edge
15	802.11be EHT40	91	12810.00	47.13	88.20	-41.07	H	PEAK	Pass	Harmonic
16	802.11be EHT40	99	-	-	-	-	-	-	-	Band Edge
16	802.11be EHT40	99	12890.00	47.51	88.20	-40.69	V	PEAK	Pass	Harmonic



Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
17	802.11be EHT40	107	-	-	-	-	-	-	-	Band Edge
17	802.11be EHT40	107	12970.00	46.81	88.20	-41.39	H	PEAK	Pass	Harmonic
18	802.11be EHT40	123	-	-	-	-	-	-	-	Band Edge
18	802.11be EHT40	123	13130.00	46.82	88.20	-41.38	V	PEAK	Pass	Harmonic
19	802.11be EHT40	147	-	-	-	-	-	-	-	Band Edge
19	802.11be EHT40	147	13370.00	46.95	74.00	-27.05	V	PEAK	Pass	Harmonic
20	802.11be EHT40	179	-	-	-	-	-	-	-	Band Edge
20	802.11be EHT40	179	13690.00	46.54	88.20	-41.66	H	PEAK	Pass	Harmonic
21	802.11be EHT40	195	-	-	-	-	-	-	-	Band Edge
21	802.11be EHT40	195	13850.00	46.62	88.20	-41.58	H	PEAK	Pass	Harmonic
22	802.11be EHT40	203	-	-	-	-	-	-	-	Band Edge
22	802.11be EHT40	203	13930.00	44.60	88.20	-43.60	V	PEAK	Pass	Harmonic
23	802.11be EHT40	227	8506.00	49.00	68.20	-19.20	H	Average	Pass	Band Edge
23	802.11be EHT40	227	14170.00	45.19	88.20	-43.01	V	PEAK	Pass	Harmonic
24	802.11be EHT80	7	7984.00	48.25	68.20	-19.95	H	Average	Pass	Band Edge
24	802.11be EHT80	7	11970.00	44.02	74.00	-29.98	H	PEAK	Pass	Harmonic
25	802.11be EHT80	39	-	-	-	-	-	-	-	Band Edge
25	802.11be EHT80	39	12290.00	44.70	74.00	-29.30	H	PEAK	Pass	Harmonic
26	802.11be EHT80	87	-	-	-	-	-	-	-	Band Edge
26	802.11be EHT80	87	12770.00	44.68	88.20	-43.52	H	PEAK	Pass	Harmonic
27	802.11be EHT80	103	-	-	-	-	-	-	-	Band Edge
27	802.11be EHT80	103	12930.00	44.66	88.20	-43.54	V	PEAK	Pass	Harmonic
28	802.11be EHT80	135	-	-	-	-	-	-	-	Band Edge
28	802.11be EHT80	135	13250.00	44.66	74.00	-29.34	V	PEAK	Pass	Harmonic
29	802.11be EHT80	151	-	-	-	-	-	-	-	Band Edge
29	802.11be EHT80	151	13410.00	43.81	88.20	-44.39	V	PEAK	Pass	Harmonic
30	802.11be EHT80	167	-	-	-	-	-	-	-	Band Edge
30	802.11be EHT80	167	13570.00	44.67	88.20	-43.53	V	PEAK	Pass	Harmonic
31	802.11be EHT80	199	-	-	-	-	-	-	-	Band Edge
31	802.11be EHT80	199	13890.00	44.36	88.20	-43.84	V	PEAK	Pass	Harmonic
32	802.11be EHT80	215	8434.00	47.73	54.00	-6.27	H	Average	Pass	Band Edge
32	802.11be EHT80	215	14050.00	43.94	88.20	-44.26	H	PEAK	Pass	Harmonic
33	802.11be EHT160	15	5914.80	47.00	68.20	-21.20	H	AVERAGE	Pass	Band Edge
33	802.11be EHT160	15	12050.00	44.39	74.00	-29.61	H	PEAK	Pass	Harmonic
34	802.11be EHT160	47	-	-	-	-	-	-	-	Band Edge
34	802.11be EHT160	47	12370.00	44.56	74.00	-29.44	H	PEAK	Pass	Harmonic



Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
35	802.11be EHT160	79	-	-	-	-	-	-	-	Band Edge
35	802.11be EHT160	79	12690.00	45.53	74.00	-28.47	H	PEAK	Pass	Harmonic
36	802.11be EHT160	143	-	-	-	-	-	-	-	Band Edge
36	802.11be EHT160	143	13330.00	44.82	74.00	-29.18	V	PEAK	Pass	Harmonic
37	802.11be EHT160	207	7143.40	52.64	68.20	-15.56	H	AVERAGE	Pass	Band Edge
37	802.11be EHT160	207	13970.00	44.33	88.20	-43.87	H	PEAK	Pass	Harmonic
38	802.11be EHT320	31	5787.24	48.91	68.20	-19.29	H	AVERAGE	Pass	Band Edge
38	802.11be EHT320	31	12210.00	44.50	74.00	-29.50	H	PEAK	Pass	Harmonic
39	802.11be EHT320	67	-	-	-	-	-	-	-	Band Edge
39	802.11be EHT320	67	12530.00	45.05	74.00	-28.95	V	PEAK	Pass	Harmonic
40	802.11be EHT20	185	-	-	-	-	-	-	-	Band Edge
40	802.11be EHT20	185	13750.00	45.07	88.20	-43.13	H	PEAK	Pass	Harmonic
41	802.11be EHT40	187	-	-	-	-	-	-	-	Band Edge
41	802.11be EHT40	187	13770.00	45.67	88.20	-42.53	H	PEAK	Pass	Harmonic
42	802.11be EHT80	183	-	-	-	-	-	-	-	Band Edge
42	802.11be EHT80	183	13730.00	44.98	88.20	-43.22	V	PEAK	Pass	Harmonic
43	802.11be EHT160	175	-	-	-	-	-	-	-	Band Edge
43	802.11be EHT160	175	13650.00	45.20	88.20	-43.00	H	PEAK	Pass	Harmonic
44	802.11be EHT320	159	-	-	-	-	-	-	-	Band Edge
44	802.11be EHT320	159	13490.00	44.87	88.20	-43.33	H	PEAK	Pass	Harmonic
45	802.11be EHT320	191	7264.84	50.00	54.00	-4.00	H	AVERAGE	Pass	Band Edge
45	802.11be EHT320	191	13810.00	44.88	88.20	-43.32	H	PEAK	Pass	Harmonic
46	802.11be EHT40	115	-	-	-	-	-	-	-	Band Edge
46	802.11be EHT40	115	13050.00	45.42	88.20	-42.78	H	PEAK	Pass	Harmonic
47	802.11be EHT80	119	-	-	-	-	-	-	-	Band Edge
47	802.11be EHT80	119	13090.00	44.37	88.20	-43.83	H	PEAK	Pass	Harmonic
48	802.11be EHT160	111	-	-	-	-	-	-	-	Band Edge
48	802.11be EHT160	111	13010.00	43.73	88.20	-44.47	H	PEAK	Pass	Harmonic
49	802.11be EHT320	95	-	-	-	-	-	-	-	Band Edge
49	802.11be EHT320	95	12850.00	45.58	88.20	-42.62	V	PEAK	Pass	Harmonic
50	802.11be EHT320	127	-	-	-	-	-	-	-	Band Edge
50	802.11be EHT320	127	13170.00	44.19	88.20	-44.01	V	PEAK	Pass	Harmonic
51	802.11be EHT20	1	5825.00	46.68	68.20	-21.52	H	AVERAGE	Pass	Band Edge
51	802.11be EHT20	1	-	-	-	-	-	-	-	Harmonic
52	802.11be EHT20	1	5825.26	46.69	68.20	-21.51	H	AVERAGE	Pass	Band Edge
52	802.11be EHT20	1	-	-	-	-	-	-	-	Harmonic



Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
53	802.11be EHT20	1	5825.91	46.64	68.20	-21.56	H	AVERAGE	Pass	Band Edge
53	802.11be EHT20	1	-	-	-	-	-	-	-	Harmonic
54	802.11be EHT20	229	7128.20	47.60	68.20	-20.60	H	AVERAGE	Pass	Band Edge
54	802.11be EHT20	229	-	-	-	-	-	-	-	Harmonic
55	802.11be EHT20	229	7133.80	47.56	68.20	-20.64	H	AVERAGE	Pass	Band Edge
55	802.11be EHT20	229	-	-	-	-	-	-	-	Harmonic
56	802.11be EHT20	229	7166.28	47.55	68.20	-20.65	H	AVERAGE	Pass	Band Edge
56	802.11be EHT20	229	-	-	-	-	-	-	-	Harmonic
57	802.11be EHT20	1	5825.78	46.73	68.20	-21.47	H	AVERAGE	Pass	Band Edge
57	802.11be EHT20	1	-	-	-	-	-	-	-	Harmonic
58	802.11be EHT20	1	5825.52	46.68	68.20	-21.52	H	AVERAGE	Pass	Band Edge
58	802.11be EHT20	1	-	-	-	-	-	-	-	Harmonic
59	802.11be EHT20	229	7200.52	47.54	68.20	-20.66	H	AVERAGE	Pass	Band Edge
59	802.11be EHT20	229	-	-	-	-	-	-	-	Harmonic
60	802.11be EHT20	229	7167.88	47.54	68.20	-20.66	H	AVERAGE	Pass	Band Edge
60	802.11be EHT20	229	-	-	-	-	-	-	-	Harmonic
61	802.11be EHT80	7	5906.60	47.22	68.20	-20.98	H	AVERAGE	Pass	Band Edge
61	802.11be EHT80	7	-	-	-	-	-	-	-	Harmonic
62	802.11be EHT80	215	7126.86	47.73	68.20	-20.47	H	AVERAGE	Pass	Band Edge
62	802.11be EHT80	215	-	-	-	-	-	-	-	Harmonic
63	802.11be EHT160	15	5870.40	77.19	88.20	-11.01	H	PEAK	Pass	Band Edge
63	802.11be EHT160	15	-	-	-	-	-	-	-	Harmonic
64	802.11be EHT160	207	7133.32	54.24	68.20	-13.96	H	AVERAGE	Pass	Band Edge
64	802.11be EHT160	207	-	-	-	-	-	-	-	Harmonic
65	802.11be EHT160	15	5865.00	74.16	88.20	-14.04	H	PEAK	Pass	Band Edge
65	802.11be EHT160	15	-	-	-	-	-	-	-	Harmonic
66	802.11be EHT160	207	7132.12	55.67	68.20	-12.53	H	AVERAGE	Pass	Band Edge
66	802.11be EHT160	207	-	-	-	-	-	-	-	Harmonic
67	802.11be EHT320	31	5905.00	50.99	68.20	-17.21	H	AVERAGE	Pass	Band Edge
67	802.11be EHT320	31	-	-	-	-	-	-	-	Harmonic
68	802.11be EHT320	191	7257.64	47.92	54.00	-6.08	H	AVERAGE	Pass	Band Edge
68	802.11be EHT320	191	-	-	-	-	-	-	-	Harmonic
69	802.11be EHT320	31	5850.28	50.97	68.20	-17.23	H	AVERAGE	Pass	Band Edge
69	802.11be EHT320	31	-	-	-	-	-	-	-	Harmonic
70	802.11be EHT320	191	7252.60	48.22	54.00	-5.78	H	AVERAGE	Pass	Band Edge
70	802.11be EHT320	191	-	-	-	-	-	-	-	Harmonic



Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
71	802.11be EHT320	31	5809.96	52.25	68.20	-15.95	H	AVERAGE	Pass	Band Edge
71	802.11be EHT320	31	-	-	-	-	-	-	-	Harmonic
72	802.11be EHT320	191	7253.32	48.74	54.00	-5.26	H	AVERAGE	Pass	Band Edge
72	802.11be EHT320	191	-	-	-	-	-	-	-	Harmonic
73	802.11be EHT80	7	5925.00	51.72	68.20	-16.48	H	AVERAGE	Pass	Band Edge
73	802.11be EHT80	7	-	-	-	-	-	-	-	Harmonic
74	802.11be EHT80	215	7184.94	47.53	68.20	-20.67	H	AVERAGE	Pass	Band Edge
74	802.11be EHT80	215	-	-	-	-	-	-	-	Harmonic
75	802.11be EHT160	15	5865.00	79.02	88.20	-9.18	H	PEAK	Pass	Band Edge
75	802.11be EHT160	15	-	-	-	-	-	-	-	Harmonic
76	802.11be EHT160	207	7133.08	56.99	68.20	-11.21	H	AVERAGE	Pass	Band Edge
76	802.11be EHT160	207	-	-	-	-	-	-	-	Harmonic
77	802.11be EHT320	31	5904.36	57.71	68.20	-10.49	H	AVERAGE	Pass	Band Edge
77	802.11be EHT320	31	-	-	-	-	-	-	-	Harmonic
78	802.11be EHT320	191	7253.32	50.34	54.00	-3.66	H	AVERAGE	Pass	Band Edge
78	802.11be EHT320	191	-	-	-	-	-	-	-	Harmonic
79	802.11be EHT320	31	5807.72	53.80	68.20	-14.40	H	AVERAGE	Pass	Band Edge
79	802.11be EHT320	31	-	-	-	-	-	-	-	Harmonic
80	802.11be EHT320	31	5829.16	51.83	68.20	-16.37	H	AVERAGE	Pass	Band Edge
80	802.11be EHT320	31	-	-	-	-	-	-	-	Harmonic
81	802.11be EHT320	191	7256.92	49.48	54.00	-4.52	H	AVERAGE	Pass	Band Edge
81	802.11be EHT320	191	-	-	-	-	-	-	-	Harmonic
82	802.11be EHT320	191	7255.48	48.96	54.00	-5.04	H	AVERAGE	Pass	Band Edge
82	802.11be EHT320	191	-	-	-	-	-	-	-	Harmonic



<Simultaneous transmission>





Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
83	802.11be EHT20	3	2389.17	47.17	54.00	-6.83	V	AVERAGE	Pass	Band Edge
	802.11be EHT20	3	7266.00	42.96	74.00	-31.04	H	PEAK	Pass	Harmonic
	802.11be EHT160	15	5896.20	48.72	68.20	-19.48	H	AVERAGE	Pass	Band Edge
	802.11be EHT160	15	12050.00	44.97	74.00	-29.03	V	PEAK	Pass	Harmonic
84	Bluetooth-LE	39	2483.50	46.97	54.00	-7.03	H	AVERAGE	Pass	Band Edge
	Bluetooth-LE	39	7440.00	42.15	74.00	-31.85	H	PEAK	Pass	Harmonic
	802.11be EHT20	3	2389.95	47.54	54.00	-6.46	V	AVERAGE	Pass	Band Edge
	802.11be EHT20	3	7266.00	43.14	74.00	-30.86	V	PEAK	Pass	Harmonic
	802.11be EHT160	15	5855.00	50.35	68.20	-17.85	H	AVERAGE	Pass	Band Edge
	802.11be EHT160	15	12050.00	44.61	74.00	-29.39	V	PEAK	Pass	Harmonic
85	Bluetooth-LE	39	2483.68	45.56	54.00	-8.44	H	AVERAGE	Pass	Band Edge
	Bluetooth-LE	39	7440.00	43.63	74.00	-30.37	H	PEAK	Pass	Harmonic
	802.11be EHT20	64	5352.65	48.97	54.00	-5.03	V	AVERAGE	Pass	Band Edge
	802.11be EHT20	64	10640.00	47.90	54.00	-6.10	V	AVERAGE	Pass	Harmonic
	802.11be EHT160	15	5898.40	56.25	68.20	-11.95	V	AVERAGE	Pass	Band Edge
	802.11be EHT160	15	12050.00	44.55	74.00	-29.45	H	PEAK	Pass	Harmonic
86	Bluetooth BR_GFSK	78	2488.26	59.30	74.00	-14.70	H	PEAK	Pass	Band Edge
	Bluetooth BR_GFSK	78	7440.00	42.70	74.00	-31.30	H	PEAK	Pass	Harmonic
	802.11be EHT20	3	2389.30	48.76	54.00	-5.24	V	AVERAGE	Pass	Band Edge
	802.11be EHT20	3	7266.00	42.54	74.00	-31.46	H	PEAK	Pass	Harmonic
	802.11be EHT160	15	5897.40	52.57	68.20	-15.63	H	AVERAGE	Pass	Band Edge
	802.11be EHT160	15	12050.00	44.52	74.00	-29.48	V	PEAK	Pass	Harmonic



		1																																																																																												
Mode	Band Edge - L																																																																																													
	U-NII-5_5.925-6.425_802.11be EHT20_CH1_5955MHz																																																																																													
ANT	CDD 0+2																																																																																													
Pol.	Horizontal	Fundamental																																																																																												
Peak	<p>Level (dBuV/m) vs Frequency (MHz) plot for Peak Horizontal. The plot shows a blue signal line rising sharply near 5955 MHz, crossing a red limit line labeled 'WiFi 6E(Peak)' at approximately 91.67 dBuV/m. A vertical marker '1' is placed at 5929.73 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5929.73</td> <td>47.89</td> <td>88.20</td> <td>-40.31</td> <td>40.69</td> <td>35.10</td> <td>11.37</td> <td>39.27</td> <td>0.00</td> <td>100</td> <td>51 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5929.73	47.89	88.20	-40.31	40.69	35.10	11.37	39.27	0.00	100	51 PEAK	<p>Level (dBuV/m) vs Frequency (MHz) plot for Peak Fundamental. The plot shows a blue signal line with a sharp peak at 5955 MHz, crossing a red limit line labeled 'WiFi 6E(Peak)' at approximately 91.67 dBuV/m. A vertical marker '1' is at 5929.73 MHz and marker '2' is at 7939.00 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5955.00</td> <td>99.09</td> <td>-----</td> <td>-----</td> <td>91.67</td> <td>35.16</td> <td>11.43</td> <td>39.17</td> <td>0.00</td> <td>100</td> <td>51 PEAK</td> </tr> <tr> <td>2</td> <td>7939.00</td> <td>56.38</td> <td>88.20</td> <td>-31.82</td> <td>44.33</td> <td>36.40</td> <td>13.30</td> <td>37.65</td> <td>0.00</td> <td>100</td> <td>51 Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	99.09	-----	-----	91.67	35.16	11.43	39.17	0.00	100	51 PEAK	2	7939.00	56.38	88.20	-31.82	44.33	36.40	13.30	37.65	0.00	100	51 Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	5929.73	47.89	88.20	-40.31	40.69	35.10	11.37	39.27	0.00	100	51 PEAK																																																																																			
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	5955.00	99.09	-----	-----	91.67	35.16	11.43	39.17	0.00	100	51 PEAK																																																																																			
2	7939.00	56.38	88.20	-31.82	44.33	36.40	13.30	37.65	0.00	100	51 Peak																																																																																			
Avg	<p>Level (dBuV/m) vs Frequency (MHz) plot for Avg Horizontal. The plot shows a blue signal line rising near 5955 MHz, crossing a red limit line labeled 'WiFi 6E(AVG)' at approximately 82.92 dBuV/m. A vertical marker '1' is at 5929.73 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5923.93</td> <td>36.10</td> <td>68.20</td> <td>-32.10</td> <td>28.79</td> <td>35.13</td> <td>11.40</td> <td>39.22</td> <td>0.00</td> <td>100</td> <td>51 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5923.93	36.10	68.20	-32.10	28.79	35.13	11.40	39.22	0.00	100	51 AVERAGE	<p>Level (dBuV/m) vs Frequency (MHz) plot for Avg Fundamental. The plot shows a blue signal line with a peak at 5955 MHz, crossing a red limit line labeled 'WiFi 6E(AVG)' at approximately 82.92 dBuV/m. A vertical marker '1' is at 5929.73 MHz and marker '2' is at 7939.00 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5955.00</td> <td>90.34</td> <td>-----</td> <td>-----</td> <td>82.92</td> <td>35.16</td> <td>11.43</td> <td>39.17</td> <td>0.00</td> <td>100</td> <td>51 AVERAGE</td> </tr> <tr> <td>2</td> <td>7939.00</td> <td>53.67</td> <td>68.20</td> <td>-14.53</td> <td>41.62</td> <td>36.40</td> <td>13.30</td> <td>37.65</td> <td>0.00</td> <td>100</td> <td>51 Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5955.00	90.34	-----	-----	82.92	35.16	11.43	39.17	0.00	100	51 AVERAGE	2	7939.00	53.67	68.20	-14.53	41.62	36.40	13.30	37.65	0.00	100	51 Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	5923.93	36.10	68.20	-32.10	28.79	35.13	11.40	39.22	0.00	100	51 AVERAGE																																																																																			
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	5955.00	90.34	-----	-----	82.92	35.16	11.43	39.17	0.00	100	51 AVERAGE																																																																																			
2	7939.00	53.67	68.20	-14.53	41.62	36.40	13.30	37.65	0.00	100	51 Average																																																																																			



Mode	1																																																																																														
	Band Edge - L																																																																																														
	U-NII-5_5.925-6.425_802.11be EHT20_CH1_5955MHz																																																																																														
ANT	CDD 0+2																																																																																														
Pol.	Vertical	Fundamental																																																																																													
Peak	 <table border="1" data-bbox="268 1126 794 1249"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5833.97</td> <td>47.48</td> <td>88.20</td> <td>-40.72</td> <td>40.11</td> <td>35.05</td> <td>11.32</td> <td>39.00</td> <td>0.00</td> <td>345</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5833.97	47.48	88.20	-40.72	40.11	35.05	11.32	39.00	0.00	345	360	PEAK	 <table border="1" data-bbox="906 1126 1433 1249"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5955.00</td> <td>99.00</td> <td>-----</td> <td>-----</td> <td>91.58</td> <td>35.16</td> <td>11.43</td> <td>39.17</td> <td>0.00</td> <td>345</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5955.00	99.00	-----	-----	91.58	35.16	11.43	39.17	0.00	345	360	PEAK													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																							
1	5833.97	47.48	88.20	-40.72	40.11	35.05	11.32	39.00	0.00	345	360	PEAK																																																																																			
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																							
1	5955.00	99.00	-----	-----	91.58	35.16	11.43	39.17	0.00	345	360	PEAK																																																																																			
Avg	 <table border="1" data-bbox="268 1798 794 1921"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5919.51</td> <td>35.89</td> <td>68.20</td> <td>-32.31</td> <td>28.58</td> <td>35.13</td> <td>11.40</td> <td>39.22</td> <td>0.00</td> <td>345</td> <td>360</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5919.51	35.89	68.20	-32.31	28.58	35.13	11.40	39.22	0.00	345	360	AVERAGE	 <table border="1" data-bbox="906 1798 1433 1921"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5955.00</td> <td>89.77</td> <td>-----</td> <td>-----</td> <td>82.35</td> <td>35.16</td> <td>11.43</td> <td>39.17</td> <td>0.00</td> <td>345</td> <td>360</td> <td>AVERAGE</td> </tr> <tr> <td>2</td> <td>7939.00</td> <td>44.66</td> <td>68.20</td> <td>-23.54</td> <td>32.61</td> <td>36.40</td> <td>13.30</td> <td>37.65</td> <td>0.00</td> <td>345</td> <td>360</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5955.00	89.77	-----	-----	82.35	35.16	11.43	39.17	0.00	345	360	AVERAGE	2	7939.00	44.66	68.20	-23.54	32.61	36.40	13.30	37.65	0.00	345	360	Average
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																							
1	5919.51	35.89	68.20	-32.31	28.58	35.13	11.40	39.22	0.00	345	360	AVERAGE																																																																																			
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																							
1	5955.00	89.77	-----	-----	82.35	35.16	11.43	39.17	0.00	345	360	AVERAGE																																																																																			
2	7939.00	44.66	68.20	-23.54	32.61	36.40	13.30	37.65	0.00	345	360	Average																																																																																			



Mode	1																																																																											
	Harmonic																																																																											
	U-NII-5_5.925-6.425_802.11be EHT20_CH1_5955MHz																																																																											
ANT	CDD 0+2																																																																											
Pol.	Horizontal	Vertical																																																																										
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11910.00</td> <td>45.67</td> <td>74.00</td> <td>-28.33</td> <td>56.78</td> <td>38.60</td> <td>16.62</td> <td>66.33</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11910.00	45.67	74.00	-28.33	56.78	38.60	16.62	66.33	0.00	--	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11910.00</td> <td>46.13</td> <td>74.00</td> <td>-27.87</td> <td>57.24</td> <td>38.60</td> <td>16.62</td> <td>66.33</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11910.00	46.13	74.00	-27.87	57.24	38.60	16.62	66.33	0.00	--	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																			
1 11910.00	45.67	74.00	-28.33	56.78	38.60	16.62	66.33	0.00	--	PEAK																																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																			
1 11910.00	46.13	74.00	-27.87	57.24	38.60	16.62	66.33	0.00	--	PEAK																																																																		



Mode	2																																																																							
	Harmonic																																																																							
	U-NII-5_5.925-6.425_802.11be EHT20_CH45_6175MHz																																																																							
ANT	CDD 0+2																																																																							
Pol.	Horizontal	Vertical																																																																						
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 12350.00</td> <td>46.11</td> <td>74.00</td> <td>-27.89</td> <td>56.39</td> <td>38.00</td> <td>16.91</td> <td>65.99</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 12350.00	46.11	74.00	-27.89	56.39	38.00	16.91	65.99	0.00	--	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 12350.00</td> <td>45.62</td> <td>74.00</td> <td>-28.38</td> <td>55.90</td> <td>38.00</td> <td>16.91</td> <td>65.99</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 12350.00	45.62	74.00	-28.38	55.90	38.00	16.91	65.99	0.00	--	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																	
1 12350.00	46.11	74.00	-27.89	56.39	38.00	16.91	65.99	0.00	--	PEAK																																																														
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																	
1 12350.00	45.62	74.00	-28.38	55.90	38.00	16.91	65.99	0.00	--	PEAK																																																														



Mode	3																																																																											
	Harmonic																																																																											
	U-NII-5_5.925-6.425_802.11be EHT20_CH93_6415MHz																																																																											
ANT	CDD 0+2																																																																											
Pol.	Horizontal	Vertical																																																																										
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 12830.00</td> <td>46.03</td> <td>88.20</td> <td>-42.17</td> <td>55.21</td> <td>39.13</td> <td>17.22</td> <td>65.53</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 12830.00	46.03	88.20	-42.17	55.21	39.13	17.22	65.53	0.00	--	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 12830.00</td> <td>45.93</td> <td>88.20</td> <td>-42.27</td> <td>55.11</td> <td>39.13</td> <td>17.22</td> <td>65.53</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 12830.00	45.93	88.20	-42.27	55.11	39.13	17.22	65.53	0.00	--	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																			
1 12830.00	46.03	88.20	-42.17	55.21	39.13	17.22	65.53	0.00	--	PEAK																																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																			
1 12830.00	45.93	88.20	-42.27	55.11	39.13	17.22	65.53	0.00	--	PEAK																																																																		



Mode	4																																																																															
	Harmonic																																																																															
	U-NII-5_5.925-6.425_802.11be EHT20_CH97_6435MHz																																																																															
ANT	CDD 0+2																																																																															
Pol.	Horizontal	Vertical																																																																														
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 12870.00</td> <td>46.20</td> <td>88.20</td> <td>-42.00</td> <td>55.27</td> <td>39.17</td> <td>17.25</td> <td>65.49</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 12870.00	46.20	88.20	-42.00	55.27	39.17	17.25	65.49	0.00	--	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 12870.00</td> <td>46.63</td> <td>88.20</td> <td>-41.57</td> <td>55.70</td> <td>39.17</td> <td>17.25</td> <td>65.49</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 12870.00	46.63	88.20	-41.57	55.70	39.17	17.25	65.49	0.00	--	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 12870.00	46.20	88.20	-42.00	55.27	39.17	17.25	65.49	0.00	--	PEAK																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 12870.00	46.63	88.20	-41.57	55.70	39.17	17.25	65.49	0.00	--	PEAK																																																																						



Mode	5																																																																							
	Harmonic																																																																							
	U-NII-5_6.425-6.525_802.11be EHT20_CH105_6475MHz																																																																							
ANT	CDD 0+2																																																																							
Pol.	Horizontal	Vertical																																																																						
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 12950.00</td> <td>46.54</td> <td>88.20</td> <td>-41.66</td> <td>55.45</td> <td>39.20</td> <td>17.30</td> <td>65.41</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 12950.00	46.54	88.20	-41.66	55.45	39.20	17.30	65.41	0.00	--	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 12950.00</td> <td>45.77</td> <td>88.20</td> <td>-42.43</td> <td>54.68</td> <td>39.20</td> <td>17.30</td> <td>65.41</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 12950.00	45.77	88.20	-42.43	54.68	39.20	17.30	65.41	0.00	--	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																	
1 12950.00	46.54	88.20	-41.66	55.45	39.20	17.30	65.41	0.00	--	PEAK																																																														
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																	
1 12950.00	45.77	88.20	-42.43	54.68	39.20	17.30	65.41	0.00	--	PEAK																																																														



Mode	6																																																																							
	Harmonic																																																																							
	U-NII-5_6.425-6.525_802.11be EHT20_CH113_6515MHz																																																																							
ANT	CDD 0+2																																																																							
Pol.	Horizontal	Vertical																																																																						
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 13030.00</td> <td>46.36</td> <td>88.20</td> <td>-41.84</td> <td>55.19</td> <td>39.14</td> <td>17.36</td> <td>65.33</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 13030.00	46.36	88.20	-41.84	55.19	39.14	17.36	65.33	0.00	--	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 13030.00</td> <td>46.02</td> <td>88.20</td> <td>-42.18</td> <td>54.85</td> <td>39.14</td> <td>17.36</td> <td>65.33</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 13030.00	46.02	88.20	-42.18	54.85	39.14	17.36	65.33	0.00	--	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																	
1 13030.00	46.36	88.20	-41.84	55.19	39.14	17.36	65.33	0.00	--	PEAK																																																														
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																	
1 13030.00	46.02	88.20	-42.18	54.85	39.14	17.36	65.33	0.00	--	PEAK																																																														



Mode	7																																																																														
	Harmonic																																																																														
	U-NII-5_6.525-6.875_802.11be EHT20_CH117_Full_6535MHz																																																																														
ANT	CDD 0+2																																																																														
Pol.	Horizontal	Vertical																																																																													
Peak Avg																																																																															
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 13070.00</td> <td>46.35</td> <td>88.20</td> <td>-41.85</td> <td>55.21</td> <td>39.06</td> <td>17.38</td> <td>65.30</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 13070.00	46.35	88.20	-41.85	55.21	39.06	17.38	65.30	0.00	--	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 13070.00</td> <td>46.26</td> <td>88.20</td> <td>-41.94</td> <td>55.12</td> <td>39.06</td> <td>17.38</td> <td>65.30</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 13070.00	46.26	88.20	-41.94	55.12	39.06	17.38	65.30	0.00	--
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																							
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																						
1 13070.00	46.35	88.20	-41.85	55.21	39.06	17.38	65.30	0.00	--	PEAK																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																							
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																						
1 13070.00	46.26	88.20	-41.94	55.12	39.06	17.38	65.30	0.00	--	PEAK																																																																					



Mode	8																																																																											
	Harmonic																																																																											
	U-NII-5_6.525-6.875_802.11be EHT20_CH149_Full_6695MHz																																																																											
ANT	CDD 0+2																																																																											
Pol.	Horizontal	Vertical																																																																										
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 13390.00</td> <td>46.33</td> <td>74.00</td> <td>-27.67</td> <td>54.81</td> <td>38.90</td> <td>17.61</td> <td>64.99</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 13390.00	46.33	74.00	-27.67	54.81	38.90	17.61	64.99	0.00	--	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 13390.00</td> <td>45.78</td> <td>74.00</td> <td>-28.22</td> <td>54.26</td> <td>38.90</td> <td>17.61</td> <td>64.99</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 13390.00	45.78	74.00	-28.22	54.26	38.90	17.61	64.99	0.00	--	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Remark																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																			
1 13390.00	46.33	74.00	-27.67	54.81	38.90	17.61	64.99	0.00	--	PEAK																																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Remark																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																			
1 13390.00	45.78	74.00	-28.22	54.26	38.90	17.61	64.99	0.00	--	PEAK																																																																		



Mode	9																																																																											
	Harmonic																																																																											
	U-NII-5_6.525-6.875_802.11be EHT20_CH181_6855MHz																																																																											
ANT	CDD 0+2																																																																											
Pol.	Horizontal	Vertical																																																																										
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 13710.00</td> <td>45.34</td> <td>88.20</td> <td>-42.86</td> <td>53.91</td> <td>38.50</td> <td>17.84</td> <td>64.91</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 13710.00	45.34	88.20	-42.86	53.91	38.50	17.84	64.91	0.00	--	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 13710.00</td> <td>45.38</td> <td>88.20</td> <td>-42.82</td> <td>53.95</td> <td>38.50</td> <td>17.84</td> <td>64.91</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 13710.00	45.38	88.20	-42.82	53.95	38.50	17.84	64.91	0.00	--	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																			
1 13710.00	45.34	88.20	-42.86	53.91	38.50	17.84	64.91	0.00	--	PEAK																																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																			
1 13710.00	45.38	88.20	-42.82	53.95	38.50	17.84	64.91	0.00	--	PEAK																																																																		







Mode	10																																																																											
	Harmonic																																																																											
	U-NII-8_6.875-7.125_802.11be EHT20_CH189_Full_6895MHz																																																																											
ANT	CDD 0+2																																																																											
Pol.	Horizontal	Vertical																																																																										
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 13790.00</td> <td>46.32</td> <td>88.20</td> <td>-41.88</td> <td>54.85</td> <td>38.50</td> <td>17.89</td> <td>64.92</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 13790.00	46.32	88.20	-41.88	54.85	38.50	17.89	64.92	0.00	--	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 13790.00</td> <td>46.65</td> <td>88.20</td> <td>-41.55</td> <td>55.18</td> <td>38.50</td> <td>17.89</td> <td>64.92</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 13790.00	46.65	88.20	-41.55	55.18	38.50	17.89	64.92	0.00	--	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																			
1 13790.00	46.32	88.20	-41.88	54.85	38.50	17.89	64.92	0.00	--	PEAK																																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																			
1 13790.00	46.65	88.20	-41.55	55.18	38.50	17.89	64.92	0.00	--	PEAK																																																																		



Mode	11																																																																											
	Harmonic																																																																											
	U-NII-8_6.875-7.125_802.11be EHT20_CH209_Full_6995MHz																																																																											
ANT	CDD 0+2																																																																											
Pol.	Horizontal	Vertical																																																																										
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 13990.00</td> <td>45.78</td> <td>88.20</td> <td>-42.42</td> <td>54.00</td> <td>38.69</td> <td>18.04</td> <td>64.95</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 13990.00	45.78	88.20	-42.42	54.00	38.69	18.04	64.95	0.00	--	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 13990.00</td> <td>45.84</td> <td>88.20</td> <td>-42.36</td> <td>54.06</td> <td>38.69</td> <td>18.04</td> <td>64.95</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 13990.00	45.84	88.20	-42.36	54.06	38.69	18.04	64.95	0.00	--	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																			
1 13990.00	45.78	88.20	-42.42	54.00	38.69	18.04	64.95	0.00	--	PEAK																																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																			
1 13990.00	45.84	88.20	-42.36	54.06	38.69	18.04	64.95	0.00	--	PEAK																																																																		



Mode	12																																																																																										
	Band Edge																																																																																										
	U-NII-5_5.925-6.425_802.11be EHT20_CH229_7095MHz																																																																																										
ANT	CDD 0+2																																																																																										
Pol.	Horizontal	Fundamental																																																																																									
Peak	 <p>Level (dBuV/m) vs Frequency (MHz) for Horizontal polarization. Peak at 7214.92 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 7214.92</td> <td>49.97</td> <td>88.23</td> <td>-38.23</td> <td>39.30</td> <td>35.70</td> <td>12.71</td> <td>37.74</td> <td>0.00</td> <td>100</td> <td>52 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 7214.92	49.97	88.23	-38.23	39.30	35.70	12.71	37.74	0.00	100	52 PEAK	 <p>Level (dBuV/m) vs Frequency (MHz) for Fundamental polarization. Peak at 7095.00 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 7095.00</td> <td>101.74</td> <td>-----</td> <td>-----</td> <td>91.36</td> <td>35.69</td> <td>12.58</td> <td>37.89</td> <td>0.00</td> <td>100</td> <td>52 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 7095.00	101.74	-----	-----	91.36	35.69	12.58	37.89	0.00	100	52 PEAK											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																		
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1 7214.92	49.97	88.23	-38.23	39.30	35.70	12.71	37.74	0.00	100	52 PEAK																																																																																	
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1 7095.00	101.74	-----	-----	91.36	35.69	12.58	37.89	0.00	100	52 PEAK																																																																																	
Avg	 <p>Level (dBuV/m) vs Frequency (MHz) for Horizontal polarization. Average level at 7125.00 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 7125.00</td> <td>38.55</td> <td>68.20</td> <td>-29.65</td> <td>28.08</td> <td>35.70</td> <td>12.62</td> <td>37.85</td> <td>0.00</td> <td>100</td> <td>52 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 7125.00	38.55	68.20	-29.65	28.08	35.70	12.62	37.85	0.00	100	52 AVERAGE	 <p>Level (dBuV/m) vs Frequency (MHz) for Fundamental polarization. Average level at 7095.00 MHz and 9460.00 MHz.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 7095.00</td> <td>91.84</td> <td>-----</td> <td>-----</td> <td>81.46</td> <td>35.69</td> <td>12.58</td> <td>37.89</td> <td>0.00</td> <td>100</td> <td>52 AVERAGE</td> </tr> <tr> <td>2 9460.00</td> <td>49.29</td> <td>54.00</td> <td>-4.71</td> <td>35.13</td> <td>36.60</td> <td>14.77</td> <td>37.21</td> <td>0.00</td> <td>100</td> <td>52 Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 7095.00	91.84	-----	-----	81.46	35.69	12.58	37.89	0.00	100	52 AVERAGE	2 9460.00	49.29	54.00	-4.71	35.13	36.60	14.77	37.21	0.00	100	52 Average
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1 7125.00	38.55	68.20	-29.65	28.08	35.70	12.62	37.85	0.00	100	52 AVERAGE																																																																																	
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1 7095.00	91.84	-----	-----	81.46	35.69	12.58	37.89	0.00	100	52 AVERAGE																																																																																	
2 9460.00	49.29	54.00	-4.71	35.13	36.60	14.77	37.21	0.00	100	52 Average																																																																																	







Mode	12																																																																											
	Band Edge																																																																											
	U-NII-5_5.925-6.425_802.11be EHT20_CH229_7095MHz																																																																											
ANT	CDD 0+2																																																																											
Pol.	Vertical	Fundamental																																																																										
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7127.24</td> <td>49.59</td> <td>88.20</td> <td>-38.61</td> <td>39.12</td> <td>35.70</td> <td>12.62</td> <td>37.85</td> <td>0.00</td> <td>285</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	7127.24	49.59	88.20	-38.61	39.12	35.70	12.62	37.85	0.00	285	360	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7095.00</td> <td>97.21</td> <td>-----</td> <td>-----</td> <td>86.80</td> <td>35.70</td> <td>12.59</td> <td>37.88</td> <td>0.00</td> <td>285</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	7095.00	97.21	-----	-----	86.80	35.70	12.59	37.88	0.00	285	360	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																					
1	7127.24	49.59	88.20	-38.61	39.12	35.70	12.62	37.85	0.00	285	360	PEAK																																																																
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																					
1	7095.00	97.21	-----	-----	86.80	35.70	12.59	37.88	0.00	285	360	PEAK																																																																
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7208.84</td> <td>38.41</td> <td>68.20</td> <td>-29.79</td> <td>27.75</td> <td>35.70</td> <td>12.71</td> <td>37.75</td> <td>0.00</td> <td>285</td> <td>360</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	7208.84	38.41	68.20	-29.79	27.75	35.70	12.71	37.75	0.00	285	360	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7095.00</td> <td>87.68</td> <td>-----</td> <td>-----</td> <td>77.30</td> <td>35.69</td> <td>12.58</td> <td>37.89</td> <td>0.00</td> <td>285</td> <td>360</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	7095.00	87.68	-----	-----	77.30	35.69	12.58	37.89	0.00	285	360	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																					
1	7208.84	38.41	68.20	-29.79	27.75	35.70	12.71	37.75	0.00	285	360	AVERAGE																																																																
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																					
1	7095.00	87.68	-----	-----	77.30	35.69	12.58	37.89	0.00	285	360	AVERAGE																																																																







Mode	12																																																																											
	Harmonic																																																																											
	U-NII-5_5.925-6.425_802.11be EHT20_CH229_7095MHz																																																																											
ANT	CDD 0+2																																																																											
Pol.	Horizontal	Vertical																																																																										
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 14190.00</td> <td>47.26</td> <td>88.20</td> <td>-40.94</td> <td>55.01</td> <td>38.89</td> <td>18.17</td> <td>64.81</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 14190.00	47.26	88.20	-40.94	55.01	38.89	18.17	64.81	0.00	--	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 14190.00</td> <td>46.93</td> <td>88.20</td> <td>-41.27</td> <td>54.68</td> <td>38.89</td> <td>18.17</td> <td>64.81</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 14190.00	46.93	88.20	-41.27	54.68	38.89	18.17	64.81	0.00	--	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																			
1 14190.00	47.26	88.20	-40.94	55.01	38.89	18.17	64.81	0.00	--	PEAK																																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																			
1 14190.00	46.93	88.20	-41.27	54.68	38.89	18.17	64.81	0.00	--	PEAK																																																																		



Mode	13																																																																																							
	Band Edge - L																																																																																							
	U-NII-5_5.925-6.425_802.11be EHT40_CH3_5965MHz																																																																																							
ANT	CDD 0+2																																																																																							
Pol.	Horizontal	Fundamental																																																																																						
Peak	 <table border="1" data-bbox="263 1120 798 1243"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5893.18</td> <td>48.57</td> <td>88.20</td> <td>-39.63</td> <td>41.37</td> <td>35.10</td> <td>11.37</td> <td>39.27</td> <td>0.00</td> <td>205 360 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5893.18	48.57	88.20	-39.63	41.37	35.10	11.37	39.27	0.00	205 360 PEAK	 <table border="1" data-bbox="861 1120 1444 1243"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5965.00</td> <td>99.47</td> <td>-----</td> <td>-----</td> <td>92.05</td> <td>35.16</td> <td>11.43</td> <td>39.17</td> <td>0.00</td> <td>205 360 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5965.00	99.47	-----	-----	92.05	35.16	11.43	39.17	0.00	205 360 PEAK										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1 5893.18	48.57	88.20	-39.63	41.37	35.10	11.37	39.27	0.00	205 360 PEAK																																																																															
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1 5965.00	99.47	-----	-----	92.05	35.16	11.43	39.17	0.00	205 360 PEAK																																																																															
Avg	 <table border="1" data-bbox="263 1792 798 1915"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5924.82</td> <td>37.31</td> <td>68.20</td> <td>-30.89</td> <td>30.00</td> <td>35.13</td> <td>11.40</td> <td>39.22</td> <td>0.00</td> <td>205 360 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5924.82	37.31	68.20	-30.89	30.00	35.13	11.40	39.22	0.00	205 360 AVERAGE	 <table border="1" data-bbox="861 1792 1444 1915"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5965.00</td> <td>89.65</td> <td>-----</td> <td>-----</td> <td>82.23</td> <td>35.16</td> <td>11.43</td> <td>39.17</td> <td>0.00</td> <td>205 360 AVERAGE</td> </tr> <tr> <td>2 7957.00</td> <td>45.47</td> <td>68.20</td> <td>-22.73</td> <td>33.42</td> <td>36.40</td> <td>13.31</td> <td>37.66</td> <td>0.00</td> <td>205 360 Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5965.00	89.65	-----	-----	82.23	35.16	11.43	39.17	0.00	205 360 AVERAGE	2 7957.00	45.47	68.20	-22.73	33.42	36.40	13.31	37.66	0.00	205 360 Average
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1 5924.82	37.31	68.20	-30.89	30.00	35.13	11.40	39.22	0.00	205 360 AVERAGE																																																																															
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1 5965.00	89.65	-----	-----	82.23	35.16	11.43	39.17	0.00	205 360 AVERAGE																																																																															
2 7957.00	45.47	68.20	-22.73	33.42	36.40	13.31	37.66	0.00	205 360 Average																																																																															



Mode	13																																																																																										
	Band Edge - L																																																																																										
	U-NII-5_5.925-6.425_802.11be EHT40_CH3_5965MHz																																																																																										
ANT	CDD 0+2																																																																																										
Pol.	Vertical	Fundamental																																																																																									
Peak	 <table border="1" data-bbox="268 1120 794 1243"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5840.26</td> <td>48.20</td> <td>88.20</td> <td>-40.00</td> <td>40.93</td> <td>35.05</td> <td>11.32</td> <td>39.10</td> <td>0.00</td> <td>300</td> <td>2 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5840.26	48.20	88.20	-40.00	40.93	35.05	11.32	39.10	0.00	300	2 PEAK	 <table border="1" data-bbox="906 1120 1433 1243"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5965.00</td> <td>90.20</td> <td>-----</td> <td>-----</td> <td>90.70</td> <td>35.18</td> <td>11.45</td> <td>39.13</td> <td>0.00</td> <td>300</td> <td>2 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5965.00	90.20	-----	-----	90.70	35.18	11.45	39.13	0.00	300	2 PEAK											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																		
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1 5840.26	48.20	88.20	-40.00	40.93	35.05	11.32	39.10	0.00	300	2 PEAK																																																																																	
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1 5965.00	90.20	-----	-----	90.70	35.18	11.45	39.13	0.00	300	2 PEAK																																																																																	
Avg	 <table border="1" data-bbox="268 1792 794 1915"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5919.92</td> <td>37.03</td> <td>68.20</td> <td>-31.17</td> <td>29.72</td> <td>35.13</td> <td>11.40</td> <td>39.22</td> <td>0.00</td> <td>300</td> <td>2 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5919.92	37.03	68.20	-31.17	29.72	35.13	11.40	39.22	0.00	300	2 AVERAGE	 <table border="1" data-bbox="906 1792 1433 1915"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5965.00</td> <td>89.51</td> <td>-----</td> <td>-----</td> <td>82.07</td> <td>35.17</td> <td>11.43</td> <td>39.16</td> <td>0.00</td> <td>300</td> <td>2 AVERAGE</td> </tr> <tr> <td>2 7957.00</td> <td>42.93</td> <td>68.20</td> <td>-25.27</td> <td>30.88</td> <td>36.40</td> <td>13.31</td> <td>37.66</td> <td>0.00</td> <td>300</td> <td>2 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5965.00	89.51	-----	-----	82.07	35.17	11.43	39.16	0.00	300	2 AVERAGE	2 7957.00	42.93	68.20	-25.27	30.88	36.40	13.31	37.66	0.00	300	2 AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1 5919.92	37.03	68.20	-31.17	29.72	35.13	11.40	39.22	0.00	300	2 AVERAGE																																																																																	
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1 5965.00	89.51	-----	-----	82.07	35.17	11.43	39.16	0.00	300	2 AVERAGE																																																																																	
2 7957.00	42.93	68.20	-25.27	30.88	36.40	13.31	37.66	0.00	300	2 AVERAGE																																																																																	



Mode	13																																																																											
	Harmonic																																																																											
	U-NII-5_5.925-6.425_802.11be EHT40_CH3_5965MHz																																																																											
ANT	CDD 0+2																																																																											
Pol.	Horizontal	Vertical																																																																										
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11930.00</td> <td>45.92</td> <td>74.00</td> <td>-28.08</td> <td>57.02</td> <td>38.60</td> <td>16.63</td> <td>66.33</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11930.00	45.92	74.00	-28.08	57.02	38.60	16.63	66.33	0.00	--	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11930.00</td> <td>45.68</td> <td>74.00</td> <td>-28.32</td> <td>56.78</td> <td>38.60</td> <td>16.63</td> <td>66.33</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11930.00	45.68	74.00	-28.32	56.78	38.60	16.63	66.33	0.00	--	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																			
1 11930.00	45.92	74.00	-28.08	57.02	38.60	16.63	66.33	0.00	--	PEAK																																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																			
1 11930.00	45.68	74.00	-28.32	56.78	38.60	16.63	66.33	0.00	--	PEAK																																																																		



Mode	14																																																																											
	Harmonic																																																																											
	U-NII-5_5.925-6.425_802.11be EHT40_CH43_6165MHz																																																																											
ANT	CDD 0+2																																																																											
Pol.	Horizontal	Vertical																																																																										
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 12230.00</td> <td>46.64</td> <td>74.00</td> <td>-27.36</td> <td>56.95</td> <td>38.00</td> <td>16.90</td> <td>66.01</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 12230.00	46.64	74.00	-27.36	56.95	38.00	16.90	66.01	0.00	--	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 12230.00</td> <td>46.60</td> <td>74.00</td> <td>-27.40</td> <td>56.91</td> <td>38.00</td> <td>16.90</td> <td>66.01</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 12230.00	46.60	74.00	-27.40	56.91	38.00	16.90	66.01	0.00	--	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																			
1 12230.00	46.64	74.00	-27.36	56.95	38.00	16.90	66.01	0.00	--	PEAK																																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																			
1 12230.00	46.60	74.00	-27.40	56.91	38.00	16.90	66.01	0.00	--	PEAK																																																																		



Mode	15																																																																							
	Harmonic																																																																							
	U-NII-5_5.925-6.425_802.11be EHT40_CH91_6405MHz																																																																							
ANT	CDD 0+2																																																																							
Pol.	Horizontal	Vertical																																																																						
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 12810.00</td> <td>47.13</td> <td>88.20</td> <td>-41.07</td> <td>56.36</td> <td>39.11</td> <td>17.21</td> <td>65.55</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 12810.00	47.13	88.20	-41.07	56.36	39.11	17.21	65.55	0.00	--	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 12810.00</td> <td>46.82</td> <td>88.20</td> <td>-41.38</td> <td>56.05</td> <td>39.11</td> <td>17.21</td> <td>65.55</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 12810.00	46.82	88.20	-41.38	56.05	39.11	17.21	65.55	0.00	--	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																	
1 12810.00	47.13	88.20	-41.07	56.36	39.11	17.21	65.55	0.00	--	PEAK																																																														
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																	
1 12810.00	46.82	88.20	-41.38	56.05	39.11	17.21	65.55	0.00	--	PEAK																																																														



Mode	16																																																																							
	Harmonic																																																																							
	U-NII-5_6.425-6.525_802.11be EHT40_CH99_Full_6445MHz																																																																							
ANT	CDD 0+2																																																																							
Pol.	Horizontal	Vertical																																																																						
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 12890.00</td> <td>47.49</td> <td>88.20</td> <td>-40.71</td> <td>56.51</td> <td>39.19</td> <td>17.26</td> <td>65.47</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 12890.00	47.49	88.20	-40.71	56.51	39.19	17.26	65.47	0.00	--	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 12890.00</td> <td>47.51</td> <td>88.20</td> <td>-40.69</td> <td>56.53</td> <td>39.19</td> <td>17.26</td> <td>65.47</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 12890.00	47.51	88.20	-40.69	56.53	39.19	17.26	65.47	0.00	--	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Remark																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																	
1 12890.00	47.49	88.20	-40.71	56.51	39.19	17.26	65.47	0.00	--	PEAK																																																														
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Remark																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																	
1 12890.00	47.51	88.20	-40.69	56.53	39.19	17.26	65.47	0.00	--	PEAK																																																														



Mode	17																																																																															
	Harmonic																																																																															
	U-NII-5_6.425-6.525_802.11be EHT40_CH107_Full_6485MHz																																																																															
ANT	CDD 0+2																																																																															
Pol.	Horizontal	Vertical																																																																														
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 12970.00</td> <td>46.81</td> <td>88.20</td> <td>-41.39</td> <td>55.68</td> <td>39.20</td> <td>17.32</td> <td>65.39</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 12970.00	46.81	88.20	-41.39	55.68	39.20	17.32	65.39	0.00	--	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 12970.00</td> <td>46.66</td> <td>88.20</td> <td>-41.54</td> <td>55.53</td> <td>39.20</td> <td>17.32</td> <td>65.39</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 12970.00	46.66	88.20	-41.54	55.53	39.20	17.32	65.39	0.00	--	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 12970.00	46.81	88.20	-41.39	55.68	39.20	17.32	65.39	0.00	--	PEAK																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 12970.00	46.66	88.20	-41.54	55.53	39.20	17.32	65.39	0.00	--	PEAK																																																																						



Mode	18																																																																											
	Harmonic																																																																											
	U-NII-5_6.525-6.875_802.11be EHT40_CH123_Full_6565MHz																																																																											
ANT	CDD 0+2																																																																											
Pol.	Horizontal	Vertical																																																																										
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 13130.00</td> <td>46.54</td> <td>88.20</td> <td>-41.66</td> <td>55.35</td> <td>39.00</td> <td>17.43</td> <td>65.24</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 13130.00	46.54	88.20	-41.66	55.35	39.00	17.43	65.24	0.00	--	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 13130.00</td> <td>46.82</td> <td>88.20</td> <td>-41.38</td> <td>55.63</td> <td>39.00</td> <td>17.43</td> <td>65.24</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 13130.00	46.82	88.20	-41.38	55.63	39.00	17.43	65.24	0.00	--	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																			
1 13130.00	46.54	88.20	-41.66	55.35	39.00	17.43	65.24	0.00	--	PEAK																																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																			
1 13130.00	46.82	88.20	-41.38	55.63	39.00	17.43	65.24	0.00	--	PEAK																																																																		



Mode	19																																																																							
	Harmonic																																																																							
	U-NII-5_6.525-6.875_802.11be EHT40_CH147_Full_6685MHz																																																																							
ANT	CDD 0+2																																																																							
Pol.	Horizontal	Vertical																																																																						
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 13370.00</td> <td>46.45</td> <td>74.00</td> <td>-27.55</td> <td>54.96</td> <td>38.90</td> <td>17.60</td> <td>65.01</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 13370.00	46.45	74.00	-27.55	54.96	38.90	17.60	65.01	0.00	--	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 13370.00</td> <td>46.95</td> <td>74.00</td> <td>-27.05</td> <td>55.46</td> <td>38.90</td> <td>17.60</td> <td>65.01</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 13370.00	46.95	74.00	-27.05	55.46	38.90	17.60	65.01	0.00	--	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																	
1 13370.00	46.45	74.00	-27.55	54.96	38.90	17.60	65.01	0.00	--	PEAK																																																														
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																	
1 13370.00	46.95	74.00	-27.05	55.46	38.90	17.60	65.01	0.00	--	PEAK																																																														



Mode	20																																																																											
	Harmonic																																																																											
	U-NII-5_6.525-6.875_802.11be EHT40_CH179_Full_6845MHz																																																																											
ANT	CDD 0+2																																																																											
Pol.	Horizontal	Vertical																																																																										
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 13690.00</td> <td>46.54</td> <td>88.20</td> <td>-41.66</td> <td>55.13</td> <td>38.50</td> <td>17.82</td> <td>64.91</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 13690.00	46.54	88.20	-41.66	55.13	38.50	17.82	64.91	0.00	--	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 13690.00</td> <td>46.25</td> <td>88.20</td> <td>-41.95</td> <td>54.84</td> <td>38.50</td> <td>17.82</td> <td>64.91</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 13690.00	46.25	88.20	-41.95	54.84	38.50	17.82	64.91	0.00	--	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																			
1 13690.00	46.54	88.20	-41.66	55.13	38.50	17.82	64.91	0.00	--	PEAK																																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																			
1 13690.00	46.25	88.20	-41.95	54.84	38.50	17.82	64.91	0.00	--	PEAK																																																																		



Mode	21																																																																															
	Harmonic																																																																															
	U-NII-5_6.525-6.875_802.11be EHT40_CH195_Full_6925MHz																																																																															
ANT	CDD 0+2																																																																															
Pol.	Horizontal	Vertical																																																																														
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 13850.00</td> <td>46.62</td> <td>88.20</td> <td>-41.58</td> <td>55.06</td> <td>38.55</td> <td>17.94</td> <td>64.93</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 13850.00	46.62	88.20	-41.58	55.06	38.55	17.94	64.93	0.00	--	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 13850.00</td> <td>46.24</td> <td>88.20</td> <td>-41.96</td> <td>54.68</td> <td>38.55</td> <td>17.94</td> <td>64.93</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 13850.00	46.24	88.20	-41.96	54.68	38.55	17.94	64.93	0.00	--	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 13850.00	46.62	88.20	-41.58	55.06	38.55	17.94	64.93	0.00	--	PEAK																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 13850.00	46.24	88.20	-41.96	54.68	38.55	17.94	64.93	0.00	--	PEAK																																																																						



Mode	22																																																																											
	Harmonic																																																																											
	U-NII-5_6.525-6.875_802.11be EHT40_CH203_Full_6965MHz																																																																											
ANT	CDD 0+2																																																																											
Pol.	Horizontal	Vertical																																																																										
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 13930.00</td> <td>44.38</td> <td>88.20</td> <td>-43.82</td> <td>49.27</td> <td>38.70</td> <td>20.47</td> <td>64.06</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 13930.00	44.38	88.20	-43.82	49.27	38.70	20.47	64.06	0.00	--	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 13930.00</td> <td>44.60</td> <td>88.20</td> <td>-43.60</td> <td>49.49</td> <td>38.70</td> <td>20.47</td> <td>64.06</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 13930.00	44.60	88.20	-43.60	49.49	38.70	20.47	64.06	0.00	--	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																			
1 13930.00	44.38	88.20	-43.82	49.27	38.70	20.47	64.06	0.00	--	PEAK																																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																			
1 13930.00	44.60	88.20	-43.60	49.49	38.70	20.47	64.06	0.00	--	PEAK																																																																		



23																																																	
Band Edge																																																	
U-NII-5_5.925-6.425_802.11be EHT40_CH227_7085MHz																																																	
ANT CDD 0+2																																																	
Pol.	Horizontal																																																
Peak	<p>Level (dBuV/m) vs Frequency (MHz) plot showing a peak at 7117 MHz. A red horizontal line indicates the 'Wifi 6E(Peak)' limit at approximately 81.3 dBuV/m.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 7125.00</td> <td>53.14</td> <td>88.20</td> <td>-35.06</td> <td>42.67</td> <td>35.70</td> <td>12.62</td> <td>37.85</td> <td>0.00</td> <td>108</td> <td>51 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 7125.00	53.14	88.20	-35.06	42.67	35.70	12.62	37.85	0.00	108	51 PEAK										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																									
1 7125.00	53.14	88.20	-35.06	42.67	35.70	12.62	37.85	0.00	108	51 PEAK																																							
<p>Level (dBuV/m) vs Frequency (MHz) plot showing a peak at 7085 MHz. A red horizontal line indicates the 'Wifi 6E(Peak)' limit at approximately 81.3 dBuV/m.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 7085.00</td> <td>103.52</td> <td>-----</td> <td>-----</td> <td>93.18</td> <td>35.67</td> <td>12.57</td> <td>37.90</td> <td>0.00</td> <td>108</td> <td>51 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 7085.00	103.52	-----	-----	93.18	35.67	12.57	37.90	0.00	108	51 PEAK											
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																									
1 7085.00	103.52	-----	-----	93.18	35.67	12.57	37.90	0.00	108	51 PEAK																																							
Avg	<p>Level (dBuV/m) vs Frequency (MHz) plot showing an average level at 7117 MHz. A red horizontal line indicates the 'Wifi 6E(AVG)' limit at approximately 65.0 dBuV/m.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 7125.00</td> <td>42.35</td> <td>68.20</td> <td>-25.85</td> <td>31.88</td> <td>35.70</td> <td>12.62</td> <td>37.85</td> <td>0.00</td> <td>108</td> <td>51 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 7125.00	42.35	68.20	-25.85	31.88	35.70	12.62	37.85	0.00	108	51 AVERAGE										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																									
1 7125.00	42.35	68.20	-25.85	31.88	35.70	12.62	37.85	0.00	108	51 AVERAGE																																							
<p>Level (dBuV/m) vs Frequency (MHz) plot showing an average level at 8506 MHz. A red horizontal line indicates the 'Wifi 6E(AVG)' limit at approximately 65.0 dBuV/m.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 7085.00</td> <td>93.32</td> <td>-----</td> <td>-----</td> <td>82.98</td> <td>35.67</td> <td>12.57</td> <td>37.90</td> <td>0.00</td> <td>108</td> <td>51 AVERAGE</td> </tr> <tr> <td>2 8506.00</td> <td>49.00</td> <td>68.20</td> <td>-19.20</td> <td>36.49</td> <td>36.00</td> <td>13.87</td> <td>37.36</td> <td>0.00</td> <td>108</td> <td>51 Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 7085.00	93.32	-----	-----	82.98	35.67	12.57	37.90	0.00	108	51 AVERAGE	2 8506.00	49.00	68.20	-19.20	36.49	36.00	13.87	37.36	0.00	108	51 Average
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																									
1 7085.00	93.32	-----	-----	82.98	35.67	12.57	37.90	0.00	108	51 AVERAGE																																							
2 8506.00	49.00	68.20	-19.20	36.49	36.00	13.87	37.36	0.00	108	51 Average																																							







23																																									
Mode	Band Edge																																								
	U-NII-5_5.925-6.425_802.11be EHT40_CH227_7085MHz																																								
ANT	CDD 0+2																																								
Pol.	Vertical																																								
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7131.40</td> <td>49.91</td> <td>88.20</td> <td>-38.29</td> <td>39.42</td> <td>35.70</td> <td>12.63</td> <td>37.84</td> <td>0.00</td> <td>273</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	7131.40	49.91	88.20	-38.29	39.42	35.70	12.63	37.84	0.00	273	360	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																	
1	7131.40	49.91	88.20	-38.29	39.42	35.70	12.63	37.84	0.00	273	360	PEAK																													
<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7085.00</td> <td>99.00</td> <td>-----</td> <td>-----</td> <td>88.74</td> <td>35.67</td> <td>12.57</td> <td>37.90</td> <td>0.00</td> <td>273</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	7085.00	99.00	-----	-----	88.74	35.67	12.57	37.90	0.00	273	360	PEAK	
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																	
1	7085.00	99.00	-----	-----	88.74	35.67	12.57	37.90	0.00	273	360	PEAK																													
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7126.92</td> <td>39.20</td> <td>68.20</td> <td>-29.00</td> <td>28.73</td> <td>35.70</td> <td>12.62</td> <td>37.85</td> <td>0.00</td> <td>273</td> <td>360</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	7126.92	39.20	68.20	-29.00	28.73	35.70	12.62	37.85	0.00	273	360	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																	
1	7126.92	39.20	68.20	-29.00	28.73	35.70	12.62	37.85	0.00	273	360	AVERAGE																													
<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7085.00</td> <td>88.53</td> <td>-----</td> <td>-----</td> <td>78.29</td> <td>35.63</td> <td>12.54</td> <td>37.93</td> <td>0.00</td> <td>273</td> <td>360</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	7085.00	88.53	-----	-----	78.29	35.63	12.54	37.93	0.00	273	360	AVERAGE	
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																	
1	7085.00	88.53	-----	-----	78.29	35.63	12.54	37.93	0.00	273	360	AVERAGE																													



Mode	23																																																																											
	Harmonic																																																																											
	U-NII-5_5.925-6.425_802.11be EHT40_CH227_7085MHz																																																																											
ANT	CDD 0+2																																																																											
Pol.	Horizontal	Vertical																																																																										
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 14170.00</td> <td>44.99</td> <td>88.20</td> <td>-43.21</td> <td>49.49</td> <td>38.87</td> <td>20.64</td> <td>64.01</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 14170.00	44.99	88.20	-43.21	49.49	38.87	20.64	64.01	0.00	--	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 14170.00</td> <td>45.19</td> <td>88.20</td> <td>-43.01</td> <td>49.69</td> <td>38.87</td> <td>20.64</td> <td>64.01</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 14170.00	45.19	88.20	-43.01	49.69	38.87	20.64	64.01	0.00	--	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																			
1 14170.00	44.99	88.20	-43.21	49.49	38.87	20.64	64.01	0.00	--	PEAK																																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																			
1 14170.00	45.19	88.20	-43.01	49.69	38.87	20.64	64.01	0.00	--	PEAK																																																																		



Mode	24																																																																																											
	Band Edge - L																																																																																											
	U-NII-5_5.925-6.425_802.11be EHT80_CH7_Full_5985MHz																																																																																											
ANT	CDD 0+2																																																																																											
Pol.	Horizontal	Fundamental																																																																																										
Peak	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5909.48</td> <td>52.18</td> <td>88.20</td> <td>-36.02</td> <td>44.91</td> <td>35.12</td> <td>11.39</td> <td>39.24</td> <td>0.00</td> <td>151</td> <td>0 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5909.48	52.18	88.20	-36.02	44.91	35.12	11.39	39.24	0.00	151	0 PEAK	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5985.00</td> <td>100.04</td> <td>-----</td> <td>-----</td> <td>92.51</td> <td>35.19</td> <td>11.46</td> <td>39.12</td> <td>0.00</td> <td>151</td> <td>0 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5985.00	100.04	-----	-----	92.51	35.19	11.46	39.12	0.00	151	0 PEAK												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																				
1	5909.48	52.18	88.20	-36.02	44.91	35.12	11.39	39.24	0.00	151	0 PEAK																																																																																	
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																				
1	5985.00	100.04	-----	-----	92.51	35.19	11.46	39.12	0.00	151	0 PEAK																																																																																	
Avg	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5908.04</td> <td>40.78</td> <td>68.20</td> <td>-27.42</td> <td>33.51</td> <td>35.12</td> <td>11.39</td> <td>39.24</td> <td>0.00</td> <td>151</td> <td>0 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5908.04	40.78	68.20	-27.42	33.51	35.12	11.39	39.24	0.00	151	0 AVERAGE	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5985.00</td> <td>89.77</td> <td>-----</td> <td>-----</td> <td>82.35</td> <td>35.16</td> <td>11.43</td> <td>39.17</td> <td>0.00</td> <td>151</td> <td>0 AVERAGE</td> </tr> <tr> <td>2</td> <td>7984.00</td> <td>48.25</td> <td>68.20</td> <td>-19.95</td> <td>36.20</td> <td>36.40</td> <td>13.33</td> <td>37.68</td> <td>0.00</td> <td>151</td> <td>0 Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5985.00	89.77	-----	-----	82.35	35.16	11.43	39.17	0.00	151	0 AVERAGE	2	7984.00	48.25	68.20	-19.95	36.20	36.40	13.33	37.68	0.00	151	0 Average
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																				
1	5908.04	40.78	68.20	-27.42	33.51	35.12	11.39	39.24	0.00	151	0 AVERAGE																																																																																	
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																				
1	5985.00	89.77	-----	-----	82.35	35.16	11.43	39.17	0.00	151	0 AVERAGE																																																																																	
2	7984.00	48.25	68.20	-19.95	36.20	36.40	13.33	37.68	0.00	151	0 Average																																																																																	



24																																									
Mode	Band Edge - L																																								
	U-NII-5_5.925-6.425_802.11be EHT80_CH7_Full_5985MHz																																								
ANT	CDD 0+2																																								
Pol.	Vertical																																								
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5914.44</td> <td>50.63</td> <td>88.20</td> <td>-37.57</td> <td>43.35</td> <td>35.12</td> <td>11.39</td> <td>39.23</td> <td>0.00</td> <td>344</td> <td>357</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5914.44	50.63	88.20	-37.57	43.35	35.12	11.39	39.23	0.00	344	357	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																	
1	5914.44	50.63	88.20	-37.57	43.35	35.12	11.39	39.23	0.00	344	357	PEAK																													
<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5985.00</td> <td>90.64</td> <td>-----</td> <td>-----</td> <td>91.20</td> <td>35.17</td> <td>11.43</td> <td>39.16</td> <td>0.00</td> <td>344</td> <td>357</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5985.00	90.64	-----	-----	91.20	35.17	11.43	39.16	0.00	344	357	PEAK	
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																	
1	5985.00	90.64	-----	-----	91.20	35.17	11.43	39.16	0.00	344	357	PEAK																													
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5917.48</td> <td>38.98</td> <td>68.20</td> <td>-29.22</td> <td>31.69</td> <td>35.13</td> <td>11.39</td> <td>39.23</td> <td>0.00</td> <td>344</td> <td>357</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5917.48	38.98	68.20	-29.22	31.69	35.13	11.39	39.23	0.00	344	357	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																	
1	5917.48	38.98	68.20	-29.22	31.69	35.13	11.39	39.23	0.00	344	357	AVERAGE																													
<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5985.00</td> <td>88.86</td> <td>-----</td> <td>-----</td> <td>81.42</td> <td>35.17</td> <td>11.43</td> <td>39.16</td> <td>0.00</td> <td>344</td> <td>357</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5985.00	88.86	-----	-----	81.42	35.17	11.43	39.16	0.00	344	357	AVERAGE	
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																	
1	5985.00	88.86	-----	-----	81.42	35.17	11.43	39.16	0.00	344	357	AVERAGE																													



Mode	24																																																																														
	Harmonic																																																																														
	U-NII-5_5.925-6.425_802.11be EHT80_CH7_Full_5985MHz																																																																														
ANT	CDD 0+2																																																																														
Pol.	Horizontal	Vertical																																																																													
Peak Avg																																																																															
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11970.00</td> <td>44.02</td> <td>74.00</td> <td>-29.98</td> <td>51.51</td> <td>38.57</td> <td>18.83</td> <td>64.89</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11970.00	44.02	74.00	-29.98	51.51	38.57	18.83	64.89	0.00	--	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11970.00</td> <td>43.93</td> <td>74.00</td> <td>-30.07</td> <td>51.42</td> <td>38.57</td> <td>18.83</td> <td>64.89</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11970.00	43.93	74.00	-30.07	51.42	38.57	18.83	64.89	0.00	--
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																						
1 11970.00	44.02	74.00	-29.98	51.51	38.57	18.83	64.89	0.00	--	PEAK																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																						
1 11970.00	43.93	74.00	-30.07	51.42	38.57	18.83	64.89	0.00	--	PEAK																																																																					



Mode	25																																																																											
	Harmonic																																																																											
	U-NII-5_5.925-6.425_802.11be EHT80_CH39_Full_6145MHz																																																																											
ANT	CDD 0+2																																																																											
Pol.	Horizontal	Vertical																																																																										
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 12290.00</td> <td>44.70</td> <td>74.00</td> <td>-29.30</td> <td>51.61</td> <td>38.88</td> <td>19.07</td> <td>64.86</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 12290.00	44.70	74.00	-29.30	51.61	38.88	19.07	64.86	0.00	--	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 12290.00</td> <td>43.94</td> <td>74.00</td> <td>-30.06</td> <td>50.85</td> <td>38.88</td> <td>19.07</td> <td>64.86</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 12290.00	43.94	74.00	-30.06	50.85	38.88	19.07	64.86	0.00	--	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																					
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Remark																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																			
1 12290.00	44.70	74.00	-29.30	51.61	38.88	19.07	64.86	0.00	--	PEAK																																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																					
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Remark																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																			
1 12290.00	43.94	74.00	-30.06	50.85	38.88	19.07	64.86	0.00	--	PEAK																																																																		



Mode	26																																																																							
	Harmonic																																																																							
	U-NII-5_5.925-6.425_802.11be EHT80_CH87_Full_6385MHz																																																																							
ANT	CDD 0+2																																																																							
Pol.	Horizontal	Vertical																																																																						
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 12770.00</td> <td>44.68</td> <td>88.20</td> <td>-43.52</td> <td>50.79</td> <td>39.17</td> <td>19.44</td> <td>64.72</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 12770.00	44.68	88.20	-43.52	50.79	39.17	19.44	64.72	0.00	--	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 12770.00</td> <td>44.60</td> <td>88.20</td> <td>-43.60</td> <td>50.71</td> <td>39.17</td> <td>19.44</td> <td>64.72</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 12770.00	44.60	88.20	-43.60	50.71	39.17	19.44	64.72	0.00	--	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Remark																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																	
1 12770.00	44.68	88.20	-43.52	50.79	39.17	19.44	64.72	0.00	--	PEAK																																																														
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Remark																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																	
1 12770.00	44.60	88.20	-43.60	50.71	39.17	19.44	64.72	0.00	--	PEAK																																																														



Mode	27																																																																															
	Harmonic																																																																															
	U-NII-5_6.425-6.525_802.11be EHT80_CH103_Full_6465MHz																																																																															
ANT	CDD 0+2																																																																															
Pol.	Horizontal	Vertical																																																																														
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 12930.00</td> <td>43.92</td> <td>88.20</td> <td>-44.28</td> <td>49.84</td> <td>39.20</td> <td>19.56</td> <td>64.68</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 12930.00	43.92	88.20	-44.28	49.84	39.20	19.56	64.68	0.00	--	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 12930.00</td> <td>44.66</td> <td>88.20</td> <td>-43.54</td> <td>50.58</td> <td>39.20</td> <td>19.56</td> <td>64.68</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 12930.00	44.66	88.20	-43.54	50.58	39.20	19.56	64.68	0.00	--	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 12930.00	43.92	88.20	-44.28	49.84	39.20	19.56	64.68	0.00	--	PEAK																																																																						
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1 12930.00	44.66	88.20	-43.54	50.58	39.20	19.56	64.68	0.00	--	PEAK																																																																						



Mode	28																																																																							
	Harmonic																																																																							
	U-NII-5_6.525-6.875_802.11be EHT80_CH135_Full_6625MHz																																																																							
ANT	CDD 0+2																																																																							
Pol.	Horizontal	Vertical																																																																						
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 13250.00</td> <td>44.13</td> <td>74.00</td> <td>-29.87</td> <td>49.78</td> <td>39.10</td> <td>19.84</td> <td>64.59</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 13250.00	44.13	74.00	-29.87	49.78	39.10	19.84	64.59	0.00	--	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 13250.00</td> <td>44.66</td> <td>74.00</td> <td>-29.34</td> <td>50.31</td> <td>39.10</td> <td>19.84</td> <td>64.59</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 13250.00	44.66	74.00	-29.34	50.31	39.10	19.84	64.59	0.00	--	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Remark																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																	
1 13250.00	44.13	74.00	-29.87	49.78	39.10	19.84	64.59	0.00	--	PEAK																																																														
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor	Remark																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																	
1 13250.00	44.66	74.00	-29.34	50.31	39.10	19.84	64.59	0.00	--	PEAK																																																														



Mode	29																																																																											
	Harmonic																																																																											
	U-NII-5_6.525-6.875_802.11be EHT80_CH151_Full_6705MHz																																																																											
ANT	CDD 0+2																																																																											
Pol.	Horizontal	Vertical																																																																										
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 13410.00</td> <td>43.70</td> <td>88.20</td> <td>-44.50</td> <td>49.18</td> <td>39.08</td> <td>19.99</td> <td>64.55</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 13410.00	43.70	88.20	-44.50	49.18	39.08	19.99	64.55	0.00	--	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 13410.00</td> <td>43.61</td> <td>88.20</td> <td>-44.39</td> <td>49.29</td> <td>39.08</td> <td>19.99</td> <td>64.55</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 13410.00	43.61	88.20	-44.39	49.29	39.08	19.99	64.55	0.00	--	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																			
1 13410.00	43.70	88.20	-44.50	49.18	39.08	19.99	64.55	0.00	--	PEAK																																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																			
1 13410.00	43.61	88.20	-44.39	49.29	39.08	19.99	64.55	0.00	--	PEAK																																																																		







Mode	30																																																																											
	Harmonic																																																																											
	U-NII-5_6.525-6.875_802.11be EHT80_CH167_6785MHz																																																																											
ANT	CDD 0+2																																																																											
Pol.	Horizontal	Vertical																																																																										
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 13570.00</td> <td>44.23</td> <td>88.20</td> <td>-43.97</td> <td>49.71</td> <td>38.83</td> <td>20.14</td> <td>64.45</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 13570.00	44.23	88.20	-43.97	49.71	38.83	20.14	64.45	0.00	--	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 13570.00</td> <td>44.67</td> <td>88.20</td> <td>-43.53</td> <td>50.15</td> <td>38.83</td> <td>20.14</td> <td>64.45</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 13570.00	44.67	88.20	-43.53	50.15	38.83	20.14	64.45	0.00	--	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																			
1 13570.00	44.23	88.20	-43.97	49.71	38.83	20.14	64.45	0.00	--	PEAK																																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																			
1 13570.00	44.67	88.20	-43.53	50.15	38.83	20.14	64.45	0.00	--	PEAK																																																																		



Mode	31																																																																							
	Harmonic																																																																							
	U-NII-8_6.875-7.125_802.11be EHT80_CH199_Full_6945MHz																																																																							
ANT	CDD 0+2																																																																							
Pol.	Horizontal	Vertical																																																																						
Peak																																																																								
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 13890.00</td> <td>44.10</td> <td>88.20</td> <td>-44.10</td> <td>49.07</td> <td>38.70</td> <td>20.44</td> <td>64.11</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 13890.00	44.10	88.20	-44.10	49.07	38.70	20.44	64.11	0.00	--	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 13890.00</td> <td>44.36</td> <td>88.20</td> <td>-43.84</td> <td>49.33</td> <td>38.70</td> <td>20.44</td> <td>64.11</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 13890.00	44.36	88.20	-43.84	49.33	38.70	20.44	64.11	0.00	--	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																	
1 13890.00	44.10	88.20	-44.10	49.07	38.70	20.44	64.11	0.00	--	PEAK																																																														
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																	
1 13890.00	44.36	88.20	-43.84	49.33	38.70	20.44	64.11	0.00	--	PEAK																																																														



Mode	32																																																																																
	Band Edge																																																																																
	U-NII-5_5.925-6.425_802.11be EHT80_CH215_7025MHz																																																																																
ANT	CDD 0+2																																																																																
Pol.	Horizontal	Fundamental																																																																															
Peak	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7141.82</td> <td>53.13</td> <td>88.20</td> <td>-35.07</td> <td>42.62</td> <td>35.70</td> <td>12.64</td> <td>37.83</td> <td>0.00</td> <td>106</td> <td>49</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor			cm	deg	1	7141.82	53.13	88.20	-35.07	42.62	35.70	12.64	37.83	0.00	106	49	PEAK	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7025.00</td> <td>103.60</td> <td>-----</td> <td>-----</td> <td>93.36</td> <td>35.63</td> <td>12.54</td> <td>37.93</td> <td>0.00</td> <td>106</td> <td>49</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor			cm	deg	1	7025.00	103.60	-----	-----	93.36	35.63	12.54	37.93	0.00	106	49	PEAK													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor			cm	deg																																																																								
1	7141.82	53.13	88.20	-35.07	42.62	35.70	12.64	37.83	0.00	106	49	PEAK																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor			cm	deg																																																																								
1	7025.00	103.60	-----	-----	93.36	35.63	12.54	37.93	0.00	106	49	PEAK																																																																					
Avg	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7125.10</td> <td>41.18</td> <td>68.20</td> <td>-27.02</td> <td>30.71</td> <td>35.70</td> <td>12.62</td> <td>37.85</td> <td>0.00</td> <td>106</td> <td>49</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor			cm	deg	1	7125.10	41.18	68.20	-27.02	30.71	35.70	12.62	37.85	0.00	106	49	AVERAGE	 <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th></th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7025.00</td> <td>93.20</td> <td>-----</td> <td>-----</td> <td>82.96</td> <td>35.63</td> <td>12.54</td> <td>37.93</td> <td>0.00</td> <td>106</td> <td>49</td> <td>AVERAGE</td> </tr> <tr> <td>2</td> <td>8434.00</td> <td>47.73</td> <td>54.00</td> <td>-6.27</td> <td>35.30</td> <td>36.00</td> <td>13.84</td> <td>37.41</td> <td>0.00</td> <td>106</td> <td>49</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor			cm	deg	1	7025.00	93.20	-----	-----	82.96	35.63	12.54	37.93	0.00	106	49	AVERAGE	2	8434.00	47.73	54.00	-6.27	35.30	36.00	13.84	37.41	0.00	106	49	Average
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor			cm	deg																																																																								
1	7125.10	41.18	68.20	-27.02	30.71	35.70	12.62	37.85	0.00	106	49	AVERAGE																																																																					
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor			cm	deg																																																																								
1	7025.00	93.20	-----	-----	82.96	35.63	12.54	37.93	0.00	106	49	AVERAGE																																																																					
2	8434.00	47.73	54.00	-6.27	35.30	36.00	13.84	37.41	0.00	106	49	Average																																																																					



		32																																																																														
Mode	Band Edge																																																																															
	U-NII-5_5.925-6.425_802.11be EHT80_CH215_7025MHZ																																																																															
ANT	CDD 0+2																																																																															
Pol.	Vertical	Fundamental																																																																														
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7148.86</td> <td>50.83</td> <td>88.20</td> <td>-37.37</td> <td>40.30</td> <td>35.70</td> <td>12.65</td> <td>37.82</td> <td>0.00</td> <td>286</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7148.86	50.83	88.20	-37.37	40.30	35.70	12.65	37.82	0.00	286	360	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7025.00</td> <td>98.69</td> <td>-----</td> <td>-----</td> <td>88.57</td> <td>35.60</td> <td>12.49</td> <td>37.97</td> <td>0.00</td> <td>286</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7025.00	98.69	-----	-----	88.57	35.60	12.49	37.97	0.00	286	360	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	7148.86	50.83	88.20	-37.37	40.30	35.70	12.65	37.82	0.00	286	360	PEAK																																																																				
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	7025.00	98.69	-----	-----	88.57	35.60	12.49	37.97	0.00	286	360	PEAK																																																																				
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7125.54</td> <td>39.49</td> <td>68.20</td> <td>-28.71</td> <td>29.02</td> <td>35.70</td> <td>12.62</td> <td>37.85</td> <td>0.00</td> <td>286</td> <td>360</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7125.54	39.49	68.20	-28.71	29.02	35.70	12.62	37.85	0.00	286	360	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7025.00</td> <td>88.69</td> <td>-----</td> <td>-----</td> <td>78.57</td> <td>35.60</td> <td>12.49</td> <td>37.97</td> <td>0.00</td> <td>286</td> <td>360</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7025.00	88.69	-----	-----	78.57	35.60	12.49	37.97	0.00	286	360	AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	7125.54	39.49	68.20	-28.71	29.02	35.70	12.62	37.85	0.00	286	360	AVERAGE																																																																				
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	7025.00	88.69	-----	-----	78.57	35.60	12.49	37.97	0.00	286	360	AVERAGE																																																																				



Mode	32																																																																											
	Harmonic																																																																											
	U-NII-5_5.925-6.425_802.11be EHT80_CH215_7025MHz																																																																											
ANT	CDD 0+2																																																																											
Pol.	Horizontal	Vertical																																																																										
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 14050.00</td> <td>43.94</td> <td>88.20</td> <td>-44.26</td> <td>48.62</td> <td>38.75</td> <td>20.57</td> <td>64.00</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 14050.00	43.94	88.20	-44.26	48.62	38.75	20.57	64.00	0.00	--	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 14050.00</td> <td>43.69</td> <td>88.20</td> <td>-44.51</td> <td>48.37</td> <td>38.75</td> <td>20.57</td> <td>64.00</td> <td>0.00</td> <td>--</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 14050.00	43.69	88.20	-44.51	48.37	38.75	20.57	64.00	0.00	--	PEAK
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																			
1 14050.00	43.94	88.20	-44.26	48.62	38.75	20.57	64.00	0.00	--	PEAK																																																																		
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																			
1 14050.00	43.69	88.20	-44.51	48.37	38.75	20.57	64.00	0.00	--	PEAK																																																																		



Mode	33																																																																																												
	Band Edge																																																																																												
	U-NII-5_5.925-6.425_802.11be EHT160_CH15_6025MHz																																																																																												
ANT	CDD 0+2																																																																																												
Pol.	Horizontal	Fundamental																																																																																											
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5875.40</td> <td>59.48</td> <td>88.20</td> <td>-28.72</td> <td>52.34</td> <td>35.09</td> <td>11.35</td> <td>39.30</td> <td>0.00</td> <td>100</td> <td>44 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5875.40	59.48	88.20	-28.72	52.34	35.09	11.35	39.30	0.00	100	44 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 6025.00</td> <td>97.23</td> <td>-----</td> <td>-----</td> <td>89.81</td> <td>35.16</td> <td>11.43</td> <td>39.17</td> <td>0.00</td> <td>100</td> <td>44 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 6025.00	97.23	-----	-----	89.81	35.16	11.43	39.17	0.00	100	44 PEAK													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1 5875.40	59.48	88.20	-28.72	52.34	35.09	11.35	39.30	0.00	100	44 PEAK																																																																																			
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1 6025.00	97.23	-----	-----	89.81	35.16	11.43	39.17	0.00	100	44 PEAK																																																																																			
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5914.80</td> <td>47.00</td> <td>68.20</td> <td>-21.20</td> <td>39.71</td> <td>35.13</td> <td>11.39</td> <td>39.23</td> <td>0.00</td> <td>100</td> <td>44 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 5914.80	47.00	68.20	-21.20	39.71	35.13	11.39	39.23	0.00	100	44 AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> <th>Pol/Phase</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th>Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>6025.00</td> <td>87.81</td> <td>68.20</td> <td>19.61</td> <td>80.18</td> <td>35.22</td> <td>11.48</td> <td>39.07</td> <td>0.00</td> <td>100</td> <td>44 AVERAGE HORIZONTAL</td> </tr> <tr> <td>8029.00</td> <td>52.35</td> <td>54.00</td> <td>-1.65</td> <td>40.30</td> <td>36.34</td> <td>13.38</td> <td>37.67</td> <td>0.00</td> <td>102</td> <td>51 Average HORIZONTAL</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Pol/Phase	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	6025.00	87.81	68.20	19.61	80.18	35.22	11.48	39.07	0.00	100	44 AVERAGE HORIZONTAL	8029.00	52.35	54.00	-1.65	40.30	36.34	13.38	37.67	0.00	102	51 Average HORIZONTAL
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1 5914.80	47.00	68.20	-21.20	39.71	35.13	11.39	39.23	0.00	100	44 AVERAGE																																																																																			
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Pol/Phase																																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
6025.00	87.81	68.20	19.61	80.18	35.22	11.48	39.07	0.00	100	44 AVERAGE HORIZONTAL																																																																																			
8029.00	52.35	54.00	-1.65	40.30	36.34	13.38	37.67	0.00	102	51 Average HORIZONTAL																																																																																			



Mode	33																																																																							
	Band Edge																																																																							
	U-NII-5_5.925-6.425_802.11be EHT160_CH15_6025MHz																																																																							
ANT	CDD 0+2																																																																							
Pol.	Vertical	Fundamental																																																																						
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5911.80</td> <td>59.05</td> <td>88.20</td> <td>-29.15</td> <td>51.78</td> <td>35.12</td> <td>11.39</td> <td>39.24</td> <td>0.00</td> <td>300</td> <td>2 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5911.80	59.05	88.20	-29.15	51.78	35.12	11.39	39.24	0.00	300	2 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 6025.00</td> <td>97.21</td> <td>-----</td> <td>-----</td> <td>89.77</td> <td>35.17</td> <td>11.43</td> <td>39.16</td> <td>0.00</td> <td>300</td> <td>2 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 6025.00	97.21	-----	-----	89.77	35.17	11.43	39.16	0.00	300	2 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																	
1 5911.80	59.05	88.20	-29.15	51.78	35.12	11.39	39.24	0.00	300	2 PEAK																																																														
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																	
1 6025.00	97.21	-----	-----	89.77	35.17	11.43	39.16	0.00	300	2 PEAK																																																														
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5916.40</td> <td>45.39</td> <td>68.20</td> <td>-22.81</td> <td>38.10</td> <td>35.13</td> <td>11.39</td> <td>39.23</td> <td>0.00</td> <td>300</td> <td>2 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5916.40	45.39	68.20	-22.81	38.10	35.13	11.39	39.23	0.00	300	2 AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th>Factor</th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 6025.00</td> <td>87.63</td> <td>-----</td> <td>-----</td> <td>80.19</td> <td>35.17</td> <td>11.43</td> <td>39.16</td> <td>0.00</td> <td>300</td> <td>2 AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 6025.00	87.63	-----	-----	80.19	35.17	11.43	39.16	0.00	300	2 AVERAGE
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																	
1 5916.40	45.39	68.20	-22.81	38.10	35.13	11.39	39.23	0.00	300	2 AVERAGE																																																														
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor		Remark																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																	
1 6025.00	87.63	-----	-----	80.19	35.17	11.43	39.16	0.00	300	2 AVERAGE																																																														