



Mode	29																																													
	Band Edge - R																																													
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH122_5610MHz																																													
ANT	SISO																																													
Pol.	Horizontal	Fundamental																																												
Peak	<p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>U-NII-1-U-NII-2A-U-NII-2C</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5729.88</td> <td>64.77</td> <td>68.20</td> <td>-3.43</td> <td>56.55</td> <td>34.45</td> <td>11.34</td> <td>37.57</td> <td>0.00</td> <td>185</td> <td>186</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5729.88	64.77	68.20	-3.43	56.55	34.45	11.34	37.57	0.00	185	186	PEAK	Blank
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																				
1	5729.88	64.77	68.20	-3.43	56.55	34.45	11.34	37.57	0.00	185	186	PEAK																																		



Mode	29																																																																																														
	Band Edge - L																																																																																														
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH122_5610MHz																																																																																														
ANT	SISO																																																																																														
Pol.	Vertical	Fundamental																																																																																													
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5445.84</td> <td>51.87</td> <td>74.00</td> <td>-22.13</td> <td>43.88</td> <td>34.35</td> <td>10.95</td> <td>37.31</td> <td>0.00</td> <td>222</td> <td>200</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5469.84</td> <td>52.94</td> <td>68.20</td> <td>-15.26</td> <td>44.92</td> <td>34.33</td> <td>10.98</td> <td>37.29</td> <td>0.00</td> <td>222</td> <td>200</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5445.84	51.87	74.00	-22.13	43.88	34.35	10.95	37.31	0.00	222	200	PEAK	2	5469.84	52.94	68.20	-15.26	44.92	34.33	10.98	37.29	0.00	222	200	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5610.00</td> <td>101.25</td> <td>-----</td> <td>-----</td> <td>92.84</td> <td>34.48</td> <td>11.16</td> <td>37.23</td> <td>0.00</td> <td>222</td> <td>200</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5610.00	101.25	-----	-----	92.84	34.48	11.16	37.23	0.00	222	200	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																							
1	5445.84	51.87	74.00	-22.13	43.88	34.35	10.95	37.31	0.00	222	200	PEAK																																																																																			
2	5469.84	52.94	68.20	-15.26	44.92	34.33	10.98	37.29	0.00	222	200	PEAK																																																																																			
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																							
1	5610.00	101.25	-----	-----	92.84	34.48	11.16	37.23	0.00	222	200	PEAK																																																																																			
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5455.76</td> <td>41.43</td> <td>54.00</td> <td>-12.57</td> <td>33.43</td> <td>34.34</td> <td>10.96</td> <td>37.30</td> <td>0.00</td> <td>222</td> <td>200</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5455.76	41.43	54.00	-12.57	33.43	34.34	10.96	37.30	0.00	222	200	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5610.00</td> <td>92.24</td> <td>-----</td> <td>-----</td> <td>83.83</td> <td>34.47</td> <td>11.17</td> <td>37.23</td> <td>0.00</td> <td>222</td> <td>200</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5610.00	92.24	-----	-----	83.83	34.47	11.17	37.23	0.00	222	200	AVERAGE													
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																							
1	5455.76	41.43	54.00	-12.57	33.43	34.34	10.96	37.30	0.00	222	200	AVERAGE																																																																																			
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																							
1	5610.00	92.24	-----	-----	83.83	34.47	11.17	37.23	0.00	222	200	AVERAGE																																																																																			



Mode	29																																												
	Band Edge - R																																												
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH122_5610MHz																																												
ANT	SISO																																												
Pol.	Vertical	Fundamental																																											
Peak	<p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>U-NII-1-U-NII-2A-U-NII-2C</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5725.96</td> <td>61.49</td> <td>68.20</td> <td>-6.71</td> <td>53.28</td> <td>34.43</td> <td>11.33</td> <td>37.55</td> <td>0.00</td> <td>222</td> <td>200 PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5725.96	61.49	68.20	-6.71	53.28	34.43	11.33	37.55	0.00	222	200 PEAK	Blank
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																			
1	5725.96	61.49	68.20	-6.71	53.28	34.43	11.33	37.55	0.00	222	200 PEAK																																		



Mode	29																																																																																							
	Harmonic																																																																																							
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH122_5610MHz																																																																																							
ANT	SISO																																																																																							
Pol.	Horizontal	Vertical																																																																																						
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11220.00</td> <td>42.55</td> <td>74.00</td> <td>-31.45</td> <td>55.39</td> <td>38.00</td> <td>15.92</td> <td>66.76</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11220.00	42.55	74.00	-31.45	55.39	38.00	15.92	66.76	0.00	---	---	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11220.00</td> <td>43.52</td> <td>74.00</td> <td>-30.48</td> <td>56.36</td> <td>38.00</td> <td>15.92</td> <td>66.76</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11220.00	43.52	74.00	-30.48	56.36	38.00	15.92	66.76	0.00	---	---	PEAK
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1 11220.00	42.55	74.00	-31.45	55.39	38.00	15.92	66.76	0.00	---	---	PEAK																																																																													
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1 11220.00	43.52	74.00	-30.48	56.36	38.00	15.92	66.76	0.00	---	---	PEAK																																																																													



Mode	30																																																																																																																											
	Band Edge																																																																																																																											
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHZ																																																																																																																											
ANT	SISO																																																																																																																											
Pol.	Horizontal	Fundamental																																																																																																																										
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5646.40</td> <td>52.97</td> <td>68.20</td> <td>-15.23</td> <td>44.59</td> <td>34.41</td> <td>11.21</td> <td>37.24</td> <td>0.00</td> <td>106</td> <td>0 PEAK</td> </tr> <tr> <td>2</td> <td>5650.40</td> <td>50.94</td> <td>68.50</td> <td>-17.56</td> <td>42.58</td> <td>34.40</td> <td>11.22</td> <td>37.26</td> <td>0.00</td> <td>106</td> <td>0 PEAK</td> </tr> <tr> <td>3</td> <td>5720.00</td> <td>68.49</td> <td>110.90</td> <td>-42.41</td> <td>60.30</td> <td>34.40</td> <td>11.32</td> <td>37.53</td> <td>0.00</td> <td>106</td> <td>0 PEAK</td> </tr> <tr> <td>4</td> <td>5720.10</td> <td>68.49</td> <td>110.90</td> <td>-42.41</td> <td>60.30</td> <td>34.40</td> <td>11.32</td> <td>37.53</td> <td>0.00</td> <td>106</td> <td>0 PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5646.40	52.97	68.20	-15.23	44.59	34.41	11.21	37.24	0.00	106	0 PEAK	2	5650.40	50.94	68.50	-17.56	42.58	34.40	11.22	37.26	0.00	106	0 PEAK	3	5720.00	68.49	110.90	-42.41	60.30	34.40	11.32	37.53	0.00	106	0 PEAK	4	5720.10	68.49	110.90	-42.41	60.30	34.40	11.32	37.53	0.00	106	0 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>112.71</td> <td>-----</td> <td>-----</td> <td>104.45</td> <td>34.53</td> <td>11.36</td> <td>37.63</td> <td>0.00</td> <td>106</td> <td>0 PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	112.71	-----	-----	104.45	34.53	11.36	37.63	0.00	106	0 PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																		
1	5646.40	52.97	68.20	-15.23	44.59	34.41	11.21	37.24	0.00	106	0 PEAK																																																																																																																	
2	5650.40	50.94	68.50	-17.56	42.58	34.40	11.22	37.26	0.00	106	0 PEAK																																																																																																																	
3	5720.00	68.49	110.90	-42.41	60.30	34.40	11.32	37.53	0.00	106	0 PEAK																																																																																																																	
4	5720.10	68.49	110.90	-42.41	60.30	34.40	11.32	37.53	0.00	106	0 PEAK																																																																																																																	
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																		
1	5745.00	112.71	-----	-----	104.45	34.53	11.36	37.63	0.00	106	0 PEAK																																																																																																																	
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>104.94</td> <td>-----</td> <td>-----</td> <td>96.68</td> <td>34.53</td> <td>11.36</td> <td>37.63</td> <td>0.00</td> <td>106</td> <td>0 AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	104.94	-----	-----	96.68	34.53	11.36	37.63	0.00	106	0 AVERAGE																																																																															
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																		
1	5745.00	104.94	-----	-----	96.68	34.53	11.36	37.63	0.00	106	0 AVERAGE																																																																																																																	



Mode	30																																																																																																																																
	Band Edge																																																																																																																																
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHZ																																																																																																																																
ANT	SISO																																																																																																																																
Pol.	Vertical	Fundamental																																																																																																																															
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5614.00</td> <td>49.17</td> <td>68.20</td> <td>-19.03</td> <td>40.76</td> <td>34.47</td> <td>11.17</td> <td>37.23</td> <td>0.00</td> <td>288</td> <td>360</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5652.00</td> <td>48.26</td> <td>69.69</td> <td>-21.43</td> <td>39.91</td> <td>34.40</td> <td>11.22</td> <td>37.27</td> <td>0.00</td> <td>288</td> <td>360</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5717.20</td> <td>63.87</td> <td>110.12</td> <td>-46.25</td> <td>55.68</td> <td>34.39</td> <td>11.32</td> <td>37.52</td> <td>0.00</td> <td>288</td> <td>360</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5720.00</td> <td>62.29</td> <td>110.90</td> <td>-48.61</td> <td>54.10</td> <td>34.40</td> <td>11.32</td> <td>37.53</td> <td>0.00</td> <td>288</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5614.00	49.17	68.20	-19.03	40.76	34.47	11.17	37.23	0.00	288	360	PEAK	2	5652.00	48.26	69.69	-21.43	39.91	34.40	11.22	37.27	0.00	288	360	PEAK	3	5717.20	63.87	110.12	-46.25	55.68	34.39	11.32	37.52	0.00	288	360	PEAK	4	5720.00	62.29	110.90	-48.61	54.10	34.40	11.32	37.53	0.00	288	360	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>106.67</td> <td>-----</td> <td>-----</td> <td>98.41</td> <td>34.53</td> <td>11.36</td> <td>37.63</td> <td>0.00</td> <td>288</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	106.67	-----	-----	98.41	34.53	11.36	37.63	0.00	288	360	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																							
1	5614.00	49.17	68.20	-19.03	40.76	34.47	11.17	37.23	0.00	288	360	PEAK																																																																																																																					
2	5652.00	48.26	69.69	-21.43	39.91	34.40	11.22	37.27	0.00	288	360	PEAK																																																																																																																					
3	5717.20	63.87	110.12	-46.25	55.68	34.39	11.32	37.52	0.00	288	360	PEAK																																																																																																																					
4	5720.00	62.29	110.90	-48.61	54.10	34.40	11.32	37.53	0.00	288	360	PEAK																																																																																																																					
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																							
1	5745.00	106.67	-----	-----	98.41	34.53	11.36	37.63	0.00	288	360	PEAK																																																																																																																					
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>99.03</td> <td>-----</td> <td>-----</td> <td>90.77</td> <td>34.53</td> <td>11.36</td> <td>37.63</td> <td>0.00</td> <td>288</td> <td>360</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	99.03	-----	-----	90.77	34.53	11.36	37.63	0.00	288	360	AVERAGE																																																																																			
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																							
1	5745.00	99.03	-----	-----	90.77	34.53	11.36	37.63	0.00	288	360	AVERAGE																																																																																																																					



Mode	30																																																																																																																											
	Harmonic																																																																																																																											
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHZ																																																																																																																											
ANT	SISO																																																																																																																											
Pol.	Horizontal	Vertical																																																																																																																										
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11490.00</td> <td>54.79</td> <td>74.00</td> <td>-19.21</td> <td>67.13</td> <td>38.24</td> <td>16.12</td> <td>66.70</td> <td>0.00</td> <td>310</td> <td>255</td> <td>PEAK</td> </tr> <tr> <td>2 11490.00</td> <td>44.60</td> <td>54.00</td> <td>-9.40</td> <td>56.94</td> <td>38.24</td> <td>16.12</td> <td>66.70</td> <td>0.00</td> <td>310</td> <td>255</td> <td>AVERAGE</td> </tr> <tr> <td>3 17235.00</td> <td>58.02</td> <td>68.20</td> <td>-10.18</td> <td>63.84</td> <td>41.15</td> <td>20.18</td> <td>67.15</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11490.00	54.79	74.00	-19.21	67.13	38.24	16.12	66.70	0.00	310	255	PEAK	2 11490.00	44.60	54.00	-9.40	56.94	38.24	16.12	66.70	0.00	310	255	AVERAGE	3 17235.00	58.02	68.20	-10.18	63.84	41.15	20.18	67.15	0.00	---	---	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11490.00</td> <td>44.92</td> <td>74.00</td> <td>-29.08</td> <td>57.26</td> <td>38.24</td> <td>16.12</td> <td>66.70</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>2 17235.00</td> <td>49.03</td> <td>68.20</td> <td>-19.17</td> <td>54.85</td> <td>41.15</td> <td>20.18</td> <td>67.15</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11490.00	44.92	74.00	-29.08	57.26	38.24	16.12	66.70	0.00	---	---	PEAK	2 17235.00	49.03	68.20	-19.17	54.85	41.15	20.18	67.15	0.00	---	---	PEAK
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																		
1 11490.00	54.79	74.00	-19.21	67.13	38.24	16.12	66.70	0.00	310	255	PEAK																																																																																																																	
2 11490.00	44.60	54.00	-9.40	56.94	38.24	16.12	66.70	0.00	310	255	AVERAGE																																																																																																																	
3 17235.00	58.02	68.20	-10.18	63.84	41.15	20.18	67.15	0.00	---	---	PEAK																																																																																																																	
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																		
1 11490.00	44.92	74.00	-29.08	57.26	38.24	16.12	66.70	0.00	---	---	PEAK																																																																																																																	
2 17235.00	49.03	68.20	-19.17	54.85	41.15	20.18	67.15	0.00	---	---	PEAK																																																																																																																	






Mode	31																																																																																																																			
	Harmonic																																																																																																																			
	U-NII-3_5.725-5.85_802.11a_CH157_5785MHz																																																																																																																			
ANT	SISO																																																																																																																			
Pol.	Horizontal	Vertical																																																																																																																		
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11570.00</td> <td>54.06</td> <td>74.00</td> <td>-19.94</td> <td>66.14</td> <td>38.31</td> <td>16.18</td> <td>66.57</td> <td>0.00</td> <td>300</td> <td>164</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>11570.00</td> <td>43.95</td> <td>54.00</td> <td>-10.05</td> <td>56.03</td> <td>38.31</td> <td>16.18</td> <td>66.57</td> <td>0.00</td> <td>300</td> <td>164</td> <td>AVERAGE</td> </tr> <tr> <td>3</td> <td>17355.00</td> <td>49.69</td> <td>68.20</td> <td>-18.51</td> <td>55.40</td> <td>41.17</td> <td>20.29</td> <td>67.17</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11570.00	54.06	74.00	-19.94	66.14	38.31	16.18	66.57	0.00	300	164	PEAK	2	11570.00	43.95	54.00	-10.05	56.03	38.31	16.18	66.57	0.00	300	164	AVERAGE	3	17355.00	49.69	68.20	-18.51	55.40	41.17	20.29	67.17	0.00	---	---	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11570.00</td> <td>45.94</td> <td>74.00</td> <td>-28.06</td> <td>58.02</td> <td>38.31</td> <td>16.18</td> <td>66.57</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11570.00	45.94	74.00	-28.06	58.02	38.31	16.18	66.57	0.00	---	---	PEAK
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																										
1	11570.00	54.06	74.00	-19.94	66.14	38.31	16.18	66.57	0.00	300	164	PEAK																																																																																																								
2	11570.00	43.95	54.00	-10.05	56.03	38.31	16.18	66.57	0.00	300	164	AVERAGE																																																																																																								
3	17355.00	49.69	68.20	-18.51	55.40	41.17	20.29	67.17	0.00	---	---	PEAK																																																																																																								
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																										
1	11570.00	45.94	74.00	-28.06	58.02	38.31	16.18	66.57	0.00	---	---	PEAK																																																																																																								



Mode	32																																																																																																										
	Band Edge																																																																																																										
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHZ																																																																																																										
ANT	SISO																																																																																																										
Pol.	Horizontal	Fundamental																																																																																																									
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.00</td> <td>70.12</td> <td>113.18</td> <td>-43.06</td> <td>61.54</td> <td>34.85</td> <td>11.49</td> <td>37.76</td> <td>0.00</td> <td>171</td> <td>0</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5855.60</td> <td>68.84</td> <td>110.73</td> <td>-41.89</td> <td>60.25</td> <td>34.86</td> <td>11.49</td> <td>37.76</td> <td>0.00</td> <td>171</td> <td>0</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5922.80</td> <td>52.06</td> <td>69.83</td> <td>-17.77</td> <td>43.20</td> <td>34.97</td> <td>11.55</td> <td>37.66</td> <td>0.00</td> <td>171</td> <td>0</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5933.20</td> <td>52.36</td> <td>68.20</td> <td>-15.84</td> <td>43.45</td> <td>35.00</td> <td>11.56</td> <td>37.65</td> <td>0.00</td> <td>171</td> <td>0</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg	1	5854.00	70.12	113.18	-43.06	61.54	34.85	11.49	37.76	0.00	171	0	PEAK	2	5855.60	68.84	110.73	-41.89	60.25	34.86	11.49	37.76	0.00	171	0	PEAK	3	5922.80	52.06	69.83	-17.77	43.20	34.97	11.55	37.66	0.00	171	0	PEAK	4	5933.20	52.36	68.20	-15.84	43.45	35.00	11.56	37.65	0.00	171	0	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>113.00</td> <td>-----</td> <td>-----</td> <td>104.50</td> <td>34.83</td> <td>11.47</td> <td>37.80</td> <td>0.00</td> <td>171</td> <td>0</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg	1	5825.00	113.00	-----	-----	104.50	34.83	11.47	37.80	0.00	171	0	PEAK
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																		
Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																		
1	5854.00	70.12	113.18	-43.06	61.54	34.85	11.49	37.76	0.00	171	0	PEAK																																																																																															
2	5855.60	68.84	110.73	-41.89	60.25	34.86	11.49	37.76	0.00	171	0	PEAK																																																																																															
3	5922.80	52.06	69.83	-17.77	43.20	34.97	11.55	37.66	0.00	171	0	PEAK																																																																																															
4	5933.20	52.36	68.20	-15.84	43.45	35.00	11.56	37.65	0.00	171	0	PEAK																																																																																															
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																		
Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																		
1	5825.00	113.00	-----	-----	104.50	34.83	11.47	37.80	0.00	171	0	PEAK																																																																																															
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>104.96</td> <td>-----</td> <td>-----</td> <td>96.48</td> <td>34.82</td> <td>11.47</td> <td>37.81</td> <td>0.00</td> <td>171</td> <td>0</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg	1	5825.00	104.96	-----	-----	96.48	34.82	11.47	37.81	0.00	171	0	AVERAGE																																																																								
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																		
Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																		
1	5825.00	104.96	-----	-----	96.48	34.82	11.47	37.81	0.00	171	0	AVERAGE																																																																																															






Mode	32																																																																																																														
	Band Edge																																																																																																														
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHZ																																																																																																														
ANT	SISO																																																																																																														
Pol.	Vertical	Fundamental																																																																																																													
Peak	 <table border="1" data-bbox="263 1064 774 1243"> <thead> <tr> <th></th> <th>Limit Freq</th> <th>Over Level</th> <th>Read Line</th> <th>Ant Limit</th> <th>Cable Level</th> <th>Preamp Factor</th> <th>Aux Loss</th> <th>APos Factor</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5852.80</td> <td>65.70</td> <td>115.92</td> <td>-50.22</td> <td>57.12</td> <td>34.85</td> <td>11.49</td> <td>37.76</td> <td>0.00</td> <td>267</td> <td>360</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5855.60</td> <td>65.51</td> <td>110.73</td> <td>-45.22</td> <td>56.92</td> <td>34.86</td> <td>11.49</td> <td>37.76</td> <td>0.00</td> <td>267</td> <td>360</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5924.40</td> <td>46.30</td> <td>68.64</td> <td>-22.34</td> <td>37.44</td> <td>34.97</td> <td>11.55</td> <td>37.66</td> <td>0.00</td> <td>267</td> <td>360</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5977.60</td> <td>49.90</td> <td>68.20</td> <td>-18.30</td> <td>40.76</td> <td>35.13</td> <td>11.59</td> <td>37.58</td> <td>0.00</td> <td>267</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>		Limit Freq	Over Level	Read Line	Ant Limit	Cable Level	Preamp Factor	Aux Loss	APos Factor	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5852.80	65.70	115.92	-50.22	57.12	34.85	11.49	37.76	0.00	267	360	PEAK	2	5855.60	65.51	110.73	-45.22	56.92	34.86	11.49	37.76	0.00	267	360	PEAK	3	5924.40	46.30	68.64	-22.34	37.44	34.97	11.55	37.66	0.00	267	360	PEAK	4	5977.60	49.90	68.20	-18.30	40.76	35.13	11.59	37.58	0.00	267	360	PEAK	 <table border="1" data-bbox="901 1064 1412 1243"> <thead> <tr> <th></th> <th>Limit Freq</th> <th>Over Level</th> <th>Read Level</th> <th>Ant Level</th> <th>Cable Loss</th> <th>Preamp Factor</th> <th>Aux Factor</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>106.37</td> <td>-----</td> <td>-----</td> <td>97.89</td> <td>34.82</td> <td>11.47</td> <td>37.81</td> <td>0.00</td> <td>267</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>		Limit Freq	Over Level	Read Level	Ant Level	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	106.37	-----	-----	97.89	34.82	11.47	37.81	0.00	267	360	PEAK
	Limit Freq	Over Level	Read Line	Ant Limit	Cable Level	Preamp Factor	Aux Loss	APos Factor	TPos	Remark																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5852.80	65.70	115.92	-50.22	57.12	34.85	11.49	37.76	0.00	267	360	PEAK																																																																																																			
2	5855.60	65.51	110.73	-45.22	56.92	34.86	11.49	37.76	0.00	267	360	PEAK																																																																																																			
3	5924.40	46.30	68.64	-22.34	37.44	34.97	11.55	37.66	0.00	267	360	PEAK																																																																																																			
4	5977.60	49.90	68.20	-18.30	40.76	35.13	11.59	37.58	0.00	267	360	PEAK																																																																																																			
	Limit Freq	Over Level	Read Level	Ant Level	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5825.00	106.37	-----	-----	97.89	34.82	11.47	37.81	0.00	267	360	PEAK																																																																																																			
Avg	Blank	 <table border="1" data-bbox="901 1747 1412 1926"> <thead> <tr> <th></th> <th>Limit Freq</th> <th>Over Level</th> <th>Read Level</th> <th>Ant Level</th> <th>Cable Loss</th> <th>Preamp Factor</th> <th>Aux Factor</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>98.12</td> <td>-----</td> <td>-----</td> <td>89.64</td> <td>34.82</td> <td>11.47</td> <td>37.81</td> <td>0.00</td> <td>267</td> <td>360</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit Freq	Over Level	Read Level	Ant Level	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	98.12	-----	-----	89.64	34.82	11.47	37.81	0.00	267	360	AVERAGE																																																																										
	Limit Freq	Over Level	Read Level	Ant Level	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5825.00	98.12	-----	-----	89.64	34.82	11.47	37.81	0.00	267	360	AVERAGE																																																																																																			



Mode	32																																																																																																																			
	Harmonic																																																																																																																			
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																																																			
ANT	SISO																																																																																																																			
Pol.	Horizontal	Vertical																																																																																																																		
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11650.00</td> <td>51.45</td> <td>74.00</td> <td>-22.55</td> <td>63.26</td> <td>38.39</td> <td>16.23</td> <td>66.43</td> <td>0.00</td> <td>300</td> <td>163</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>11650.00</td> <td>41.82</td> <td>54.00</td> <td>-12.18</td> <td>53.63</td> <td>38.39</td> <td>16.23</td> <td>66.43</td> <td>0.00</td> <td>300</td> <td>163</td> <td>AVERAGE</td> </tr> <tr> <td>3</td> <td>17475.00</td> <td>48.67</td> <td>68.20</td> <td>-19.53</td> <td>54.27</td> <td>41.20</td> <td>20.40</td> <td>67.20</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11650.00	51.45	74.00	-22.55	63.26	38.39	16.23	66.43	0.00	300	163	PEAK	2	11650.00	41.82	54.00	-12.18	53.63	38.39	16.23	66.43	0.00	300	163	AVERAGE	3	17475.00	48.67	68.20	-19.53	54.27	41.20	20.40	67.20	0.00	---	---	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11650.00</td> <td>44.86</td> <td>74.00</td> <td>-29.14</td> <td>56.68</td> <td>38.38</td> <td>16.23</td> <td>66.43</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11650.00	44.86	74.00	-29.14	56.68	38.38	16.23	66.43	0.00	---	---	PEAK
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																										
1	11650.00	51.45	74.00	-22.55	63.26	38.39	16.23	66.43	0.00	300	163	PEAK																																																																																																								
2	11650.00	41.82	54.00	-12.18	53.63	38.39	16.23	66.43	0.00	300	163	AVERAGE																																																																																																								
3	17475.00	48.67	68.20	-19.53	54.27	41.20	20.40	67.20	0.00	---	---	PEAK																																																																																																								
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																										
1	11650.00	44.86	74.00	-29.14	56.68	38.38	16.23	66.43	0.00	---	---	PEAK																																																																																																								



Mode	33																																																																																																														
	Band Edge																																																																																																														
	U-NII-3_5.725-5.85_802.11n HT20_CH149_5745MHZ																																																																																																														
ANT	SISO																																																																																																														
Pol.	Horizontal	Fundamental																																																																																																													
Peak	 <table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5646.00</td> <td>52.49</td> <td>68.20</td> <td>-15.71</td> <td>44.11</td> <td>34.41</td> <td>11.21</td> <td>37.24</td> <td>0.00</td> <td>142</td> <td>360</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5650.40</td> <td>52.83</td> <td>68.50</td> <td>-15.67</td> <td>44.47</td> <td>34.40</td> <td>11.22</td> <td>37.26</td> <td>0.00</td> <td>142</td> <td>360</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5705.60</td> <td>62.62</td> <td>106.87</td> <td>-44.25</td> <td>54.46</td> <td>34.33</td> <td>11.30</td> <td>37.47</td> <td>0.00</td> <td>142</td> <td>360</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5720.40</td> <td>73.94</td> <td>111.81</td> <td>-37.87</td> <td>65.75</td> <td>34.40</td> <td>11.32</td> <td>37.53</td> <td>0.00</td> <td>142</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg	1	5646.00	52.49	68.20	-15.71	44.11	34.41	11.21	37.24	0.00	142	360	PEAK	2	5650.40	52.83	68.50	-15.67	44.47	34.40	11.22	37.26	0.00	142	360	PEAK	3	5705.60	62.62	106.87	-44.25	54.46	34.33	11.30	37.47	0.00	142	360	PEAK	4	5720.40	73.94	111.81	-37.87	65.75	34.40	11.32	37.53	0.00	142	360	PEAK	 <table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>112.33</td> <td>-----</td> <td>-----</td> <td>104.07</td> <td>34.53</td> <td>11.36</td> <td>37.63</td> <td>0.00</td> <td>142</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg	1	5745.00	112.33	-----	-----	104.07	34.53	11.36	37.63	0.00	142	360	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																					
1	5646.00	52.49	68.20	-15.71	44.11	34.41	11.21	37.24	0.00	142	360	PEAK																																																																																																			
2	5650.40	52.83	68.50	-15.67	44.47	34.40	11.22	37.26	0.00	142	360	PEAK																																																																																																			
3	5705.60	62.62	106.87	-44.25	54.46	34.33	11.30	37.47	0.00	142	360	PEAK																																																																																																			
4	5720.40	73.94	111.81	-37.87	65.75	34.40	11.32	37.53	0.00	142	360	PEAK																																																																																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																					
1	5745.00	112.33	-----	-----	104.07	34.53	11.36	37.63	0.00	142	360	PEAK																																																																																																			
Avg	Blank	 <table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>103.88</td> <td>-----</td> <td>-----</td> <td>95.62</td> <td>34.53</td> <td>11.36</td> <td>37.63</td> <td>0.00</td> <td>142</td> <td>360</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg	1	5745.00	103.88	-----	-----	95.62	34.53	11.36	37.63	0.00	142	360	AVERAGE																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																					
1	5745.00	103.88	-----	-----	95.62	34.53	11.36	37.63	0.00	142	360	AVERAGE																																																																																																			



Mode	33																																																																																																																											
	Band Edge																																																																																																																											
	U-NII-3_5.725-5.85_802.11n HT20_CH149_5745MHZ																																																																																																																											
ANT	SISO																																																																																																																											
Pol.	Vertical	Fundamental																																																																																																																										
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5631.20</td> <td>49.01</td> <td>68.20</td> <td>-19.19</td> <td>40.60</td> <td>34.44</td> <td>11.19</td> <td>37.22</td> <td>0.00</td> <td>295</td> <td>0 PEAK</td> </tr> <tr> <td>2</td> <td>5650.00</td> <td>46.88</td> <td>68.20</td> <td>-21.32</td> <td>38.52</td> <td>34.40</td> <td>11.22</td> <td>37.26</td> <td>0.00</td> <td>295</td> <td>0 PEAK</td> </tr> <tr> <td>3</td> <td>5712.00</td> <td>60.47</td> <td>108.66</td> <td>-48.19</td> <td>52.30</td> <td>34.36</td> <td>11.31</td> <td>37.50</td> <td>0.00</td> <td>295</td> <td>0 PEAK</td> </tr> <tr> <td>4</td> <td>5722.80</td> <td>63.33</td> <td>117.28</td> <td>-53.95</td> <td>55.13</td> <td>34.41</td> <td>11.33</td> <td>37.54</td> <td>0.00</td> <td>295</td> <td>0 PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5631.20	49.01	68.20	-19.19	40.60	34.44	11.19	37.22	0.00	295	0 PEAK	2	5650.00	46.88	68.20	-21.32	38.52	34.40	11.22	37.26	0.00	295	0 PEAK	3	5712.00	60.47	108.66	-48.19	52.30	34.36	11.31	37.50	0.00	295	0 PEAK	4	5722.80	63.33	117.28	-53.95	55.13	34.41	11.33	37.54	0.00	295	0 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>106.09</td> <td>-----</td> <td>-----</td> <td>98.63</td> <td>34.53</td> <td>11.36</td> <td>37.63</td> <td>0.00</td> <td>295</td> <td>0 PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	106.09	-----	-----	98.63	34.53	11.36	37.63	0.00	295	0 PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																		
1	5631.20	49.01	68.20	-19.19	40.60	34.44	11.19	37.22	0.00	295	0 PEAK																																																																																																																	
2	5650.00	46.88	68.20	-21.32	38.52	34.40	11.22	37.26	0.00	295	0 PEAK																																																																																																																	
3	5712.00	60.47	108.66	-48.19	52.30	34.36	11.31	37.50	0.00	295	0 PEAK																																																																																																																	
4	5722.80	63.33	117.28	-53.95	55.13	34.41	11.33	37.54	0.00	295	0 PEAK																																																																																																																	
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																		
1	5745.00	106.09	-----	-----	98.63	34.53	11.36	37.63	0.00	295	0 PEAK																																																																																																																	
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>98.06</td> <td>-----</td> <td>-----</td> <td>89.80</td> <td>34.53</td> <td>11.36</td> <td>37.63</td> <td>0.00</td> <td>295</td> <td>0 AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	98.06	-----	-----	89.80	34.53	11.36	37.63	0.00	295	0 AVERAGE																																																																															
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																		
1	5745.00	98.06	-----	-----	89.80	34.53	11.36	37.63	0.00	295	0 AVERAGE																																																																																																																	



Mode	33																																																																																																						
	Harmonic																																																																																																						
	U-NII-3_5.725-5.85_802.11n HT20_CH149_5745MHz																																																																																																						
ANT	SISO																																																																																																						
Pol.	Horizontal	Vertical																																																																																																					
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11490.00</td> <td>44.48</td> <td>74.00</td> <td>-29.52</td> <td>56.82</td> <td>38.24</td> <td>16.12</td> <td>66.70</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>17235.00</td> <td>47.85</td> <td>68.20</td> <td>-20.35</td> <td>53.66</td> <td>41.15</td> <td>20.19</td> <td>67.15</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11490.00	44.48	74.00	-29.52	56.82	38.24	16.12	66.70	0.00	---	---	PEAK	2	17235.00	47.85	68.20	-20.35	53.66	41.15	20.19	67.15	0.00	---	---	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11490.00</td> <td>44.76</td> <td>74.00</td> <td>-29.24</td> <td>57.10</td> <td>38.24</td> <td>16.12</td> <td>66.70</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11490.00	44.76	74.00	-29.24	57.10	38.24	16.12	66.70	0.00	---	---	PEAK
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																													
1	11490.00	44.48	74.00	-29.52	56.82	38.24	16.12	66.70	0.00	---	---	PEAK																																																																																											
2	17235.00	47.85	68.20	-20.35	53.66	41.15	20.19	67.15	0.00	---	---	PEAK																																																																																											
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																													
1	11490.00	44.76	74.00	-29.24	57.10	38.24	16.12	66.70	0.00	---	---	PEAK																																																																																											



Mode	34																																																																																																																			
	Harmonic																																																																																																																			
	U-NII-3_5.725-5.85_802.11n HT20_CH157_5785MHz																																																																																																																			
ANT	SISO																																																																																																																			
Pol.	Horizontal	Vertical																																																																																																																		
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11570.00</td> <td>52.22</td> <td>74.00</td> <td>-21.78</td> <td>64.30</td> <td>38.31</td> <td>16.18</td> <td>66.57</td> <td>0.00</td> <td>297</td> <td>254</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>11570.00</td> <td>42.79</td> <td>54.00</td> <td>-11.21</td> <td>54.88</td> <td>38.31</td> <td>16.18</td> <td>66.58</td> <td>0.00</td> <td>297</td> <td>254</td> <td>AVERAGE</td> </tr> <tr> <td>3</td> <td>17355.00</td> <td>48.98</td> <td>68.20</td> <td>-19.22</td> <td>54.69</td> <td>41.17</td> <td>20.29</td> <td>67.17</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11570.00	52.22	74.00	-21.78	64.30	38.31	16.18	66.57	0.00	297	254	PEAK	2	11570.00	42.79	54.00	-11.21	54.88	38.31	16.18	66.58	0.00	297	254	AVERAGE	3	17355.00	48.98	68.20	-19.22	54.69	41.17	20.29	67.17	0.00	---	---	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11570.00</td> <td>46.17</td> <td>74.00</td> <td>-27.83</td> <td>58.25</td> <td>38.31</td> <td>16.18</td> <td>66.57</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11570.00	46.17	74.00	-27.83	58.25	38.31	16.18	66.57	0.00	---	---	PEAK
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																										
1	11570.00	52.22	74.00	-21.78	64.30	38.31	16.18	66.57	0.00	297	254	PEAK																																																																																																								
2	11570.00	42.79	54.00	-11.21	54.88	38.31	16.18	66.58	0.00	297	254	AVERAGE																																																																																																								
3	17355.00	48.98	68.20	-19.22	54.69	41.17	20.29	67.17	0.00	---	---	PEAK																																																																																																								
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																										
1	11570.00	46.17	74.00	-27.83	58.25	38.31	16.18	66.57	0.00	---	---	PEAK																																																																																																								



Mode	35																																																																																																																																
	Band Edge																																																																																																																																
	U-NII-3_5.725-5.85_802.11n HT20_CH165_5825MHZ																																																																																																																																
ANT	SISO																																																																																																																																
Pol.	Horizontal	Fundamental																																																																																																																															
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.00</td> <td>67.69</td> <td>111.36</td> <td>-43.67</td> <td>59.11</td> <td>34.85</td> <td>11.49</td> <td>37.76</td> <td>0.00</td> <td>202</td> <td>349</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5870.00</td> <td>64.67</td> <td>106.70</td> <td>-42.03</td> <td>56.03</td> <td>34.87</td> <td>11.51</td> <td>37.74</td> <td>0.00</td> <td>202</td> <td>349</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5921.60</td> <td>53.79</td> <td>70.71</td> <td>-16.92</td> <td>44.94</td> <td>34.96</td> <td>11.55</td> <td>37.66</td> <td>0.00</td> <td>202</td> <td>349</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5928.00</td> <td>52.84</td> <td>68.20</td> <td>-15.36</td> <td>43.96</td> <td>34.98</td> <td>11.55</td> <td>37.65</td> <td>0.00</td> <td>202</td> <td>349</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.00	67.69	111.36	-43.67	59.11	34.85	11.49	37.76	0.00	202	349	PEAK	2	5870.00	64.67	106.70	-42.03	56.03	34.87	11.51	37.74	0.00	202	349	PEAK	3	5921.60	53.79	70.71	-16.92	44.94	34.96	11.55	37.66	0.00	202	349	PEAK	4	5928.00	52.84	68.20	-15.36	43.96	34.98	11.55	37.65	0.00	202	349	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>113.90</td> <td>-----</td> <td>-----</td> <td>105.42</td> <td>34.82</td> <td>11.47</td> <td>37.81</td> <td>0.00</td> <td>202</td> <td>349</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	113.90	-----	-----	105.42	34.82	11.47	37.81	0.00	202	349	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																							
1	5854.00	67.69	111.36	-43.67	59.11	34.85	11.49	37.76	0.00	202	349	PEAK																																																																																																																					
2	5870.00	64.67	106.70	-42.03	56.03	34.87	11.51	37.74	0.00	202	349	PEAK																																																																																																																					
3	5921.60	53.79	70.71	-16.92	44.94	34.96	11.55	37.66	0.00	202	349	PEAK																																																																																																																					
4	5928.00	52.84	68.20	-15.36	43.96	34.98	11.55	37.65	0.00	202	349	PEAK																																																																																																																					
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																							
1	5825.00	113.90	-----	-----	105.42	34.82	11.47	37.81	0.00	202	349	PEAK																																																																																																																					
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>104.70</td> <td>-----</td> <td>-----</td> <td>96.22</td> <td>34.82</td> <td>11.47</td> <td>37.81</td> <td>0.00</td> <td>202</td> <td>349</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	104.70	-----	-----	96.22	34.82	11.47	37.81	0.00	202	349	AVERAGE																																																																																			
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																							
1	5825.00	104.70	-----	-----	96.22	34.82	11.47	37.81	0.00	202	349	AVERAGE																																																																																																																					



Mode	35																																																																																																																											
	Band Edge																																																																																																																											
	U-NII-3_5.725-5.85_802.11n HT20_CH165_5825MHZ																																																																																																																											
ANT	SISO																																																																																																																											
Pol.	Vertical	Fundamental																																																																																																																										
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.00</td> <td>58.22</td> <td>111.36</td> <td>-53.14</td> <td>49.64</td> <td>34.85</td> <td>11.49</td> <td>37.76</td> <td>0.00</td> <td>292</td> <td>0 PEAK</td> </tr> <tr> <td>2</td> <td>5856.00</td> <td>61.49</td> <td>110.62</td> <td>-49.13</td> <td>52.90</td> <td>34.86</td> <td>11.49</td> <td>37.76</td> <td>0.00</td> <td>292</td> <td>0 PEAK</td> </tr> <tr> <td>3</td> <td>5924.00</td> <td>47.19</td> <td>68.35</td> <td>-21.16</td> <td>38.33</td> <td>34.97</td> <td>11.55</td> <td>37.66</td> <td>0.00</td> <td>292</td> <td>0 PEAK</td> </tr> <tr> <td>4</td> <td>5954.00</td> <td>49.76</td> <td>68.20</td> <td>-18.44</td> <td>40.75</td> <td>35.06</td> <td>11.57</td> <td>37.62</td> <td>0.00</td> <td>292</td> <td>0 PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.00	58.22	111.36	-53.14	49.64	34.85	11.49	37.76	0.00	292	0 PEAK	2	5856.00	61.49	110.62	-49.13	52.90	34.86	11.49	37.76	0.00	292	0 PEAK	3	5924.00	47.19	68.35	-21.16	38.33	34.97	11.55	37.66	0.00	292	0 PEAK	4	5954.00	49.76	68.20	-18.44	40.75	35.06	11.57	37.62	0.00	292	0 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>106.35</td> <td>-----</td> <td>-----</td> <td>97.87</td> <td>34.82</td> <td>11.47</td> <td>37.81</td> <td>0.00</td> <td>292</td> <td>0 PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	106.35	-----	-----	97.87	34.82	11.47	37.81	0.00	292	0 PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																		
1	5854.00	58.22	111.36	-53.14	49.64	34.85	11.49	37.76	0.00	292	0 PEAK																																																																																																																	
2	5856.00	61.49	110.62	-49.13	52.90	34.86	11.49	37.76	0.00	292	0 PEAK																																																																																																																	
3	5924.00	47.19	68.35	-21.16	38.33	34.97	11.55	37.66	0.00	292	0 PEAK																																																																																																																	
4	5954.00	49.76	68.20	-18.44	40.75	35.06	11.57	37.62	0.00	292	0 PEAK																																																																																																																	
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																		
1	5825.00	106.35	-----	-----	97.87	34.82	11.47	37.81	0.00	292	0 PEAK																																																																																																																	
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>96.94</td> <td>-----</td> <td>-----</td> <td>88.46</td> <td>34.82</td> <td>11.47</td> <td>37.81</td> <td>0.00</td> <td>292</td> <td>0 AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	96.94	-----	-----	88.46	34.82	11.47	37.81	0.00	292	0 AVERAGE																																																																															
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																		
1	5825.00	96.94	-----	-----	88.46	34.82	11.47	37.81	0.00	292	0 AVERAGE																																																																																																																	



Mode	35																																																																																																						
	Harmonic																																																																																																						
	U-NII-3_5.725-5.85_802.11n HT20_CH165_5825MHz																																																																																																						
ANT	SISO																																																																																																						
Pol.	Horizontal	Vertical																																																																																																					
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11650.00</td> <td>44.04</td> <td>74.00</td> <td>-29.96</td> <td>55.86</td> <td>38.38</td> <td>16.23</td> <td>66.43</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>17475.00</td> <td>48.21</td> <td>68.20</td> <td>-19.99</td> <td>53.82</td> <td>41.19</td> <td>20.39</td> <td>67.19</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11650.00	44.04	74.00	-29.96	55.86	38.38	16.23	66.43	0.00	---	---	PEAK	2	17475.00	48.21	68.20	-19.99	53.82	41.19	20.39	67.19	0.00	---	---	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11650.00</td> <td>44.71</td> <td>74.00</td> <td>-29.29</td> <td>56.53</td> <td>38.38</td> <td>16.23</td> <td>66.43</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11650.00	44.71	74.00	-29.29	56.53	38.38	16.23	66.43	0.00	---	---	PEAK
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																													
1	11650.00	44.04	74.00	-29.96	55.86	38.38	16.23	66.43	0.00	---	---	PEAK																																																																																											
2	17475.00	48.21	68.20	-19.99	53.82	41.19	20.39	67.19	0.00	---	---	PEAK																																																																																											
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																													
1	11650.00	44.71	74.00	-29.29	56.53	38.38	16.23	66.43	0.00	---	---	PEAK																																																																																											



Mode	36																																																																																																																																
	Band Edge - L																																																																																																																																
	U-NII-3_5.725-5.85_802.11n HT40_CH151_5755MHz																																																																																																																																
ANT	SISO																																																																																																																																
Pol.	Horizontal	Fundamental																																																																																																																															
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5635.34</td> <td>57.60</td> <td>68.20</td> <td>-10.60</td> <td>49.19</td> <td>34.43</td> <td>11.20</td> <td>37.22</td> <td>0.00</td> <td>139</td> <td>360</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5657.20</td> <td>61.12</td> <td>73.56</td> <td>-12.44</td> <td>52.79</td> <td>34.39</td> <td>11.23</td> <td>37.29</td> <td>0.00</td> <td>139</td> <td>360</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5718.89</td> <td>83.38</td> <td>110.59</td> <td>-27.21</td> <td>75.20</td> <td>34.39</td> <td>11.32</td> <td>37.53</td> <td>0.00</td> <td>139</td> <td>360</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5720.13</td> <td>77.25</td> <td>111.19</td> <td>-33.94</td> <td>69.06</td> <td>34.40</td> <td>11.32</td> <td>37.53</td> <td>0.00</td> <td>139</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5635.34	57.60	68.20	-10.60	49.19	34.43	11.20	37.22	0.00	139	360	PEAK	2	5657.20	61.12	73.56	-12.44	52.79	34.39	11.23	37.29	0.00	139	360	PEAK	3	5718.89	83.38	110.59	-27.21	75.20	34.39	11.32	37.53	0.00	139	360	PEAK	4	5720.13	77.25	111.19	-33.94	69.06	34.40	11.32	37.53	0.00	139	360	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5755.00</td> <td>110.45</td> <td>-----</td> <td>-----</td> <td>102.16</td> <td>34.59</td> <td>11.38</td> <td>37.60</td> <td>0.00</td> <td>139</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5755.00	110.45	-----	-----	102.16	34.59	11.38	37.60	0.00	139	360	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																							
1	5635.34	57.60	68.20	-10.60	49.19	34.43	11.20	37.22	0.00	139	360	PEAK																																																																																																																					
2	5657.20	61.12	73.56	-12.44	52.79	34.39	11.23	37.29	0.00	139	360	PEAK																																																																																																																					
3	5718.89	83.38	110.59	-27.21	75.20	34.39	11.32	37.53	0.00	139	360	PEAK																																																																																																																					
4	5720.13	77.25	111.19	-33.94	69.06	34.40	11.32	37.53	0.00	139	360	PEAK																																																																																																																					
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																							
1	5755.00	110.45	-----	-----	102.16	34.59	11.38	37.60	0.00	139	360	PEAK																																																																																																																					
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5755.00</td> <td>101.59</td> <td>-----</td> <td>-----</td> <td>93.31</td> <td>34.56</td> <td>11.37</td> <td>37.65</td> <td>0.00</td> <td>139</td> <td>360</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5755.00	101.59	-----	-----	93.31	34.56	11.37	37.65	0.00	139	360	AVERAGE																																																																																			
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																							
1	5755.00	101.59	-----	-----	93.31	34.56	11.37	37.65	0.00	139	360	AVERAGE																																																																																																																					



Mode	36																																																																		
	Band Edge - R																																																																		
	U-NII-3_5.725-5.85_802.11n HT40_CH151_5755MHz																																																																		
ANT	SISO																																																																		
Pol.	Horizontal	Fundamental																																																																	
Peak	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Limit (dBuV/m)</th> <th>Over (dB)</th> <th>Read (dBuV)</th> <th>Ant Factor (dB/m)</th> <th>Cable Loss (dB)</th> <th>Preamp (dB)</th> <th>Aux Factor (dB)</th> <th>APos (cm)</th> <th>TPos (deg)</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.84</td> <td>51.88</td> <td>111.26</td> <td>-59.38</td> <td>43.30</td> <td>34.85</td> <td>11.49</td> <td>37.76</td> <td>0.00</td> <td>139</td> <td>360</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5868.49</td> <td>60.28</td> <td>107.12</td> <td>-46.84</td> <td>51.65</td> <td>34.87</td> <td>11.50</td> <td>37.74</td> <td>0.00</td> <td>139</td> <td>360</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5924.07</td> <td>54.38</td> <td>68.89</td> <td>-14.51</td> <td>45.52</td> <td>34.97</td> <td>11.55</td> <td>37.66</td> <td>0.00</td> <td>139</td> <td>360</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5934.40</td> <td>52.37</td> <td>68.20</td> <td>-15.83</td> <td>43.46</td> <td>35.00</td> <td>11.56</td> <td>37.65</td> <td>0.00</td> <td>139</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Over (dB)	Read (dBuV)	Ant Factor (dB/m)	Cable Loss (dB)	Preamp (dB)	Aux Factor (dB)	APos (cm)	TPos (deg)	Remark	1	5854.84	51.88	111.26	-59.38	43.30	34.85	11.49	37.76	0.00	139	360	PEAK	2	5868.49	60.28	107.12	-46.84	51.65	34.87	11.50	37.74	0.00	139	360	PEAK	3	5924.07	54.38	68.89	-14.51	45.52	34.97	11.55	37.66	0.00	139	360	PEAK	4	5934.40	52.37	68.20	-15.83	43.46	35.00	11.56	37.65	0.00	139	360	PEAK	Blank
Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Over (dB)	Read (dBuV)	Ant Factor (dB/m)	Cable Loss (dB)	Preamp (dB)	Aux Factor (dB)	APos (cm)	TPos (deg)	Remark																																																							
1	5854.84	51.88	111.26	-59.38	43.30	34.85	11.49	37.76	0.00	139	360	PEAK																																																							
2	5868.49	60.28	107.12	-46.84	51.65	34.87	11.50	37.74	0.00	139	360	PEAK																																																							
3	5924.07	54.38	68.89	-14.51	45.52	34.97	11.55	37.66	0.00	139	360	PEAK																																																							
4	5934.40	52.37	68.20	-15.83	43.46	35.00	11.56	37.65	0.00	139	360	PEAK																																																							



Mode	36																																																																																																																											
	Band Edge - L																																																																																																																											
	U-NII-3_5.725-5.85_802.11n HT40_CH151_5755MHz																																																																																																																											
ANT	SISO																																																																																																																											
Pol.	Vertical	Fundamental																																																																																																																										
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5633.33</td> <td>52.19</td> <td>68.20</td> <td>-16.01</td> <td>43.78</td> <td>34.43</td> <td>11.20</td> <td>37.22</td> <td>0.00</td> <td>202</td> <td>0 PEAK</td> </tr> <tr> <td>2</td> <td>5653.48</td> <td>53.14</td> <td>70.79</td> <td>-17.65</td> <td>44.80</td> <td>34.39</td> <td>11.22</td> <td>37.27</td> <td>0.00</td> <td>202</td> <td>0 PEAK</td> </tr> <tr> <td>3</td> <td>5718.58</td> <td>77.32</td> <td>110.50</td> <td>-33.18</td> <td>69.13</td> <td>34.39</td> <td>11.32</td> <td>37.52</td> <td>0.00</td> <td>202</td> <td>0 PEAK</td> </tr> <tr> <td>4</td> <td>5721.99</td> <td>79.46</td> <td>115.43</td> <td>-35.97</td> <td>71.26</td> <td>34.41</td> <td>11.33</td> <td>37.54</td> <td>0.00</td> <td>202</td> <td>0 PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5633.33	52.19	68.20	-16.01	43.78	34.43	11.20	37.22	0.00	202	0 PEAK	2	5653.48	53.14	70.79	-17.65	44.80	34.39	11.22	37.27	0.00	202	0 PEAK	3	5718.58	77.32	110.50	-33.18	69.13	34.39	11.32	37.52	0.00	202	0 PEAK	4	5721.99	79.46	115.43	-35.97	71.26	34.41	11.33	37.54	0.00	202	0 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5755.00</td> <td>104.60</td> <td>-----</td> <td>-----</td> <td>96.60</td> <td>34.56</td> <td>11.37</td> <td>37.65</td> <td>0.00</td> <td>202</td> <td>0 PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5755.00	104.60	-----	-----	96.60	34.56	11.37	37.65	0.00	202	0 PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																		
1	5633.33	52.19	68.20	-16.01	43.78	34.43	11.20	37.22	0.00	202	0 PEAK																																																																																																																	
2	5653.48	53.14	70.79	-17.65	44.80	34.39	11.22	37.27	0.00	202	0 PEAK																																																																																																																	
3	5718.58	77.32	110.50	-33.18	69.13	34.39	11.32	37.52	0.00	202	0 PEAK																																																																																																																	
4	5721.99	79.46	115.43	-35.97	71.26	34.41	11.33	37.54	0.00	202	0 PEAK																																																																																																																	
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																		
1	5755.00	104.60	-----	-----	96.60	34.56	11.37	37.65	0.00	202	0 PEAK																																																																																																																	
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5755.00</td> <td>95.59</td> <td>-----</td> <td>-----</td> <td>87.30</td> <td>34.59</td> <td>11.38</td> <td>37.68</td> <td>0.00</td> <td>202</td> <td>0 AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5755.00	95.59	-----	-----	87.30	34.59	11.38	37.68	0.00	202	0 AVERAGE																																																																															
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																		
1	5755.00	95.59	-----	-----	87.30	34.59	11.38	37.68	0.00	202	0 AVERAGE																																																																																																																	



Mode	36																																																																																			
	Band Edge - R																																																																																			
	U-NII-3_5.725-5.85_802.11n HT40_CH151_5755MHz																																																																																			
ANT	SISO																																																																																			
Pol.	Vertical	Fundamental																																																																																		
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.45</td> <td>47.13</td> <td>112.15</td> <td>-65.02</td> <td>38.55</td> <td>34.85</td> <td>11.49</td> <td>37.76</td> <td>0.00</td> <td>202</td> <td>0</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5870.25</td> <td>49.92</td> <td>106.63</td> <td>-56.71</td> <td>41.28</td> <td>34.87</td> <td>11.51</td> <td>37.74</td> <td>0.00</td> <td>202</td> <td>0</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5923.29</td> <td>48.51</td> <td>69.47</td> <td>-20.96</td> <td>39.65</td> <td>34.97</td> <td>11.55</td> <td>37.66</td> <td>0.00</td> <td>202</td> <td>0</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5945.91</td> <td>49.08</td> <td>68.20</td> <td>-19.12</td> <td>40.18</td> <td>35.04</td> <td>11.57</td> <td>37.63</td> <td>0.00</td> <td>202</td> <td>0</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.45	47.13	112.15	-65.02	38.55	34.85	11.49	37.76	0.00	202	0	PEAK	2	5870.25	49.92	106.63	-56.71	41.28	34.87	11.51	37.74	0.00	202	0	PEAK	3	5923.29	48.51	69.47	-20.96	39.65	34.97	11.55	37.66	0.00	202	0	PEAK	4	5945.91	49.08	68.20	-19.12	40.18	35.04	11.57	37.63	0.00	202	0	PEAK	Blank
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																											
Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																											
1	5854.45	47.13	112.15	-65.02	38.55	34.85	11.49	37.76	0.00	202	0	PEAK																																																																								
2	5870.25	49.92	106.63	-56.71	41.28	34.87	11.51	37.74	0.00	202	0	PEAK																																																																								
3	5923.29	48.51	69.47	-20.96	39.65	34.97	11.55	37.66	0.00	202	0	PEAK																																																																								
4	5945.91	49.08	68.20	-19.12	40.18	35.04	11.57	37.63	0.00	202	0	PEAK																																																																								



Mode	36																																																																																																											
	Harmonic																																																																																																											
	U-NII-3_5.725-5.85_802.11n HT40_CH151_5755MHz																																																																																																											
ANT	SISO																																																																																																											
Pol.	Horizontal	Vertical																																																																																																										
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11510.00</td> <td>46.02</td> <td>74.00</td> <td>-27.98</td> <td>58.31</td> <td>38.26</td> <td>16.13</td> <td>66.68</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>17265.00</td> <td>45.50</td> <td>68.20</td> <td>-22.70</td> <td>51.31</td> <td>41.15</td> <td>20.19</td> <td>67.15</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	11510.00	46.02	74.00	-27.98	58.31	38.26	16.13	66.68	0.00	---	---	PEAK	2	17265.00	45.50	68.20	-22.70	51.31	41.15	20.19	67.15	0.00	---	---	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11510.00</td> <td>45.58</td> <td>74.00</td> <td>-28.42</td> <td>57.87</td> <td>38.26</td> <td>16.13</td> <td>66.68</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>17265.00</td> <td>45.09</td> <td>68.20</td> <td>-23.11</td> <td>50.90</td> <td>41.15</td> <td>20.19</td> <td>67.15</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	11510.00	45.58	74.00	-28.42	57.87	38.26	16.13	66.68	0.00	---	---	PEAK	2	17265.00	45.09	68.20	-23.11	50.90	41.15	20.19	67.15	0.00	---	---	PEAK
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																				
1	11510.00	46.02	74.00	-27.98	58.31	38.26	16.13	66.68	0.00	---	---	PEAK																																																																																																
2	17265.00	45.50	68.20	-22.70	51.31	41.15	20.19	67.15	0.00	---	---	PEAK																																																																																																
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																				
1	11510.00	45.58	74.00	-28.42	57.87	38.26	16.13	66.68	0.00	---	---	PEAK																																																																																																
2	17265.00	45.09	68.20	-23.11	50.90	41.15	20.19	67.15	0.00	---	---	PEAK																																																																																																






Mode	37																																																																																																																						
	Band Edge - L																																																																																																																						
	U-NII-3_5.725-5.85_802.11n HT40_CH159_5795MHz																																																																																																																						
ANT	SISO																																																																																																																						
Pol.	Horizontal	Fundamental																																																																																																																					
Peak	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5642.40</td> <td>55.27</td> <td>68.20</td> <td>-12.93</td> <td>46.87</td> <td>34.42</td> <td>11.21</td> <td>37.23</td> <td>0.00</td> <td>148</td> <td>360</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5658.80</td> <td>53.49</td> <td>68.80</td> <td>-15.31</td> <td>45.13</td> <td>34.40</td> <td>11.22</td> <td>37.26</td> <td>0.00</td> <td>148</td> <td>360</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5710.80</td> <td>61.18</td> <td>108.33</td> <td>-47.15</td> <td>53.01</td> <td>34.35</td> <td>11.31</td> <td>37.49</td> <td>0.00</td> <td>148</td> <td>360</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5720.00</td> <td>57.56</td> <td>110.90</td> <td>-53.34</td> <td>49.37</td> <td>34.40</td> <td>11.32</td> <td>37.53</td> <td>0.00</td> <td>148</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5642.40	55.27	68.20	-12.93	46.87	34.42	11.21	37.23	0.00	148	360	PEAK	2	5658.80	53.49	68.80	-15.31	45.13	34.40	11.22	37.26	0.00	148	360	PEAK	3	5710.80	61.18	108.33	-47.15	53.01	34.35	11.31	37.49	0.00	148	360	PEAK	4	5720.00	57.56	110.90	-53.34	49.37	34.40	11.32	37.53	0.00	148	360	PEAK	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5795.00</td> <td>109.31</td> <td>-----</td> <td>-----</td> <td>100.90</td> <td>34.80</td> <td>11.45</td> <td>37.84</td> <td>0.00</td> <td>148</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5795.00	109.31	-----	-----	100.90	34.80	11.45	37.84	0.00	148	360	PEAK
Peak	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																												
1	5642.40	55.27	68.20	-12.93	46.87	34.42	11.21	37.23	0.00	148	360	PEAK																																																																																																											
2	5658.80	53.49	68.80	-15.31	45.13	34.40	11.22	37.26	0.00	148	360	PEAK																																																																																																											
3	5710.80	61.18	108.33	-47.15	53.01	34.35	11.31	37.49	0.00	148	360	PEAK																																																																																																											
4	5720.00	57.56	110.90	-53.34	49.37	34.40	11.32	37.53	0.00	148	360	PEAK																																																																																																											
Peak	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																												
1	5795.00	109.31	-----	-----	100.90	34.80	11.45	37.84	0.00	148	360	PEAK																																																																																																											
Avg	Blank																																																																																																																						
		<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5795.00</td> <td>100.79</td> <td>-----</td> <td>-----</td> <td>92.40</td> <td>34.77</td> <td>11.44</td> <td>37.82</td> <td>0.00</td> <td>148</td> <td>360</td> <td>AVERAGE</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5795.00	100.79	-----	-----	92.40	34.77	11.44	37.82	0.00	148	360	AVERAGE																																																																														
Peak	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																												
1	5795.00	100.79	-----	-----	92.40	34.77	11.44	37.82	0.00	148	360	AVERAGE																																																																																																											



Mode	37																																																																																				
	Band Edge - R																																																																																				
	U-NII-3_5.725-5.85_802.11n HT40_CH159_5795MHz																																																																																				
ANT	SISO																																																																																				
Pol.	Horizontal	Fundamental																																																																																			
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.00</td> <td>60.56</td> <td>111.36</td> <td>-50.00</td> <td>51.90</td> <td>34.85</td> <td>11.49</td> <td>37.76</td> <td>0.00</td> <td>148</td> <td>360</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5873.20</td> <td>64.47</td> <td>105.80</td> <td>-41.33</td> <td>55.82</td> <td>34.87</td> <td>11.51</td> <td>37.73</td> <td>0.00</td> <td>148</td> <td>360</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5924.00</td> <td>51.12</td> <td>68.94</td> <td>-17.82</td> <td>42.26</td> <td>34.97</td> <td>11.55</td> <td>37.66</td> <td>0.00</td> <td>148</td> <td>360</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5933.20</td> <td>56.08</td> <td>68.20</td> <td>-12.12</td> <td>47.17</td> <td>35.00</td> <td>11.56</td> <td>37.65</td> <td>0.00</td> <td>148</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.00	60.56	111.36	-50.00	51.90	34.85	11.49	37.76	0.00	148	360	PEAK	2	5873.20	64.47	105.80	-41.33	55.82	34.87	11.51	37.73	0.00	148	360	PEAK	3	5924.00	51.12	68.94	-17.82	42.26	34.97	11.55	37.66	0.00	148	360	PEAK	4	5933.20	56.08	68.20	-12.12	47.17	35.00	11.56	37.65	0.00	148	360	PEAK	Blank
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																											
1	5854.00	60.56	111.36	-50.00	51.90	34.85	11.49	37.76	0.00	148	360	PEAK																																																																									
2	5873.20	64.47	105.80	-41.33	55.82	34.87	11.51	37.73	0.00	148	360	PEAK																																																																									
3	5924.00	51.12	68.94	-17.82	42.26	34.97	11.55	37.66	0.00	148	360	PEAK																																																																									
4	5933.20	56.08	68.20	-12.12	47.17	35.00	11.56	37.65	0.00	148	360	PEAK																																																																									



Mode	37																																																																																																																						
	Band Edge - L																																																																																																																						
	U-NII-3_5.725-5.85_802.11n HT40_CH159_5795MHz																																																																																																																						
ANT	SISO																																																																																																																						
Pol.	Vertical	Fundamental																																																																																																																					
Peak	 <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5638.00</td> <td>49.25</td> <td>68.20</td> <td>-18.95</td> <td>40.85</td> <td>34.42</td> <td>11.20</td> <td>37.22</td> <td>0.00</td> <td>336</td> <td>17</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5650.40</td> <td>48.61</td> <td>68.50</td> <td>-19.89</td> <td>40.25</td> <td>34.40</td> <td>11.22</td> <td>37.26</td> <td>0.00</td> <td>336</td> <td>17</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5715.20</td> <td>55.83</td> <td>109.56</td> <td>-53.73</td> <td>47.65</td> <td>34.38</td> <td>11.31</td> <td>37.51</td> <td>0.00</td> <td>336</td> <td>17</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5721.60</td> <td>54.04</td> <td>114.55</td> <td>-60.51</td> <td>45.85</td> <td>34.41</td> <td>11.32</td> <td>37.54</td> <td>0.00</td> <td>336</td> <td>17</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	5638.00	49.25	68.20	-18.95	40.85	34.42	11.20	37.22	0.00	336	17	PEAK	2	5650.40	48.61	68.50	-19.89	40.25	34.40	11.22	37.26	0.00	336	17	PEAK	3	5715.20	55.83	109.56	-53.73	47.65	34.38	11.31	37.51	0.00	336	17	PEAK	4	5721.60	54.04	114.55	-60.51	45.85	34.41	11.32	37.54	0.00	336	17	PEAK	 <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5795.00</td> <td>103.31</td> <td>-----</td> <td>-----</td> <td>94.92</td> <td>34.77</td> <td>11.44</td> <td>37.82</td> <td>0.00</td> <td>336</td> <td>17</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	5795.00	103.31	-----	-----	94.92	34.77	11.44	37.82	0.00	336	17	PEAK
Peak	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																											
1	5638.00	49.25	68.20	-18.95	40.85	34.42	11.20	37.22	0.00	336	17	PEAK																																																																																																											
2	5650.40	48.61	68.50	-19.89	40.25	34.40	11.22	37.26	0.00	336	17	PEAK																																																																																																											
3	5715.20	55.83	109.56	-53.73	47.65	34.38	11.31	37.51	0.00	336	17	PEAK																																																																																																											
4	5721.60	54.04	114.55	-60.51	45.85	34.41	11.32	37.54	0.00	336	17	PEAK																																																																																																											
Peak	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																											
1	5795.00	103.31	-----	-----	94.92	34.77	11.44	37.82	0.00	336	17	PEAK																																																																																																											
Avg	Blank																																																																																																																						
		 <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5795.00</td> <td>94.21</td> <td>-----</td> <td>-----</td> <td>85.82</td> <td>34.77</td> <td>11.44</td> <td>37.82</td> <td>0.00</td> <td>336</td> <td>17</td> <td>AVERAGE</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	5795.00	94.21	-----	-----	85.82	34.77	11.44	37.82	0.00	336	17	AVERAGE																																																																														
Peak	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																											
1	5795.00	94.21	-----	-----	85.82	34.77	11.44	37.82	0.00	336	17	AVERAGE																																																																																																											



Mode	37																																																																		
	Band Edge - R																																																																		
	U-NII-3_5.725-5.85_802.11n HT40_CH159_5795MHz																																																																		
ANT	SISO																																																																		
Pol.	Vertical	Fundamental																																																																	
Peak	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Limit (dBuV/m)</th> <th>Over (dB)</th> <th>Read (dBuV)</th> <th>Ant Factor (dB/m)</th> <th>Cable Loss (dB)</th> <th>Preamp (dB)</th> <th>Aux Factor (dB)</th> <th>APos (cm)</th> <th>TPos (deg)</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.00</td> <td>61.81</td> <td>111.36</td> <td>-49.55</td> <td>53.23</td> <td>34.85</td> <td>11.49</td> <td>37.76</td> <td>0.00</td> <td>336</td> <td>17</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5866.40</td> <td>59.20</td> <td>107.71</td> <td>-48.51</td> <td>50.57</td> <td>34.87</td> <td>11.50</td> <td>37.74</td> <td>0.00</td> <td>336</td> <td>17</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5924.40</td> <td>50.02</td> <td>68.64</td> <td>-18.62</td> <td>41.16</td> <td>34.97</td> <td>11.55</td> <td>37.66</td> <td>0.00</td> <td>336</td> <td>17</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5942.40</td> <td>49.09</td> <td>68.20</td> <td>-19.11</td> <td>40.13</td> <td>35.03</td> <td>11.56</td> <td>37.63</td> <td>0.00</td> <td>336</td> <td>17</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Over (dB)	Read (dBuV)	Ant Factor (dB/m)	Cable Loss (dB)	Preamp (dB)	Aux Factor (dB)	APos (cm)	TPos (deg)	Remark	1	5854.00	61.81	111.36	-49.55	53.23	34.85	11.49	37.76	0.00	336	17	PEAK	2	5866.40	59.20	107.71	-48.51	50.57	34.87	11.50	37.74	0.00	336	17	PEAK	3	5924.40	50.02	68.64	-18.62	41.16	34.97	11.55	37.66	0.00	336	17	PEAK	4	5942.40	49.09	68.20	-19.11	40.13	35.03	11.56	37.63	0.00	336	17	PEAK	Blank
Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Over (dB)	Read (dBuV)	Ant Factor (dB/m)	Cable Loss (dB)	Preamp (dB)	Aux Factor (dB)	APos (cm)	TPos (deg)	Remark																																																							
1	5854.00	61.81	111.36	-49.55	53.23	34.85	11.49	37.76	0.00	336	17	PEAK																																																							
2	5866.40	59.20	107.71	-48.51	50.57	34.87	11.50	37.74	0.00	336	17	PEAK																																																							
3	5924.40	50.02	68.64	-18.62	41.16	34.97	11.55	37.66	0.00	336	17	PEAK																																																							
4	5942.40	49.09	68.20	-19.11	40.13	35.03	11.56	37.63	0.00	336	17	PEAK																																																							



Mode	37																																																																																																																	
	Harmonic																																																																																																																	
	U-NII-3_5.725-5.85_802.11n HT40_CH159_5795MHz																																																																																																																	
ANT	SISO																																																																																																																	
Pol.	Horizontal	Vertical																																																																																																																
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11590.00</td> <td>45.99</td> <td>74.00</td> <td>-28.01</td> <td>58.01</td> <td>38.33</td> <td>16.19</td> <td>66.54</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>17385.00</td> <td>44.61</td> <td>68.20</td> <td>-23.59</td> <td>50.31</td> <td>41.17</td> <td>20.30</td> <td>67.17</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11590.00	45.99	74.00	-28.01	58.01	38.33	16.19	66.54	0.00	---	---	PEAK	2	17385.00	44.61	68.20	-23.59	50.31	41.17	20.30	67.17	0.00	---	---	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11590.00</td> <td>45.11</td> <td>74.00</td> <td>-28.89</td> <td>57.13</td> <td>38.33</td> <td>16.19</td> <td>66.54</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>17385.00</td> <td>43.70</td> <td>68.20</td> <td>-24.50</td> <td>49.40</td> <td>41.17</td> <td>20.30</td> <td>67.17</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11590.00	45.11	74.00	-28.89	57.13	38.33	16.19	66.54	0.00	---	---	PEAK	2	17385.00	43.70	68.20	-24.50	49.40	41.17	20.30	67.17	0.00	---	---	PEAK
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																								
1	11590.00	45.99	74.00	-28.01	58.01	38.33	16.19	66.54	0.00	---	---	PEAK																																																																																																						
2	17385.00	44.61	68.20	-23.59	50.31	41.17	20.30	67.17	0.00	---	---	PEAK																																																																																																						
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																								
1	11590.00	45.11	74.00	-28.89	57.13	38.33	16.19	66.54	0.00	---	---	PEAK																																																																																																						
2	17385.00	43.70	68.20	-24.50	49.40	41.17	20.30	67.17	0.00	---	---	PEAK																																																																																																						






Mode	38																																																																																																																																
	Band Edge - L																																																																																																																																
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_5775MHz																																																																																																																																
ANT	SISO																																																																																																																																
Pol.	Horizontal	Fundamental																																																																																																																															
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5635.60</td> <td>60.73</td> <td>68.20</td> <td>-7.47</td> <td>52.32</td> <td>34.43</td> <td>11.20</td> <td>37.22</td> <td>0.00</td> <td>161</td> <td>360</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5651.60</td> <td>59.92</td> <td>69.39</td> <td>-9.47</td> <td>51.56</td> <td>34.40</td> <td>11.22</td> <td>37.26</td> <td>0.00</td> <td>161</td> <td>360</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5710.80</td> <td>71.40</td> <td>108.33</td> <td>-36.93</td> <td>63.23</td> <td>34.35</td> <td>11.31</td> <td>37.49</td> <td>0.00</td> <td>161</td> <td>360</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5722.00</td> <td>73.49</td> <td>115.46</td> <td>-41.97</td> <td>65.29</td> <td>34.41</td> <td>11.33</td> <td>37.54</td> <td>0.00</td> <td>161</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5635.60	60.73	68.20	-7.47	52.32	34.43	11.20	37.22	0.00	161	360	PEAK	2	5651.60	59.92	69.39	-9.47	51.56	34.40	11.22	37.26	0.00	161	360	PEAK	3	5710.80	71.40	108.33	-36.93	63.23	34.35	11.31	37.49	0.00	161	360	PEAK	4	5722.00	73.49	115.46	-41.97	65.29	34.41	11.33	37.54	0.00	161	360	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5775.00</td> <td>105.73</td> <td>-----</td> <td>-----</td> <td>97.40</td> <td>34.65</td> <td>11.40</td> <td>37.72</td> <td>0.00</td> <td>161</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5775.00	105.73	-----	-----	97.40	34.65	11.40	37.72	0.00	161	360	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																							
1	5635.60	60.73	68.20	-7.47	52.32	34.43	11.20	37.22	0.00	161	360	PEAK																																																																																																																					
2	5651.60	59.92	69.39	-9.47	51.56	34.40	11.22	37.26	0.00	161	360	PEAK																																																																																																																					
3	5710.80	71.40	108.33	-36.93	63.23	34.35	11.31	37.49	0.00	161	360	PEAK																																																																																																																					
4	5722.00	73.49	115.46	-41.97	65.29	34.41	11.33	37.54	0.00	161	360	PEAK																																																																																																																					
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																							
1	5775.00	105.73	-----	-----	97.40	34.65	11.40	37.72	0.00	161	360	PEAK																																																																																																																					
Avg	Blank	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5775.00</td> <td>96.59</td> <td>-----</td> <td>-----</td> <td>88.25</td> <td>34.68</td> <td>11.41</td> <td>37.75</td> <td>0.00</td> <td>161</td> <td>360</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5775.00	96.59	-----	-----	88.25	34.68	11.41	37.75	0.00	161	360	AVERAGE																																																																																			
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																							
1	5775.00	96.59	-----	-----	88.25	34.68	11.41	37.75	0.00	161	360	AVERAGE																																																																																																																					



Mode	38																																																																		
	Band Edge - R																																																																		
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_5775MHz																																																																		
ANT	SISO																																																																		
Pol.	Horizontal	Fundamental																																																																	
Peak	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Limit (dBuV/m)</th> <th>Over (dB)</th> <th>Read (dBuV)</th> <th>Ant Factor (dB/m)</th> <th>Cable Loss (dB)</th> <th>Preamp Factor (dB)</th> <th>Aux Factor (dB)</th> <th>APos (cm)</th> <th>TPos (deg)</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.40</td> <td>68.70</td> <td>112.27</td> <td>-43.57</td> <td>60.12</td> <td>34.85</td> <td>11.49</td> <td>37.76</td> <td>0.00</td> <td>161</td> <td>360</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5866.80</td> <td>69.39</td> <td>107.59</td> <td>-38.20</td> <td>60.76</td> <td>34.87</td> <td>11.50</td> <td>37.74</td> <td>0.00</td> <td>161</td> <td>360</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5922.80</td> <td>54.83</td> <td>69.83</td> <td>-15.00</td> <td>45.97</td> <td>34.97</td> <td>11.55</td> <td>37.66</td> <td>0.00</td> <td>161</td> <td>360</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5931.60</td> <td>55.80</td> <td>68.20</td> <td>-12.40</td> <td>46.90</td> <td>34.99</td> <td>11.56</td> <td>37.65</td> <td>0.00</td> <td>161</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Over (dB)	Read (dBuV)	Ant Factor (dB/m)	Cable Loss (dB)	Preamp Factor (dB)	Aux Factor (dB)	APos (cm)	TPos (deg)	Remark	1	5854.40	68.70	112.27	-43.57	60.12	34.85	11.49	37.76	0.00	161	360	PEAK	2	5866.80	69.39	107.59	-38.20	60.76	34.87	11.50	37.74	0.00	161	360	PEAK	3	5922.80	54.83	69.83	-15.00	45.97	34.97	11.55	37.66	0.00	161	360	PEAK	4	5931.60	55.80	68.20	-12.40	46.90	34.99	11.56	37.65	0.00	161	360	PEAK	Blank
Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Over (dB)	Read (dBuV)	Ant Factor (dB/m)	Cable Loss (dB)	Preamp Factor (dB)	Aux Factor (dB)	APos (cm)	TPos (deg)	Remark																																																							
1	5854.40	68.70	112.27	-43.57	60.12	34.85	11.49	37.76	0.00	161	360	PEAK																																																							
2	5866.80	69.39	107.59	-38.20	60.76	34.87	11.50	37.74	0.00	161	360	PEAK																																																							
3	5922.80	54.83	69.83	-15.00	45.97	34.97	11.55	37.66	0.00	161	360	PEAK																																																							
4	5931.60	55.80	68.20	-12.40	46.90	34.99	11.56	37.65	0.00	161	360	PEAK																																																							



Mode	38																																																																																																																						
	Band Edge - L																																																																																																																						
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_5775MHz																																																																																																																						
ANT	SISO																																																																																																																						
Pol.	Vertical	Fundamental																																																																																																																					
Peak	 <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5642.40</td> <td>52.04</td> <td>68.20</td> <td>-16.16</td> <td>43.64</td> <td>34.42</td> <td>11.21</td> <td>37.23</td> <td>0.00</td> <td>311</td> <td>0</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5651.20</td> <td>52.29</td> <td>69.09</td> <td>-16.80</td> <td>43.93</td> <td>34.40</td> <td>11.22</td> <td>37.26</td> <td>0.00</td> <td>311</td> <td>0</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5700.00</td> <td>63.54</td> <td>105.30</td> <td>-41.76</td> <td>55.40</td> <td>34.30</td> <td>11.29</td> <td>37.45</td> <td>0.00</td> <td>311</td> <td>0</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5721.20</td> <td>67.57</td> <td>113.64</td> <td>-46.07</td> <td>59.37</td> <td>34.41</td> <td>11.32</td> <td>37.53</td> <td>0.00</td> <td>311</td> <td>0</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5642.40	52.04	68.20	-16.16	43.64	34.42	11.21	37.23	0.00	311	0	PEAK	2	5651.20	52.29	69.09	-16.80	43.93	34.40	11.22	37.26	0.00	311	0	PEAK	3	5700.00	63.54	105.30	-41.76	55.40	34.30	11.29	37.45	0.00	311	0	PEAK	4	5721.20	67.57	113.64	-46.07	59.37	34.41	11.32	37.53	0.00	311	0	PEAK	 <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5775.00</td> <td>99.36</td> <td>-----</td> <td>-----</td> <td>91.02</td> <td>34.68</td> <td>11.41</td> <td>37.75</td> <td>0.00</td> <td>311</td> <td>0</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5775.00	99.36	-----	-----	91.02	34.68	11.41	37.75	0.00	311	0	PEAK
	Peak	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																												
1	5642.40	52.04	68.20	-16.16	43.64	34.42	11.21	37.23	0.00	311	0	PEAK																																																																																																											
2	5651.20	52.29	69.09	-16.80	43.93	34.40	11.22	37.26	0.00	311	0	PEAK																																																																																																											
3	5700.00	63.54	105.30	-41.76	55.40	34.30	11.29	37.45	0.00	311	0	PEAK																																																																																																											
4	5721.20	67.57	113.64	-46.07	59.37	34.41	11.32	37.53	0.00	311	0	PEAK																																																																																																											
Peak	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																												
1	5775.00	99.36	-----	-----	91.02	34.68	11.41	37.75	0.00	311	0	PEAK																																																																																																											
Avg	Blank	 <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5775.00</td> <td>90.78</td> <td>-----</td> <td>-----</td> <td>82.45</td> <td>34.65</td> <td>11.40</td> <td>37.72</td> <td>0.00</td> <td>311</td> <td>0</td> <td>AVERAGE</td> </tr> </tbody> </table>	Peak	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5775.00	90.78	-----	-----	82.45	34.65	11.40	37.72	0.00	311	0	AVERAGE																																																																														
Peak	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																												
1	5775.00	90.78	-----	-----	82.45	34.65	11.40	37.72	0.00	311	0	AVERAGE																																																																																																											



Mode	38																																																																		
	Band Edge - R																																																																		
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_5775MHz																																																																		
ANT	SISO																																																																		
Pol.	Vertical	Fundamental																																																																	
Peak	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq (MHz)</th> <th>Level (dBuV/m)</th> <th>Limit (dBuV/m)</th> <th>Over (dB)</th> <th>Read (dBuV)</th> <th>Ant Factor (dB/m)</th> <th>Cable Loss (dB)</th> <th>Preamp Factor (dB)</th> <th>Aux Factor (dB)</th> <th>APos (cm)</th> <th>TPos (deg)</th> <th>Remark</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.40</td> <td>56.97</td> <td>112.27</td> <td>-55.30</td> <td>48.39</td> <td>34.85</td> <td>11.49</td> <td>37.76</td> <td>0.00</td> <td>311</td> <td>0</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5874.00</td> <td>57.58</td> <td>105.58</td> <td>-48.00</td> <td>48.93</td> <td>34.87</td> <td>11.51</td> <td>37.73</td> <td>0.00</td> <td>311</td> <td>0</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5921.20</td> <td>51.78</td> <td>71.01</td> <td>-19.23</td> <td>42.93</td> <td>34.96</td> <td>11.55</td> <td>37.66</td> <td>0.00</td> <td>311</td> <td>0</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5925.20</td> <td>50.05</td> <td>68.20</td> <td>-18.15</td> <td>41.18</td> <td>34.98</td> <td>11.55</td> <td>37.66</td> <td>0.00</td> <td>311</td> <td>0</td> <td>PEAK</td> </tr> </tbody> </table>	Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Over (dB)	Read (dBuV)	Ant Factor (dB/m)	Cable Loss (dB)	Preamp Factor (dB)	Aux Factor (dB)	APos (cm)	TPos (deg)	Remark	1	5854.40	56.97	112.27	-55.30	48.39	34.85	11.49	37.76	0.00	311	0	PEAK	2	5874.00	57.58	105.58	-48.00	48.93	34.87	11.51	37.73	0.00	311	0	PEAK	3	5921.20	51.78	71.01	-19.23	42.93	34.96	11.55	37.66	0.00	311	0	PEAK	4	5925.20	50.05	68.20	-18.15	41.18	34.98	11.55	37.66	0.00	311	0	PEAK	Blank
Peak	Freq (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Over (dB)	Read (dBuV)	Ant Factor (dB/m)	Cable Loss (dB)	Preamp Factor (dB)	Aux Factor (dB)	APos (cm)	TPos (deg)	Remark																																																							
1	5854.40	56.97	112.27	-55.30	48.39	34.85	11.49	37.76	0.00	311	0	PEAK																																																							
2	5874.00	57.58	105.58	-48.00	48.93	34.87	11.51	37.73	0.00	311	0	PEAK																																																							
3	5921.20	51.78	71.01	-19.23	42.93	34.96	11.55	37.66	0.00	311	0	PEAK																																																							
4	5925.20	50.05	68.20	-18.15	41.18	34.98	11.55	37.66	0.00	311	0	PEAK																																																							



Mode	38																																																																																																																			
	Harmonic																																																																																																																			
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_5775MHz																																																																																																																			
ANT	SISO																																																																																																																			
Pol.	Horizontal	Vertical																																																																																																																		
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11550.00</td> <td>45.11</td> <td>74.00</td> <td>-28.89</td> <td>57.27</td> <td>38.29</td> <td>16.16</td> <td>66.61</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>17325.00</td> <td>45.23</td> <td>68.20</td> <td>-22.97</td> <td>51.00</td> <td>41.16</td> <td>20.23</td> <td>67.16</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11550.00	45.11	74.00	-28.89	57.27	38.29	16.16	66.61	0.00	---	---	PEAK	2	17325.00	45.23	68.20	-22.97	51.00	41.16	20.23	67.16	0.00	---	---	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11550.00</td> <td>43.54</td> <td>74.00</td> <td>-30.46</td> <td>55.70</td> <td>38.29</td> <td>16.16</td> <td>66.61</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>17325.00</td> <td>43.59</td> <td>68.20</td> <td>-24.61</td> <td>49.36</td> <td>41.16</td> <td>20.23</td> <td>67.16</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11550.00	43.54	74.00	-30.46	55.70	38.29	16.16	66.61	0.00	---	---	PEAK	2	17325.00	43.59	68.20	-24.61	49.36	41.16	20.23	67.16	0.00	---	---	PEAK
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																										
1	11550.00	45.11	74.00	-28.89	57.27	38.29	16.16	66.61	0.00	---	---	PEAK																																																																																																								
2	17325.00	45.23	68.20	-22.97	51.00	41.16	20.23	67.16	0.00	---	---	PEAK																																																																																																								
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																										
1	11550.00	43.54	74.00	-30.46	55.70	38.29	16.16	66.61	0.00	---	---	PEAK																																																																																																								
2	17325.00	43.59	68.20	-24.61	49.36	41.16	20.23	67.16	0.00	---	---	PEAK																																																																																																								



Mode	38																																																																																																																																																																																																																	
	LF																																																																																																																																																																																																																	
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_5775MHz																																																																																																																																																																																																																	
ANT	SISO																																																																																																																																																																																																																	
Pol.	Horizontal	Vertical																																																																																																																																																																																																																
Peak	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr><td>1</td><td>73.41</td><td>23.25</td><td>40.00</td><td>-16.75</td><td>42.40</td><td>12.77</td><td>0.80</td><td>32.72</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>2</td><td>144.95</td><td>26.54</td><td>43.50</td><td>-16.96</td><td>40.71</td><td>17.32</td><td>1.21</td><td>32.70</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>3</td><td>231.28</td><td>27.95</td><td>46.00</td><td>-18.05</td><td>42.82</td><td>16.39</td><td>1.58</td><td>32.84</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>4</td><td>392.05</td><td>24.02</td><td>46.00</td><td>-21.98</td><td>33.36</td><td>21.53</td><td>2.13</td><td>33.00</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>5</td><td>565.44</td><td>24.97</td><td>46.00</td><td>-21.03</td><td>29.33</td><td>26.41</td><td>2.48</td><td>33.25</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>6</td><td>834.06</td><td>29.28</td><td>46.00</td><td>-16.72</td><td>30.19</td><td>28.79</td><td>3.01</td><td>32.71</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr> </tbody> </table>	Peak	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	73.41	23.25	40.00	-16.75	42.40	12.77	0.80	32.72	0.00	---	---	Peak	2	144.95	26.54	43.50	-16.96	40.71	17.32	1.21	32.70	0.00	---	---	Peak	3	231.28	27.95	46.00	-18.05	42.82	16.39	1.58	32.84	0.00	---	---	Peak	4	392.05	24.02	46.00	-21.98	33.36	21.53	2.13	33.00	0.00	---	---	Peak	5	565.44	24.97	46.00	-21.03	29.33	26.41	2.48	33.25	0.00	---	---	Peak	6	834.06	29.28	46.00	-16.72	30.19	28.79	3.01	32.71	0.00	---	---	Peak	<table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr><td>1</td><td>44.55</td><td>35.22</td><td>40.00</td><td>-4.78</td><td>50.05</td><td>17.36</td><td>0.60</td><td>32.79</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>2</td><td>146.16</td><td>22.30</td><td>43.50</td><td>-21.20</td><td>36.45</td><td>17.33</td><td>1.23</td><td>32.71</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>3</td><td>228.37</td><td>24.30</td><td>46.00</td><td>-21.70</td><td>39.52</td><td>16.05</td><td>1.57</td><td>32.84</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>4</td><td>324.88</td><td>19.82</td><td>46.00</td><td>-26.18</td><td>31.13</td><td>19.63</td><td>1.90</td><td>32.84</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>5</td><td>561.08</td><td>24.55</td><td>46.00</td><td>-21.45</td><td>28.98</td><td>26.35</td><td>2.46</td><td>33.24</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr> <tr><td>6</td><td>847.95</td><td>28.74</td><td>46.00</td><td>-17.26</td><td>29.21</td><td>29.10</td><td>3.03</td><td>32.60</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr> </tbody> </table>	Peak	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	44.55	35.22	40.00	-4.78	50.05	17.36	0.60	32.79	0.00	---	---	Peak	2	146.16	22.30	43.50	-21.20	36.45	17.33	1.23	32.71	0.00	---	---	Peak	3	228.37	24.30	46.00	-21.70	39.52	16.05	1.57	32.84	0.00	---	---	Peak	4	324.88	19.82	46.00	-26.18	31.13	19.63	1.90	32.84	0.00	---	---	Peak	5	561.08	24.55	46.00	-21.45	28.98	26.35	2.46	33.24	0.00	---	---	Peak	6	847.95	28.74	46.00	-17.26	29.21	29.10	3.03	32.60	0.00	---	---	Peak
	Peak	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																																							
1	73.41	23.25	40.00	-16.75	42.40	12.77	0.80	32.72	0.00	---	---	Peak																																																																																																																																																																																																						
2	144.95	26.54	43.50	-16.96	40.71	17.32	1.21	32.70	0.00	---	---	Peak																																																																																																																																																																																																						
3	231.28	27.95	46.00	-18.05	42.82	16.39	1.58	32.84	0.00	---	---	Peak																																																																																																																																																																																																						
4	392.05	24.02	46.00	-21.98	33.36	21.53	2.13	33.00	0.00	---	---	Peak																																																																																																																																																																																																						
5	565.44	24.97	46.00	-21.03	29.33	26.41	2.48	33.25	0.00	---	---	Peak																																																																																																																																																																																																						
6	834.06	29.28	46.00	-16.72	30.19	28.79	3.01	32.71	0.00	---	---	Peak																																																																																																																																																																																																						
Peak	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																																							
1	44.55	35.22	40.00	-4.78	50.05	17.36	0.60	32.79	0.00	---	---	Peak																																																																																																																																																																																																						
2	146.16	22.30	43.50	-21.20	36.45	17.33	1.23	32.71	0.00	---	---	Peak																																																																																																																																																																																																						
3	228.37	24.30	46.00	-21.70	39.52	16.05	1.57	32.84	0.00	---	---	Peak																																																																																																																																																																																																						
4	324.88	19.82	46.00	-26.18	31.13	19.63	1.90	32.84	0.00	---	---	Peak																																																																																																																																																																																																						
5	561.08	24.55	46.00	-21.45	28.98	26.35	2.46	33.24	0.00	---	---	Peak																																																																																																																																																																																																						
6	847.95	28.74	46.00	-17.26	29.21	29.10	3.03	32.60	0.00	---	---	Peak																																																																																																																																																																																																						



Mode	38	
	18-40G	
	U-NII-3_5.725-5.85_802.11ac VHT80_CH155_5775MHz	
ANT	SISO	
Pol.	Horizontal	Vertical
Peak Avg	<p>The graph shows the peak and average levels for the horizontal polarization. The y-axis represents Level (dBuV/m) from 0 to 120, and the x-axis represents Frequency (MHz) from 18000 to 40000. A red line labeled 'U-NII-3' shows a peak level around 75 dBuV/m with several spikes. A blue line labeled 'U-NII-3(AVG)' shows an average level around 45 dBuV/m.</p>	<p>The graph shows the peak and average levels for the vertical polarization. The y-axis represents Level (dBuV/m) from 0 to 120, and the x-axis represents Frequency (MHz) from 18000 to 40000. A red line labeled 'U-NII-3' shows a peak level around 75 dBuV/m with several spikes. A blue line labeled 'U-NII-3(AVG)' shows an average level around 45 dBuV/m.</p>



Mode	39																																																																																																																											
	Harmonic																																																																																																																											
	U-NII-2C_5.47-5.725_802.11a_CH144_5720MHz																																																																																																																											
ANT	SISO																																																																																																																											
Pol.	Horizontal	Vertical																																																																																																																										
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11440.00</td> <td>51.46</td> <td>74.00</td> <td>-22.54</td> <td>63.89</td> <td>38.20</td> <td>16.08</td> <td>66.71</td> <td>0.00</td> <td>120</td> <td>20</td> <td>PEAK</td> </tr> <tr> <td>2 11440.00</td> <td>41.74</td> <td>54.00</td> <td>-12.26</td> <td>54.17</td> <td>38.20</td> <td>16.08</td> <td>66.71</td> <td>0.00</td> <td>120</td> <td>20</td> <td>AVERAGE</td> </tr> <tr> <td>3 17160.00</td> <td>52.42</td> <td>68.20</td> <td>-15.78</td> <td>58.30</td> <td>41.13</td> <td>20.12</td> <td>67.13</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11440.00	51.46	74.00	-22.54	63.89	38.20	16.08	66.71	0.00	120	20	PEAK	2 11440.00	41.74	54.00	-12.26	54.17	38.20	16.08	66.71	0.00	120	20	AVERAGE	3 17160.00	52.42	68.20	-15.78	58.30	41.13	20.12	67.13	0.00	---	---	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 11440.00</td> <td>46.17</td> <td>74.00</td> <td>-27.83</td> <td>58.60</td> <td>38.20</td> <td>16.08</td> <td>66.71</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>2 17159.60</td> <td>50.16</td> <td>68.20</td> <td>-18.04</td> <td>56.04</td> <td>41.13</td> <td>20.12</td> <td>67.13</td> <td>0.00</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11440.00	46.17	74.00	-27.83	58.60	38.20	16.08	66.71	0.00	---	---	PEAK	2 17159.60	50.16	68.20	-18.04	56.04	41.13	20.12	67.13	0.00	---	---	Peak
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																		
1 11440.00	51.46	74.00	-22.54	63.89	38.20	16.08	66.71	0.00	120	20	PEAK																																																																																																																	
2 11440.00	41.74	54.00	-12.26	54.17	38.20	16.08	66.71	0.00	120	20	AVERAGE																																																																																																																	
3 17160.00	52.42	68.20	-15.78	58.30	41.13	20.12	67.13	0.00	---	---	PEAK																																																																																																																	
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																		
1 11440.00	46.17	74.00	-27.83	58.60	38.20	16.08	66.71	0.00	---	---	PEAK																																																																																																																	
2 17159.60	50.16	68.20	-18.04	56.04	41.13	20.12	67.13	0.00	---	---	Peak																																																																																																																	



Mode	40																																																																																																																																
	Harmonic																																																																																																																																
	U-NII-2C_5.47-5.725_802.11n HT20_CH144_5720MHz																																																																																																																																
ANT	SISO																																																																																																																																
Pol.	Horizontal	Vertical																																																																																																																															
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11440.00</td> <td>50.75</td> <td>74.00</td> <td>-23.25</td> <td>63.18</td> <td>38.20</td> <td>16.08</td> <td>66.71</td> <td>0.00</td> <td>100</td> <td>0</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>11440.00</td> <td>39.96</td> <td>54.00</td> <td>-14.04</td> <td>52.39</td> <td>38.20</td> <td>16.08</td> <td>66.71</td> <td>0.00</td> <td>100</td> <td>0</td> <td>AVERAGE</td> </tr> <tr> <td>3</td> <td>17160.00</td> <td>50.37</td> <td>68.20</td> <td>-17.83</td> <td>56.25</td> <td>41.13</td> <td>20.12</td> <td>67.13</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11440.00	50.75	74.00	-23.25	63.18	38.20	16.08	66.71	0.00	100	0	PEAK	2	11440.00	39.96	54.00	-14.04	52.39	38.20	16.08	66.71	0.00	100	0	AVERAGE	3	17160.00	50.37	68.20	-17.83	56.25	41.13	20.12	67.13	0.00	---	---	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11440.00</td> <td>45.64</td> <td>74.00</td> <td>-28.36</td> <td>58.07</td> <td>38.20</td> <td>16.08</td> <td>66.71</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>17160.00</td> <td>46.54</td> <td>68.20</td> <td>-21.66</td> <td>52.43</td> <td>41.13</td> <td>20.11</td> <td>67.13</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11440.00	45.64	74.00	-28.36	58.07	38.20	16.08	66.71	0.00	---	---	PEAK	2	17160.00	46.54	68.20	-21.66	52.43	41.13	20.11	67.13	0.00	---	---	PEAK
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																							
1	11440.00	50.75	74.00	-23.25	63.18	38.20	16.08	66.71	0.00	100	0	PEAK																																																																																																																					
2	11440.00	39.96	54.00	-14.04	52.39	38.20	16.08	66.71	0.00	100	0	AVERAGE																																																																																																																					
3	17160.00	50.37	68.20	-17.83	56.25	41.13	20.12	67.13	0.00	---	---	PEAK																																																																																																																					
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																							
1	11440.00	45.64	74.00	-28.36	58.07	38.20	16.08	66.71	0.00	---	---	PEAK																																																																																																																					
2	17160.00	46.54	68.20	-21.66	52.43	41.13	20.11	67.13	0.00	---	---	PEAK																																																																																																																					



Mode	41																																																																																																																							
	Harmonic																																																																																																																							
	U-NII-2C_5.47-5.725_802.11n HT40_CH142_5710MHz																																																																																																																							
ANT	SISO																																																																																																																							
Pol.	Horizontal	Vertical																																																																																																																						
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 11420.00</td> <td>48.73</td> <td>74.00</td> <td>-25.27</td> <td>61.20</td> <td>38.18</td> <td>16.07</td> <td>66.72</td> <td>0.00</td> <td>100</td> <td>0 PEAK</td> </tr> <tr> <td>2 11420.00</td> <td>39.31</td> <td>54.00</td> <td>-14.69</td> <td>51.78</td> <td>38.18</td> <td>16.07</td> <td>66.72</td> <td>0.00</td> <td>100</td> <td>0 AVERAGE</td> </tr> <tr> <td>3 17130.00</td> <td>47.61</td> <td>68.20</td> <td>-20.59</td> <td>53.53</td> <td>41.12</td> <td>20.00</td> <td>67.12</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1 11420.00	48.73	74.00	-25.27	61.20	38.18	16.07	66.72	0.00	100	0 PEAK	2 11420.00	39.31	54.00	-14.69	51.78	38.18	16.07	66.72	0.00	100	0 AVERAGE	3 17130.00	47.61	68.20	-20.59	53.53	41.12	20.00	67.12	0.00	---	---	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 11420.00</td> <td>44.47</td> <td>74.00</td> <td>-29.53</td> <td>56.94</td> <td>38.18</td> <td>16.07</td> <td>66.72</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>2 17130.00</td> <td>46.03</td> <td>68.20</td> <td>-22.17</td> <td>51.95</td> <td>41.12</td> <td>20.00</td> <td>67.12</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1 11420.00	44.47	74.00	-29.53	56.94	38.18	16.07	66.72	0.00	---	---	PEAK	2 17130.00	46.03	68.20	-22.17	51.95	41.12	20.00	67.12	0.00	---	---	PEAK
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																																																																																															
1 11420.00	48.73	74.00	-25.27	61.20	38.18	16.07	66.72	0.00	100	0 PEAK																																																																																																														
2 11420.00	39.31	54.00	-14.69	51.78	38.18	16.07	66.72	0.00	100	0 AVERAGE																																																																																																														
3 17130.00	47.61	68.20	-20.59	53.53	41.12	20.00	67.12	0.00	---	---	PEAK																																																																																																													
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																																																																																															
1 11420.00	44.47	74.00	-29.53	56.94	38.18	16.07	66.72	0.00	---	---	PEAK																																																																																																													
2 17130.00	46.03	68.20	-22.17	51.95	41.12	20.00	67.12	0.00	---	---	PEAK																																																																																																													



Mode	42																																																																																																											
	Harmonic																																																																																																											
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH138_5690MHz																																																																																																											
ANT	SISO																																																																																																											
Pol.	Horizontal	Vertical																																																																																																										
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11380.00</td> <td>44.23</td> <td>74.00</td> <td>-29.77</td> <td>56.77</td> <td>38.14</td> <td>16.04</td> <td>66.72</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>17070.50</td> <td>47.91</td> <td>68.20</td> <td>-20.29</td> <td>53.87</td> <td>41.11</td> <td>20.04</td> <td>67.11</td> <td>0.00</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	11380.00	44.23	74.00	-29.77	56.77	38.14	16.04	66.72	0.00	---	---	PEAK	2	17070.50	47.91	68.20	-20.29	53.87	41.11	20.04	67.11	0.00	---	---	Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11380.20</td> <td>44.68</td> <td>74.00</td> <td>-29.32</td> <td>57.22</td> <td>38.14</td> <td>16.04</td> <td>66.72</td> <td>0.00</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>17070.50</td> <td>48.31</td> <td>68.20</td> <td>-19.89</td> <td>54.27</td> <td>41.11</td> <td>20.04</td> <td>67.11</td> <td>0.00</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	11380.20	44.68	74.00	-29.32	57.22	38.14	16.04	66.72	0.00	---	---	Peak	2	17070.50	48.31	68.20	-19.89	54.27	41.11	20.04	67.11	0.00	---	---	Peak
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																				
1	11380.00	44.23	74.00	-29.77	56.77	38.14	16.04	66.72	0.00	---	---	PEAK																																																																																																
2	17070.50	47.91	68.20	-20.29	53.87	41.11	20.04	67.11	0.00	---	---	Peak																																																																																																
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																				
1	11380.20	44.68	74.00	-29.32	57.22	38.14	16.04	66.72	0.00	---	---	Peak																																																																																																
2	17070.50	48.31	68.20	-19.89	54.27	41.11	20.04	67.11	0.00	---	---	Peak																																																																																																



Co-location Mode:

Mode	43																																																																																																																			
	Band Edge - L																																																																																																																			
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH106_5530MHz																																																																																																																			
ANT	SISO																																																																																																																			
Pol.	Horizontal	Fundamental																																																																																																																		
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5443.76</td> <td>58.97</td> <td>74.00</td> <td>-15.03</td> <td>50.97</td> <td>34.36</td> <td>10.95</td> <td>37.31</td> <td>0.00</td> <td>113</td> <td>360</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5478.00</td> <td>60.27</td> <td>68.20</td> <td>-7.93</td> <td>52.25</td> <td>34.33</td> <td>10.98</td> <td>37.29</td> <td>0.00</td> <td>113</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5443.76	58.97	74.00	-15.03	50.97	34.36	10.95	37.31	0.00	113	360	PEAK	2	5478.00	60.27	68.20	-7.93	52.25	34.33	10.98	37.29	0.00	113	360	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>3574.00</td> <td>101.25</td> <td>-----</td> <td>-----</td> <td>96.54</td> <td>32.97</td> <td>8.85</td> <td>37.11</td> <td>0.00</td> <td>113</td> <td>360</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>5530.00</td> <td>103.36</td> <td>-----</td> <td>-----</td> <td>95.19</td> <td>34.37</td> <td>11.07</td> <td>37.27</td> <td>0.00</td> <td>113</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	3574.00	101.25	-----	-----	96.54	32.97	8.85	37.11	0.00	113	360	Peak	2	5530.00	103.36	-----	-----	95.19	34.37	11.07	37.27	0.00	113	360	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																										
1	5443.76	58.97	74.00	-15.03	50.97	34.36	10.95	37.31	0.00	113	360	PEAK																																																																																																								
2	5478.00	60.27	68.20	-7.93	52.25	34.33	10.98	37.29	0.00	113	360	PEAK																																																																																																								
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																										
1	3574.00	101.25	-----	-----	96.54	32.97	8.85	37.11	0.00	113	360	Peak																																																																																																								
2	5530.00	103.36	-----	-----	95.19	34.37	11.07	37.27	0.00	113	360	PEAK																																																																																																								
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5458.80</td> <td>50.82</td> <td>54.00</td> <td>-3.18</td> <td>42.81</td> <td>34.34</td> <td>10.97</td> <td>37.30</td> <td>0.00</td> <td>113</td> <td>360</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5458.80	50.82	54.00	-3.18	42.81	34.34	10.97	37.30	0.00	113	360	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>3574.00</td> <td>100.41</td> <td>-----</td> <td>-----</td> <td>95.70</td> <td>32.97</td> <td>8.85</td> <td>37.11</td> <td>0.00</td> <td>113</td> <td>360</td> <td>Average</td> </tr> <tr> <td>2</td> <td>5530.00</td> <td>94.41</td> <td>-----</td> <td>-----</td> <td>89.70</td> <td>32.97</td> <td>8.85</td> <td>37.11</td> <td>0.00</td> <td>113</td> <td>360</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	3574.00	100.41	-----	-----	95.70	32.97	8.85	37.11	0.00	113	360	Average	2	5530.00	94.41	-----	-----	89.70	32.97	8.85	37.11	0.00	113	360	AVERAGE													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																										
1	5458.80	50.82	54.00	-3.18	42.81	34.34	10.97	37.30	0.00	113	360	AVERAGE																																																																																																								
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																										
1	3574.00	100.41	-----	-----	95.70	32.97	8.85	37.11	0.00	113	360	Average																																																																																																								
2	5530.00	94.41	-----	-----	89.70	32.97	8.85	37.11	0.00	113	360	AVERAGE																																																																																																								



Mode	43																																													
	Band Edge - R																																													
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH106_5530MHz																																													
ANT	SISO																																													
Pol.	Horizontal	Fundamental																																												
Peak	<p>Level (dBuV/m)</p> <p>Frequency (MHz)</p> <p>U-NII-1-U-NII-2A-U-NII-2C</p>	Blank																																												
<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5733.64</td> <td>49.82</td> <td>68.20</td> <td>-18.38</td> <td>41.59</td> <td>34.47</td> <td>11.34</td> <td>37.58</td> <td>0.00</td> <td>113</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>			Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5733.64	49.82	68.20	-18.38	41.59	34.47	11.34	37.58	0.00	113	360	PEAK
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																				
1	5733.64	49.82	68.20	-18.38	41.59	34.47	11.34	37.58	0.00	113	360	PEAK																																		



Mode	43																																																																																																															
	Band Edge - L																																																																																																															
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH106_5530MHz																																																																																																															
ANT	SISO																																																																																																															
Pol.	Vertical	Fundamental																																																																																																														
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5458.16</td> <td>53.34</td> <td>74.00</td> <td>-20.66</td> <td>45.33</td> <td>34.34</td> <td>10.97</td> <td>37.30</td> <td>0.00</td> <td>215</td> <td>0</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5464.40</td> <td>55.20</td> <td>68.20</td> <td>-13.00</td> <td>47.19</td> <td>34.34</td> <td>10.97</td> <td>37.30</td> <td>0.00</td> <td>215</td> <td>0</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5458.16	53.34	74.00	-20.66	45.33	34.34	10.97	37.30	0.00	215	0	PEAK	2	5464.40	55.20	68.20	-13.00	47.19	34.34	10.97	37.30	0.00	215	0	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>3574.00</td> <td>101.73</td> <td>-----</td> <td>97.02</td> <td>32.97</td> <td>8.85</td> <td>37.11</td> <td>0.00</td> <td>215</td> <td>0</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>5530.00</td> <td>98.73</td> <td>-----</td> <td>94.02</td> <td>32.97</td> <td>8.85</td> <td>37.11</td> <td>0.00</td> <td>215</td> <td>0</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	3574.00	101.73	-----	97.02	32.97	8.85	37.11	0.00	215	0	Peak	2	5530.00	98.73	-----	94.02	32.97	8.85	37.11	0.00	215	0	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5458.16	53.34	74.00	-20.66	45.33	34.34	10.97	37.30	0.00	215	0	PEAK																																																																																																				
2	5464.40	55.20	68.20	-13.00	47.19	34.34	10.97	37.30	0.00	215	0	PEAK																																																																																																				
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	3574.00	101.73	-----	97.02	32.97	8.85	37.11	0.00	215	0	Peak																																																																																																					
2	5530.00	98.73	-----	94.02	32.97	8.85	37.11	0.00	215	0	PEAK																																																																																																					
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5459.60</td> <td>47.68</td> <td>54.00</td> <td>-6.32</td> <td>39.67</td> <td>34.34</td> <td>10.97</td> <td>37.30</td> <td>0.00</td> <td>215</td> <td>0</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.60	47.68	54.00	-6.32	39.67	34.34	10.97	37.30	0.00	215	0	AVERAGE	Blank																																																																			
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5459.60	47.68	54.00	-6.32	39.67	34.34	10.97	37.30	0.00	215	0	AVERAGE																																																																																																				



Mode	43																																													
	Band Edge - R																																													
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH106_5530MHz																																													
ANT	SISO																																													
Pol.	Vertical	Fundamental																																												
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5729.08</td> <td>49.54</td> <td>68.20</td> <td>-18.66</td> <td>41.32</td> <td>34.45</td> <td>11.34</td> <td>37.57</td> <td>0.00</td> <td>215</td> <td>0</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5729.08	49.54	68.20	-18.66	41.32	34.45	11.34	37.57	0.00	215	0	PEAK	Blank
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																				
1	5729.08	49.54	68.20	-18.66	41.32	34.45	11.34	37.57	0.00	215	0	PEAK																																		




Mode	43																																																																																									
	Harmonic																																																																																									
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH106_5530MHz																																																																																									
ANT	SISO																																																																																									
Pol.	Horizontal	Vertical																																																																																								
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11060.00</td> <td>42.53</td> <td>74.00</td> <td>-31.47</td> <td>55.67</td> <td>37.85</td> <td>15.80</td> <td>66.79</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11060.00	42.53	74.00	-31.47	55.67	37.85	15.80	66.79	0.00	---	---	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11060.00</td> <td>43.52</td> <td>74.00</td> <td>-30.48</td> <td>56.66</td> <td>37.85</td> <td>15.80</td> <td>66.79</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11060.00	43.52	74.00	-30.48	56.66	37.85	15.80	66.79	0.00	---	---	PEAK
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	11060.00	42.53	74.00	-31.47	55.67	37.85	15.80	66.79	0.00	---	---	PEAK																																																																														
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	11060.00	43.52	74.00	-30.48	56.66	37.85	15.80	66.79	0.00	---	---	PEAK																																																																														



Appendix D. Duty Cycle Plots

Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
802.11a	97.47	1.389	0.720	0.75KHZ
802.11n HT20	97.30	1.299	0.770	0.82KHZ
802.11n HT40	94.744	0.649	1.541	1.6KHZ
802.11ac VHT80	89.66	0.321	3.115	3.3KHZ


802.11a



Date: 7.JUN.2025 14:19:43




802.11n HT20



Date: 7.JUN.2025 14:18:58


802.11n HT40



Date: 7.JUN.2025 14:17:39



802.11ac VHT80



Date: 7.JUN.2025 14:24:24