



Mode	15																																																																																							
	Band Edge - L																																																																																							
	2400-2483.5_802.11b_CH05_2432MHz																																																																																							
ANT	SISO																																																																																							
Pol.	Horizontal	Fundamental																																																																																						
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2327.03</td> <td>49.24</td> <td>74.00</td> <td>-24.76</td> <td>41.76</td> <td>31.68</td> <td>7.06</td> <td>37.26</td> <td>6.00</td> <td>155</td> <td>308 PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2327.03	49.24	74.00	-24.76	41.76	31.68	7.06	37.26	6.00	155	308 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2432.00</td> <td>104.17</td> <td>-----</td> <td>-----</td> <td>96.14</td> <td>32.00</td> <td>7.24</td> <td>37.21</td> <td>6.00</td> <td>155</td> <td>308 PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2432.00	104.17	-----	-----	96.14	32.00	7.24	37.21	6.00	155	308 PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	2327.03	49.24	74.00	-24.76	41.76	31.68	7.06	37.26	6.00	155	308 PEAK																																																																													
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	2432.00	104.17	-----	-----	96.14	32.00	7.24	37.21	6.00	155	308 PEAK																																																																													
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2389.95</td> <td>36.98</td> <td>54.00</td> <td>-17.02</td> <td>29.18</td> <td>31.87</td> <td>7.16</td> <td>37.23</td> <td>6.00</td> <td>155</td> <td>308 AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2389.95	36.98	54.00	-17.02	29.18	31.87	7.16	37.23	6.00	155	308 AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2432.00</td> <td>99.55</td> <td>-----</td> <td>-----</td> <td>91.52</td> <td>32.00</td> <td>7.24</td> <td>37.21</td> <td>6.00</td> <td>155</td> <td>308 AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2432.00	99.55	-----	-----	91.52	32.00	7.24	37.21	6.00	155	308 AVERAGE
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	2389.95	36.98	54.00	-17.02	29.18	31.87	7.16	37.23	6.00	155	308 AVERAGE																																																																													
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	2432.00	99.55	-----	-----	91.52	32.00	7.24	37.21	6.00	155	308 AVERAGE																																																																													



Mode	15																																													
	Band Edge - R																																													
	2400-2483.5_802.11b_CH05_2432MHz																																													
ANT	SISO																																													
Pol.	Horizontal	Fundamental																																												
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2490.40</td> <td>50.11</td> <td>74.00</td> <td>-23.89</td> <td>41.80</td> <td>32.17</td> <td>7.34</td> <td>37.20</td> <td>6.00</td> <td>155</td> <td>308</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2490.40	50.11	74.00	-23.89	41.80	32.17	7.34	37.20	6.00	155	308	PEAK	Blank
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																				
1	2490.40	50.11	74.00	-23.89	41.80	32.17	7.34	37.20	6.00	155	308	PEAK																																		
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2489.68</td> <td>38.88</td> <td>54.00</td> <td>-15.12</td> <td>30.57</td> <td>32.17</td> <td>7.34</td> <td>37.20</td> <td>6.00</td> <td>155</td> <td>308</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2489.68	38.88	54.00	-15.12	30.57	32.17	7.34	37.20	6.00	155	308	AVERAGE	Blank
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																				
1	2489.68	38.88	54.00	-15.12	30.57	32.17	7.34	37.20	6.00	155	308	AVERAGE																																		



Mode	15																																																																																									
	Band Edge - L																																																																																									
	2400-2483.5_802.11b_CH05_2432MHz																																																																																									
ANT	SISO																																																																																									
Pol.	Vertical	Fundamental																																																																																								
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2317.54</td> <td>50.05</td> <td>74.00</td> <td>-23.95</td> <td>42.62</td> <td>31.65</td> <td>7.05</td> <td>37.27</td> <td>6.00</td> <td>292</td> <td>303</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2317.54	50.05	74.00	-23.95	42.62	31.65	7.05	37.27	6.00	292	303	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2432.00</td> <td>99.28</td> <td>-----</td> <td>-----</td> <td>91.25</td> <td>32.00</td> <td>7.24</td> <td>37.21</td> <td>6.00</td> <td>292</td> <td>303</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2432.00	99.28	-----	-----	91.25	32.00	7.24	37.21	6.00	292	303	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	2317.54	50.05	74.00	-23.95	42.62	31.65	7.05	37.27	6.00	292	303	PEAK																																																																														
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	2432.00	99.28	-----	-----	91.25	32.00	7.24	37.21	6.00	292	303	PEAK																																																																														
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2389.43</td> <td>36.64</td> <td>54.00</td> <td>-17.36</td> <td>28.84</td> <td>31.87</td> <td>7.16</td> <td>37.23</td> <td>6.00</td> <td>292</td> <td>303</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2389.43	36.64	54.00	-17.36	28.84	31.87	7.16	37.23	6.00	292	303	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2432.00</td> <td>94.77</td> <td>-----</td> <td>-----</td> <td>86.74</td> <td>32.00</td> <td>7.24</td> <td>37.21</td> <td>6.00</td> <td>292</td> <td>303</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2432.00	94.77	-----	-----	86.74	32.00	7.24	37.21	6.00	292	303	AVERAGE
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	2389.43	36.64	54.00	-17.36	28.84	31.87	7.16	37.23	6.00	292	303	AVERAGE																																																																														
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																
1	2432.00	94.77	-----	-----	86.74	32.00	7.24	37.21	6.00	292	303	AVERAGE																																																																														



Mode	15																																												
	Band Edge - R																																												
	2400-2483.5_802.11b_CH05_2432MHz																																												
ANT	SISO																																												
Pol.	Vertical	Fundamental																																											
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2489.56</td> <td>49.76</td> <td>74.00</td> <td>-24.24</td> <td>41.45</td> <td>32.17</td> <td>7.34</td> <td>37.20</td> <td>6.00</td> <td>292</td> <td>303</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2489.56	49.76	74.00	-24.24	41.45	32.17	7.34	37.20	6.00	292	303	PEAK	Blank
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																				
Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	2489.56	49.76	74.00	-24.24	41.45	32.17	7.34	37.20	6.00	292	303	PEAK																																	
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2489.02</td> <td>37.39</td> <td>54.00</td> <td>-16.61</td> <td>29.08</td> <td>32.17</td> <td>7.34</td> <td>37.20</td> <td>6.00</td> <td>292</td> <td>303</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2489.02	37.39	54.00	-16.61	29.08	32.17	7.34	37.20	6.00	292	303	AVERAGE	Blank
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																				
Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	2489.02	37.39	54.00	-16.61	29.08	32.17	7.34	37.20	6.00	292	303	AVERAGE																																	



Mode	15																																																																																																																																												
	Harmonic																																																																																																																																												
	2400-2483.5_802.11b_CH05_2432MHz																																																																																																																																												
ANT	SISO																																																																																																																																												
Pol.	Horizontal	Vertical																																																																																																																																											
Peak Avg																																																																																																																																													
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4864.50</td> <td>52.60</td> <td>74.00</td> <td>-21.40</td> <td>74.33</td> <td>33.90</td> <td>10.33</td> <td>65.96</td> <td>0.00</td> <td>199</td> <td>359</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>4864.50</td> <td>50.75</td> <td>54.00</td> <td>-3.25</td> <td>72.48</td> <td>33.90</td> <td>10.33</td> <td>65.96</td> <td>0.00</td> <td>199</td> <td>359</td> <td>Average</td> </tr> <tr> <td>3</td> <td>7296.00</td> <td>41.05</td> <td>74.00</td> <td>-32.95</td> <td>60.24</td> <td>35.60</td> <td>12.75</td> <td>67.54</td> <td>0.00</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4864.50	52.60	74.00	-21.40	74.33	33.90	10.33	65.96	0.00	199	359	Peak	2	4864.50	50.75	54.00	-3.25	72.48	33.90	10.33	65.96	0.00	199	359	Average	3	7296.00	41.05	74.00	-32.95	60.24	35.60	12.75	67.54	0.00	---	---	Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4864.00</td> <td>51.06</td> <td>74.00</td> <td>-22.94</td> <td>72.79</td> <td>33.90</td> <td>10.33</td> <td>65.96</td> <td>0.00</td> <td>229</td> <td>0</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>4864.00</td> <td>48.49</td> <td>54.00</td> <td>-5.51</td> <td>70.22</td> <td>33.90</td> <td>10.33</td> <td>65.96</td> <td>0.00</td> <td>229</td> <td>0</td> <td>AVERAGE</td> </tr> <tr> <td>3</td> <td>7296.00</td> <td>41.23</td> <td>74.00</td> <td>-32.77</td> <td>60.42</td> <td>35.60</td> <td>12.75</td> <td>67.54</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4864.00	51.06	74.00	-22.94	72.79	33.90	10.33	65.96	0.00	229	0	PEAK	2	4864.00	48.49	54.00	-5.51	70.22	33.90	10.33	65.96	0.00	229	0	AVERAGE	3	7296.00	41.23	74.00	-32.77	60.42	35.60	12.75	67.54	0.00	---	---
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																			
1	4864.50	52.60	74.00	-21.40	74.33	33.90	10.33	65.96	0.00	199	359	Peak																																																																																																																																	
2	4864.50	50.75	54.00	-3.25	72.48	33.90	10.33	65.96	0.00	199	359	Average																																																																																																																																	
3	7296.00	41.05	74.00	-32.95	60.24	35.60	12.75	67.54	0.00	---	---	Peak																																																																																																																																	
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																			
1	4864.00	51.06	74.00	-22.94	72.79	33.90	10.33	65.96	0.00	229	0	PEAK																																																																																																																																	
2	4864.00	48.49	54.00	-5.51	70.22	33.90	10.33	65.96	0.00	229	0	AVERAGE																																																																																																																																	
3	7296.00	41.23	74.00	-32.77	60.42	35.60	12.75	67.54	0.00	---	---	PEAK																																																																																																																																	



Mode	15	
	Harmonic	
	2400-2483.5_802.11b_CH05_2432MHz	
ANT	SISO	
Pol.	Horizontal	Vertical
Peak Avg	<p>The plot shows the average peak level in dBuV/m across the frequency range 18000 to 25000 MHz. The y-axis ranges from 0 to 130 dBuV/m. Three red horizontal lines indicate FCC Part 15C limits: -50dB (at ~81.3 dBuV/m), FCC PART 15C (AVG) (at ~65.0 dBuV/m), and -50dB (at ~48.8 dBuV/m). The blue signal line fluctuates around 40 dBuV/m, well below the limits.</p>	<p>The plot shows the average peak level in dBuV/m across the frequency range 18000 to 25000 MHz. The y-axis ranges from 0 to 130 dBuV/m. Three red horizontal lines indicate FCC Part 15C limits: -50dB (at ~81.3 dBuV/m), FCC PART 15C (AVG) (at ~65.0 dBuV/m), and -50dB (at ~48.8 dBuV/m). The blue signal line fluctuates around 40 dBuV/m, well below the limits.</p>



Mode	15																																																																																																																																																																																																																			
	LF																																																																																																																																																																																																																			
	2400-2483.5_802.11b_CH05_2432MHz																																																																																																																																																																																																																			
ANT	SISO																																																																																																																																																																																																																			
Pol.	Horizontal	Vertical																																																																																																																																																																																																																		
Peak	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>72.68</td> <td>22.96</td> <td>40.00</td> <td>-17.04</td> <td>42.19</td> <td>12.69</td> <td>0.80</td> <td>32.72</td> <td>0.00</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>145.43</td> <td>25.66</td> <td>43.50</td> <td>-17.84</td> <td>39.83</td> <td>17.32</td> <td>1.22</td> <td>32.71</td> <td>0.00</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>3</td> <td>232.97</td> <td>27.00</td> <td>46.00</td> <td>-19.00</td> <td>41.70</td> <td>16.56</td> <td>1.59</td> <td>32.85</td> <td>0.00</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>4</td> <td>388.90</td> <td>23.83</td> <td>46.00</td> <td>-22.17</td> <td>33.32</td> <td>21.38</td> <td>2.12</td> <td>32.99</td> <td>0.00</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>5</td> <td>558.41</td> <td>24.47</td> <td>46.00</td> <td>-21.53</td> <td>29.00</td> <td>26.26</td> <td>2.45</td> <td>33.24</td> <td>0.00</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>6</td> <td>848.92</td> <td>28.92</td> <td>46.00</td> <td>-17.08</td> <td>29.39</td> <td>29.08</td> <td>3.04</td> <td>32.59</td> <td>0.00</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	72.68	22.96	40.00	-17.04	42.19	12.69	0.80	32.72	0.00	---	Peak	2	145.43	25.66	43.50	-17.84	39.83	17.32	1.22	32.71	0.00	---	Peak	3	232.97	27.00	46.00	-19.00	41.70	16.56	1.59	32.85	0.00	---	Peak	4	388.90	23.83	46.00	-22.17	33.32	21.38	2.12	32.99	0.00	---	Peak	5	558.41	24.47	46.00	-21.53	29.00	26.26	2.45	33.24	0.00	---	Peak	6	848.92	28.92	46.00	-17.08	29.39	29.08	3.04	32.59	0.00	---	Peak	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>45.52</td> <td>33.15</td> <td>40.00</td> <td>-6.85</td> <td>48.54</td> <td>16.78</td> <td>0.60</td> <td>32.77</td> <td>0.00</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>123.85</td> <td>19.09</td> <td>43.50</td> <td>-24.41</td> <td>33.10</td> <td>17.58</td> <td>1.09</td> <td>32.68</td> <td>0.00</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>3</td> <td>233.94</td> <td>24.40</td> <td>46.00</td> <td>-21.60</td> <td>39.00</td> <td>16.65</td> <td>1.60</td> <td>32.85</td> <td>0.00</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>4</td> <td>402.48</td> <td>21.49</td> <td>46.00</td> <td>-24.51</td> <td>30.48</td> <td>21.90</td> <td>2.14</td> <td>33.03</td> <td>0.00</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>5</td> <td>562.53</td> <td>25.47</td> <td>46.00</td> <td>-20.53</td> <td>29.86</td> <td>26.39</td> <td>2.47</td> <td>33.25</td> <td>0.00</td> <td>---</td> <td>Peak</td> </tr> <tr> <td>6</td> <td>830.98</td> <td>28.30</td> <td>46.00</td> <td>-17.70</td> <td>29.25</td> <td>28.78</td> <td>3.01</td> <td>32.74</td> <td>0.00</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	45.52	33.15	40.00	-6.85	48.54	16.78	0.60	32.77	0.00	---	Peak	2	123.85	19.09	43.50	-24.41	33.10	17.58	1.09	32.68	0.00	---	Peak	3	233.94	24.40	46.00	-21.60	39.00	16.65	1.60	32.85	0.00	---	Peak	4	402.48	21.49	46.00	-24.51	30.48	21.90	2.14	33.03	0.00	---	Peak	5	562.53	25.47	46.00	-20.53	29.86	26.39	2.47	33.25	0.00	---	Peak	6	830.98	28.30	46.00	-17.70	29.25	28.78	3.01	32.74	0.00	---	Peak
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																																										
1	72.68	22.96	40.00	-17.04	42.19	12.69	0.80	32.72	0.00	---	Peak																																																																																																																																																																																																									
2	145.43	25.66	43.50	-17.84	39.83	17.32	1.22	32.71	0.00	---	Peak																																																																																																																																																																																																									
3	232.97	27.00	46.00	-19.00	41.70	16.56	1.59	32.85	0.00	---	Peak																																																																																																																																																																																																									
4	388.90	23.83	46.00	-22.17	33.32	21.38	2.12	32.99	0.00	---	Peak																																																																																																																																																																																																									
5	558.41	24.47	46.00	-21.53	29.00	26.26	2.45	33.24	0.00	---	Peak																																																																																																																																																																																																									
6	848.92	28.92	46.00	-17.08	29.39	29.08	3.04	32.59	0.00	---	Peak																																																																																																																																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																																																										
1	45.52	33.15	40.00	-6.85	48.54	16.78	0.60	32.77	0.00	---	Peak																																																																																																																																																																																																									
2	123.85	19.09	43.50	-24.41	33.10	17.58	1.09	32.68	0.00	---	Peak																																																																																																																																																																																																									
3	233.94	24.40	46.00	-21.60	39.00	16.65	1.60	32.85	0.00	---	Peak																																																																																																																																																																																																									
4	402.48	21.49	46.00	-24.51	30.48	21.90	2.14	33.03	0.00	---	Peak																																																																																																																																																																																																									
5	562.53	25.47	46.00	-20.53	29.86	26.39	2.47	33.25	0.00	---	Peak																																																																																																																																																																																																									
6	830.98	28.30	46.00	-17.70	29.25	28.78	3.01	32.74	0.00	---	Peak																																																																																																																																																																																																									



Mode	16																																																																																							
	Band Edge - L																																																																																							
	2400-2483.5_802.11b_CH07_2442MHz																																																																																							
ANT	SISO																																																																																							
Pol.	Horizontal	Fundamental																																																																																						
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2384.75</td> <td>49.42</td> <td>74.00</td> <td>-24.58</td> <td>41.64</td> <td>31.85</td> <td>7.16</td> <td>37.23</td> <td>6.00</td> <td>181</td> <td>309</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2384.75	49.42	74.00	-24.58	41.64	31.85	7.16	37.23	6.00	181	309	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2442.00</td> <td>104.00</td> <td>-----</td> <td>-----</td> <td>96.00</td> <td>32.03</td> <td>7.26</td> <td>37.21</td> <td>6.00</td> <td>181</td> <td>309</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2442.00	104.00	-----	-----	96.00	32.03	7.26	37.21	6.00	181	309	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1	2384.75	49.42	74.00	-24.58	41.64	31.85	7.16	37.23	6.00	181	309	PEAK																																																																												
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1	2442.00	104.00	-----	-----	96.00	32.03	7.26	37.21	6.00	181	309	PEAK																																																																												
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2389.95</td> <td>36.73</td> <td>54.00</td> <td>-17.27</td> <td>28.93</td> <td>31.87</td> <td>7.16</td> <td>37.23</td> <td>6.00</td> <td>181</td> <td>309</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.95	36.73	54.00	-17.27	28.93	31.87	7.16	37.23	6.00	181	309	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2442.00</td> <td>99.59</td> <td>-----</td> <td>-----</td> <td>91.51</td> <td>32.03</td> <td>7.26</td> <td>37.21</td> <td>6.00</td> <td>181</td> <td>309</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2442.00	99.59	-----	-----	91.51	32.03	7.26	37.21	6.00	181	309	AVERAGE
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1	2389.95	36.73	54.00	-17.27	28.93	31.87	7.16	37.23	6.00	181	309	AVERAGE																																																																												
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1	2442.00	99.59	-----	-----	91.51	32.03	7.26	37.21	6.00	181	309	AVERAGE																																																																												



Mode	16																																												
	Band Edge - R																																												
	2400-2483.5_802.11b_CH07_2442MHz																																												
ANT	SISO																																												
Pol.	Horizontal	Fundamental																																											
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2489.56</td> <td>49.75</td> <td>74.00</td> <td>-24.25</td> <td>41.44</td> <td>32.17</td> <td>7.34</td> <td>37.20</td> <td>6.00</td> <td>181</td> <td>309</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2489.56	49.75	74.00	-24.25	41.44	32.17	7.34	37.20	6.00	181	309	PEAK	Blank
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																				
Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	2489.56	49.75	74.00	-24.25	41.44	32.17	7.34	37.20	6.00	181	309	PEAK																																	
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2488.54</td> <td>38.09</td> <td>54.00</td> <td>-15.91</td> <td>29.78</td> <td>32.17</td> <td>7.34</td> <td>37.20</td> <td>6.00</td> <td>181</td> <td>309</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2488.54	38.09	54.00	-15.91	29.78	32.17	7.34	37.20	6.00	181	309	AVERAGE	Blank
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																				
Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	2488.54	38.09	54.00	-15.91	29.78	32.17	7.34	37.20	6.00	181	309	AVERAGE																																	



Mode	16																																																																																							
	Band Edge - L																																																																																							
	2400-2483.5_802.11b_CH07_2442MHz																																																																																							
ANT	SISO																																																																																							
Pol.	Vertical	Fundamental																																																																																						
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2360.83</td> <td>48.92</td> <td>74.00</td> <td>-25.08</td> <td>41.26</td> <td>31.78</td> <td>7.12</td> <td>37.24</td> <td>6.00</td> <td>300</td> <td>256 PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2360.83	48.92	74.00	-25.08	41.26	31.78	7.12	37.24	6.00	300	256 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2442.00</td> <td>98.57</td> <td>-----</td> <td>-----</td> <td>90.49</td> <td>32.03</td> <td>7.26</td> <td>37.21</td> <td>6.00</td> <td>300</td> <td>256 PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2442.00	98.57	-----	-----	90.49	32.03	7.26	37.21	6.00	300	256 PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	2360.83	48.92	74.00	-25.08	41.26	31.78	7.12	37.24	6.00	300	256 PEAK																																																																													
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	2442.00	98.57	-----	-----	90.49	32.03	7.26	37.21	6.00	300	256 PEAK																																																																													
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2387.74</td> <td>36.53</td> <td>54.00</td> <td>-17.47</td> <td>28.74</td> <td>31.86</td> <td>7.16</td> <td>37.23</td> <td>6.00</td> <td>300</td> <td>256 AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2387.74	36.53	54.00	-17.47	28.74	31.86	7.16	37.23	6.00	300	256 AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2442.00</td> <td>94.21</td> <td>-----</td> <td>-----</td> <td>86.13</td> <td>32.03</td> <td>7.26</td> <td>37.21</td> <td>6.00</td> <td>300</td> <td>256 AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2442.00	94.21	-----	-----	86.13	32.03	7.26	37.21	6.00	300	256 AVERAGE
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	2387.74	36.53	54.00	-17.47	28.74	31.86	7.16	37.23	6.00	300	256 AVERAGE																																																																													
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	2442.00	94.21	-----	-----	86.13	32.03	7.26	37.21	6.00	300	256 AVERAGE																																																																													



Mode	16																																												
	Band Edge - R																																												
	2400-2483.5_802.11b_CH07_2442MHz																																												
ANT	SISO																																												
Pol.	Vertical	Fundamental																																											
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2493.58</td> <td>49.68</td> <td>74.00</td> <td>-24.32</td> <td>41.35</td> <td>32.18</td> <td>7.35</td> <td>37.20</td> <td>6.00</td> <td>300</td> <td>256</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2493.58	49.68	74.00	-24.32	41.35	32.18	7.35	37.20	6.00	300	256	PEAK	Blank
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																				
Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	2493.58	49.68	74.00	-24.32	41.35	32.18	7.35	37.20	6.00	300	256	PEAK																																	
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2489.32</td> <td>37.22</td> <td>54.00</td> <td>-16.78</td> <td>28.91</td> <td>32.17</td> <td>7.34</td> <td>37.20</td> <td>6.00</td> <td>300</td> <td>256</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2489.32	37.22	54.00	-16.78	28.91	32.17	7.34	37.20	6.00	300	256	AVERAGE	Blank
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																				
Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	2489.32	37.22	54.00	-16.78	28.91	32.17	7.34	37.20	6.00	300	256	AVERAGE																																	



Mode	16																																																																																																																																													
	Harmonic																																																																																																																																													
	2400-2483.5_802.11b_CH07_2442MHz																																																																																																																																													
ANT	SISO																																																																																																																																													
Pol.	Horizontal	Vertical																																																																																																																																												
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4884.00</td> <td>51.73</td> <td>74.00</td> <td>-22.27</td> <td>73.52</td> <td>33.90</td> <td>10.35</td> <td>66.04</td> <td>0.00</td> <td>210</td> <td>354</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>4884.00</td> <td>50.34</td> <td>54.00</td> <td>-3.66</td> <td>72.13</td> <td>33.90</td> <td>10.35</td> <td>66.04</td> <td>0.00</td> <td>210</td> <td>354</td> <td>Average</td> </tr> <tr> <td>3</td> <td>7326.00</td> <td>39.85</td> <td>74.00</td> <td>-34.15</td> <td>59.04</td> <td>35.57</td> <td>12.80</td> <td>67.56</td> <td>0.00</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4884.00	51.73	74.00	-22.27	73.52	33.90	10.35	66.04	0.00	210	354	Peak	2	4884.00	50.34	54.00	-3.66	72.13	33.90	10.35	66.04	0.00	210	354	Average	3	7326.00	39.85	74.00	-34.15	59.04	35.57	12.80	67.56	0.00	---	---	Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4884.00</td> <td>49.55</td> <td>74.00</td> <td>-24.45</td> <td>71.34</td> <td>33.90</td> <td>10.35</td> <td>66.04</td> <td>0.00</td> <td>259</td> <td>358</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>4884.00</td> <td>47.84</td> <td>54.00</td> <td>-6.16</td> <td>69.63</td> <td>33.90</td> <td>10.35</td> <td>66.04</td> <td>0.00</td> <td>259</td> <td>358</td> <td>AVERAGE</td> </tr> <tr> <td>3</td> <td>7326.00</td> <td>40.69</td> <td>74.00</td> <td>-33.31</td> <td>59.88</td> <td>35.57</td> <td>12.80</td> <td>67.56</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4884.00	49.55	74.00	-24.45	71.34	33.90	10.35	66.04	0.00	259	358	PEAK	2	4884.00	47.84	54.00	-6.16	69.63	33.90	10.35	66.04	0.00	259	358	AVERAGE	3	7326.00	40.69	74.00	-33.31	59.88	35.57	12.80	67.56	0.00	---	---	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																				
1	4884.00	51.73	74.00	-22.27	73.52	33.90	10.35	66.04	0.00	210	354	Peak																																																																																																																																		
2	4884.00	50.34	54.00	-3.66	72.13	33.90	10.35	66.04	0.00	210	354	Average																																																																																																																																		
3	7326.00	39.85	74.00	-34.15	59.04	35.57	12.80	67.56	0.00	---	---	Peak																																																																																																																																		
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																				
1	4884.00	49.55	74.00	-24.45	71.34	33.90	10.35	66.04	0.00	259	358	PEAK																																																																																																																																		
2	4884.00	47.84	54.00	-6.16	69.63	33.90	10.35	66.04	0.00	259	358	AVERAGE																																																																																																																																		
3	7326.00	40.69	74.00	-33.31	59.88	35.57	12.80	67.56	0.00	---	---	PEAK																																																																																																																																		



Mode	17																																																																																							
	Band Edge - L																																																																																							
	2400-2483.5_802.11b_CH08_2447MHz																																																																																							
ANT	SISO																																																																																							
Pol.	Horizontal	Fundamental																																																																																						
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2335.74</td> <td>49.58</td> <td>74.00</td> <td>-24.42</td> <td>42.05</td> <td>31.71</td> <td>7.08</td> <td>37.26</td> <td>6.00</td> <td>100</td> <td>303</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2335.74	49.58	74.00	-24.42	42.05	31.71	7.08	37.26	6.00	100	303	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2447.00</td> <td>103.86</td> <td>-----</td> <td>-----</td> <td>95.76</td> <td>32.04</td> <td>7.27</td> <td>37.21</td> <td>6.00</td> <td>100</td> <td>303</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2447.00	103.86	-----	-----	95.76	32.04	7.27	37.21	6.00	100	303	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1	2335.74	49.58	74.00	-24.42	42.05	31.71	7.08	37.26	6.00	100	303	PEAK																																																																												
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1	2447.00	103.86	-----	-----	95.76	32.04	7.27	37.21	6.00	100	303	PEAK																																																																												
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2389.43</td> <td>36.93</td> <td>54.00</td> <td>-17.07</td> <td>29.13</td> <td>31.87</td> <td>7.16</td> <td>37.23</td> <td>6.00</td> <td>100</td> <td>303</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.43	36.93	54.00	-17.07	29.13	31.87	7.16	37.23	6.00	100	303	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2447.00</td> <td>99.49</td> <td>-----</td> <td>-----</td> <td>91.39</td> <td>32.04</td> <td>7.27</td> <td>37.21</td> <td>6.00</td> <td>100</td> <td>303</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2447.00	99.49	-----	-----	91.39	32.04	7.27	37.21	6.00	100	303	AVERAGE
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1	2389.43	36.93	54.00	-17.07	29.13	31.87	7.16	37.23	6.00	100	303	AVERAGE																																																																												
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1	2447.00	99.49	-----	-----	91.39	32.04	7.27	37.21	6.00	100	303	AVERAGE																																																																												



Mode	17																																												
	Band Edge - R																																												
	2400-2483.5_802.11b_CH08_2447MHz																																												
ANT	SISO																																												
Pol.	Horizontal	Fundamental																																											
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2491.42</td> <td>51.74</td> <td>74.00</td> <td>-22.26</td> <td>43.43</td> <td>32.17</td> <td>7.34</td> <td>37.20</td> <td>6.00</td> <td>100</td> <td>303</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2491.42	51.74	74.00	-22.26	43.43	32.17	7.34	37.20	6.00	100	303	PEAK	Blank
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																				
Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	2491.42	51.74	74.00	-22.26	43.43	32.17	7.34	37.20	6.00	100	303	PEAK																																	
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2488.24</td> <td>38.97</td> <td>54.00</td> <td>-15.03</td> <td>30.67</td> <td>32.16</td> <td>7.34</td> <td>37.20</td> <td>6.00</td> <td>100</td> <td>303</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2488.24	38.97	54.00	-15.03	30.67	32.16	7.34	37.20	6.00	100	303	AVERAGE	Blank
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																				
Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	2488.24	38.97	54.00	-15.03	30.67	32.16	7.34	37.20	6.00	100	303	AVERAGE																																	



Mode	17																																																																																							
	Band Edge - L																																																																																							
	2400-2483.5_802.11b_CH08_2447MHz																																																																																							
ANT	SISO																																																																																							
Pol.	Vertical	Fundamental																																																																																						
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2319.49</td> <td>49.02</td> <td>74.00</td> <td>-24.98</td> <td>41.57</td> <td>31.66</td> <td>7.05</td> <td>37.26</td> <td>6.00</td> <td>302</td> <td>256 PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2319.49	49.02	74.00	-24.98	41.57	31.66	7.05	37.26	6.00	302	256 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2447.00</td> <td>99.99</td> <td>-----</td> <td>-----</td> <td>91.89</td> <td>32.04</td> <td>7.27</td> <td>37.21</td> <td>6.00</td> <td>302</td> <td>256 PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2447.00	99.99	-----	-----	91.89	32.04	7.27	37.21	6.00	302	256 PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	2319.49	49.02	74.00	-24.98	41.57	31.66	7.05	37.26	6.00	302	256 PEAK																																																																													
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	2447.00	99.99	-----	-----	91.89	32.04	7.27	37.21	6.00	302	256 PEAK																																																																													
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2389.82</td> <td>36.72</td> <td>54.00</td> <td>-17.28</td> <td>28.92</td> <td>31.87</td> <td>7.16</td> <td>37.23</td> <td>6.00</td> <td>302</td> <td>256 AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2389.82	36.72	54.00	-17.28	28.92	31.87	7.16	37.23	6.00	302	256 AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2447.00</td> <td>95.61</td> <td>-----</td> <td>-----</td> <td>87.51</td> <td>32.04</td> <td>7.27</td> <td>37.21</td> <td>6.00</td> <td>302</td> <td>256 AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2447.00	95.61	-----	-----	87.51	32.04	7.27	37.21	6.00	302	256 AVERAGE
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	2389.82	36.72	54.00	-17.28	28.92	31.87	7.16	37.23	6.00	302	256 AVERAGE																																																																													
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	2447.00	95.61	-----	-----	87.51	32.04	7.27	37.21	6.00	302	256 AVERAGE																																																																													



Mode	17																																												
	Band Edge - R																																												
	2400-2483.5_802.11b_CH08_2447MHz																																												
ANT	SISO																																												
Pol.	Vertical	Fundamental																																											
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2488.30</td> <td>50.03</td> <td>74.00</td> <td>-23.97</td> <td>41.73</td> <td>32.16</td> <td>7.34</td> <td>37.20</td> <td>6.00</td> <td>302</td> <td>256</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2488.30	50.03	74.00	-23.97	41.73	32.16	7.34	37.20	6.00	302	256	PEAK	Blank
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																				
Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	2488.30	50.03	74.00	-23.97	41.73	32.16	7.34	37.20	6.00	302	256	PEAK																																	
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2488.30</td> <td>37.62</td> <td>54.00</td> <td>-16.38</td> <td>29.32</td> <td>32.16</td> <td>7.34</td> <td>37.20</td> <td>6.00</td> <td>302</td> <td>256</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2488.30	37.62	54.00	-16.38	29.32	32.16	7.34	37.20	6.00	302	256	AVERAGE	Blank
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																				
Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	2488.30	37.62	54.00	-16.38	29.32	32.16	7.34	37.20	6.00	302	256	AVERAGE																																	



Mode	17																																																																																																																																													
	Harmonic																																																																																																																																													
	2400-2483.5_802.11b_CH08_2447MHz																																																																																																																																													
ANT	SISO																																																																																																																																													
Pol.	Horizontal	Vertical																																																																																																																																												
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4894.50</td> <td>51.63</td> <td>74.00</td> <td>-22.37</td> <td>73.45</td> <td>33.90</td> <td>10.36</td> <td>66.08</td> <td>0.00</td> <td>148</td> <td>346</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>4894.50</td> <td>50.30</td> <td>54.00</td> <td>-3.70</td> <td>72.12</td> <td>33.90</td> <td>10.36</td> <td>66.08</td> <td>0.00</td> <td>148</td> <td>346</td> <td>Average</td> </tr> <tr> <td>3</td> <td>7341.00</td> <td>40.48</td> <td>74.00</td> <td>-33.52</td> <td>59.67</td> <td>35.56</td> <td>12.82</td> <td>67.57</td> <td>0.00</td> <td>---</td> <td>---</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4894.50	51.63	74.00	-22.37	73.45	33.90	10.36	66.08	0.00	148	346	Peak	2	4894.50	50.30	54.00	-3.70	72.12	33.90	10.36	66.08	0.00	148	346	Average	3	7341.00	40.48	74.00	-33.52	59.67	35.56	12.82	67.57	0.00	---	---	Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4894.00</td> <td>50.00</td> <td>74.00</td> <td>-24.00</td> <td>71.82</td> <td>33.90</td> <td>10.36</td> <td>66.08</td> <td>0.00</td> <td>174</td> <td>359</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>4894.00</td> <td>48.35</td> <td>54.00</td> <td>-5.65</td> <td>70.17</td> <td>33.90</td> <td>10.36</td> <td>66.08</td> <td>0.00</td> <td>174</td> <td>359</td> <td>AVERAGE</td> </tr> <tr> <td>3</td> <td>7341.00</td> <td>41.32</td> <td>74.00</td> <td>-32.68</td> <td>60.51</td> <td>35.56</td> <td>12.82</td> <td>67.57</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4894.00	50.00	74.00	-24.00	71.82	33.90	10.36	66.08	0.00	174	359	PEAK	2	4894.00	48.35	54.00	-5.65	70.17	33.90	10.36	66.08	0.00	174	359	AVERAGE	3	7341.00	41.32	74.00	-32.68	60.51	35.56	12.82	67.57	0.00	---	---	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																				
1	4894.50	51.63	74.00	-22.37	73.45	33.90	10.36	66.08	0.00	148	346	Peak																																																																																																																																		
2	4894.50	50.30	54.00	-3.70	72.12	33.90	10.36	66.08	0.00	148	346	Average																																																																																																																																		
3	7341.00	40.48	74.00	-33.52	59.67	35.56	12.82	67.57	0.00	---	---	Peak																																																																																																																																		
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																				
1	4894.00	50.00	74.00	-24.00	71.82	33.90	10.36	66.08	0.00	174	359	PEAK																																																																																																																																		
2	4894.00	48.35	54.00	-5.65	70.17	33.90	10.36	66.08	0.00	174	359	AVERAGE																																																																																																																																		
3	7341.00	41.32	74.00	-32.68	60.51	35.56	12.82	67.57	0.00	---	---	PEAK																																																																																																																																		



Co-location Mode:

Mode	18																																																																																							
	Band Edge - L																																																																																							
	2400-2483.5_802.11b_CH5_2432MHz																																																																																							
Pol.	Horizontal	Fundamental																																																																																						
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2364.21</td> <td>49.12</td> <td>74.00</td> <td>-24.88</td> <td>41.45</td> <td>31.79</td> <td>7.12</td> <td>37.24</td> <td>6.00</td> <td>384</td> <td>53 PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2364.21	49.12	74.00	-24.88	41.45	31.79	7.12	37.24	6.00	384	53 PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2432.00</td> <td>101.12</td> <td>-----</td> <td>-----</td> <td>93.09</td> <td>32.00</td> <td>7.24</td> <td>37.21</td> <td>6.00</td> <td>384</td> <td>53 PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2432.00	101.12	-----	-----	93.09	32.00	7.24	37.21	6.00	384	53 PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	2364.21	49.12	74.00	-24.88	41.45	31.79	7.12	37.24	6.00	384	53 PEAK																																																																													
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	2432.00	101.12	-----	-----	93.09	32.00	7.24	37.21	6.00	384	53 PEAK																																																																													
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2369.95</td> <td>36.58</td> <td>54.00</td> <td>-17.42</td> <td>28.78</td> <td>31.87</td> <td>7.16</td> <td>37.23</td> <td>6.00</td> <td>384</td> <td>53 AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2369.95	36.58	54.00	-17.42	28.78	31.87	7.16	37.23	6.00	384	53 AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2432.00</td> <td>96.68</td> <td>-----</td> <td>-----</td> <td>88.65</td> <td>32.00</td> <td>7.24</td> <td>37.21</td> <td>6.00</td> <td>384</td> <td>53 AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	2432.00	96.68	-----	-----	88.65	32.00	7.24	37.21	6.00	384	53 AVERAGE
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	2369.95	36.58	54.00	-17.42	28.78	31.87	7.16	37.23	6.00	384	53 AVERAGE																																																																													
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																														
1	2432.00	96.68	-----	-----	88.65	32.00	7.24	37.21	6.00	384	53 AVERAGE																																																																													



Mode	18																																		
	Band Edge - R																																		
	2400-2483.5_802.11b_CH5_2432MHz																																		
Pol.	Horizontal	Fundamental																																	
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2491.66</td> <td>50.58</td> <td>74.00</td> <td>-23.42</td> <td>42.27</td> <td>32.17</td> <td>7.34</td> <td>37.20</td> <td>6.00</td> <td>384</td> <td>53</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg	1	2491.66	50.58	74.00	-23.42	42.27	32.17	7.34	37.20	6.00	384	53	PEAK	Blank
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																										
Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg																										
1	2491.66	50.58	74.00	-23.42	42.27	32.17	7.34	37.20	6.00	384	53	PEAK																							
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2487.94</td> <td>37.13</td> <td>54.00</td> <td>-16.87</td> <td>28.83</td> <td>32.16</td> <td>7.34</td> <td>37.20</td> <td>6.00</td> <td>384</td> <td>53</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg	1	2487.94	37.13	54.00	-16.87	28.83	32.16	7.34	37.20	6.00	384	53	AVERAGE	Blank
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																										
Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg																										
1	2487.94	37.13	54.00	-16.87	28.83	32.16	7.34	37.20	6.00	384	53	AVERAGE																							



		18																																												
Mode		Band Edge - L																																												
		2400-2483.5_802.11b_CH5_2432MHz																																												
Pol.		Vertical					Fundamental																																							
Peak	Vertical	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2359.66</td> <td>49.58</td> <td>74.00</td> <td>-24.42</td> <td>41.92</td> <td>31.78</td> <td>7.12</td> <td>37.24</td> <td>6.00</td> <td>245</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>										Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg	1	2359.66	49.58	74.00	-24.42	41.92	31.78	7.12	37.24	6.00	245	360	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg																																				
1	2359.66	49.58	74.00	-24.42	41.92	31.78	7.12	37.24	6.00	245	360	PEAK																																		
Fundamental	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2432.00</td> <td>102.70</td> <td>-----</td> <td>-----</td> <td>94.67</td> <td>32.00</td> <td>7.24</td> <td>37.21</td> <td>6.00</td> <td>245</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>										Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg	1	2432.00	102.70	-----	-----	94.67	32.00	7.24	37.21	6.00	245	360	PEAK	
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg																																				
1	2432.00	102.70	-----	-----	94.67	32.00	7.24	37.21	6.00	245	360	PEAK																																		
Avg	Vertical	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2389.43</td> <td>36.69</td> <td>54.00</td> <td>-17.31</td> <td>28.89</td> <td>31.87</td> <td>7.16</td> <td>37.23</td> <td>6.00</td> <td>245</td> <td>360</td> <td>AVERAGE</td> </tr> </tbody> </table>										Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg	1	2389.43	36.69	54.00	-17.31	28.89	31.87	7.16	37.23	6.00	245	360	AVERAGE
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg																																				
1	2389.43	36.69	54.00	-17.31	28.89	31.87	7.16	37.23	6.00	245	360	AVERAGE																																		
Fundamental	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th colspan="2">Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2432.00</td> <td>98.24</td> <td>-----</td> <td>-----</td> <td>90.21</td> <td>32.00</td> <td>7.24</td> <td>37.21</td> <td>6.00</td> <td>245</td> <td>360</td> <td>AVERAGE</td> </tr> </tbody> </table>										Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg	1	2432.00	98.24	-----	-----	90.21	32.00	7.24	37.21	6.00	245	360	AVERAGE	
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	cm	deg																																				
1	2432.00	98.24	-----	-----	90.21	32.00	7.24	37.21	6.00	245	360	AVERAGE																																		



Mode	18																																		
	Band Edge - R																																		
	2400-2483.5_802.11b_CH5_2432MHz																																		
Pol.	Vertical	Fundamental																																	
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2485.48</td> <td>50.22</td> <td>74.00</td> <td>-23.78</td> <td>41.93</td> <td>32.16</td> <td>7.33</td> <td>37.20</td> <td>6.00</td> <td>245</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg	1	2485.48	50.22	74.00	-23.78	41.93	32.16	7.33	37.20	6.00	245	360	PEAK	Blank
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																										
Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg																										
1	2485.48	50.22	74.00	-23.78	41.93	32.16	7.33	37.20	6.00	245	360	PEAK																							
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2488.78</td> <td>37.89</td> <td>54.00</td> <td>-16.11</td> <td>29.58</td> <td>32.17</td> <td>7.34</td> <td>37.20</td> <td>6.00</td> <td>245</td> <td>360</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg	1	2488.78	37.89	54.00	-16.11	29.58	32.17	7.34	37.20	6.00	245	360	AVERAGE	Blank
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																										
Freq	Level	Line	Level	Factor	Loss	Factor	Factor	cm	deg																										
1	2488.78	37.89	54.00	-16.11	29.58	32.17	7.34	37.20	6.00	245	360	AVERAGE																							




Mode	18																																																																																																																																													
	Harmonic																																																																																																																																													
	2400-2483.5_802.11b_CH5_2432MHz																																																																																																																																													
Pol.	Horizontal	Vertical																																																																																																																																												
Peak Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4864.00</td> <td>53.22</td> <td>74.00</td> <td>-20.78</td> <td>74.95</td> <td>33.90</td> <td>10.33</td> <td>65.96</td> <td>0.00</td> <td>105</td> <td>7</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>4864.00</td> <td>50.14</td> <td>54.00</td> <td>-3.86</td> <td>71.87</td> <td>33.90</td> <td>10.33</td> <td>65.96</td> <td>0.00</td> <td>105</td> <td>8</td> <td>AVERAGE</td> </tr> <tr> <td>3</td> <td>7296.00</td> <td>41.69</td> <td>74.00</td> <td>-32.31</td> <td>60.88</td> <td>35.60</td> <td>12.75</td> <td>67.54</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4864.00	53.22	74.00	-20.78	74.95	33.90	10.33	65.96	0.00	105	7	PEAK	2	4864.00	50.14	54.00	-3.86	71.87	33.90	10.33	65.96	0.00	105	8	AVERAGE	3	7296.00	41.69	74.00	-32.31	60.88	35.60	12.75	67.54	0.00	---	---	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Over</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Aux</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Limit</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4864.00</td> <td>52.00</td> <td>74.00</td> <td>-22.00</td> <td>73.73</td> <td>33.90</td> <td>10.33</td> <td>65.96</td> <td>0.00</td> <td>147</td> <td>8</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>4864.00</td> <td>48.69</td> <td>54.00</td> <td>-5.31</td> <td>70.42</td> <td>33.90</td> <td>10.33</td> <td>65.96</td> <td>0.00</td> <td>147</td> <td>8</td> <td>AVERAGE</td> </tr> <tr> <td>3</td> <td>7296.00</td> <td>41.21</td> <td>74.00</td> <td>-32.79</td> <td>60.40</td> <td>35.60</td> <td>12.75</td> <td>67.54</td> <td>0.00</td> <td>---</td> <td>---</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4864.00	52.00	74.00	-22.00	73.73	33.90	10.33	65.96	0.00	147	8	PEAK	2	4864.00	48.69	54.00	-5.31	70.42	33.90	10.33	65.96	0.00	147	8	AVERAGE	3	7296.00	41.21	74.00	-32.79	60.40	35.60	12.75	67.54	0.00	---	---	PEAK
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																				
1	4864.00	53.22	74.00	-20.78	74.95	33.90	10.33	65.96	0.00	105	7	PEAK																																																																																																																																		
2	4864.00	50.14	54.00	-3.86	71.87	33.90	10.33	65.96	0.00	105	8	AVERAGE																																																																																																																																		
3	7296.00	41.69	74.00	-32.31	60.88	35.60	12.75	67.54	0.00	---	---	PEAK																																																																																																																																		
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																				
1	4864.00	52.00	74.00	-22.00	73.73	33.90	10.33	65.96	0.00	147	8	PEAK																																																																																																																																		
2	4864.00	48.69	54.00	-5.31	70.42	33.90	10.33	65.96	0.00	147	8	AVERAGE																																																																																																																																		
3	7296.00	41.21	74.00	-32.79	60.40	35.60	12.75	67.54	0.00	---	---	PEAK																																																																																																																																		

Appendix D. Duty Cycle Plots


Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
802.11b	100	-	-	10Hz
802.11g	97.41	1.391	0.71890726	0.75kHz
802.11n HT20	97.24	1.304	0.76687117	0.82kHz
802.11n HT40	95.02	0.649	1.54083205	1.6kHz

802.11b






802.11g



802.11n HT20





802.11n HT40

