



Mode	34																																																																									
	Band Edge - R																																																																									
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_Full RU_5755MHz																																																																									
ANT	STBC 0+1																																																																									
Pol.	Horizontal	Fundamental																																																																								
Peak	<p>Date: 2024-12-07</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.84</td> <td>51.20</td> <td>111.17</td> <td>-59.97</td> <td>40.37</td> <td>34.84</td> <td>8.87</td> <td>32.88</td> <td>104</td> <td>184</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5874.15</td> <td>51.45</td> <td>105.44</td> <td>-53.99</td> <td>40.62</td> <td>34.87</td> <td>8.85</td> <td>32.89</td> <td>104</td> <td>184</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5923.68</td> <td>49.85</td> <td>69.18</td> <td>-19.33</td> <td>39.03</td> <td>34.96</td> <td>8.79</td> <td>32.93</td> <td>104</td> <td>184</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5926.60</td> <td>52.01</td> <td>68.30</td> <td>-16.29</td> <td>41.18</td> <td>34.97</td> <td>8.79</td> <td>32.93</td> <td>104</td> <td>184</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5854.84	51.20	111.17	-59.97	40.37	34.84	8.87	32.88	104	184	PEAK	2	5874.15	51.45	105.44	-53.99	40.62	34.87	8.85	32.89	104	184	PEAK	3	5923.68	49.85	69.18	-19.33	39.03	34.96	8.79	32.93	104	184	PEAK	4	5926.60	52.01	68.30	-16.29	41.18	34.97	8.79	32.93	104	184	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	5854.84	51.20	111.17	-59.97	40.37	34.84	8.87	32.88	104	184	PEAK																																																															
2	5874.15	51.45	105.44	-53.99	40.62	34.87	8.85	32.89	104	184	PEAK																																																															
3	5923.68	49.85	69.18	-19.33	39.03	34.96	8.79	32.93	104	184	PEAK																																																															
4	5926.60	52.01	68.30	-16.29	41.18	34.97	8.79	32.93	104	184	PEAK																																																															



	34																																																																																																															
Mode	Band Edge - L																																																																																																															
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_Full RU_5755MHz																																																																																																															
ANT	STBC 0+1																																																																																																															
Pol.	Vertical	Fundamental																																																																																																														
Peak	<p style="text-align: right;">Date: 2024-12-07</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5607.44</td> <td>52.11</td> <td>68.30</td> <td>-16.19</td> <td>42.17</td> <td>34.39</td> <td>8.24</td> <td>32.69</td> <td>100</td> <td>158</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5651.00</td> <td>51.17</td> <td>69.04</td> <td>-17.87</td> <td>41.02</td> <td>34.47</td> <td>8.40</td> <td>32.72</td> <td>100</td> <td>158</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5715.32</td> <td>66.54</td> <td>109.49</td> <td>-42.95</td> <td>56.09</td> <td>34.58</td> <td>8.64</td> <td>32.77</td> <td>100</td> <td>158</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5720.13</td> <td>66.89</td> <td>111.09</td> <td>-44.20</td> <td>56.42</td> <td>34.59</td> <td>8.66</td> <td>32.78</td> <td>100</td> <td>158</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5607.44	52.11	68.30	-16.19	42.17	34.39	8.24	32.69	100	158	PEAK	2	5651.00	51.17	69.04	-17.87	41.02	34.47	8.40	32.72	100	158	PEAK	3	5715.32	66.54	109.49	-42.95	56.09	34.58	8.64	32.77	100	158	PEAK	4	5720.13	66.89	111.09	-44.20	56.42	34.59	8.66	32.78	100	158	PEAK	<p style="text-align: right;">Date: 2024-12-07</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5755.00</td> <td>97.70</td> <td>-----</td> <td>-----</td> <td>87.13</td> <td>34.63</td> <td>8.73</td> <td>32.79</td> <td>100</td> <td>158</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5755.00	97.70	-----	-----	87.13	34.63	8.73	32.79	100	158	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																								
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																								
1	5607.44	52.11	68.30	-16.19	42.17	34.39	8.24	32.69	100	158	PEAK																																																																																																					
2	5651.00	51.17	69.04	-17.87	41.02	34.47	8.40	32.72	100	158	PEAK																																																																																																					
3	5715.32	66.54	109.49	-42.95	56.09	34.58	8.64	32.77	100	158	PEAK																																																																																																					
4	5720.13	66.89	111.09	-44.20	56.42	34.59	8.66	32.78	100	158	PEAK																																																																																																					
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																								
1	5755.00	97.70	-----	-----	87.13	34.63	8.73	32.79	100	158	PEAK																																																																																																					
Avg	Blank	<p style="text-align: right;">Date: 2024-12-07</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5755.00</td> <td>90.57</td> <td>-----</td> <td>-----</td> <td>79.98</td> <td>34.64</td> <td>8.75</td> <td>32.80</td> <td>100</td> <td>158</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5755.00	90.57	-----	-----	79.98	34.64	8.75	32.80	100	158	AVERAGE																																																																									
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																									
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																								
1	5755.00	90.57	-----	-----	79.98	34.64	8.75	32.80	100	158	AVERAGE																																																																																																					



Mode	34																																																													
	Band Edge - R																																																													
	U-NII-3_5.725-5.85_802.11ax HE40_CH151_Full RU_5755MHz																																																													
ANT	STBC 0+1																																																													
Pol.	Vertical	Fundamental																																																												
Peak	<p>The plot shows a red limit line starting at 140 dBuV/m and dropping to 70 dBuV/m at 5872 MHz. A blue signal line shows a peak at 5872 MHz. The x-axis ranges from 5755 to 5950 MHz, and the y-axis ranges from 0 to 140 dBuV/m.</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1 5854.84</td> <td>48.28</td> <td>111.17</td> <td>-62.89</td> <td>37.45</td> <td>34.84</td> <td>8.87</td> <td>32.88</td> <td>100 158 PEAK</td> </tr> <tr> <td>2 5874.54</td> <td>48.03</td> <td>105.33</td> <td>-57.30</td> <td>37.20</td> <td>34.87</td> <td>8.85</td> <td>32.89</td> <td>100 158 PEAK</td> </tr> <tr> <td>3 5924.46</td> <td>47.63</td> <td>68.60</td> <td>-20.97</td> <td>36.80</td> <td>34.97</td> <td>8.79</td> <td>32.93</td> <td>100 158 PEAK</td> </tr> <tr> <td>4 5927.77</td> <td>49.78</td> <td>68.30</td> <td>-18.52</td> <td>38.96</td> <td>34.97</td> <td>8.79</td> <td>32.94</td> <td>100 158 PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1 5854.84	48.28	111.17	-62.89	37.45	34.84	8.87	32.88	100 158 PEAK	2 5874.54	48.03	105.33	-57.30	37.20	34.87	8.85	32.89	100 158 PEAK	3 5924.46	47.63	68.60	-20.97	36.80	34.97	8.79	32.93	100 158 PEAK	4 5927.77	49.78	68.30	-18.52	38.96	34.97	8.79	32.94	100 158 PEAK	Blank
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																							
1 5854.84	48.28	111.17	-62.89	37.45	34.84	8.87	32.88	100 158 PEAK																																																						
2 5874.54	48.03	105.33	-57.30	37.20	34.87	8.85	32.89	100 158 PEAK																																																						
3 5924.46	47.63	68.60	-20.97	36.80	34.97	8.79	32.93	100 158 PEAK																																																						
4 5927.77	49.78	68.30	-18.52	38.96	34.97	8.79	32.94	100 158 PEAK																																																						



		35																																																																																																																					
Mode	Band Edge - L																																																																																																																						
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full RU_5795MHz																																																																																																																						
ANT	STBC 0+1																																																																																																																						
Pol.	Horizontal	Fundamental																																																																																																																					
Peak																																																																																																																							
	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5645.05</td> <td>50.47</td> <td>68.30</td> <td>-17.83</td> <td>40.35</td> <td>34.46</td> <td>8.38</td> <td>32.72</td> <td>101</td> <td>185</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5650.51</td> <td>50.92</td> <td>68.67</td> <td>-17.75</td> <td>40.77</td> <td>34.47</td> <td>8.40</td> <td>32.72</td> <td>101</td> <td>185</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5700.23</td> <td>51.21</td> <td>105.26</td> <td>-54.05</td> <td>40.83</td> <td>34.56</td> <td>8.58</td> <td>32.76</td> <td>101</td> <td>185</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5720.12</td> <td>50.76</td> <td>111.07</td> <td>-60.31</td> <td>40.29</td> <td>34.59</td> <td>8.66</td> <td>32.78</td> <td>101</td> <td>185</td> <td>PEAK</td> </tr> </tbody> </table>			Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5645.05	50.47	68.30	-17.83	40.35	34.46	8.38	32.72	101	185	PEAK	2	5650.51	50.92	68.67	-17.75	40.77	34.47	8.40	32.72	101	185	PEAK	3	5700.23	51.21	105.26	-54.05	40.83	34.56	8.58	32.76	101	185	PEAK	4	5720.12	50.76	111.07	-60.31	40.29	34.59	8.66	32.78	101	185	PEAK	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5795.00</td> <td>102.14</td> <td>-----</td> <td>-----</td> <td>91.30</td> <td>34.74</td> <td>8.94</td> <td>32.84</td> <td>101</td> <td>185</td> <td>PEAK</td> </tr> </tbody> </table>			Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5795.00	102.14	-----	-----	91.30	34.74	8.94	32.84	101	185
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																														
1	5645.05	50.47	68.30	-17.83	40.35	34.46	8.38	32.72	101	185	PEAK																																																																																																												
2	5650.51	50.92	68.67	-17.75	40.77	34.47	8.40	32.72	101	185	PEAK																																																																																																												
3	5700.23	51.21	105.26	-54.05	40.83	34.56	8.58	32.76	101	185	PEAK																																																																																																												
4	5720.12	50.76	111.07	-60.31	40.29	34.59	8.66	32.78	101	185	PEAK																																																																																																												
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																														
1	5795.00	102.14	-----	-----	91.30	34.74	8.94	32.84	101	185	PEAK																																																																																																												
Avg	Blank																																																																																																																						
			<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5795.00</td> <td>94.49</td> <td>-----</td> <td>-----</td> <td>83.69</td> <td>34.72</td> <td>8.91</td> <td>32.83</td> <td>101</td> <td>185</td> <td>AVERAGE</td> </tr> </tbody> </table>			Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5795.00	94.49	-----	-----	83.69	34.72	8.91	32.83	101	185	AVERAGE																																																																											
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																														
1	5795.00	94.49	-----	-----	83.69	34.72	8.91	32.83	101	185	AVERAGE																																																																																																												



Mode	35																																																																									
	Band Edge - R																																																																									
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full RU_5795MHz																																																																									
ANT	STBC 0+1																																																																									
Pol.	Horizontal	Fundamental																																																																								
Peak	<p>Date: 2024-12-07</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.99</td> <td>52.19</td> <td>110.83</td> <td>-58.64</td> <td>41.36</td> <td>34.84</td> <td>8.87</td> <td>32.88</td> <td>101</td> <td>185</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5873.43</td> <td>50.04</td> <td>105.64</td> <td>-55.60</td> <td>39.21</td> <td>34.87</td> <td>8.85</td> <td>32.89</td> <td>101</td> <td>185</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5923.81</td> <td>48.86</td> <td>69.08</td> <td>-20.22</td> <td>38.04</td> <td>34.96</td> <td>8.79</td> <td>32.93</td> <td>101</td> <td>185</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5938.84</td> <td>49.39</td> <td>68.30</td> <td>-18.91</td> <td>38.57</td> <td>34.99</td> <td>8.77</td> <td>32.94</td> <td>101</td> <td>185</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5854.99	52.19	110.83	-58.64	41.36	34.84	8.87	32.88	101	185	PEAK	2	5873.43	50.04	105.64	-55.60	39.21	34.87	8.85	32.89	101	185	PEAK	3	5923.81	48.86	69.08	-20.22	38.04	34.96	8.79	32.93	101	185	PEAK	4	5938.84	49.39	68.30	-18.91	38.57	34.99	8.77	32.94	101	185	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	5854.99	52.19	110.83	-58.64	41.36	34.84	8.87	32.88	101	185	PEAK																																																															
2	5873.43	50.04	105.64	-55.60	39.21	34.87	8.85	32.89	101	185	PEAK																																																															
3	5923.81	48.86	69.08	-20.22	38.04	34.96	8.79	32.93	101	185	PEAK																																																															
4	5938.84	49.39	68.30	-18.91	38.57	34.99	8.77	32.94	101	185	PEAK																																																															



		35																																																																																																							
Mode	Band Edge - L																																																																																																								
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full RU_5795MHz																																																																																																								
ANT	STBC 0+1																																																																																																								
Pol.	Vertical	Fundamental																																																																																																							
Peak																																																																																																									
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 5604.88</td> <td>49.89</td> <td>68.30</td> <td>-18.41</td> <td>39.97</td> <td>34.38</td> <td>8.23</td> <td>32.69</td> <td>100</td> <td>155</td> <td>PEAK</td> </tr> <tr> <td>2 5650.51</td> <td>48.33</td> <td>68.67</td> <td>-20.34</td> <td>38.18</td> <td>34.47</td> <td>8.40</td> <td>32.72</td> <td>100</td> <td>155</td> <td>PEAK</td> </tr> <tr> <td>3 5700.23</td> <td>49.39</td> <td>105.26</td> <td>-55.87</td> <td>39.01</td> <td>34.56</td> <td>8.58</td> <td>32.76</td> <td>100</td> <td>155</td> <td>PEAK</td> </tr> <tr> <td>4 5720.12</td> <td>49.55</td> <td>111.07</td> <td>-61.52</td> <td>39.08</td> <td>34.59</td> <td>8.66</td> <td>32.78</td> <td>100</td> <td>155</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1 5604.88	49.89	68.30	-18.41	39.97	34.38	8.23	32.69	100	155	PEAK	2 5650.51	48.33	68.67	-20.34	38.18	34.47	8.40	32.72	100	155	PEAK	3 5700.23	49.39	105.26	-55.87	39.01	34.56	8.58	32.76	100	155	PEAK	4 5720.12	49.55	111.07	-61.52	39.08	34.59	8.66	32.78	100	155	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 5795.00</td> <td>97.70</td> <td>-----</td> <td>-----</td> <td>86.86</td> <td>34.74</td> <td>8.94</td> <td>32.84</td> <td>100</td> <td>155</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1 5795.00	97.70	-----	-----	86.86	34.74	8.94	32.84	100	155
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																																																		
1 5604.88	49.89	68.30	-18.41	39.97	34.38	8.23	32.69	100	155	PEAK																																																																																															
2 5650.51	48.33	68.67	-20.34	38.18	34.47	8.40	32.72	100	155	PEAK																																																																																															
3 5700.23	49.39	105.26	-55.87	39.01	34.56	8.58	32.76	100	155	PEAK																																																																																															
4 5720.12	49.55	111.07	-61.52	39.08	34.59	8.66	32.78	100	155	PEAK																																																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																																																		
1 5795.00	97.70	-----	-----	86.86	34.74	8.94	32.84	100	155	PEAK																																																																																															
Avg	Blank																																																																																																								
			<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 5795.00</td> <td>90.89</td> <td>-----</td> <td>-----</td> <td>80.12</td> <td>34.71</td> <td>8.88</td> <td>32.82</td> <td>100</td> <td>155</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1 5795.00	90.89	-----	-----	80.12	34.71	8.88	32.82	100	155	AVERAGE																																																																			
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																																																		
1 5795.00	90.89	-----	-----	80.12	34.71	8.88	32.82	100	155	AVERAGE																																																																																															



Mode	35																																																																									
	Band Edge - R																																																																									
	U-NII-3_5.725-5.85_802.11ax HE40_CH159_Full RU_5795MHz																																																																									
ANT	STBC 0+1																																																																									
Pol.	Vertical	Fundamental																																																																								
Peak	<p>Date: 2024-12-07</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.37</td> <td>49.14</td> <td>112.25</td> <td>-63.11</td> <td>38.31</td> <td>34.84</td> <td>8.87</td> <td>32.88</td> <td>100</td> <td>155</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5874.67</td> <td>48.69</td> <td>105.29</td> <td>-56.60</td> <td>37.86</td> <td>34.87</td> <td>8.85</td> <td>32.89</td> <td>100</td> <td>155</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5923.96</td> <td>49.24</td> <td>68.97</td> <td>-19.73</td> <td>38.42</td> <td>34.96</td> <td>8.79</td> <td>32.93</td> <td>100</td> <td>155</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5925.36</td> <td>49.20</td> <td>68.30</td> <td>-19.10</td> <td>38.37</td> <td>34.97</td> <td>8.79</td> <td>32.93</td> <td>100</td> <td>155</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5854.37	49.14	112.25	-63.11	38.31	34.84	8.87	32.88	100	155	PEAK	2	5874.67	48.69	105.29	-56.60	37.86	34.87	8.85	32.89	100	155	PEAK	3	5923.96	49.24	68.97	-19.73	38.42	34.96	8.79	32.93	100	155	PEAK	4	5925.36	49.20	68.30	-19.10	38.37	34.97	8.79	32.93	100	155	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	5854.37	49.14	112.25	-63.11	38.31	34.84	8.87	32.88	100	155	PEAK																																																															
2	5874.67	48.69	105.29	-56.60	37.86	34.87	8.85	32.89	100	155	PEAK																																																															
3	5923.96	49.24	68.97	-19.73	38.42	34.96	8.79	32.93	100	155	PEAK																																																															
4	5925.36	49.20	68.30	-19.10	38.37	34.97	8.79	32.93	100	155	PEAK																																																															



		36																																																																																																																				
Mode	Band Edge - L																																																																																																																					
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full RU_5775MHz																																																																																																																					
ANT	STBC 0+1																																																																																																																					
Pol.	Horizontal	Fundamental																																																																																																																				
Peak																																																																																																																						
	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5634.83</td> <td>56.26</td> <td>68.30</td> <td>-12.04</td> <td>46.19</td> <td>34.44</td> <td>8.34</td> <td>32.71</td> <td>100</td> <td>184</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5650.05</td> <td>53.48</td> <td>68.34</td> <td>-14.86</td> <td>43.34</td> <td>34.46</td> <td>8.40</td> <td>32.72</td> <td>100</td> <td>184</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5700.63</td> <td>68.77</td> <td>105.38</td> <td>-36.61</td> <td>58.39</td> <td>34.56</td> <td>8.58</td> <td>32.76</td> <td>100</td> <td>184</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5720.05</td> <td>72.68</td> <td>110.91</td> <td>-38.23</td> <td>62.21</td> <td>34.59</td> <td>8.66</td> <td>32.78</td> <td>100</td> <td>184</td> <td>PEAK</td> </tr> </tbody> </table>			Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5634.83	56.26	68.30	-12.04	46.19	34.44	8.34	32.71	100	184	PEAK	2	5650.05	53.48	68.34	-14.86	43.34	34.46	8.40	32.72	100	184	PEAK	3	5700.63	68.77	105.38	-36.61	58.39	34.56	8.58	32.76	100	184	PEAK	4	5720.05	72.68	110.91	-38.23	62.21	34.59	8.66	32.78	100	184	PEAK	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5775.00</td> <td>99.50</td> <td>-----</td> <td>-----</td> <td>88.77</td> <td>34.69</td> <td>8.86</td> <td>32.82</td> <td>100</td> <td>184</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5775.00	99.50	-----	-----	88.77	34.69	8.86	32.82	100	184
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																														
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																													
1	5634.83	56.26	68.30	-12.04	46.19	34.44	8.34	32.71	100	184	PEAK																																																																																																											
2	5650.05	53.48	68.34	-14.86	43.34	34.46	8.40	32.72	100	184	PEAK																																																																																																											
3	5700.63	68.77	105.38	-36.61	58.39	34.56	8.58	32.76	100	184	PEAK																																																																																																											
4	5720.05	72.68	110.91	-38.23	62.21	34.59	8.66	32.78	100	184	PEAK																																																																																																											
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																														
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																													
1	5775.00	99.50	-----	-----	88.77	34.69	8.86	32.82	100	184	PEAK																																																																																																											
Avg	Blank																																																																																																																					
		<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5775.00</td> <td>91.32</td> <td>-----</td> <td>-----</td> <td>80.66</td> <td>34.66</td> <td>8.80</td> <td>32.80</td> <td>100</td> <td>184</td> <td>AVERAGE</td> </tr> </tbody> </table>			Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5775.00	91.32	-----	-----	80.66	34.66	8.80	32.80	100	184	AVERAGE																																																																											
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																														
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																													
1	5775.00	91.32	-----	-----	80.66	34.66	8.80	32.80	100	184	AVERAGE																																																																																																											



Mode	36																																																																			
	Band Edge - R																																																																			
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full RU_5775MHz																																																																			
ANT	STBC 0+1																																																																			
Pol.	Horizontal	Fundamental																																																																		
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.80</td> <td>62.77</td> <td>111.26</td> <td>-48.49</td> <td>51.94</td> <td>34.84</td> <td>8.87</td> <td>32.88</td> <td>100</td> <td>184</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5870.90</td> <td>63.78</td> <td>106.35</td> <td>-42.57</td> <td>52.95</td> <td>34.87</td> <td>8.85</td> <td>32.89</td> <td>100</td> <td>184</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5922.88</td> <td>51.82</td> <td>69.77</td> <td>-17.95</td> <td>41.00</td> <td>34.96</td> <td>8.79</td> <td>32.93</td> <td>100</td> <td>184</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5929.18</td> <td>52.39</td> <td>68.30</td> <td>-15.91</td> <td>41.58</td> <td>34.97</td> <td>8.78</td> <td>32.94</td> <td>100</td> <td>184</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	cm	deg	1	5854.80	62.77	111.26	-48.49	51.94	34.84	8.87	32.88	100	184	PEAK	2	5870.90	63.78	106.35	-42.57	52.95	34.87	8.85	32.89	100	184	PEAK	3	5922.88	51.82	69.77	-17.95	41.00	34.96	8.79	32.93	100	184	PEAK	4	5929.18	52.39	68.30	-15.91	41.58	34.97	8.78	32.94	100	184	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	cm	deg																																																											
1	5854.80	62.77	111.26	-48.49	51.94	34.84	8.87	32.88	100	184	PEAK																																																									
2	5870.90	63.78	106.35	-42.57	52.95	34.87	8.85	32.89	100	184	PEAK																																																									
3	5922.88	51.82	69.77	-17.95	41.00	34.96	8.79	32.93	100	184	PEAK																																																									
4	5929.18	52.39	68.30	-15.91	41.58	34.97	8.78	32.94	100	184	PEAK																																																									



		36																																																																																																																					
Mode	Band Edge - L																																																																																																																						
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full RU_5775MHz																																																																																																																						
ANT	STBC 0+1																																																																																																																						
Pol.	Vertical	Fundamental																																																																																																																					
Peak																																																																																																																							
	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5640.43</td> <td>54.07</td> <td>68.30</td> <td>-14.23</td> <td>43.97</td> <td>34.45</td> <td>8.36</td> <td>32.71</td> <td>100</td> <td>157</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5650.23</td> <td>51.03</td> <td>68.47</td> <td>-17.44</td> <td>40.88</td> <td>34.47</td> <td>8.40</td> <td>32.72</td> <td>100</td> <td>157</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5701.15</td> <td>65.49</td> <td>105.52</td> <td>-40.03</td> <td>55.10</td> <td>34.56</td> <td>8.59</td> <td>32.76</td> <td>100</td> <td>157</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5720.23</td> <td>69.55</td> <td>111.31</td> <td>-41.76</td> <td>59.08</td> <td>34.59</td> <td>8.66</td> <td>32.78</td> <td>100</td> <td>157</td> <td>PEAK</td> </tr> </tbody> </table>			Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5640.43	54.07	68.30	-14.23	43.97	34.45	8.36	32.71	100	157	PEAK	2	5650.23	51.03	68.47	-17.44	40.88	34.47	8.40	32.72	100	157	PEAK	3	5701.15	65.49	105.52	-40.03	55.10	34.56	8.59	32.76	100	157	PEAK	4	5720.23	69.55	111.31	-41.76	59.08	34.59	8.66	32.78	100	157	PEAK	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5775.00</td> <td>96.65</td> <td>-----</td> <td>-----</td> <td>86.06</td> <td>34.64</td> <td>8.75</td> <td>32.80</td> <td>100</td> <td>157</td> <td>PEAK</td> </tr> </tbody> </table>			Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5775.00	96.65	-----	-----	86.06	34.64	8.75	32.80	100	157
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																														
1	5640.43	54.07	68.30	-14.23	43.97	34.45	8.36	32.71	100	157	PEAK																																																																																																												
2	5650.23	51.03	68.47	-17.44	40.88	34.47	8.40	32.72	100	157	PEAK																																																																																																												
3	5701.15	65.49	105.52	-40.03	55.10	34.56	8.59	32.76	100	157	PEAK																																																																																																												
4	5720.23	69.55	111.31	-41.76	59.08	34.59	8.66	32.78	100	157	PEAK																																																																																																												
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																														
1	5775.00	96.65	-----	-----	86.06	34.64	8.75	32.80	100	157	PEAK																																																																																																												
Avg	Blank																																																																																																																						
			<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5775.00</td> <td>87.33</td> <td>-----</td> <td>-----</td> <td>76.74</td> <td>34.64</td> <td>8.75</td> <td>32.80</td> <td>100</td> <td>157</td> <td>AVERAGE</td> </tr> </tbody> </table>			Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5775.00	87.33	-----	-----	76.74	34.64	8.75	32.80	100	157	AVERAGE																																																																											
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																														
1	5775.00	87.33	-----	-----	76.74	34.64	8.75	32.80	100	157	AVERAGE																																																																																																												







Mode	36																																																																									
	Band Edge - R																																																																									
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full RU_5775MHz																																																																									
ANT	STBC 0+1																																																																									
Pol.	Vertical	Fundamental																																																																								
Peak	<p>Date: 2024-12-07</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5853.75</td> <td>59.13</td> <td>113.65</td> <td>-54.52</td> <td>48.30</td> <td>34.84</td> <td>8.87</td> <td>32.88</td> <td>100</td> <td>157</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5871.25</td> <td>58.55</td> <td>106.25</td> <td>-47.70</td> <td>47.72</td> <td>34.87</td> <td>8.85</td> <td>32.89</td> <td>100</td> <td>157</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5924.63</td> <td>48.72</td> <td>68.48</td> <td>-19.76</td> <td>37.89</td> <td>34.97</td> <td>8.79</td> <td>32.93</td> <td>100</td> <td>157</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5933.90</td> <td>49.91</td> <td>68.30</td> <td>-18.39</td> <td>39.09</td> <td>34.98</td> <td>8.78</td> <td>32.94</td> <td>100</td> <td>157</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5853.75	59.13	113.65	-54.52	48.30	34.84	8.87	32.88	100	157	PEAK	2	5871.25	58.55	106.25	-47.70	47.72	34.87	8.85	32.89	100	157	PEAK	3	5924.63	48.72	68.48	-19.76	37.89	34.97	8.79	32.93	100	157	PEAK	4	5933.90	49.91	68.30	-18.39	39.09	34.98	8.78	32.94	100	157	PEAK	Blank
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	5853.75	59.13	113.65	-54.52	48.30	34.84	8.87	32.88	100	157	PEAK																																																															
2	5871.25	58.55	106.25	-47.70	47.72	34.87	8.85	32.89	100	157	PEAK																																																															
3	5924.63	48.72	68.48	-19.76	37.89	34.97	8.79	32.93	100	157	PEAK																																																															
4	5933.90	49.91	68.30	-18.39	39.09	34.98	8.78	32.94	100	157	PEAK																																																															







Mode	36																																																																																
	Harmonic																																																																																
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_Full RU_5775MHz																																																																																
ANT	STBC 0+1																																																																																
Pol.	Horizontal	Vertical																																																																															
Peak Avg																																																																																	
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11550.00</td> <td>45.80</td> <td>74.00</td> <td>-28.20</td> <td>60.03</td> <td>37.22</td> <td>11.48 62.93 -- -- Peak</td> </tr> <tr> <td>2</td> <td>17325.00</td> <td>46.51</td> <td>68.30</td> <td>-21.79</td> <td>57.24</td> <td>41.44</td> <td>13.19 65.36 -- -- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm deg	1	11550.00	45.80	74.00	-28.20	60.03	37.22	11.48 62.93 -- -- Peak	2	17325.00	46.51	68.30	-21.79	57.24	41.44	13.19 65.36 -- -- Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>11550.00</td> <td>44.41</td> <td>74.00</td> <td>-29.59</td> <td>58.64</td> <td>37.22</td> <td>11.48 62.93 -- -- Peak</td> </tr> <tr> <td>2</td> <td>17325.00</td> <td>45.01</td> <td>68.30</td> <td>-23.29</td> <td>55.74</td> <td>41.44</td> <td>13.19 65.36 -- -- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm deg	1	11550.00	44.41	74.00	-29.59	58.64	37.22	11.48 62.93 -- -- Peak	2	17325.00	45.01	68.30	-23.29	55.74	41.44
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm deg																																																																										
1	11550.00	45.80	74.00	-28.20	60.03	37.22	11.48 62.93 -- -- Peak																																																																										
2	17325.00	46.51	68.30	-21.79	57.24	41.44	13.19 65.36 -- -- Peak																																																																										
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																										
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm deg																																																																										
1	11550.00	44.41	74.00	-29.59	58.64	37.22	11.48 62.93 -- -- Peak																																																																										
2	17325.00	45.01	68.30	-23.29	55.74	41.44	13.19 65.36 -- -- Peak																																																																										



		37																																																																																								
Mode	Band Edge																																																																																									
	U-NII-1_5.15-5.25_802.11ax HE20_CH36_Partial_RU 26/0_5180MHz																																																																																									
ANT	STBC 0+1																																																																																									
Pol.	Horizontal	Fundamental																																																																																								
Peak	 <p style="text-align: right;">Date: 2024-12-10</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> <tr> <th>cm</th> <th>deg</th> <th colspan="6"></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5148.50</td> <td>49.49</td> <td>74.00</td> <td>-24.51</td> <td>40.32</td> <td>33.99</td> <td>7.92</td> <td>32.74</td> <td>202</td> <td>148</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg							1	5148.50	49.49	74.00	-24.51	40.32	33.99	7.92	32.74	202	148	PEAK	 <p style="text-align: right;">Date: 2024-12-10</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> <tr> <th>cm</th> <th>deg</th> <th colspan="6"></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5180.00</td> <td>101.23</td> <td>-----</td> <td>-----</td> <td>92.03</td> <td>34.00</td> <td>7.93</td> <td>32.73</td> <td>202</td> <td>148</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg							1	5180.00	101.23	-----	-----	92.03	34.00	7.93	32.73	202	148	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																			
cm	deg																																																																																									
1	5148.50	49.49	74.00	-24.51	40.32	33.99	7.92	32.74	202	148	PEAK																																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																			
cm	deg																																																																																									
1	5180.00	101.23	-----	-----	92.03	34.00	7.93	32.73	202	148	PEAK																																																																															
Avg	 <p style="text-align: right;">Date: 2024-12-10</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> <tr> <th>cm</th> <th>deg</th> <th colspan="6"></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5142.02</td> <td>42.63</td> <td>54.00</td> <td>-11.37</td> <td>33.47</td> <td>33.99</td> <td>7.91</td> <td>32.74</td> <td>202</td> <td>148</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg							1	5142.02	42.63	54.00	-11.37	33.47	33.99	7.91	32.74	202	148	AVERAGE	 <p style="text-align: right;">Date: 2024-12-10</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> <tr> <th>cm</th> <th>deg</th> <th colspan="6"></th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5180.00</td> <td>96.44</td> <td>-----</td> <td>-----</td> <td>87.24</td> <td>34.00</td> <td>7.93</td> <td>32.73</td> <td>202</td> <td>148</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg							1	5180.00	96.44	-----	-----	87.24	34.00	7.93	32.73	202	148	AVERAGE
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																			
cm	deg																																																																																									
1	5142.02	42.63	54.00	-11.37	33.47	33.99	7.91	32.74	202	148	AVERAGE																																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																			
cm	deg																																																																																									
1	5180.00	96.44	-----	-----	87.24	34.00	7.93	32.73	202	148	AVERAGE																																																																															



		37																																																																								
Mode	Band Edge																																																																									
	U-NII-1_5.15-5.25_802.11ax HE20_CH36_Partial_RU 26/0_5180MHz																																																																									
ANT	STBC 0+1																																																																									
Pol.	Vertical	Fundamental																																																																								
Peak	 <p style="text-align: right;">Date: 2024-12-10</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5137.88</td> <td>49.77</td> <td>74.00</td> <td>-24.23</td> <td>40.62</td> <td>33.98</td> <td>7.91</td> <td>32.74</td> <td>199</td> <td>175</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5137.88	49.77	74.00	-24.23	40.62	33.98	7.91	32.74	199	175	PEAK	 <p style="text-align: right;">Date: 2024-12-10</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5180.00</td> <td>89.20</td> <td>-----</td> <td>-----</td> <td>80.00</td> <td>34.00</td> <td>7.93</td> <td>32.73</td> <td>199</td> <td>175</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5180.00	89.20	-----	-----	80.00	34.00	7.93	32.73	199	175	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	5137.88	49.77	74.00	-24.23	40.62	33.98	7.91	32.74	199	175	PEAK																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	5180.00	89.20	-----	-----	80.00	34.00	7.93	32.73	199	175	PEAK																																																															
Avg	 <p style="text-align: right;">Date: 2024-12-10</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5110.88</td> <td>41.86</td> <td>54.00</td> <td>-12.14</td> <td>32.75</td> <td>33.97</td> <td>7.89</td> <td>32.75</td> <td>199</td> <td>175</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5110.88	41.86	54.00	-12.14	32.75	33.97	7.89	32.75	199	175	AVERAGE	 <p style="text-align: right;">Date: 2024-12-10</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5180.00</td> <td>85.01</td> <td>-----</td> <td>-----</td> <td>75.81</td> <td>34.00</td> <td>7.93</td> <td>32.73</td> <td>199</td> <td>175</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5180.00	85.01	-----	-----	75.81	34.00	7.93	32.73	199	175	AVERAGE
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	5110.88	41.86	54.00	-12.14	32.75	33.97	7.89	32.75	199	175	AVERAGE																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	5180.00	85.01	-----	-----	75.81	34.00	7.93	32.73	199	175	AVERAGE																																																															



38																																					
Mode	Band Edge																																				
	U-NII-2A_5.25-5.35_802.11ax HE20_CH64_Partial_RU 26/8_5320MHz																																				
ANT	STBC 0+1																																				
Pol.	Horizontal																																				
Peak	<p style="text-align: right;">Date: 2024-12-10</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5433.82</td> <td>49.25</td> <td>74.00</td> <td>-24.75</td> <td>39.27</td> <td>34.16</td> <td>8.44</td> <td>32.62</td> <td>300</td> <td>174</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5433.82	49.25	74.00	-24.75	39.27	34.16	8.44	32.62	300	174	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																														
1	5433.82	49.25	74.00	-24.75	39.27	34.16	8.44	32.62	300	174	PEAK																										
<p style="text-align: right;">Date: 2024-12-10</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5320.00</td> <td>103.22</td> <td>-----</td> <td>-----</td> <td>93.54</td> <td>34.09</td> <td>8.26</td> <td>32.67</td> <td>300</td> <td>174</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5320.00	103.22	-----	-----	93.54	34.09	8.26	32.67	300	174	PEAK	
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																														
1	5320.00	103.22	-----	-----	93.54	34.09	8.26	32.67	300	174	PEAK																										
Avg	<p style="text-align: right;">Date: 2024-12-10</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5350.52</td> <td>41.43</td> <td>54.00</td> <td>-12.57</td> <td>31.65</td> <td>34.11</td> <td>8.33</td> <td>32.66</td> <td>300</td> <td>174</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5350.52	41.43	54.00	-12.57	31.65	34.11	8.33	32.66	300	174	AVERAGE
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																														
1	5350.52	41.43	54.00	-12.57	31.65	34.11	8.33	32.66	300	174	AVERAGE																										
<p style="text-align: right;">Date: 2024-12-10</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5320.00</td> <td>96.03</td> <td>-----</td> <td>-----</td> <td>86.35</td> <td>34.09</td> <td>8.26</td> <td>32.67</td> <td>300</td> <td>174</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5320.00	96.03	-----	-----	86.35	34.09	8.26	32.67	300	174	AVERAGE	
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																														
1	5320.00	96.03	-----	-----	86.35	34.09	8.26	32.67	300	174	AVERAGE																										



		38																																																																								
Mode	Band Edge																																																																									
	U-NII-2A_5.25-5.35_802.11ax HE20_CH64_Partial_RU_26/8_5320MHz																																																																									
ANT	STBC 0+1																																																																									
Pol.	Vertical	Fundamental																																																																								
Peak	<p style="text-align: right;">Date: 2024-12-10</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5352.62</td> <td>47.53</td> <td>74.00</td> <td>-26.47</td> <td>37.75</td> <td>34.11</td> <td>8.33</td> <td>32.66</td> <td>237</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	5352.62	47.53	74.00	-26.47	37.75	34.11	8.33	32.66	237	360	PEAK	<p style="text-align: right;">Date: 2024-12-10</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5320.00</td> <td>90.33</td> <td>-----</td> <td>-----</td> <td>80.65</td> <td>34.09</td> <td>8.26</td> <td>32.67</td> <td>237</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	5320.00	90.33	-----	-----	80.65	34.09	8.26	32.67	237	360	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																			
1	5352.62	47.53	74.00	-26.47	37.75	34.11	8.33	32.66	237	360	PEAK																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																			
1	5320.00	90.33	-----	-----	80.65	34.09	8.26	32.67	237	360	PEAK																																																															
Avg	<p style="text-align: right;">Date: 2024-12-10</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5457.06</td> <td>40.92</td> <td>54.00</td> <td>-13.08</td> <td>30.95</td> <td>34.17</td> <td>8.41</td> <td>32.61</td> <td>237</td> <td>360</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	5457.06	40.92	54.00	-13.08	30.95	34.17	8.41	32.61	237	360	AVERAGE	<p style="text-align: right;">Date: 2024-12-10</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5320.00</td> <td>84.57</td> <td>-----</td> <td>-----</td> <td>74.89</td> <td>34.09</td> <td>8.26</td> <td>32.67</td> <td>237</td> <td>360</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	5320.00	84.57	-----	-----	74.89	34.09	8.26	32.67	237	360	AVERAGE
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																			
1	5457.06	40.92	54.00	-13.08	30.95	34.17	8.41	32.61	237	360	AVERAGE																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line Margin	Level	Factor	Loss Factor																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																			
1	5320.00	84.57	-----	-----	74.89	34.09	8.26	32.67	237	360	AVERAGE																																																															



		39																																																																																				
Mode	Band Edge																																																																																					
	U-NII-2C_5.47-5.725_802.11ax HE20_CH100_Partial_RU 52/37_5500MHz																																																																																					
ANT	STBC 0+1																																																																																					
Pol.	Horizontal	Fundamental																																																																																				
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable Preamp</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>dB</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5422.60</td> <td>49.25</td> <td>74.00</td> <td>-24.75</td> <td>39.27</td> <td>34.15</td> <td>8.46</td> <td>32.63</td> <td>125</td> <td>161</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5468.50</td> <td>49.60</td> <td>68.30</td> <td>-18.70</td> <td>39.63</td> <td>34.18</td> <td>8.40</td> <td>32.61</td> <td>125</td> <td>161</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable Preamp	APos	TPos			Freq	Level	Line Margin	Level	Factor	Loss Factor	dB	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	5422.60	49.25	74.00	-24.75	39.27	34.15	8.46	32.63	125	161	PEAK	2	5468.50	49.60	68.30	-18.70	39.63	34.18	8.40	32.61	125	161	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable Preamp</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>dB</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>102.25</td> <td>-----</td> <td>-----</td> <td>92.30</td> <td>34.19</td> <td>8.36</td> <td>32.60</td> <td>125</td> <td>161</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable Preamp	APos	TPos			Freq	Level	Line Margin	Level	Factor	Loss Factor	dB	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	5500.00	102.25	-----	-----	92.30	34.19	8.36	32.60	125	161	PEAK
	Limit	Read	Ant	Cable Preamp	APos	TPos																																																																																
Freq	Level	Line Margin	Level	Factor	Loss Factor	dB	Remark																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																															
1	5422.60	49.25	74.00	-24.75	39.27	34.15	8.46	32.63	125	161	PEAK																																																																											
2	5468.50	49.60	68.30	-18.70	39.63	34.18	8.40	32.61	125	161	PEAK																																																																											
Limit	Read	Ant	Cable Preamp	APos	TPos																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor	dB	Remark																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																															
1	5500.00	102.25	-----	-----	92.30	34.19	8.36	32.60	125	161	PEAK																																																																											
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable Preamp</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>dB</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5455.45</td> <td>42.35</td> <td>54.00</td> <td>-11.65</td> <td>32.37</td> <td>34.17</td> <td>8.42</td> <td>32.61</td> <td>125</td> <td>161</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable Preamp	APos	TPos			Freq	Level	Line Margin	Level	Factor	Loss Factor	dB	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	5455.45	42.35	54.00	-11.65	32.37	34.17	8.42	32.61	125	161	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable Preamp</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th>dB</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>96.24</td> <td>-----</td> <td>-----</td> <td>86.29</td> <td>34.19</td> <td>8.36</td> <td>32.60</td> <td>125</td> <td>161</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable Preamp	APos	TPos			Freq	Level	Line Margin	Level	Factor	Loss Factor	dB	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	5500.00	96.24	-----	-----	86.29	34.19	8.36	32.60	125	161	AVERAGE												
Limit	Read	Ant	Cable Preamp	APos	TPos																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor	dB	Remark																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																															
1	5455.45	42.35	54.00	-11.65	32.37	34.17	8.42	32.61	125	161	AVERAGE																																																																											
Limit	Read	Ant	Cable Preamp	APos	TPos																																																																																	
Freq	Level	Line Margin	Level	Factor	Loss Factor	dB	Remark																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																															
1	5500.00	96.24	-----	-----	86.29	34.19	8.36	32.60	125	161	AVERAGE																																																																											



		39																																																																																										
Mode	Band Edge																																																																																											
	U-NII-2C_5.47-5.725_802.11ax HE20_CH100_Partial_RU 52/37_5500MHz																																																																																											
ANT	STBC 0+1																																																																																											
Pol.	Vertical	Fundamental																																																																																										
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5439.40</td> <td>47.91</td> <td>74.00</td> <td>-26.09</td> <td>37.93</td> <td>34.16</td> <td>8.44</td> <td>32.62</td> <td>236</td> <td>358</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5470.00</td> <td>48.17</td> <td>68.30</td> <td>-20.13</td> <td>38.20</td> <td>34.18</td> <td>8.40</td> <td>32.61</td> <td>236</td> <td>358</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5439.40	47.91	74.00	-26.09	37.93	34.16	8.44	32.62	236	358	PEAK	2	5470.00	48.17	68.30	-20.13	38.20	34.18	8.40	32.61	236	358	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>95.40</td> <td>-----</td> <td>-----</td> <td>85.45</td> <td>34.19</td> <td>8.36</td> <td>32.60</td> <td>236</td> <td>358</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5500.00	95.40	-----	-----	85.45	34.19	8.36	32.60	236	358	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																				
1	5439.40	47.91	74.00	-26.09	37.93	34.16	8.44	32.62	236	358	PEAK																																																																																	
2	5470.00	48.17	68.30	-20.13	38.20	34.18	8.40	32.61	236	358	PEAK																																																																																	
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																				
1	5500.00	95.40	-----	-----	85.45	34.19	8.36	32.60	236	358	PEAK																																																																																	
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5453.65</td> <td>41.00</td> <td>54.00</td> <td>-13.00</td> <td>31.03</td> <td>34.17</td> <td>8.42</td> <td>32.62</td> <td>236</td> <td>358</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5453.65	41.00	54.00	-13.00	31.03	34.17	8.42	32.62	236	358	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5500.00</td> <td>87.67</td> <td>-----</td> <td>-----</td> <td>77.72</td> <td>34.19</td> <td>8.36</td> <td>32.60</td> <td>236</td> <td>358</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5500.00	87.67	-----	-----	77.72	34.19	8.36	32.60	236	358	AVERAGE												
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																				
1	5453.65	41.00	54.00	-13.00	31.03	34.17	8.42	32.62	236	358	AVERAGE																																																																																	
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																				
1	5500.00	87.67	-----	-----	77.72	34.19	8.36	32.60	236	358	AVERAGE																																																																																	



	40																																																																									
Mode	Band Edge																																																																									
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_Partial_RU 52/40_5700MHz																																																																									
ANT	STBC 0+1																																																																									
Pol.	Horizontal	Fundamental																																																																								
Peak	<p style="text-align: right;">Date: 2024-12-10</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5731.85</td> <td>50.05</td> <td>68.30</td> <td>-18.25</td> <td>39.52</td> <td>34.61</td> <td>8.70</td> <td>32.78</td> <td>125</td> <td>164</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5731.85	50.05	68.30	-18.25	39.52	34.61	8.70	32.78	125	164	PEAK	<p style="text-align: right;">Date: 2024-12-10</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5700.00</td> <td>103.70</td> <td>-----</td> <td>-----</td> <td>93.28</td> <td>34.57</td> <td>8.62</td> <td>32.77</td> <td>125</td> <td>164</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5700.00	103.70	-----	-----	93.28	34.57	8.62	32.77	125	164	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	5731.85	50.05	68.30	-18.25	39.52	34.61	8.70	32.78	125	164	PEAK																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	5700.00	103.70	-----	-----	93.28	34.57	8.62	32.77	125	164	PEAK																																																															
Avg	Blank	<p style="text-align: right;">Date: 2024-12-10</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5700.00</td> <td>97.25</td> <td>-----</td> <td>-----</td> <td>86.83</td> <td>34.57</td> <td>8.62</td> <td>32.77</td> <td>125</td> <td>164</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5700.00	97.25	-----	-----	86.83	34.57	8.62	32.77	125	164	AVERAGE																																				
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	5700.00	97.25	-----	-----	86.83	34.57	8.62	32.77	125	164	AVERAGE																																																															



	40																																																																									
Mode	Band Edge																																																																									
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_Partial_RU 52/40_5700MHz																																																																									
ANT	STBC 0+1																																																																									
Pol.	Vertical	Fundamental																																																																								
Peak	<p style="text-align: right;">Date: 2024-12-10</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5725.03</td> <td>50.33</td> <td>68.30</td> <td>-17.97</td> <td>39.84</td> <td>34.60</td> <td>8.67</td> <td>32.78</td> <td>100</td> <td>152</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5725.03	50.33	68.30	-17.97	39.84	34.60	8.67	32.78	100	152	PEAK	<p style="text-align: right;">Date: 2024-12-10</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5700.00</td> <td>100.91</td> <td>-----</td> <td>-----</td> <td>90.51</td> <td>34.56</td> <td>8.60</td> <td>32.76</td> <td>100</td> <td>152</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5700.00	100.91	-----	-----	90.51	34.56	8.60	32.76	100	152	PEAK
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	5725.03	50.33	68.30	-17.97	39.84	34.60	8.67	32.78	100	152	PEAK																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	5700.00	100.91	-----	-----	90.51	34.56	8.60	32.76	100	152	PEAK																																																															
Avg	Blank	<p style="text-align: right;">Date: 2024-12-10</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5700.00</td> <td>93.36</td> <td>-----</td> <td>-----</td> <td>82.94</td> <td>34.57</td> <td>8.62</td> <td>32.77</td> <td>100</td> <td>152</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5700.00	93.36	-----	-----	82.94	34.57	8.62	32.77	100	152	AVERAGE																																				
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	5700.00	93.36	-----	-----	82.94	34.57	8.62	32.77	100	152	AVERAGE																																																															



41																																																																									
Mode	Band Edge																																																																								
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_Partial_RU 106/53_5745MHz																																																																								
ANT	STBC 0+1																																																																								
Pol.	Horizontal																																																																								
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5609.14</td> <td>51.99</td> <td>68.30</td> <td>-16.31</td> <td>42.04</td> <td>34.39</td> <td>8.25</td> <td>32.69</td> <td>400</td> <td>108</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5651.77</td> <td>50.07</td> <td>69.61</td> <td>-19.54</td> <td>39.92</td> <td>34.47</td> <td>8.40</td> <td>32.72</td> <td>400</td> <td>108</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5700.92</td> <td>50.10</td> <td>105.46</td> <td>-55.36</td> <td>39.71</td> <td>34.56</td> <td>8.59</td> <td>32.76</td> <td>400</td> <td>108</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5720.21</td> <td>50.24</td> <td>111.27</td> <td>-61.03</td> <td>39.77</td> <td>34.59</td> <td>8.66</td> <td>32.78</td> <td>400</td> <td>108</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5609.14	51.99	68.30	-16.31	42.04	34.39	8.25	32.69	400	108	PEAK	2	5651.77	50.07	69.61	-19.54	39.92	34.47	8.40	32.72	400	108	PEAK	3	5700.92	50.10	105.46	-55.36	39.71	34.56	8.59	32.76	400	108	PEAK	4	5720.21	50.24	111.27	-61.03	39.77	34.59	8.66	32.78	400	108	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																		
1	5609.14	51.99	68.30	-16.31	42.04	34.39	8.25	32.69	400	108	PEAK																																																														
2	5651.77	50.07	69.61	-19.54	39.92	34.47	8.40	32.72	400	108	PEAK																																																														
3	5700.92	50.10	105.46	-55.36	39.71	34.56	8.59	32.76	400	108	PEAK																																																														
4	5720.21	50.24	111.27	-61.03	39.77	34.59	8.66	32.78	400	108	PEAK																																																														
Fundamental	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>104.13</td> <td>-----</td> <td>-----</td> <td>93.56</td> <td>34.63</td> <td>8.73</td> <td>32.79</td> <td>400</td> <td>108</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5745.00	104.13	-----	-----	93.56	34.63	8.73	32.79	400	108	PEAK																																				
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																		
1	5745.00	104.13	-----	-----	93.56	34.63	8.73	32.79	400	108	PEAK																																																														
Avg	Blank																																																																								
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>95.97</td> <td>-----</td> <td>-----</td> <td>85.40</td> <td>34.63</td> <td>8.73</td> <td>32.79</td> <td>400</td> <td>108</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5745.00	95.97	-----	-----	85.40	34.63	8.73	32.79	400	108	AVERAGE																																				
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																		
1	5745.00	95.97	-----	-----	85.40	34.63	8.73	32.79	400	108	AVERAGE																																																														



		41																																																																																																																				
Mode	Band Edge																																																																																																																					
	U-NII-3_5.725-5.85_802.11ax HE20_CH149_Partial_RU 106/53_5745MHz																																																																																																																					
ANT	STBC 0+1																																																																																																																					
Pol.	Vertical	Fundamental																																																																																																																				
Peak																																																																																																																						
	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5601.74</td> <td>49.43</td> <td>68.30</td> <td>-18.87</td> <td>39.51</td> <td>34.38</td> <td>8.22</td> <td>32.68</td> <td>200</td> <td>164</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5650.03</td> <td>47.70</td> <td>68.32</td> <td>-20.62</td> <td>37.56</td> <td>34.46</td> <td>8.40</td> <td>32.72</td> <td>200</td> <td>164</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5700.63</td> <td>48.42</td> <td>105.38</td> <td>-56.96</td> <td>38.04</td> <td>34.56</td> <td>8.58</td> <td>32.76</td> <td>200</td> <td>164</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5720.21</td> <td>47.07</td> <td>111.27</td> <td>-64.20</td> <td>36.60</td> <td>34.59</td> <td>8.66</td> <td>32.78</td> <td>200</td> <td>164</td> <td>PEAK</td> </tr> </tbody> </table>			Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5601.74	49.43	68.30	-18.87	39.51	34.38	8.22	32.68	200	164	PEAK	2	5650.03	47.70	68.32	-20.62	37.56	34.46	8.40	32.72	200	164	PEAK	3	5700.63	48.42	105.38	-56.96	38.04	34.56	8.58	32.76	200	164	PEAK	4	5720.21	47.07	111.27	-64.20	36.60	34.59	8.66	32.78	200	164	PEAK	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>91.40</td> <td>-----</td> <td>-----</td> <td>80.83</td> <td>34.63</td> <td>8.73</td> <td>32.79</td> <td>200</td> <td>164</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5745.00	91.40	-----	-----	80.83	34.63	8.73	32.79	200	164
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																													
1	5601.74	49.43	68.30	-18.87	39.51	34.38	8.22	32.68	200	164	PEAK																																																																																																											
2	5650.03	47.70	68.32	-20.62	37.56	34.46	8.40	32.72	200	164	PEAK																																																																																																											
3	5700.63	48.42	105.38	-56.96	38.04	34.56	8.58	32.76	200	164	PEAK																																																																																																											
4	5720.21	47.07	111.27	-64.20	36.60	34.59	8.66	32.78	200	164	PEAK																																																																																																											
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																													
1	5745.00	91.40	-----	-----	80.83	34.63	8.73	32.79	200	164	PEAK																																																																																																											
Avg	Blank																																																																																																																					
		<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5745.00</td> <td>84.01</td> <td>-----</td> <td>-----</td> <td>73.44</td> <td>34.63</td> <td>8.73</td> <td>32.79</td> <td>200</td> <td>164</td> <td>AVERAGE</td> </tr> </tbody> </table>			Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5745.00	84.01	-----	-----	73.44	34.63	8.73	32.79	200	164	AVERAGE																																																																											
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																													
1	5745.00	84.01	-----	-----	73.44	34.63	8.73	32.79	200	164	AVERAGE																																																																																																											



		42																																																																																																												
Mode	Band Edge																																																																																																													
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_Partial_RU 52/40_5825MHz																																																																																																													
ANT	STBC 0+1																																																																																																													
Pol.	Horizontal	Fundamental																																																																																																												
Peak																																																																																																														
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5854.38</td> <td>49.94</td> <td>112.22</td> <td>-62.28</td> <td>39.11</td> <td>34.84</td> <td>8.87</td> <td>32.88</td> <td>400</td> <td>132</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5873.75</td> <td>48.70</td> <td>105.55</td> <td>-56.85</td> <td>37.87</td> <td>34.87</td> <td>8.85</td> <td>32.89</td> <td>400</td> <td>132</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5925.00</td> <td>48.11</td> <td>68.20</td> <td>-20.09</td> <td>37.28</td> <td>34.97</td> <td>8.79</td> <td>32.93</td> <td>400</td> <td>132</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5929.50</td> <td>49.63</td> <td>68.30</td> <td>-18.67</td> <td>38.82</td> <td>34.97</td> <td>8.78</td> <td>32.94</td> <td>400</td> <td>132</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5854.38	49.94	112.22	-62.28	39.11	34.84	8.87	32.88	400	132	PEAK	2	5873.75	48.70	105.55	-56.85	37.87	34.87	8.85	32.89	400	132	PEAK	3	5925.00	48.11	68.20	-20.09	37.28	34.97	8.79	32.93	400	132	PEAK	4	5929.50	49.63	68.30	-18.67	38.82	34.97	8.78	32.94	400	132	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>103.43</td> <td>-----</td> <td>-----</td> <td>92.60</td> <td>34.79</td> <td>8.90</td> <td>32.86</td> <td>400</td> <td>132</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5825.00	103.43	-----	-----	92.60	34.79	8.90	32.86	400	132
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																							
1	5854.38	49.94	112.22	-62.28	39.11	34.84	8.87	32.88	400	132	PEAK																																																																																																			
2	5873.75	48.70	105.55	-56.85	37.87	34.87	8.85	32.89	400	132	PEAK																																																																																																			
3	5925.00	48.11	68.20	-20.09	37.28	34.97	8.79	32.93	400	132	PEAK																																																																																																			
4	5929.50	49.63	68.30	-18.67	38.82	34.97	8.78	32.94	400	132	PEAK																																																																																																			
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																							
1	5825.00	103.43	-----	-----	92.60	34.79	8.90	32.86	400	132	PEAK																																																																																																			
Avg	Blank																																																																																																													
			<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>96.63</td> <td>-----</td> <td>-----</td> <td>85.80</td> <td>34.80</td> <td>8.89</td> <td>32.86</td> <td>400</td> <td>132</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5825.00	96.63	-----	-----	85.80	34.80	8.89	32.86	400	132	AVERAGE																																																																							
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																							
1	5825.00	96.63	-----	-----	85.80	34.80	8.89	32.86	400	132	AVERAGE																																																																																																			





		42																																																																																																																					
Mode	Band Edge																																																																																																																						
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_Partial_RU 52/40_5825MHz																																																																																																																						
ANT	STBC 0+1																																																																																																																						
Pol.	Vertical	Fundamental																																																																																																																					
Peak																																																																																																																							
	<table border="1"> <thead> <tr> <th>Peak</th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5855.00</td> <td>47.76</td> <td>110.80</td> <td>-63.04</td> <td>36.93</td> <td>34.84</td> <td>8.87</td> <td>32.88</td> <td>206</td> <td>183</td> <td>PEAK</td> </tr> <tr> <td>2</td> <td>5872.63</td> <td>49.78</td> <td>105.86</td> <td>-56.08</td> <td>38.95</td> <td>34.87</td> <td>8.85</td> <td>32.89</td> <td>206</td> <td>183</td> <td>PEAK</td> </tr> <tr> <td>3</td> <td>5922.88</td> <td>49.49</td> <td>69.77</td> <td>-20.28</td> <td>38.67</td> <td>34.96</td> <td>8.79</td> <td>32.93</td> <td>206</td> <td>183</td> <td>PEAK</td> </tr> <tr> <td>4</td> <td>5944.38</td> <td>50.68</td> <td>68.30</td> <td>-17.62</td> <td>39.86</td> <td>35.00</td> <td>8.77</td> <td>32.95</td> <td>206</td> <td>183</td> <td>PEAK</td> </tr> </tbody> </table>		Peak	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Level	Line	Level	Factor	Loss	Factor	cm	deg		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5855.00	47.76	110.80	-63.04	36.93	34.84	8.87	32.88	206	183	PEAK	2	5872.63	49.78	105.86	-56.08	38.95	34.87	8.85	32.89	206	183	PEAK	3	5922.88	49.49	69.77	-20.28	38.67	34.96	8.79	32.93	206	183	PEAK	4	5944.38	50.68	68.30	-17.62	39.86	35.00	8.77	32.95	206	183	PEAK	<table border="1"> <thead> <tr> <th>Peak</th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>101.84</td> <td>-----</td> <td>-----</td> <td>91.01</td> <td>34.79</td> <td>8.90</td> <td>32.86</td> <td>206</td> <td>183</td> <td>PEAK</td> </tr> </tbody> </table>		Peak	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Level	Line	Level	Factor	Loss	Factor	cm	deg		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	101.84	-----	-----	91.01	34.79	8.90	32.86	206	183
Peak	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																															
Level	Line	Level	Factor	Loss	Factor	cm	deg																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																														
1	5855.00	47.76	110.80	-63.04	36.93	34.84	8.87	32.88	206	183	PEAK																																																																																																												
2	5872.63	49.78	105.86	-56.08	38.95	34.87	8.85	32.89	206	183	PEAK																																																																																																												
3	5922.88	49.49	69.77	-20.28	38.67	34.96	8.79	32.93	206	183	PEAK																																																																																																												
4	5944.38	50.68	68.30	-17.62	39.86	35.00	8.77	32.95	206	183	PEAK																																																																																																												
Peak	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																															
Level	Line	Level	Factor	Loss	Factor	cm	deg																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																														
1	5825.00	101.84	-----	-----	91.01	34.79	8.90	32.86	206	183	PEAK																																																																																																												
Avg	Blank																																																																																																																						
			<table border="1"> <thead> <tr> <th>Peak</th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Level</th> <th>Line</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>cm</th> <th>deg</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5825.00</td> <td>94.71</td> <td>-----</td> <td>-----</td> <td>83.88</td> <td>34.79</td> <td>8.90</td> <td>32.86</td> <td>206</td> <td>183</td> <td>AVERAGE</td> </tr> </tbody> </table>		Peak	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Level	Line	Level	Factor	Loss	Factor	cm	deg		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	94.71	-----	-----	83.88	34.79	8.90	32.86	206	183	AVERAGE																																																																											
Peak	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																															
Level	Line	Level	Factor	Loss	Factor	cm	deg																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																														
1	5825.00	94.71	-----	-----	83.88	34.79	8.90	32.86	206	183	AVERAGE																																																																																																												



Mode	43																																																																																																																																																																																												
	LF																																																																																																																																																																																												
	U-NII-1_5.15-5.25_802.11ax HE80_CH42_LFMHz																																																																																																																																																																																												
ANT	STBC 0+1																																																																																																																																																																																												
Pol.	Horizontal	Vertical																																																																																																																																																																																											
Peak																																																																																																																																																																																													
	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>44.55</td> <td>19.84</td> <td>40.00</td> <td>-20.16</td> <td>34.56</td> <td>19.61</td> <td>0.67</td> <td>35.00</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>148.34</td> <td>22.14</td> <td>43.50</td> <td>-21.36</td> <td>36.76</td> <td>18.82</td> <td>1.27</td> <td>34.71</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>3</td> <td>255.04</td> <td>27.11</td> <td>46.00</td> <td>-18.89</td> <td>42.42</td> <td>17.72</td> <td>1.66</td> <td>34.69</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>4</td> <td>453.89</td> <td>25.00</td> <td>46.00</td> <td>-21.00</td> <td>34.45</td> <td>22.80</td> <td>2.25</td> <td>34.50</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>5</td> <td>671.17</td> <td>29.00</td> <td>46.00</td> <td>-17.00</td> <td>34.10</td> <td>26.61</td> <td>2.75</td> <td>34.46</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>6</td> <td>819.58</td> <td>31.31</td> <td>46.00</td> <td>-14.69</td> <td>34.33</td> <td>28.22</td> <td>3.06</td> <td>34.30</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	44.55	19.84	40.00	-20.16	34.56	19.61	0.67	35.00	--	Peak	2	148.34	22.14	43.50	-21.36	36.76	18.82	1.27	34.71	--	Peak	3	255.04	27.11	46.00	-18.89	42.42	17.72	1.66	34.69	--	Peak	4	453.89	25.00	46.00	-21.00	34.45	22.80	2.25	34.50	--	Peak	5	671.17	29.00	46.00	-17.00	34.10	26.61	2.75	34.46	--	Peak	6	819.58	31.31	46.00	-14.69	34.33	28.22	3.06	34.30	--	Peak	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th></th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>30.00</td> <td>29.41</td> <td>40.00</td> <td>-10.59</td> <td>46.05</td> <td>17.56</td> <td>0.54</td> <td>34.74</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>154.16</td> <td>24.11</td> <td>43.50</td> <td>-19.39</td> <td>38.76</td> <td>18.75</td> <td>1.30</td> <td>34.70</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>3</td> <td>241.46</td> <td>22.32</td> <td>46.00</td> <td>-23.68</td> <td>38.11</td> <td>17.30</td> <td>1.61</td> <td>34.70</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>4</td> <td>484.93</td> <td>24.71</td> <td>46.00</td> <td>-21.29</td> <td>33.72</td> <td>23.17</td> <td>2.32</td> <td>34.50</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>5</td> <td>687.66</td> <td>29.26</td> <td>46.00</td> <td>-16.74</td> <td>34.01</td> <td>26.89</td> <td>2.78</td> <td>34.42</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>6</td> <td>774.96</td> <td>32.99</td> <td>46.00</td> <td>-13.01</td> <td>36.63</td> <td>27.72</td> <td>2.99</td> <td>34.35</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	30.00	29.41	40.00	-10.59	46.05	17.56	0.54	34.74	--	Peak	2	154.16	24.11	43.50	-19.39	38.76	18.75	1.30	34.70	--	Peak	3	241.46	22.32	46.00	-23.68	38.11	17.30	1.61	34.70	--	Peak	4	484.93	24.71	46.00	-21.29	33.72	23.17	2.32	34.50	--	Peak	5	687.66	29.26	46.00	-16.74	34.01	26.89	2.78	34.42	--	Peak	6	774.96	32.99	46.00	-13.01	36.63	27.72	2.99	34.35	--
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																				
1	44.55	19.84	40.00	-20.16	34.56	19.61	0.67	35.00	--	Peak																																																																																																																																																																																			
2	148.34	22.14	43.50	-21.36	36.76	18.82	1.27	34.71	--	Peak																																																																																																																																																																																			
3	255.04	27.11	46.00	-18.89	42.42	17.72	1.66	34.69	--	Peak																																																																																																																																																																																			
4	453.89	25.00	46.00	-21.00	34.45	22.80	2.25	34.50	--	Peak																																																																																																																																																																																			
5	671.17	29.00	46.00	-17.00	34.10	26.61	2.75	34.46	--	Peak																																																																																																																																																																																			
6	819.58	31.31	46.00	-14.69	34.33	28.22	3.06	34.30	--	Peak																																																																																																																																																																																			
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																				
1	30.00	29.41	40.00	-10.59	46.05	17.56	0.54	34.74	--	Peak																																																																																																																																																																																			
2	154.16	24.11	43.50	-19.39	38.76	18.75	1.30	34.70	--	Peak																																																																																																																																																																																			
3	241.46	22.32	46.00	-23.68	38.11	17.30	1.61	34.70	--	Peak																																																																																																																																																																																			
4	484.93	24.71	46.00	-21.29	33.72	23.17	2.32	34.50	--	Peak																																																																																																																																																																																			
5	687.66	29.26	46.00	-16.74	34.01	26.89	2.78	34.42	--	Peak																																																																																																																																																																																			
6	774.96	32.99	46.00	-13.01	36.63	27.72	2.99	34.35	--	Peak																																																																																																																																																																																			



Mode	44																																																																																																																																																																																																	
	LF																																																																																																																																																																																																	
	U-NII-3_5.725-5.85_802.11ax HE80_CH155_LFMHz																																																																																																																																																																																																	
ANT	STBC 0+1																																																																																																																																																																																																	
Pol.	Horizontal	Vertical																																																																																																																																																																																																
Peak	 <p>Date: 2024-12-10 FCC CLASS-B -6dB</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr><td>1</td><td>48.43</td><td>19.53</td><td>40.00</td><td>-20.47</td><td>34.21</td><td>19.62</td><td>0.70</td><td>35.00</td><td>--</td><td>--</td><td>Peak</td></tr> <tr><td>2</td><td>151.25</td><td>22.26</td><td>43.50</td><td>-21.24</td><td>36.75</td><td>18.92</td><td>1.29</td><td>34.70</td><td>--</td><td>--</td><td>Peak</td></tr> <tr><td>3</td><td>256.01</td><td>27.72</td><td>46.00</td><td>-18.28</td><td>43.00</td><td>17.75</td><td>1.66</td><td>34.69</td><td>--</td><td>--</td><td>Peak</td></tr> <tr><td>4</td><td>468.44</td><td>24.41</td><td>46.00</td><td>-21.59</td><td>33.66</td><td>22.97</td><td>2.28</td><td>34.50</td><td>--</td><td>--</td><td>Peak</td></tr> <tr><td>5</td><td>701.24</td><td>29.11</td><td>46.00</td><td>-16.89</td><td>33.59</td><td>27.11</td><td>2.81</td><td>34.40</td><td>--</td><td>--</td><td>Peak</td></tr> <tr><td>6</td><td>827.34</td><td>31.47</td><td>46.00</td><td>-14.53</td><td>34.33</td><td>28.37</td><td>3.07</td><td>34.30</td><td>--</td><td>--</td><td>Peak</td></tr> </tbody> </table>	Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	48.43	19.53	40.00	-20.47	34.21	19.62	0.70	35.00	--	--	Peak	2	151.25	22.26	43.50	-21.24	36.75	18.92	1.29	34.70	--	--	Peak	3	256.01	27.72	46.00	-18.28	43.00	17.75	1.66	34.69	--	--	Peak	4	468.44	24.41	46.00	-21.59	33.66	22.97	2.28	34.50	--	--	Peak	5	701.24	29.11	46.00	-16.89	33.59	27.11	2.81	34.40	--	--	Peak	6	827.34	31.47	46.00	-14.53	34.33	28.37	3.07	34.30	--	--	Peak	 <p>Date: 2024-12-10 FCC CLASS-B -6dB</p> <table border="1"> <thead> <tr> <th>Peak</th> <th>Freq</th> <th>Level</th> <th>Limit</th> <th>Line Margin</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> <th></th> </tr> </thead> <tbody> <tr><td>1</td><td>30.97</td><td>30.43</td><td>40.00</td><td>-9.57</td><td>46.87</td><td>17.78</td><td>0.55</td><td>34.77</td><td>--</td><td>--</td><td>Peak</td></tr> <tr><td>2</td><td>150.28</td><td>24.09</td><td>43.50</td><td>-19.41</td><td>38.53</td><td>18.98</td><td>1.28</td><td>34.70</td><td>--</td><td>--</td><td>Peak</td></tr> <tr><td>3</td><td>255.04</td><td>22.45</td><td>46.00</td><td>-23.55</td><td>37.76</td><td>17.72</td><td>1.66</td><td>34.69</td><td>--</td><td>--</td><td>Peak</td></tr> <tr><td>4</td><td>463.59</td><td>25.53</td><td>46.00</td><td>-20.47</td><td>34.85</td><td>22.91</td><td>2.27</td><td>34.50</td><td>--</td><td>--</td><td>Peak</td></tr> <tr><td>5</td><td>585.81</td><td>28.86</td><td>46.00</td><td>-17.14</td><td>35.31</td><td>25.54</td><td>2.58</td><td>34.57</td><td>--</td><td>--</td><td>Peak</td></tr> <tr><td>6</td><td>774.96</td><td>33.41</td><td>46.00</td><td>-12.59</td><td>37.05</td><td>27.72</td><td>2.99</td><td>34.35</td><td>--</td><td>--</td><td>Peak</td></tr> </tbody> </table>	Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	30.97	30.43	40.00	-9.57	46.87	17.78	0.55	34.77	--	--	Peak	2	150.28	24.09	43.50	-19.41	38.53	18.98	1.28	34.70	--	--	Peak	3	255.04	22.45	46.00	-23.55	37.76	17.72	1.66	34.69	--	--	Peak	4	463.59	25.53	46.00	-20.47	34.85	22.91	2.27	34.50	--	--	Peak	5	585.81	28.86	46.00	-17.14	35.31	25.54	2.58	34.57	--	--	Peak	6	774.96	33.41	46.00	-12.59	37.05	27.72	2.99	34.35	--	--	Peak
	Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																								
1	48.43	19.53	40.00	-20.47	34.21	19.62	0.70	35.00	--	--	Peak																																																																																																																																																																																							
2	151.25	22.26	43.50	-21.24	36.75	18.92	1.29	34.70	--	--	Peak																																																																																																																																																																																							
3	256.01	27.72	46.00	-18.28	43.00	17.75	1.66	34.69	--	--	Peak																																																																																																																																																																																							
4	468.44	24.41	46.00	-21.59	33.66	22.97	2.28	34.50	--	--	Peak																																																																																																																																																																																							
5	701.24	29.11	46.00	-16.89	33.59	27.11	2.81	34.40	--	--	Peak																																																																																																																																																																																							
6	827.34	31.47	46.00	-14.53	34.33	28.37	3.07	34.30	--	--	Peak																																																																																																																																																																																							
Peak	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																								
1	30.97	30.43	40.00	-9.57	46.87	17.78	0.55	34.77	--	--	Peak																																																																																																																																																																																							
2	150.28	24.09	43.50	-19.41	38.53	18.98	1.28	34.70	--	--	Peak																																																																																																																																																																																							
3	255.04	22.45	46.00	-23.55	37.76	17.72	1.66	34.69	--	--	Peak																																																																																																																																																																																							
4	463.59	25.53	46.00	-20.47	34.85	22.91	2.27	34.50	--	--	Peak																																																																																																																																																																																							
5	585.81	28.86	46.00	-17.14	35.31	25.54	2.58	34.57	--	--	Peak																																																																																																																																																																																							
6	774.96	33.41	46.00	-12.59	37.05	27.72	2.99	34.35	--	--	Peak																																																																																																																																																																																							



		45																																																																																				
Mode		Band Edge - L(WLAN 5G)																																																																																				
		CO-TX																																																																																				
Pol.	Horizontal	Fundamental																																																																																				
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5137.54</td> <td>63.03</td> <td>74.00</td> <td>-10.97</td> <td>53.88</td> <td>33.98</td> <td>7.91</td> <td>32.74</td> <td>131</td> <td>12</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5137.54	63.03	74.00	-10.97	53.88	33.98	7.91	32.74	131	12	Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5210.00</td> <td>95.90</td> <td>-----</td> <td>-----</td> <td>86.62</td> <td>34.03</td> <td>7.96</td> <td>32.71</td> <td>131</td> <td>12</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>5210.00</td> <td>88.54</td> <td>-----</td> <td>-----</td> <td>79.26</td> <td>34.03</td> <td>7.96</td> <td>32.71</td> <td>131</td> <td>12</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5210.00	95.90	-----	-----	86.62	34.03	7.96	32.71	131	12	Peak	2	5210.00	88.54	-----	-----	79.26	34.03	7.96	32.71	131	12	Average
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	5137.54	63.03	74.00	-10.97	53.88	33.98	7.91	32.74	131	12	Peak																																																																											
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	5210.00	95.90	-----	-----	86.62	34.03	7.96	32.71	131	12	Peak																																																																											
2	5210.00	88.54	-----	-----	79.26	34.03	7.96	32.71	131	12	Average																																																																											
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5137.28</td> <td>49.41</td> <td>54.00</td> <td>-4.59</td> <td>40.26</td> <td>33.98</td> <td>7.91</td> <td>32.74</td> <td>131</td> <td>12</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5137.28	49.41	54.00	-4.59	40.26	33.98	7.91	32.74	131	12	Average	Blank																																																
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																															
1	5137.28	49.41	54.00	-4.59	40.26	33.98	7.91	32.74	131	12	Average																																																																											




Note: The frequency points over limit line are fundamental signals for BLE/WLAN 5G, which can be ignored.



Mode	45																																					
	Band Edge - R(WLAN 5G)																																					
	CO-TX																																					
Pol.	Horizontal	Fundamental																																				
Peak	<p>Date: 2024-12-10</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5351.04</td> <td>49.92</td> <td>74.00</td> <td>-24.08</td> <td>40.14</td> <td>34.11</td> <td>8.33</td> <td>32.66</td> <td>131</td> <td>12</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5351.04	49.92	74.00	-24.08	40.14	34.11	8.33	32.66	131	12	Peak	Blank
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																															
1	5351.04	49.92	74.00	-24.08	40.14	34.11	8.33	32.66	131	12	Peak																											
Avg	<p>Date: 2024-12-10</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5390.16</td> <td>43.88</td> <td>54.00</td> <td>-10.12</td> <td>33.95</td> <td>34.13</td> <td>8.44</td> <td>32.64</td> <td>131</td> <td>12</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5390.16	43.88	54.00	-10.12	33.95	34.13	8.44	32.64	131	12	Average	Blank
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																															
1	5390.16	43.88	54.00	-10.12	33.95	34.13	8.44	32.64	131	12	Average																											



=

		45																																																																																								
Mode		Band Edge - L(WLAN 5G)																																																																																								
		CO-TX																																																																																								
Pol.	Vertical	Fundamental																																																																																								
Peak	 <p>Date: 2024-12-10</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> <tr> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5139.88</td> <td>54.94</td> <td>74.00</td> <td>-19.06</td> <td>45.78</td> <td>33.99</td> <td>7.91</td> <td>32.74</td> <td>100</td> <td>352</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB							cm	deg	1	5139.88	54.94	74.00	-19.06	45.78	33.99	7.91	32.74	100	352	Peak	 <p>Date: 2024-12-10</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> <tr> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5200.00</td> <td>89.45</td> <td>-----</td> <td>-----</td> <td>80.20</td> <td>34.02</td> <td>7.95</td> <td>32.72</td> <td>100</td> <td>352</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB							cm	deg	1	5200.00	89.45	-----	-----	80.20	34.02	7.95	32.72	100	352	Peak
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																			
						cm	deg																																																																																			
1	5139.88	54.94	74.00	-19.06	45.78	33.99	7.91	32.74	100	352	Peak																																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																			
						cm	deg																																																																																			
1	5200.00	89.45	-----	-----	80.20	34.02	7.95	32.72	100	352	Peak																																																																															
Avg	 <p>Date: 2024-12-10</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> <tr> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5139.10</td> <td>45.21</td> <td>54.00</td> <td>-8.79</td> <td>36.06</td> <td>33.98</td> <td>7.91</td> <td>32.74</td> <td>100</td> <td>352</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB							cm	deg	1	5139.10	45.21	54.00	-8.79	36.06	33.98	7.91	32.74	100	352	Average	Blank																																												
Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																			
						cm	deg																																																																																			
1	5139.10	45.21	54.00	-8.79	36.06	33.98	7.91	32.74	100	352	Average																																																																															

Note: The frequency points over limit line are fundamental signals for BLE/WLAN 5G, which can be ignored.



Mode	45																																					
	Band Edge – R(WLAN 5G)																																					
	CO-TX																																					
Pol.	Vertical	Fundamental																																				
Peak	<p>Date: 2024-12-10</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5426.40</td> <td>48.87</td> <td>74.00</td> <td>-25.13</td> <td>38.90</td> <td>34.15</td> <td>8.45</td> <td>32.63</td> <td>100</td> <td>352</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5426.40	48.87	74.00	-25.13	38.90	34.15	8.45	32.63	100	352	Peak	Blank
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																															
1	5426.40	48.87	74.00	-25.13	38.90	34.15	8.45	32.63	100	352	Peak																											
Avg	<p>Date: 2024-12-10</p> <table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5376.72</td> <td>41.49</td> <td>54.00</td> <td>-12.51</td> <td>31.62</td> <td>34.12</td> <td>8.40</td> <td>32.65</td> <td>100</td> <td>352</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5376.72	41.49	54.00	-12.51	31.62	34.12	8.40	32.65	100	352	Average	Blank
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																															
1	5376.72	41.49	54.00	-12.51	31.62	34.12	8.40	32.65	100	352	Average																											



		45																																																																								
Mode	Band Edge(BLE)																																																																									
	CO-TX																																																																									
Pol.	Horizontal	Fundamental																																																																								
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2491.80</td> <td>48.99</td> <td>74.00</td> <td>-25.01</td> <td>47.08</td> <td>30.50</td> <td>4.93</td> <td>33.52</td> <td>148</td> <td>0</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	2491.80	48.99	74.00	-25.01	47.08	30.50	4.93	33.52	148	0	Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2480.00</td> <td>92.68</td> <td>74.00</td> <td>18.68</td> <td>90.81</td> <td>30.49</td> <td>4.92</td> <td>33.54</td> <td>148</td> <td>0</td> <td>Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	2480.00	92.68	74.00	18.68	90.81	30.49	4.92	33.54	148	0	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	2491.80	48.99	74.00	-25.01	47.08	30.50	4.93	33.52	148	0	Peak																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	2480.00	92.68	74.00	18.68	90.81	30.49	4.92	33.54	148	0	Peak																																																															
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2494.92</td> <td>38.73</td> <td>54.00</td> <td>-15.27</td> <td>36.80</td> <td>30.50</td> <td>4.94</td> <td>33.51</td> <td>148</td> <td>0</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	2494.92	38.73	54.00	-15.27	36.80	30.50	4.94	33.51	148	0	Average	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2480.00</td> <td>91.81</td> <td>54.00</td> <td>37.81</td> <td>89.94</td> <td>30.49</td> <td>4.92</td> <td>33.54</td> <td>148</td> <td>0</td> <td>Average</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	2480.00	91.81	54.00	37.81	89.94	30.49	4.92	33.54	148	0	Average
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	2494.92	38.73	54.00	-15.27	36.80	30.50	4.94	33.51	148	0	Average																																																															
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	2480.00	91.81	54.00	37.81	89.94	30.49	4.92	33.54	148	0	Average																																																															



		45																																																																																
Mode	Band Edge(BLE)																																																																																	
	CO-TX																																																																																	
Pol.	Vertical	Fundamental																																																																																
Peak	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2499.36</td> <td>49.14</td> <td>74.00</td> <td>-24.86</td> <td>47.19</td> <td>30.51</td> <td>4.94</td> <td>33.50</td> <td>125</td> <td>307 Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2499.36	49.14	74.00	-24.86	47.19	30.51	4.94	33.50	125	307 Peak	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2480.00</td> <td>85.84</td> <td>74.00</td> <td>11.84</td> <td>83.97</td> <td>30.49</td> <td>4.92</td> <td>33.54</td> <td>125</td> <td>307 Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	85.84	74.00	11.84	83.97	30.49	4.92	33.54	125	307 Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	2499.36	49.14	74.00	-24.86	47.19	30.51	4.94	33.50	125	307 Peak																																																																								
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	2480.00	85.84	74.00	11.84	83.97	30.49	4.92	33.54	125	307 Peak																																																																								
Avg	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2488.48</td> <td>38.81</td> <td>54.00</td> <td>-15.19</td> <td>36.90</td> <td>30.50</td> <td>4.93</td> <td>33.52</td> <td>125</td> <td>307 Average</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2488.48	38.81	54.00	-15.19	36.90	30.50	4.93	33.52	125	307 Average	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th></th> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2480.00</td> <td>84.91</td> <td>54.00</td> <td>30.91</td> <td>83.04</td> <td>30.49</td> <td>4.92</td> <td>33.54</td> <td>125</td> <td>307 Average</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	84.91	54.00	30.91	83.04	30.49	4.92	33.54	125	307 Average
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	2488.48	38.81	54.00	-15.19	36.90	30.50	4.93	33.52	125	307 Average																																																																								
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	2480.00	84.91	54.00	30.91	83.04	30.49	4.92	33.54	125	307 Average																																																																								



Mode	45																																																																																																																																																
	Harmonic																																																																																																																																																
	CO-TX																																																																																																																																																
Pol.	Horizontal	Vertical																																																																																																																																															
Peak Avg																																																																																																																																																	
	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4960.00</td> <td>42.91</td> <td>74.00</td> <td>-31.09</td> <td>66.50</td> <td>33.89</td> <td>7.81</td> <td>65.29</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>7440.00</td> <td>43.30</td> <td>74.00</td> <td>-30.70</td> <td>62.35</td> <td>36.30</td> <td>9.19</td> <td>64.54</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>3</td> <td>10420.00</td> <td>46.36</td> <td>74.00</td> <td>-27.64</td> <td>63.01</td> <td>37.30</td> <td>10.77</td> <td>64.72</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>4</td> <td>15630.00</td> <td>46.97</td> <td>74.00</td> <td>-27.03</td> <td>58.36</td> <td>39.45</td> <td>12.72</td> <td>63.56</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4960.00	42.91	74.00	-31.09	66.50	33.89	7.81	65.29	--	Peak	2	7440.00	43.30	74.00	-30.70	62.35	36.30	9.19	64.54	--	Peak	3	10420.00	46.36	74.00	-27.64	63.01	37.30	10.77	64.72	--	Peak	4	15630.00	46.97	74.00	-27.03	58.36	39.45	12.72	63.56	--	Peak	<table border="1"> <thead> <tr> <th></th> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line Margin</th> <th>Level</th> <th>Factor</th> <th>Loss Factor</th> <th></th> <th></th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4960.00</td> <td>47.52</td> <td>74.00</td> <td>-26.48</td> <td>71.11</td> <td>33.89</td> <td>7.81</td> <td>65.29</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>2</td> <td>7440.00</td> <td>42.83</td> <td>74.00</td> <td>-31.17</td> <td>61.88</td> <td>36.30</td> <td>9.19</td> <td>64.54</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>3</td> <td>10420.00</td> <td>47.21</td> <td>74.00</td> <td>-26.79</td> <td>63.86</td> <td>37.30</td> <td>10.77</td> <td>64.72</td> <td>--</td> <td>Peak</td> </tr> <tr> <td>4</td> <td>15630.00</td> <td>45.99</td> <td>74.00</td> <td>-28.01</td> <td>57.38</td> <td>39.45</td> <td>12.72</td> <td>63.56</td> <td>--</td> <td>Peak</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4960.00	47.52	74.00	-26.48	71.11	33.89	7.81	65.29	--	Peak	2	7440.00	42.83	74.00	-31.17	61.88	36.30	9.19	64.54	--	Peak	3	10420.00	47.21	74.00	-26.79	63.86	37.30	10.77	64.72	--	Peak	4	15630.00	45.99	74.00	-28.01	57.38	39.45	12.72	63.56	--
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																																										
Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark																																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																								
1	4960.00	42.91	74.00	-31.09	66.50	33.89	7.81	65.29	--	Peak																																																																																																																																							
2	7440.00	43.30	74.00	-30.70	62.35	36.30	9.19	64.54	--	Peak																																																																																																																																							
3	10420.00	46.36	74.00	-27.64	63.01	37.30	10.77	64.72	--	Peak																																																																																																																																							
4	15630.00	46.97	74.00	-27.03	58.36	39.45	12.72	63.56	--	Peak																																																																																																																																							
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																																										
Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark																																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																								
1	4960.00	47.52	74.00	-26.48	71.11	33.89	7.81	65.29	--	Peak																																																																																																																																							
2	7440.00	42.83	74.00	-31.17	61.88	36.30	9.19	64.54	--	Peak																																																																																																																																							
3	10420.00	47.21	74.00	-26.79	63.86	37.30	10.77	64.72	--	Peak																																																																																																																																							
4	15630.00	45.99	74.00	-28.01	57.38	39.45	12.72	63.56	--	Peak																																																																																																																																							



		46																																																																									
Mode	Band Edge - L																																																																										
	U-NII-1_5.15-5.25_802.11ax HE80_CH42_Full RU_5210MHz																																																																										
ANT	STBC 0+1																																																																										
Pol.	Horizontal	Fundamental																																																																									
Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5137.13</td> <td>61.91</td> <td>74.00</td> <td>-12.09</td> <td>52.76</td> <td>33.98</td> <td>7.91</td> <td>32.74</td> <td>195</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	5137.13	61.91	74.00	-12.09	52.76	33.98	7.91	32.74	195	360	PEAK	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5210.00</td> <td>96.07</td> <td>-----</td> <td>-----</td> <td>86.82</td> <td>34.02</td> <td>7.95</td> <td>32.72</td> <td>195</td> <td>360</td> <td>PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	5210.00	96.07	-----	-----	86.82	34.02	7.95	32.72	195	360	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																				
1	5137.13	61.91	74.00	-12.09	52.76	33.98	7.91	32.74	195	360	PEAK																																																																
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																				
1	5210.00	96.07	-----	-----	86.82	34.02	7.95	32.72	195	360	PEAK																																																																
Avg	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5147.84</td> <td>49.97</td> <td>54.00</td> <td>-4.03</td> <td>40.80</td> <td>33.99</td> <td>7.92</td> <td>32.74</td> <td>195</td> <td>360</td> <td>AVERAGE</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	5147.84	49.97	54.00	-4.03	40.80	33.99	7.92	32.74	195	360	AVERAGE	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>5210.00</td> <td>87.66</td> <td>-----</td> <td>-----</td> <td>78.41</td> <td>34.02</td> <td>7.95</td> <td>32.72</td> <td>195</td> <td>360</td> <td>AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1	5210.00	87.66	-----	-----	78.41	34.02	7.95	32.72	195	360	AVERAGE
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																				
1	5147.84	49.97	54.00	-4.03	40.80	33.99	7.92	32.74	195	360	AVERAGE																																																																
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																																																				
1	5210.00	87.66	-----	-----	78.41	34.02	7.95	32.72	195	360	AVERAGE																																																																



Mode	46																																								
	Band Edge - R																																								
	U-NII-1_5.15-5.25_802.11ax HE80_CH42_Full RU_5210MHz																																								
ANT	STBC 0+1																																								
Pol.	Horizontal	Fundamental																																							
Peak																																									
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 5390.25</td> <td>50.84</td> <td>74.00</td> <td>-23.16</td> <td>40.91</td> <td>34.13</td> <td>8.44</td> <td>32.64</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>195</td> <td>360 PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1 5390.25	50.84	74.00	-23.16	40.91	34.13	8.44	32.64							195
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																		
1 5390.25	50.84	74.00	-23.16	40.91	34.13	8.44	32.64																																		
						195	360 PEAK																																		
Avg																																									
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> <th>Remark</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> </tr> </thead> <tbody> <tr> <td>1 5395.00</td> <td>42.57</td> <td>54.00</td> <td>-11.43</td> <td>32.62</td> <td>34.14</td> <td>8.45</td> <td>32.64</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>195</td> <td>360 AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	1 5395.00	42.57	54.00	-11.43	32.62	34.14	8.45	32.64							195
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm																																		
1 5395.00	42.57	54.00	-11.43	32.62	34.14	8.45	32.64																																		
						195	360 AVERAGE																																		



Mode	46																																		
	Band Edge - R																																		
	U-NII-1_5.15-5.25_802.11ax HE80_CH42_Full RU_5210MHz																																		
ANT	STBC 0+1																																		
Pol.	Vertical	Fundamental																																	
Peak																																			
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5377.25</td> <td>48.85</td> <td>74.00</td> <td>-25.15</td> <td>38.98</td> <td>34.12</td> <td>8.40</td> <td>32.65</td> <td>317 29 PEAK</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 5377.25	48.85	74.00	-25.15	38.98	34.12	8.40	32.65
Limit	Read	Ant	Cable	Preamp	APos	TPos																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																											
1 5377.25	48.85	74.00	-25.15	38.98	34.12	8.40	32.65	317 29 PEAK																											
Avg																																			
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>APos</th> <th>TPos</th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1 5420.50</td> <td>39.72</td> <td>54.00</td> <td>-14.28</td> <td>29.74</td> <td>34.15</td> <td>8.46</td> <td>32.63</td> <td>317 29 AVERAGE</td> </tr> </tbody> </table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1 5420.50	39.72	54.00	-14.28	29.74	34.15	8.46	32.63
Limit	Read	Ant	Cable	Preamp	APos	TPos																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																											
1 5420.50	39.72	54.00	-14.28	29.74	34.15	8.46	32.63	317 29 AVERAGE																											




Mode	46																																																																																																
	Harmonic																																																																																																
	U-NII-1_5.15-5.25_802.11ax HE80_CH42_Full RU_5210MHz																																																																																																
ANT	STBC 0+1																																																																																																
Pol.	Horizontal	Vertical																																																																																															
Peak Avg	<p>Date: 2024-12-08</p>	<p>Date: 2024-12-08</p>																																																																																															
	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>Tpos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10420.00</td> <td>45.43</td> <td>68.30</td> <td>-22.87</td> <td>62.08</td> <td>37.30</td> <td>10.77</td> <td>64.72</td> <td>-- -- Peak</td> </tr> <tr> <td>2</td> <td>15630.00</td> <td>45.88</td> <td>74.00</td> <td>-28.12</td> <td>57.27</td> <td>39.45</td> <td>12.72</td> <td>63.56</td> <td>-- -- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	Tpos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10420.00	45.43	68.30	-22.87	62.08	37.30	10.77	64.72	-- -- Peak	2	15630.00	45.88	74.00	-28.12	57.27	39.45	12.72	63.56	-- -- Peak	<table border="1"> <thead> <tr> <th>Limit</th> <th>Read</th> <th>Ant</th> <th>Cable</th> <th>Preamp</th> <th>Apos</th> <th>Tpos</th> <th colspan="2"></th> </tr> <tr> <th>Freq</th> <th>Level</th> <th>Line</th> <th>Margin</th> <th>Level</th> <th>Factor</th> <th>Loss</th> <th>Factor</th> <th>Remark</th> </tr> <tr> <th>MHz</th> <th>dBuV/m</th> <th>dBuV/m</th> <th>dB</th> <th>dBuV</th> <th>dB/m</th> <th>dB</th> <th>dB</th> <th>cm</th> <th>deg</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>10420.00</td> <td>46.79</td> <td>68.30</td> <td>-21.51</td> <td>63.44</td> <td>37.30</td> <td>10.77</td> <td>64.72</td> <td>-- -- Peak</td> </tr> <tr> <td>2</td> <td>15630.00</td> <td>45.87</td> <td>74.00</td> <td>-28.13</td> <td>57.26</td> <td>39.45</td> <td>12.72</td> <td>63.56</td> <td>-- -- Peak</td> </tr> </tbody> </table>	Limit	Read	Ant	Cable	Preamp	Apos	Tpos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10420.00	46.79	68.30	-21.51	63.44	37.30	10.77	64.72	-- -- Peak	2	15630.00	45.87	74.00	-28.13	57.26	39.45	12.72	63.56
Limit	Read	Ant	Cable	Preamp	Apos	Tpos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	10420.00	45.43	68.30	-22.87	62.08	37.30	10.77	64.72	-- -- Peak																																																																																								
2	15630.00	45.88	74.00	-28.12	57.27	39.45	12.72	63.56	-- -- Peak																																																																																								
Limit	Read	Ant	Cable	Preamp	Apos	Tpos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	10420.00	46.79	68.30	-21.51	63.44	37.30	10.77	64.72	-- -- Peak																																																																																								
2	15630.00	45.87	74.00	-28.13	57.26	39.45	12.72	63.56	-- -- Peak																																																																																								



Appendix D. Duty Cycle Plots


Antenna	Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
0+1	802.11a	89.87	1.420	0.704	1kHz
0+1	802.11ax HE20	87.95	0.146	6.849	10kHz
0+1	802.11ax HE40	84.13	0.106	9.434	10kHz
0+1	802.11ax HE80	80.39	0.082	12.195	13kHz

802.11a






802.11ax HE20



802.11ax HE40





802.11ax HE80

