11AC40SISO_Ant6_5755


11AC40SISO_Ant6_5795


11AC80SISO_Ant6_5210


11AC80SISO_Ant6_5290


11AC80SISO_Ant6_5530


11AC80SISO_Ant6_5610


11AC80SISO_Ant6_5690


11AC80SISO_Ant6_5775


Min emission bandwidth

Test Result B4

TestMode	Antenna	Freq(MHz)	6dB EBW [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
11A	Ant6	5745	15.07	5737.48	5752.56	0.5	PASS
		5785	15.11	5777.46	5792.58	0.5	PASS
		5825	15.09	5817.48	5832.58	0.5	PASS
11AC20SISO	Ant6	5745	15.07	5737.50	5752.58	0.5	PASS
		5785	15.13	5777.44	5792.58	0.5	PASS
		5825	15.11	5817.46	5832.58	0.5	PASS
11AC40SISO	Ant6	5755	35.10	5737.45	5772.55	0.5	PASS
		5795	35.06	5777.49	5812.55	0.5	PASS
11AC80SISO	Ant6	5775	75.16	5737.46	5812.62	0.5	PASS

Test Graphs B4

11A_Ant6_5745



11A_Ant6_5785



11A_Ant6_5825


11AC20SISO_Ant6_5745


11AC20SISO_Ant6_5785


11AC20SISO_Ant6_5825


11AC40SISO_Ant6_5755


11AC40SISO_Ant6_5795


11AC80SISO_Ant6_5775



Maximum power spectral density

Test Result

TestMode	Antenna	Freq(MHz)	Result [dBm/MHz]	Limit[dBm/MHz]	Verdict
11A	Ant6	5180	4.81	≤11.00	PASS
		5220	6.09	≤11.00	PASS
		5240	6.95	≤11.00	PASS
		5260	6.47	≤11.00	PASS
		5300	6.86	≤11.00	PASS
		5320	5.51	≤11.00	PASS
		5500	6.14	≤11.00	PASS
		5580	5.81	≤11.00	PASS
		5700	3.24	≤11.00	PASS
		5720_UNII-2C	5.85	≤11.00	PASS
		5720_UNII-3	1.15	≤30.00	PASS
		5745	4.52	≤30.00	PASS
		5785	4.67	≤30.00	PASS
		5825	4.30	≤30.00	PASS
11AC20SISO	Ant6	5180	5.02	≤11.00	PASS
		5220	5.85	≤11.00	PASS
		5240	6.66	≤11.00	PASS
		5260	6.15	≤11.00	PASS
		5300	6.61	≤11.00	PASS
		5320	5.09	≤11.00	PASS
		5500	5.78	≤11.00	PASS
		5580	5.53	≤11.00	PASS
		5700	2.31	≤11.00	PASS
		5720_UNII-2C	5.60	≤11.00	PASS
		5720_UNII-3	0.89	≤30.00	PASS
		5745	4.22	≤30.00	PASS
		5785	4.43	≤30.00	PASS
		5825	3.95	≤30.00	PASS
11AC40SISO	Ant6	5190	0.60	≤11.00	PASS
		5230	3.80	≤11.00	PASS
		5270	3.46	≤11.00	PASS
		5310	-0.67	≤11.00	PASS
		5510	0.43	≤11.00	PASS
		5550	2.68	≤11.00	PASS
		5670	1.30	≤11.00	PASS
		5710_UNII-2C	2.81	≤11.00	PASS
		5710_UNII-3	-3.48	≤30.00	PASS
		5755	1.20	≤30.00	PASS
		5795	1.54	≤30.00	PASS
11AC80SISO	Ant6	5210	-3.97	≤11.00	PASS
		5290	-3.86	≤11.00	PASS
		5530	-3.71	≤11.00	PASS
		5610	-1.27	≤11.00	PASS

		5690_UNII-2C	-0.43	≤11.00	PASS
		5690_UNII-3	-6.78	≤30.00	PASS
		5775	-2.10	≤30.00	PASS

Note：1.The Result and Limit Unit is dBm/500 kHz in the band 5.725–5.85 GHz.

2.The Duty Cycle Factor and is compensated in the graph.

Test Graphs

11A_Ant6_5180



11A_Ant6_5220



11A_Ant6_5240


11A_Ant6_5260


11A_Ant6_5300



11A_Ant6_5320



11A_Ant6_5500


11A_Ant6_5580


11A_Ant6_5700


11A_Ant6_5720_UNII-2C


11A_Ant6_5720_UNII-3

11A_Ant6_5745


11A_Ant6_5785


11A_Ant6_5825


11AC20SISO_Ant6_5180


11AC20SISO_Ant6_5220


11AC20SISO_Ant6_5240


11AC20SISO_Ant6_5260


11AC20SISO_Ant6_5300


11AC20SISO_Ant6_5320


11AC20SISO_Ant6_5500


11AC20SISO_Ant6_5580


11AC20SISO_Ant6_5700


11AC20SISO_Ant6_5720_UNII-2C


11AC20SISO_Ant6_5720_UNII-3


11AC20SISO_Ant6_5745


11AC20SISO_Ant6_5785


11AC20SISO_Ant6_5825


11AC40SISO_Ant6_5190


11AC40SISO_Ant6_5230


11AC40SISO_Ant6_5270


11AC40SISO_Ant6_5310


11AC40SISO_Ant6_5510


11AC40SISO_Ant6_5550


11AC40SISO_Ant6_5670


11AC40SISO_Ant6_5710_UNII-2C


11AC40SISO_Ant6_5710_UNII-3



11AC40SISO_Ant6_5755



11AC40SISO_Ant6_5795


11AC80SISO_Ant6_5210


11AC80SISO_Ant6_5290


11AC80SISO_Ant6_5530


11AC80SISO_Ant6_5610


11AC80SISO_Ant6_5690_UNII-2C


11AC80SISO_Ant6_5690_UNII-3


11AC80SISO_Ant6_5775


Appendix B. AC Conducted Emission Test Results

Test Engineer :	Amos	**Temperature :**	25.3~26.2℃
		Relative Humidity :	38~40%
Test Voltage :	120Vac / 60Hz	**Phase :**	Line
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		



Site : CO01-KS
Condition : 15E RSS247-QP LISN-060105-L 24+80 LINE

		Freq	Level	Over Limit	Limit Line	Read Level	LISN Factor	Cable Loss	Remark
		MHz	dBuV	dB	dBuV	dBuV	dB	dB	
1		0.184	47.31	-16.97	64.28	36.60	0.25	10.46	QP
2		0.184	33.61	-20.67	54.28	22.90	0.25	10.46	Average
3		0.246	42.55	-19.36	61.91	31.80	0.28	10.47	QP
4		0.246	32.25	-19.66	51.91	21.50	0.28	10.47	Average
5		0.510	38.27	-17.73	56.00	27.50	0.36	10.41	QP
6		0.510	25.27	-20.73	46.00	14.50	0.36	10.41	Average
7	*	1.527	40.86	-15.14	56.00	30.20	0.41	10.25	QP
8		1.527	26.16	-19.84	46.00	15.50	0.41	10.25	Average
9		3.258	40.13	-15.87	56.00	29.50	0.41	10.22	QP
10		3.258	27.53	-18.47	46.00	16.90	0.41	10.22	Average
11		9.552	40.85	-19.15	60.00	30.19	0.43	10.23	QP
12		9.552	30.55	-19.45	50.00	19.89	0.43	10.23	Average

Test Engineer :	Amos	**Temperature :**	25.3~26.2℃
		Relative Humidity :	38~40%
Test Voltage :	120Vac / 60Hz	**Phase :**	Neutral
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		



Site : CO01-KS
Condition : 15E RSS247-QP LISN-060105-N 24+80 NEUTRAL

	Freq	Level	Over Limit	Limit Line	Read Level	LISN Factor	Cable Loss	Remark
	MHz	dBuV	dB	dBuV	dBuV	dB	dB	
1	0.170	39.50	-25.44	64.94	28.80	0.25	10.45	QP
2	0.170	24.00	-30.94	54.94	13.30	0.25	10.45	Average
3	0.237	41.93	-20.29	62.22	31.20	0.26	10.47	QP
4	0.237	27.03	-25.19	52.22	16.30	0.26	10.47	Average
5	0.549	37.94	-18.06	56.00	27.20	0.35	10.39	QP
6	0.549	25.24	-20.76	46.00	14.50	0.35	10.39	Average
7	1.495	40.83	-15.17	56.00	30.21	0.37	10.25	QP
8	1.495	26.23	-19.77	46.00	15.61	0.37	10.25	Average
9 *	1.868	40.83	-15.17	56.00	30.20	0.39	10.24	QP
10	1.868	26.23	-19.77	46.00	15.60	0.39	10.24	Average
11	2.225	39.13	-16.87	56.00	28.50	0.39	10.24	QP
12	2.225	23.53	-22.47	46.00	12.90	0.39	10.24	Average

Note:

1. Level(dBμV) = Read Level(dBμV) + LISN Factor(dB) + Cable Loss(dB)
2. Over Limit(dB) = Level(dBμV) – Limit Line(dBμV)

Appendix C. Radiated Spurious Emission Test Data

Test Engineer :	Chris Chen	Relative Humidity :	41~42%
		Temperature :	22~23℃

Radiated Spurious Emission Test Modes

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Power Setting
Mode 1	U-NII-1	5.15-5.25	6	802.11a	36	5180	6Mbps	-	16
Mode 2	U-NII-1	5.15-5.25	6	802.11a	44	5220	6Mbps	-	19
Mode 3	U-NII-1	5.15-5.25	6	802.11a	48	5240	6Mbps	-	19
Mode 4	U-NII-2A	5.25-5.35	6	802.11a	52	5280	6Mbps	-	19
Mode 5	U-NII-2A	5.25-5.35	6	802.11a	60	5300	6Mbps	-	19
Mode 6	U-NII-2A	5.25-5.35	6	802.11a	64	5320	6Mbps	-	16.5
Mode 7	U-NII-2C	5.47-5.725	6	802.11a	100	5500	6Mbps	-	17.5
Mode 8	U-NII-2C	5.47-5.725	6	802.11a	116	5580	6Mbps	-	19
Mode 9	U-NII-2C	5.47-5.725	6	802.11a	140	5700	6Mbps	-	14.5
Mode 10	U-NII-1	5.15-5.25	6	802.11ac VHT20	36	5180	MCS0	-	16.5
Mode 11	U-NII-1	5.15-5.25	6	802.11ac VHT20	44	5220	MCS0	-	19
Mode 12	U-NII-1	5.15-5.25	6	802.11ac VHT20	48	5240	MCS0	-	19
Mode 13	U-NII-2A	5.25-5.35	6	802.11ac VHT20	52	5280	MCS0	-	19
Mode 14	U-NII-2A	5.25-5.35	6	802.11ac VHT20	60	5300	MCS0	-	19
Mode 15	U-NII-2A	5.25-5.35	6	802.11ac VHT20	64	5320	MCS0	-	16.5
Mode 16	U-NII-2C	5.47-5.725	6	802.11ac VHT20	100	5500	MCS0	-	17
Mode 17	U-NII-2C	5.47-5.725	6	802.11ac VHT20	116	5580	MCS0	-	19
Mode 18	U-NII-2C	5.47-5.725	6	802.11ac VHT20	140	5700	MCS0	-	14
Mode 19	U-NII-1	5.15-5.25	6	802.11ac VHT40	38	5190	MCS0	-	14
Mode 20	U-NII-1	5.15-5.25	6	802.11ac VHT40	46	5230	MCS0	-	17.5
Mode 21	U-NII-2A	5.25-5.35	6	802.11ac VHT40	54	5270	MCS0	-	19
Mode 22	U-NII-2A	5.25-5.35	6	802.11ac VHT40	62	5310	MCS0	-	13
Mode 23	U-NII-2C	5.47-5.725	6	802.11ac VHT40	102	5510	MCS0	-	15
Mode 24	U-NII-2C	5.47-5.725	6	802.11ac VHT40	110	5550	MCS0	-	19
Mode 25	U-NII-2C	5.47-5.725	6	802.11ac VHT40	134	5670	MCS0	-	15.5
Mode 26	U-NII-1	5.15-5.25	6	802.11ac VHT80	42	5210	MCS0	-	12.5
Mode 27	U-NII-2A	5.25-5.35	6	802.11ac VHT80	58	5290	MCS0	-	12
Mode 28	U-NII-2C	5.47-5.725	6	802.11ac VHT80	106	5530	MCS0	-	14
Mode 29	U-NII-2C	5.47-5.725	6	802.11ac VHT80	122	5610	MCS0	-	16
Mode 30	U-NII-3	5.725-5.85	6	802.11a	149	5745	6Mbps	-	19
Mode 31	U-NII-3	5.725-5.85	6	802.11a	157	5785	6Mbps	-	19
Mode 32	U-NII-3	5.725-5.85	6	802.11a	165	5825	6Mbps	-	19
Mode 33	U-NII-3	5.725-5.85	6	802.11ac VHT20	149	5745	MCS0	-	19
Mode 34	U-NII-3	5.725-5.85	6	802.11ac VHT20	157	5785	MCS0	-	19
Mode 35	U-NII-3	5.725-5.85	6	802.11ac VHT20	165	5825	MCS0	-	19
Mode 36	U-NII-3	5.725-5.85	6	802.11ac VHT40	151	5755	MCS0	-	19
Mode 37	U-NII-3	5.725-5.85	6	802.11ac VHT40	159	5795	MCS0	-	19

Mode 38	U-NII-3	5.725-5.85	6	802.11ac VHT80	155	5775	MCS0	-	18
Mode 39	U-NII-2C	5.47-5.725	6	802.11a	144	5720	6Mbps	-	19
Mode 40	U-NII-2C	5.47-5.725	6	802.11ac VHT20	144	5720	MCS0	-	19
Mode 41	U-NII-2C	5.47-5.725	6	802.11ac VHT40	142	5710	MCS0	-	19
Mode 42	U-NII-2C	5.47-5.725	6	802.11ac VHT80	138	5690	MCS0	-	19
Mode 43	U-NII-2A	5.25-5.35	6	802.11ac VHT40	54	5270	MCS0	-	19
Mode 44	2400-2483.5	2400-2483.5	6	Bluetooth-LE	38	2478	2Mbps	-	Default
	U-NII-2A	5.25-5.35	6	802.11ac VHT40	54	5270	MCS0	-	19

Note: Mode 1~42 and 44 is performed with sample 1 and Mode 43 is sample 2 which is verified worse case of the sample 1.

Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
1	802.11a	36	5150.00	49.77	54.00	-4.23	H	AVERAGE	Pass	Band Edge
1	802.11a	36	10360.00	45.02	68.20	-23.18	H	PEAK	Pass	Harmonic
2	802.11a	44	-	-	-	-	-	-	-	Band Edge
2	802.11a	44	10440.00	46.01	68.20	-22.19	V	PEAK	Pass	Harmonic
3	802.11a	48	-	-	-	-	-	-	-	Band Edge
3	802.11a	48	10480.00	46.55	68.20	-21.65	H	PEAK	Pass	Harmonic
4	802.11a	52	-	-	-	-	-	-	-	Band Edge
4	802.11a	52	10560.00	45.96	68.20	-22.24	H	PEAK	Pass	Harmonic
5	802.11a	60	-	-	-	-	-	-	-	Band Edge
5	802.11a	60	10600.00	46.90	74.00	-27.10	V	PEAK	Pass	Harmonic
6	802.11a	64	5350.10	49.62	54.00	-4.38	H	AVERAGE	Pass	Band Edge
6	802.11a	64	8512.00	43.20	68.20	-25.00	H	PEAK	Pass	Harmonic
7	802.11a	100	5467.60	64.86	68.20	-3.34	H	PEAK	Pass	Band Edge
7	802.11a	100	8800.00	43.56	68.20	-24.64	H	PEAK	Pass	Harmonic
8	802.11a	116	-	-	-	-	-	-	-	Band Edge
8	802.11a	116	8928.00	42.20	68.20	-26.00	H	PEAK	Pass	Harmonic
9	802.11a	140	5725.32	64.42	68.20	-3.78	H	PEAK	Pass	Band Edge
9	802.11a	140	11400.00	36.84	54.00	-17.16	H	AVERAGE	Pass	Harmonic
10	802.11ac VHT20	36	5149.40	50.36	54.00	-3.64	H	AVERAGE	Pass	Band Edge
10	802.11ac VHT20	36	10360.00	44.81	68.20	-23.39	H	PEAK	Pass	Harmonic
11	802.11ac VHT20	44	-	-	-	-	-	-	-	Band Edge
11	802.11ac VHT20	44	8352.00	43.75	54.00	-10.25	H	AVERAGE	Pass	Harmonic
12	802.11ac VHT20	48	-	-	-	-	-	-	-	Band Edge
12	802.11ac VHT20	48	10480.00	46.95	68.20	-21.25	H	PEAK	Pass	Harmonic
13	802.11ac VHT20	52	-	-	-	-	-	-	-	Band Edge
13	802.11ac VHT20	52	10560.00	45.38	68.20	-22.82	V	PEAK	Pass	Harmonic
14	802.11ac VHT20	60	-	-	-	-	-	-	-	Band Edge
14	802.11ac VHT20	60	10600.00	37.33	54.00	-16.67	V	AVERAGE	Pass	Harmonic
15	802.11ac VHT20	64	5351.20	49.65	54.00	-4.35	H	AVERAGE	Pass	Band Edge
15	802.11ac VHT20	64	10640.00	45.77	74.00	-28.23	V	PEAK	Pass	Harmonic
16	802.11ac VHT20	100	5469.52	64.97	68.20	-3.23	H	PEAK	Pass	Band Edge
16	802.11ac VHT20	100	8800.00	43.38	68.20	-24.82	H	PEAK	Pass	Harmonic
17	802.11ac VHT20	116	-	-	-	-	-	-	-	Band Edge

17	802.11ac VHT20	116	11160.00	37.93	54.00	-16.07	H	AVERAGE	Pass	Harmonic
18	802.11ac VHT20	140	5725.56	64.73	68.20	-3.47	H	PEAK	Pass	Band Edge
18	802.11ac VHT20	140	11400.00	37.12	54.00	-16.88	V	AVERAGE	Pass	Harmonic
19	802.11ac VHT40	38	5149.28	50.34	54.00	-3.66	H	AVERAGE	Pass	Band Edge
19	802.11ac VHT40	38	10380.00	46.58	68.20	-21.62	H	PEAK	Pass	Harmonic
20	802.11ac VHT40	46	5149.92	49.96	54.00	-4.04	H	AVERAGE	Pass	Band Edge
20	802.11ac VHT40	46	10460.00	46.33	68.20	-21.87	H	PEAK	Pass	Harmonic
21	802.11ac VHT40	54	5350.37	50.78	54.00	-3.22	H	AVERAGE	Pass	Band Edge
21	802.11ac VHT40	54	10540.00	45.65	68.20	-22.55	H	PEAK	Pass	Harmonic
22	802.11ac VHT40	62	5350.10	50.39	54.00	-3.61	H	AVERAGE	Pass	Band Edge
22	802.11ac VHT40	62	10620.00	45.32	74.00	-28.68	H	PEAK	Pass	Harmonic
23	802.11ac VHT40	102	5469.84	61.99	68.20	-6.21	H	PEAK	Pass	Band Edge
23	802.11ac VHT40	102	8816.00	43.18	68.20	-25.02	H	PEAK	Pass	Harmonic
24	802.11ac VHT40	110	5459.20	47.04	54.00	-6.96	H	AVERAGE	Pass	Band Edge
24	802.11ac VHT40	110	8880.00	43.71	68.20	-24.49	H	PEAK	Pass	Harmonic
25	802.11ac VHT40	134	5726.44	63.73	68.20	-4.47	H	PEAK	Pass	Band Edge
25	802.11ac VHT40	134	11340.00	46.70	74.00	-27.30	V	PEAK	Pass	Harmonic
26	802.11ac VHT80	42	5149.76	50.13	54.00	-3.87	H	AVERAGE	Pass	Band Edge
26	802.11ac VHT80	42	8336.00	45.17	54.00	-8.83	H	AVERAGE	Pass	Harmonic
27	802.11ac VHT80	58	5350.90	50.70	54.00	-3.30	H	AVERAGE	Pass	Band Edge
27	802.11ac VHT80	58	10580.00	45.19	68.20	-23.01	V	PEAK	Pass	Harmonic
28	802.11ac VHT80	106	5458.32	50.14	54.00	-3.86	H	AVERAGE	Pass	Band Edge
28	802.11ac VHT80	106	11060.00	44.07	74.00	-29.93	H	PEAK	Pass	Harmonic
29	802.11ac VHT80	122	5746.44	64.19	68.20	-4.01	H	PEAK	Pass	Band Edge
29	802.11ac VHT80	122	11220.00	43.61	74.00	-30.39	H	PEAK	Pass	Harmonic
30	802.11a	149	5619.20	54.70	68.20	-13.50	V	PEAK	Pass	Band Edge
	802.11a	149	11490.00	43.49	74.00	-30.51	V	PEAK	Pass	Harmonic
31	802.11a	157	-	-	-	-	-	-	-	Band Edge
	802.11a	157	11570.00	44.66	74.00	-29.34	V	PEAK	Pass	Harmonic
32	802.11a	165	5939.20	55.85	68.20	-12.35	H	PEAK	Pass	Band Edge
	802.11a	165	11650.00	43.53	74.00	-30.47	H	PEAK	Pass	Harmonic
33	802.11ac VHT20	149	5648.80	54.71	68.20	-13.49	H	PEAK	Pass	Band Edge
	802.11ac VHT20	149	11490.00	43.35	74.00	-30.65	V	PEAK	Pass	Harmonic
34	802.11ac VHT20	157	-	-	-	-	-	-	-	Band Edge
	802.11ac VHT20	157	11570.00	44.74	74.00	-29.26	V	PEAK	Pass	Harmonic
35	802.11ac VHT20	165	5930.80	56.27	68.20	-11.93	H	PEAK	Pass	Band Edge
	802.11ac VHT20	165	11650.00	44.67	74.00	-29.33	V	PEAK	Pass	Harmonic
36	802.11ac VHT40	151	5644.02	58.67	68.20	-9.53	H	PEAK	Pass	Band Edge
	802.11ac VHT40	151	11510.00	43.37	74.00	-30.63	V	PEAK	Pass	Harmonic
37	802.11ac VHT40	159	5926.40	56.57	68.20	-11.63	H	PEAK	Pass	Band Edge
	802.11ac VHT40	159	11590.00	45.00	74.00	-29.00	H	PEAK	Pass	Harmonic
38	802.11ac VHT80	155	5651.60	65.66	69.39	-3.73	H	PEAK	Pass	Band Edge
	802.11ac VHT80	155	11550.00	43.92	74.00	-30.08	V	PEAK	Pass	Harmonic
39	802.11a	144	-	-	-	-	-	-	-	Band Edge
39	802.11a	144	11440.00	43.89	74.00	-30.11	V	PEAK	Pass	Harmonic
40	802.11ac VHT20	144	-	-	-	-	-	-	-	Band Edge
40	802.11ac VHT20	144	11440.00	44.26	74.00	-29.74	V	PEAK	Pass	Harmonic

41	802.11ac VHT40	142	-	-	-	-	-	-	-	Band Edge
41	802.11ac VHT40	142	11420.00	44.55	74.00	-29.45	H	PEAK	Pass	Harmonic
42	802.11ac VHT80	138	-	-	-	-	-	-	-	Band Edge
42	802.11ac VHT80	138	11380.00	43.02	74.00	-30.98	V	PEAK	Pass	Harmonic
43	802.11ac VHT40	54	5350.56	50.55	54.00	-3.45	H	AVERAGE	Pass	Band Edge
43	802.11ac VHT40	54	10540.00	39.97	68.20	-28.23	V	PEAK	Pass	Harmonic
44	Bluetooth-LE	38	2490.22	45.67	54.00	-8.33	H	AVERAGE	Pass	Band Edge
	Bluetooth-LE	38	4956.00	50.67	54.00	-3.33	H	AVERAGE	Pass	Harmonic
	802.11ac VHT40	54	5350.37	50.17	54.00	-3.83	H	AVERAGE	Pass	Band Edge
	802.11ac VHT40	54	10540.00	43.97	68.20	-24.23	V	PEAK	Pass	Harmonic

Mode	1	
	Band Edge	
	U-NII-1_5.15-5.25_802.11a_CH36_5180MHz	
ANT	6	
Pol.	Horizontal	Fundamental
Peak		
Avg		

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5149.70	64.57	74.00	-9.43	52.46	34.20	9.88	31.97	0.00	158	25	PEAK

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5180.00	109.23	------	------	97.05	34.25	9.91	31.98	0.00	158	25	PEAK

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5150.00	49.77	54.00	-4.23	37.66	34.20	9.88	31.97	0.00	158	25	AVERAGE

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5180.00	101.02	------	------	88.84	34.25	9.91	31.98	0.00	158	25	AVERAGE

Mode	1	
	Band Edge	
	U-NII-1_5.15-5.25_802.11a_CH36_5180MHz	
ANT	6	
Pol.	Vertical	Fundamental

Peak



	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5148.90	59.26	74.00	-14.74	47.15	34.20	9.88	31.97	0.00	117	12	PEAK



	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5180.00	101.46	------	------	89.27	34.26	9.91	31.98	0.00	117	12	PEAK

Avg



	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5150.00	45.17	54.00	-8.83	33.06	34.20	9.88	31.97	0.00	117	12	AVERAGE



	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5180.00	92.91	------	------	80.72	34.26	9.91	31.98	0.00	117	12	AVERAGE

Mode	1	
	Harmonic	
	U-NII-1_5.15-5.25_802.11a_CH36_5180MHz	
ANT	6	
Pol.	Horizontal	Vertical
Peak Avg		

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	8288.00	46.99	74.00	-27.01	65.40	35.72	12.58	66.71	0.00	---	---	PEAK
2	10360.00	45.02	68.20	-23.18	58.98	37.50	13.99	65.45	0.00	---	---	PEAK

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	7250.80	44.72	74.00	-29.28	62.49	35.40	11.82	64.99	0.00	---	---	Peak
2	8288.00	42.99	74.00	-31.01	61.40	35.72	12.58	66.71	0.00	---	---	PEAK
3	10360.00	44.73	68.20	-23.47	58.70	37.50	13.99	65.46	0.00	---	---	PEAK

Mode	2	
	Harmonic	
	U-NII-1_5.15-5.25_802.11a_CH44_5220MHz	
ANT	6	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 10440.00 45.32 68.20 -22.88 59.09 37.57 14.02 65.36 0.00 --- --- PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 10440.00 46.01 68.20 -22.19 59.78 37.57 14.02 65.36 0.00 --- --- PEAK

Mode	3	
	Harmonic	
	U-NII-1_5.15-5.25_802.11a_CH48_5240MHz	
ANT	6	
Pol.	Horizontal	Vertical
Peak Avg		

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	8384.00	46.79	74.00	-27.21	65.23	35.67	12.65	66.76	0.00	---	---	PEAK
2	10480.00	46.55	68.20	-21.65	60.17	37.65	14.04	65.31	0.00	---	---	PEAK

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	7338.80	44.21	74.00	-29.79	62.05	35.52	11.90	65.26	0.00	---	---	Peak
2	8384.00	43.53	74.00	-30.47	61.97	35.67	12.65	66.76	0.00	---	---	PEAK
3	10480.00	45.45	68.20	-22.75	59.06	37.66	14.04	65.31	0.00	---	---	PEAK

Mode	4	
	Harmonic	
	U-NII-2A_5.25-5.35_802.11a_CH52_5280MHz	
ANT	6	
Pol.	Horizontal	Vertical
Peak Avg		

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	8415.70	43.83	74.00	-30.17	62.26	35.67	12.67	66.77	0.00	---	---	Peak
2	10560.00	45.96	68.20	-22.24	59.47	37.63	14.07	65.21	0.00	---	---	PEAK

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	7365.20	44.52	74.00	-29.48	62.38	35.56	11.92	65.34	0.00	---	---	Peak
2	10560.00	45.55	68.20	-22.65	59.05	37.63	14.07	65.20	0.00	---	---	PEAK

Mode	5	
	Harmonic	
	U-NII-2A_5.25-5.35_802.11a_CH60_5300MHz	
ANT	6	
Pol.	Horizontal	Vertical
Peak Avg		

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	8480.00	44.87	74.00	-29.13	63.31	35.66	12.70	66.80	0.00	---	---	PEAK
2	10600.00	46.59	74.00	-27.41	60.08	37.60	14.08	65.17	0.00	---	---	PEAK

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	7419.10	45.68	74.00	-28.32	63.57	35.66	11.95	65.50	0.00	---	---	Peak
2	8480.00	42.45	74.00	-31.55	60.89	35.66	12.70	66.80	0.00	---	---	PEAK
3	10600.00	46.90	74.00	-27.10	60.39	37.60	14.08	65.17	0.00	---	---	PEAK

Mode	6	
	Band Edge	
	U-NII-2A_5.25-5.35_802.11a_CH64_5320MHz	
ANT	6	
Pol.	Horizontal	Fundamental

Peak



	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5350.60	61.92	74.00	-12.08	49.17	34.60	10.08	31.93	0.00	146	30	PEAK



	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5320.00	111.32	------	------	98.76	34.48	10.05	31.97	0.00	146	30	PEAK

Avg



	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5350.10	49.62	54.00	-4.38	36.87	34.60	10.08	31.93	0.00	146	30	AVERAGE



	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5320.00	102.75	------	------	90.19	34.48	10.05	31.97	0.00	146	30	AVERAGE

Mode	6	
	Band Edge	
	U-NII-2A_5.25-5.35_802.11a_CH64_5320MHz	
ANT	6	
Pol.	Vertical	Fundamental

Peak



	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5350.20	54.01	74.00	-19.99	41.26	34.60	10.08	31.93	0.00	300	274	PEAK



	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5320.00	99.54	------	------	86.98	34.48	10.05	31.97	0.00	300	274	PEAK

Avg



	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5350.00	43.67	54.00	-10.33	30.92	34.60	10.08	31.93	0.00	300	274	AVERAGE



	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5320.00	91.28	------	------	78.72	34.48	10.05	31.97	0.00	300	274	AVERAGE

Mode	6	
	Harmonic	
	U-NII-2A_5.25-5.35_802.11a_CH64_5320MHz	
ANT	6	
Pol.	Horizontal	Vertical
Peak Avg		

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	8512.00	43.20	68.20	-25.00	61.59	35.70	12.72	66.81	0.00	---	---	PEAK
2	10640.00	46.81	74.00	-27.19	60.23	37.60	14.10	65.12	0.00	---	---	PEAK

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	8512.00	42.39	68.20	-25.81	60.78	35.70	12.72	66.81	0.00	---	---	PEAK
2	10640.00	46.60	74.00	-27.40	60.02	37.60	14.10	65.12	0.00	---	---	PEAK

Mode	7	
	Band Edge	
	U-NII-2C_5.47-5.725_802.11a_CH100_5500MHz	
ANT	6	
Pol.	Horizontal	Fundamental

Peak



	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5456.88	59.29	74.00	-14.71	46.26	34.79	10.18	31.94	0.00	159	318	PEAK
2	5467.60	64.86	68.20	-3.34	51.86	34.76	10.19	31.95	0.00	159	318	PEAK



	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5500.00	110.93	------	------	98.00	34.70	10.22	31.99	0.00	159	318	PEAK

Avg



	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5458.80	47.51	54.00	-6.49	34.49	34.78	10.18	31.94	0.00	159	318	AVERAGE



	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5500.00	102.92	------	------	89.99	34.70	10.22	31.99	0.00	159	318	AVERAGE

Mode	7	
	Band Edge	
	U-NII-2C_5.47-5.725_802.11a_CH100_5500MHz	
ANT	6	
Pol.	Vertical	Fundamental

Peak



	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5451.28	53.34	74.00	-20.66	40.29	34.80	10.18	31.93	0.00	375	0	PEAK
2	5469.84	56.69	68.20	-11.51	43.69	34.76	10.19	31.95	0.00	375	0	PEAK



	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5500.00	102.79	------	------	89.86	34.70	10.22	31.99	0.00	375	0	PEAK

Avg



	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5459.44	43.33	54.00	-10.67	30.31	34.78	10.18	31.94	0.00	375	0	AVERAGE



	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5500.00	93.89	------	------	80.96	34.70	10.22	31.99	0.00	375	0	AVERAGE

Mode	7	
	Harmonic	
	U-NII-2C_5.47-5.725_802.11a_CH100_5500MHz	
ANT	6	
Pol.	Horizontal	Vertical
Peak Avg		

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	8800.00	43.56	68.20	-24.64	61.30	36.00	13.01	66.75	0.00	---	---	PEAK
2	11000.00	46.00	74.00	-28.00	58.66	37.80	14.24	64.70	0.00	---	---	PEAK

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	8800.00	42.27	68.20	-25.93	60.01	36.00	13.01	66.75	0.00	---	---	PEAK
2	11000.00	45.81	74.00	-28.19	58.47	37.80	14.24	64.70	0.00	---	---	PEAK

Mode	8	
	Harmonic	
	U-NII-2C_5.47-5.725_802.11a_CH116_5580MHz	
ANT	6	
Pol.	Horizontal	Vertical
Peak Avg		

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	8928.00	42.20	68.20	-26.00	59.87	35.96	13.09	66.72	0.00	---	---	PEAK
2	11160.00	46.66	74.00	-27.34	58.91	37.90	14.36	64.51	0.00	---	---	PEAK

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	8928.00	41.96	68.20	-26.24	59.63	35.96	13.09	66.72	0.00	---	---	PEAK
2	11160.00	46.21	74.00	-27.79	58.46	37.90	14.36	64.51	0.00	---	---	PEAK

Mode	9	
	Band Edge	
	U-NII-2C_5.47-5.725_802.11a_CH140_5700MHz	
ANT	6	
Pol.	Horizontal	Fundamental
Peak		
Avg	Blank	

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5725.96	64.42	68.20	-3.78	51.45	34.50	10.43	31.96	0.00	100	338	PEAK

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5700.00	105.74	------	------	92.85	34.50	10.41	32.02	0.00	100	338	PEAK

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5700.00	97.88	------	------	85.00	34.50	10.40	32.02	0.00	100	338	AVERAGE

Mode	9	
	Band Edge	
	U-NII-2C_5.47-5.725_802.11a_CH140_5700MHz	
ANT	6	
Pol.	Vertical	Fundamental
Peak		
Avg	Blank	

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5725.24	55.33	68.20	-12.87	42.36	34.50	10.43	31.96	0.00	333	324	PEAK

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5700.00	100.33	------	------	87.45	34.50	10.40	32.02	0.00	333	324	PEAK

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5700.00	91.87	------	------	78.99	34.50	10.40	32.02	0.00	333	324	AVERAGE

Mode	9
	Harmonic
	U-NII-2C_5.47-5.725_802.11a_CH140_5700MHz
ANT	6

Pol.	Horizontal	Vertical

Peak



	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	9120.00	41.92	74.00	-32.08	59.28	36.14	13.18	66.68	0.00	---	---	PEAK
2	11400.00	47.42	74.00	-26.58	59.22	37.90	14.53	64.23	0.00	300	0	PEAK
3	11400.00	36.84	54.00	-17.16	48.64	37.90	14.53	64.23	0.00	300	0	AVERAGE

Avg



	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	9120.00	42.21	74.00	-31.79	59.57	36.14	13.18	66.68	0.00	---	---	PEAK
2	11400.00	46.24	74.00	-27.76	58.04	37.90	14.53	64.23	0.00	---	---	PEAK

Mode	10	
	Band Edge	
	U-NII-1_5.15-5.25_802.11ac VHT20_CH36_5180MHz	
ANT	6	
Pol.	Horizontal	Fundamental

Peak



	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5149.90	62.83	74.00	-11.17	50.72	34.20	9.88	31.97	0.00	134	25	PEAK



	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5180.00	109.01	------	------	96.82	34.26	9.91	31.98	0.00	134	25	PEAK

Avg



	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5149.40	50.36	54.00	-3.64	38.25	34.20	9.88	31.97	0.00	134	25	AVERAGE



	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5180.00	100.57	------	------	88.38	34.26	9.91	31.98	0.00	134	25	AVERAGE

Mode	10	
	Band Edge	
	U-NII-1_5.15-5.25_802.11ac VHT20_CH36_5180MHz	
ANT	6	
Pol.	Vertical	Fundamental

Peak



	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5139.30	55.66	74.00	-18.34	43.54	34.22	9.87	31.97	0.00	317	316	PEAK



	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5180.00	98.44	------	------	86.26	34.25	9.91	31.98	0.00	317	316	PEAK

Avg



	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5149.90	44.85	54.00	-9.15	32.74	34.20	9.88	31.97	0.00	317	316	AVERAGE



	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5180.00	90.89	------	------	78.70	34.26	9.91	31.98	0.00	317	316	AVERAGE

Mode	10	
	Harmonic	
	U-NII-1_5.15-5.25_802.11ac VHT20_CH36_5180MHz	
ANT	6	
Pol.	Horizontal	Vertical

Peak

Avg



	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	8288.00	46.53	74.00	-27.47	64.94	35.72	12.58	66.71	0.00	---	---	PEAK
2	10360.00	44.81	68.20	-23.39	58.76	37.50	13.99	65.44	0.00	---	---	PEAK



	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	7249.70	44.30	68.20	-23.90	62.06	35.40	11.82	64.98	0.00	---	---	Peak
2	8288.00	42.95	74.00	-31.05	61.36	35.72	12.58	66.71	0.00	---	---	PEAK
3	10360.00	44.73	68.20	-23.47	58.68	37.50	13.99	65.44	0.00	---	---	PEAK

Mode	11	
	Harmonic	
	U-NII-1_5.15-5.25_802.11ac VHT20_CH44_5220MHz	
ANT	6	
Pol.	Horizontal	Vertical

Peak

Avg



	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	8352.00	47.08	74.00	-26.92	65.59	35.60	12.63	66.74	0.00	300	0	PEAK
2	8352.00	43.75	54.00	-10.25	62.26	35.60	12.63	66.74	0.00	300	0	AVERAGE
3	10440.00	45.20	68.20	-23.00	58.92	37.60	14.02	65.34	0.00	---	---	PEAK



	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	7311.30	42.72	74.00	-31.28	60.44	35.58	11.87	65.17	0.00	179	360	
2	8352.00	43.72	74.00	-30.28	62.23	35.60	12.63	66.74	0.00	---	---	PEAK
3	10440.00	46.38	68.20	-21.82	60.16	37.56	14.02	65.36	0.00	---	---	PEAK

Mode	12	
	Harmonic	
	U-NII-1_5.15-5.25_802.11ac VHT20_CH48_5240MHz	
ANT	6	
Pol.	Horizontal	Vertical
Peak Avg		

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	8383.80	45.01	74.00	-28.99	63.45	35.67	12.65	66.76	0.00	---	---	Peak
2	10480.00	46.95	68.20	-21.25	60.54	37.67	14.04	65.30	0.00	---	---	PEAK

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	7341.00	44.88	74.00	-29.12	62.72	35.52	11.90	65.26	0.00	---	---	Peak
2	10480.00	46.14	68.20	-22.06	59.79	37.64	14.03	65.32	0.00	---	---	PEAK

Mode	13	
	Harmonic	
	U-NII-2A_5.25-5.35_802.11ac VHT20_CH52_5280MHz	
ANT	6	
Pol.	Horizontal	Vertical
Peak Avg		

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	8415.70	44.20	74.00	-29.80	62.63	35.67	12.67	66.77	0.00	---	---	Peak
2	10560.00	45.11	68.20	-23.09	58.61	37.64	14.07	65.21	0.00	---	---	PEAK

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	7364.10	44.51	74.00	-29.49	62.36	35.56	11.92	65.33	0.00	---	---	Peak
2	10560.00	45.38	68.20	-22.82	58.88	37.63	14.07	65.20	0.00	---	---	PEAK

Mode	14
	Harmonic
	U-NII-2A_5.25-5.35_802.11ac VHT20_CH60_5300MHz
ANT	6

Pol.	Horizontal	Vertical
Peak Avg		

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	8480.00	44.99	74.00	-29.01	63.43	35.66	12.70	66.80	0.00	---	---	PEAK
2	10600.00	48.30	74.00	-25.70	61.79	37.60	14.08	65.17	0.00	300	0	PEAK
3	10600.00	36.96	54.00	-17.04	50.43	37.60	14.09	65.16	0.00	300	0	AVERAGE

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	7419.10	45.78	74.00	-28.22	63.67	35.66	11.95	65.50	0.00	---	---	Peak
2	10600.00	47.07	74.00	-26.93	60.56	37.60	14.08	65.17	0.00	100	0	PEAK
3	10600.00	37.33	54.00	-16.67	50.82	37.60	14.08	65.17	0.00	100	0	AVERAGE

Mode	15	
	Band Edge	
	U-NII-2A_5.25-5.35_802.11ac VHT20_CH64_5320MHz	
ANT	6	
Pol.	Horizontal	Fundamental

Peak



	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5350.60	63.87	74.00	-10.13	51.12	34.60	10.08	31.93	0.00	204	36	PEAK



	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5320.00	109.73	------	------	97.17	34.48	10.05	31.97	0.00	204	36	PEAK

Avg



	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5351.20	49.65	54.00	-4.35	36.90	34.60	10.08	31.93	0.00	204	36	AVERAGE



	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5320.00	101.00	------	------	88.44	34.48	10.05	31.97	0.00	204	36	AVERAGE

Mode	15	
	Band Edge	
	U-NII-2A_5.25-5.35_802.11ac VHT20_CH64_5320MHz	
ANT	6	
Pol.	Vertical	Fundamental

Peak



	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5356.30	55.93	74.00	-18.07	43.16	34.60	10.09	31.92	0.00	300	319	PEAK



	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5320.00	99.18	------	------	86.62	34.48	10.05	31.97	0.00	300	319	PEAK

Avg



	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5350.30	43.70	54.00	-10.30	30.95	34.60	10.08	31.93	0.00	300	319	AVERAGE



	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5320.00	91.61	------	------	79.05	34.48	10.05	31.97	0.00	300	319	AVERAGE

Mode	15	
	Harmonic	
	U-NII-2A_5.25-5.35_802.11ac VHT20_CH64_5320MHz	
ANT	6	
Pol.	Horizontal	Vertical
Peak Avg		

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	10640.00	45.37	74.00	-28.63	58.79	37.60	14.10	65.12	0.00	---	---	PEAK

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	10640.00	45.77	74.00	-28.23	59.19	37.60	14.10	65.12	0.00	---	---	PEAK

Mode	16	
	Band Edge	
	U-NII-2C_5.47-5.725_802.11ac VHT20_CH100_5500MHz	
ANT	6	
Pol.	Horizontal	Fundamental

Peak



	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5456.40	58.13	74.00	-15.87	45.10	34.79	10.18	31.94	0.00	157	318	PEAK
2	5469.52	64.97	68.20	-3.23	51.97	34.76	10.19	31.95	0.00	157	318	PEAK



	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5500.00	111.10	------	------	98.17	34.70	10.22	31.99	0.00	157	318	PEAK

Avg



	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5458.64	46.81	54.00	-7.19	33.79	34.78	10.18	31.94	0.00	157	318	AVERAGE



	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5500.00	102.34	------	------	89.41	34.70	10.22	31.99	0.00	157	318	AVERAGE

Mode	16	
	Band Edge	
	U-NII-2C_5.47-5.725_802.11ac VHT20_CH100_5500MHz	
ANT	6	
Pol.	Vertical	Fundamental

Peak



	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5400.24	53.88	74.00	-20.12	41.02	34.60	10.13	31.87	0.00	278	0	PEAK
2	5467.44	54.04	68.20	-14.16	41.03	34.77	10.19	31.95	0.00	278	0	PEAK



	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5500.00	101.75	------	------	88.82	34.70	10.22	31.99	0.00	278	0	PEAK

Avg



	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5456.24	43.37	54.00	-10.63	30.34	34.79	10.18	31.94	0.00	278	0	AVERAGE



	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5500.00	93.43	------	------	80.50	34.70	10.22	31.99	0.00	278	0	AVERAGE

Mode	16	
	Harmonic	
	U-NII-2C_5.47-5.725_802.11ac VHT20_CH100_5500MHz	
ANT	6	
Pol.	Horizontal	Vertical
Peak Avg		

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	8800.00	43.38	68.20	-24.82	61.12	36.00	13.01	66.75	0.00	---	---	PEAK
2	11000.00	46.26	74.00	-27.74	58.92	37.80	14.24	64.70	0.00	---	---	PEAK

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	8800.00	42.70	68.20	-25.50	60.44	36.00	13.01	66.75	0.00	---	---	PEAK
2	11000.00	46.22	74.00	-27.78	58.88	37.80	14.24	64.70	0.00	---	---	PEAK

Mode	17
	Harmonic
	U-NII-2C_5.47-5.725_802.11ac VHT20_CH116_5580MHz
ANT	6

Pol.	Horizontal	Vertical

Peak



	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	8928.00	43.45	68.20	-24.75	61.12	35.96	13.09	66.72	0.00	---	---	PEAK
2	11160.00	47.66	74.00	-26.34	59.91	37.90	14.36	64.51	0.00	300	0	PEAK
3	11160.00	37.93	54.00	-16.07	50.18	37.90	14.36	64.51	0.00	300	0	AVERAGE

Avg



	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	8928.00	42.25	68.20	-25.95	59.92	35.96	13.09	66.72	0.00	---	---	PEAK
2	11160.00	47.13	74.00	-26.87	59.38	37.90	14.36	64.51	0.00	100	0	PEAK
3	11160.00	37.26	54.00	-16.74	49.52	37.90	14.35	64.51	0.00	100	0	AVERAGE

Mode	18	
	Band Edge	
	U-NII-2C_5.47-5.725_802.11ac VHT20_CH140_5700MHz	
ANT	6	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5725.56 64.73 68.20 -3.47 51.76 34.50 10.43 31.96 0.00 164 340 PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5700.00 106.80 ------ ------ 93.91 34.50 10.41 32.02 0.00 164 340 PEAK
Avg	Blank	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5700.00 98.80 ------ ------ 85.92 34.50 10.40 32.02 0.00 164 340 AVERAGE

Mode	18	
	Band Edge	
	U-NII-2C_5.47-5.725_802.11ac VHT20_CH140_5700MHz	
ANT	6	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5754.76 55.43 68.20 -12.77 42.33 34.52 10.46 31.88 0.00 316 326 PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5700.00 99.55 ------ ------ 86.66 34.50 10.41 32.02 0.00 316 326 PEAK
Avg	Blank	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5700.00 91.01 ------ ------ 78.13 34.50 10.40 32.02 0.00 316 326 AVERAGE

Mode	18	
	Harmonic	
	U-NII-2C_5.47-5.725_802.11ac VHT20_CH140_5700MHz	
ANT	6	
Pol.	Horizontal	Vertical
Peak Avg		

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	9120.00	43.67	74.00	-30.33	61.03	36.14	13.18	66.68	0.00	---	---	PEAK
2	11400.00	46.67	74.00	-27.33	58.47	37.90	14.53	64.23	0.00	---	---	PEAK

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	9120.00	43.13	74.00	-30.87	60.49	36.14	13.18	66.68	0.00	---	---	PEAK
2	11400.00	47.61	74.00	-26.39	59.41	37.90	14.53	64.23	0.00	100	0	PEAK
3	11400.00	37.12	54.00	-16.88	48.92	37.90	14.53	64.23	0.00	100	0	AVERAGE

Mode	19	
	Band Edge - L	
	U-NII-1_5.15-5.25_802.11ac VHT40_CH38_5190MHz	
ANT	6	
Pol.	Horizontal	Fundamental

Peak



	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5141.76	64.12	74.00	-9.88	52.00	34.22	9.87	31.97	0.00	146	28	PEAK



	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5190.00	104.37	------	------	92.15	34.29	9.92	31.99	0.00	146	28	PEAK

Avg



	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5149.28	50.34	54.00	-3.66	38.23	34.20	9.88	31.97	0.00	146	28	AVERAGE



	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5190.00	96.01	------	------	83.80	34.28	9.92	31.99	0.00	146	28	AVERAGE

Mode	19	
	Band Edge - R	
	U-NII-1_5.15-5.25_802.11ac VHT40_CH38_5190MHz	
ANT	6	
Pol.	Horizontal	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5422.47 53.85 74.00 -20.15 40.91 34.69 10.15 31.90 0.00 146 28 PEAK	Blank
Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5350.38 43.71 54.00 -10.29 30.96 34.60 10.08 31.93 0.00 146 28 AVERAGE	Blank

Mode	19	
	Band Edge - L	
	U-NII-1_5.15-5.25_802.11ac VHT40_CH38_5190MHz	
ANT	6	
Pol.	Vertical	Fundamental
Peak		
Avg		

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5141.44	55.30	74.00	-18.70	43.18	34.22	9.87	31.97	0.00	300	284	PEAK

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5190.00	93.02	------	------	80.80	34.29	9.92	31.99	0.00	300	284	PEAK

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5148.80	45.10	54.00	-8.90	32.99	34.20	9.88	31.97	0.00	300	284	AVERAGE

	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5190.00	84.31	------	------	72.09	34.29	9.92	31.99	0.00	300	284	AVERAGE

Mode	19	
	Band Edge - R	
	U-NII-1_5.15-5.25_802.11ac VHT40_CH38_5190MHz	
ANT	6	
Pol.	Vertical	Fundamental
Peak	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5441.64 53.05 74.00 -20.95 40.03 34.77 10.17 31.92 0.00 300 284 PEAK	Blank
Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 5428.68 43.48 54.00 -10.52 30.51 34.71 10.16 31.90 0.00 300 284 AVERAGE	Blank

Mode	19	
	Harmonic	
	U-NII-1_5.15-5.25_802.11ac VHT40_CH38_5190MHz	
ANT	6	
Pol.	Horizontal	Vertical
Peak Avg	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 10380.00 46.58 68.20 -21.62 60.47 37.50 14.01 65.40 0.00 --- --- PEAK	 Freq Level Limit Line Over Limit Read Level Ant Factor Cable Loss Preamp Factor Aux Factor APos TPos Remark MHz dBuV/m dBuV/m dB dBuV dB/m dB dB dB cm deg 1 10380.00 45.91 68.20 -22.29 59.83 37.50 14.00 65.42 0.00 --- --- PEAK

Mode	20	
	Band Edge - L	
	U-NII-1_5.15-5.25_802.11ac VHT40_CH46_5230MHz	
ANT	6	
Pol.	Horizontal	Fundamental

Peak



	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5141.60	64.11	74.00	-9.89	51.99	34.22	9.87	31.97	0.00	122	24	PEAK



	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5230.00	109.12	------	------	96.85	34.30	9.96	31.99	0.00	122	24	PEAK

Avg



	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5149.92	49.96	54.00	-4.04	37.85	34.20	9.88	31.97	0.00	122	24	AVERAGE



	Freq	Level	Limit Line	Over Limit	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	
1	5230.00	100.91	------	------	88.64	34.30	9.96	31.99	0.00	122	24	AVERAGE