




802.11be(EHT20)\_HCH\_5825MHz\_26+52\_ / Ant1\_NTNV




802.11be(EHT20)\_HCH\_5825MHz\_26+52\_ / Ant2\_NTNV




802.11be(EHT20)\_HCH\_5825MHz\_26+52\_ / MIMO\_NTNV




802.11be(EHT20)\_HCH\_5825MHz\_26+106\_ / Ant1\_NTNV




802.11be(EHT20)\_HCH\_5825MHz\_26+106 / Ant2\_NTNV




802.11be(EHT20)\_HCH\_5825MHz\_26+106 / MIMO\_NTNV




802.11be(EHT20)\_HCH\_5720MHz\_RU26\_Left\_Ant1\_NTNV




802.11be(EHT20)\_HCH\_5720MHz\_RU26\_Left\_Ant2\_NTNV




802.11be(EHT20)\_HCH\_5720MHz\_RU26\_Left\_MIMO\_NTNV




802.11be(EHT20)\_HCH\_5720MHz\_RU52\_Left\_Ant1\_NTNV




802.11be(EHT20)\_HCH\_5720MHz\_RU52\_Left\_Ant2\_NTNV




802.11be(EHT20)\_HCH\_5720MHz\_RU52\_Left\_MIMO\_NTNV




802.11be(EHT20)\_HCH\_5720MHz\_RU106\_Left\_Ant1\_NTNV




802.11be(EHT20)\_HCH\_5720MHz\_RU106\_Left\_Ant2\_NTNV




802.11be(EHT20)\_HCH\_5720MHz\_RU106\_Left MIMO\_NTNV




802.11be(EHT20)\_HCH\_5720MHz\_SU / Ant1\_NTNV




802.11be(EHT20) HCH\_5720MHz\_SU\_ / \_Ant2\_NTNV




802.11be(EHT20) HCH\_5720MHz\_SU\_ / \_MIMO\_NTNV




802.11be(EHT20)\_HCH\_5720MHz\_26+52\_ / Ant1\_NTNV




802.11be(EHT20)\_HCH\_5720MHz\_26+52\_ / Ant2\_NTNV




802.11be(EHT20)\_HCH\_5720MHz\_26+52 / MIMO\_NTNV




802.11be(EHT20)\_HCH\_5720MHz\_26+106 / Ant1\_NTNV




802.11be(EHT20)\_HCH\_5720MHz\_26+106 / Ant2\_NTNV




802.11be(EHT20)\_HCH\_5720MHz\_26+106 / MIMO\_NTNV




802.11be(EHT40)\_LCH\_5755MHz\_SU\_/\_Ant1\_NTNV




802.11be(EHT40)\_LCH\_5755MHz\_SU\_/\_Ant2\_NTNV




802.11be(EHT40)\_LCH\_5755MHz\_SU / MIMO\_NTNV




802.11be(EHT40)\_HCH\_5795MHz\_SU / Ant1\_NTNV




802.11be(EHT40) HCH\_5795MHz\_SU\_ / \_Ant2\_NTNV




802.11be(EHT40) HCH\_5795MHz\_SU\_ / \_MIMO\_NTNV




802.11be(EHT40)\_HCH\_5710MHz\_SU\_/\_Ant1\_NTNV




802.11be(EHT40)\_HCH\_5710MHz\_SU\_/\_Ant2\_NTNV




802.11be(EHT40)\_HCH\_5710MHz\_SU / MIMO\_NTNV




802.11be(EHT80)\_MCH\_5775MHz\_SU / Ant1\_NTNV




802.11be(EHT80) MCH\_5775MHz\_SU\_ / Ant2\_NTNV




802.11be(EHT80) MCH\_5775MHz\_SU\_ / MIMO\_NTNV




802.11be(EHT80)\_MCH\_5775MHz\_242+484 / \_Ant1\_NTNV




802.11be(EHT80)\_MCH\_5775MHz\_242+484 / \_Ant2\_NTNV




802.11be(EHT80)\_MCH\_5775MHz\_242+484 / MIMO NTN




802.11be(EHT80)\_MCH\_5775MHz\_P-20M-RU484+242 / Ant1 NTN




802.11be(EHT80)\_MCH\_5775MHz\_P-20M-RU484+242\_ / Ant2\_NTNV




802.11be(EHT80)\_MCH\_5775MHz\_P-20M-RU484+242\_ / MIMO\_NTNV




802.11be(EHT80)\_HCH\_5690MHz\_SU / \_Ant1\_NTNV




802.11be(EHT80)\_HCH\_5690MHz\_SU / \_Ant2\_NTNV



802.11be(EHT80)\_HCH\_5690MHz\_SU / MIMO\_NTNV



802.11be(EHT80)\_HCH\_5690MHz\_242+484 / Ant1\_NTNV




## SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250600052507


Rev.: 01

Page: 284 of 517


802.11be(EHT80)\_HCH\_5690MHz\_242+484\_/\_Ant2\_NTNV




802.11be(EHT80)\_HCH\_5690MHz\_242+484\_/\_MIMO\_NTNV



802.11be(EHT80)\_HCH\_5690MHz\_P-20M-RU484+242 / Ant1 NTN



802.11be(EHT80)\_HCH\_5690MHz\_P-20M-RU484+242 / Ant2 NTN




## SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250600052507

Rev.: 01

Page: 286 of 517

802.11be(EHT80)\_HCH\_5690MHz\_P-20M-RU484+242\_/\_MIMO\_NTNV





## SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250600052507

Rev.: 01

Page: 287 of 517

### 4. Signal Calibration



#### 4.1 Test Result

##### 4.1.1 SC

Band: 2C							
Mode	Bandwidth (MHz)	Frequency (MHz)	Radar Signal		Signal Calibration		Verdict
			Type	Trial Id	Result	Limit	
802.11BE160	160	5570	0	0	Refer To Test Graph		Pass
			1	0	Refer To Test Graph		Pass
			2	0	Refer To Test Graph		Pass
			3	0	Refer To Test Graph		Pass
			4	0	Refer To Test Graph		Pass
			5	0	Refer To Test Graph		Pass
			6	0	Refer To Test Graph		Pass

### 4.2 Test Graph

#### 4.2.1 SC




## SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250600052507


Rev.: 01

Page: 289 of 517

Signal Calibration\_802.11BE160\_2C\_5570MHz\_RadarType2\_Trial0



Signal Calibration\_802.11BE160\_2C\_5570MHz\_RadarType3\_Trial0




## SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250600052507


Rev.: 01

Page: 290 of 517

Signal Calibration\_802.11BE160\_2C\_5570MHz\_RadarType4\_Trial0



Signal Calibration\_802.11BE160\_2C\_5570MHz\_RadarType5\_Trial0




## SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250600052507

Rev.: 01

Page: 291 of 517

Signal Calibration\_802.11BE160\_2C\_5570MHz\_RadarType6\_Trial0





**SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.**

Report No.: SUCR250600052507  
Rev.: 01  
Page: 292 of 517

5. Channel Loading (Payload)

5.1 Test Result

5.1.1 Payload

Band: 2C					
Mode	Bandwidth (MHz)	Frequency (MHz)	Channel Loading (Payload) (%)		Verdict
			Result	Limit	
802.11BE160	160	5570	19.58	>=17	Pass

## SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.


Report No.: SUCR250600052507

Rev.: 01

Page: 293 of 517

### 2.2 Test Graph

#### 2.2.1 Payload





## SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250600052507

Rev.: 01

Page: 294 of 517

### 6. Channel Move Time and Closing Transmission Time

#### 6.1 Test Result

##### 6.1.1 CMT\_CTT

Band: 2C							
Mode	Bandwidth (MHz)	Frequency (MHz)	Channel Closing Transmission Time (ms)		Channel Move Time (s)		Verdict
			Result	Limit	Result	Limit	
802.11BE160	160	5570	10.500	<= 60	0.934	<=10	Pass

## SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.


Report No.: SUCR250600052507

Rev.: 01

Page: 295 of 517

### 3.2 Test Graph

#### 3.2.1 CMT\_CTT





**SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.**

Report No.: SUCR250600052507  
Rev.: 01  
Page: 296 of 517

7. Non-Occupancy Period

7.1 Test Result

7.1.1 Period

Band: 2C					
Mode	Bandwidth (MHz)	Frequency (MHz)	Non-Occupancy Period		Verdict
			Result	Limit	
802.11BE160	160	5570	Refer To Test Graph		Pass

## SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.


Report No.: SUCR250600052507

Rev.: 01

Page: 297 of 517

### 4.2 Test Graph


#### 4.2.1 Period




## Radiated Spurious Emissions

### Radiated emission below 1GHz

Worst case Mode: 802.11ac40\_Channel 38



Final Data List										
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	QP Value [dBµV/m]	QP Limit [dBµV/m]	QP Margin [dB]	Height [cm]	Angle [°]	Polarity
1	40.67	40.95	18.80	-34.18	25.57	40.00	14.43	196	342	Horizontal
2	46.005	39.70	19.10	-34.18	24.62	40.00	15.38	203	342	Horizontal
3	58.8575	38.50	17.61	-34.10	22.01	40.00	17.99	187	159	Horizontal
4	66.375	40.38	17.23	-34.04	23.56	40.00	16.44	245	0	Horizontal
5	146.6425	40.88	19.10	-33.54	26.44	43.50	17.06	162	191	Horizontal
6	232.245	43.11	16.54	-32.93	26.72	46.00	19.28	199	135	Horizontal




Final Data List										
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	QP Value [dBµV/m]	QP Limit [dBµV/m]	QP Margin [dB]	Height [cm]	Angle [°]	Polarity
1	30.485	46.85	18.15	-34.18	30.82	40.00	9.18	196	33	Vertical
2	41.155	45.81	18.78	-34.18	30.41	40.00	9.59	235	357	Vertical
3	44.7925	47.58	18.88	-34.18	32.28	40.00	7.72	187	232	Vertical
4	57.4025	42.93	17.94	-34.12	26.75	40.00	13.25	211	184	Vertical
5	66.375	40.82	17.23	-34.04	24.00	40.00	16.00	195	241	Vertical
6	227.6375	44.34	16.36	-32.96	27.74	46.00	18.26	165	280	Vertical

**Remark:**

- The field strength is calculated by adding the Antenna Factor, Cable Factor & Preamplifier gain. The basic equation with a sample calculation is as follows:  
 Value = Reading(dBµV) + AF(dB/m) + Factor(dB):  
 AF = Antenna Factor(dB/m)  
 Factor = Cable Factor(dB) - Preamplifier gain(dB)  
 Margin = Limit(dBµV/m) – Value(dBµV/m)
- All channels have been tested, but only the worst case data displayed in this report.


**Transmitter emission Above 1GHz**

**11a\_Channel 36**




Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	7258.2333	45.22	36.31	-37.68	43.85	54.00	10.15	Horizontal
2	8288.25	43.68	37.24	-36.00	44.92	54.00	9.08	Horizontal
3	7257.85	51.98	36.31	-37.68	50.61	74.00	23.39	Horizontal
4	8287.8667	47.33	37.24	-36.00	48.57	74.00	25.43	Horizontal
5	10360	38.58	38.08	-31.48	45.18	68.30	23.12	Horizontal
6	15540	37.02	39.07	-27.58	48.51	74.00	25.49	Horizontal

### 11a\_Channel 36




Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	7252.4833	42.63	36.30	-37.69	41.24	54.00	12.76	Vertical
2	7244.4333	49.78	36.29	-37.72	48.36	68.30	19.94	Vertical
3	10360	36.68	38.08	-31.48	43.28	68.30	25.02	Vertical
4	15540	36.58	39.07	-27.58	48.07	74.00	25.93	Vertical

### 11a\_Channel 44




Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	7314.5833	46.58	36.38	-37.60	45.35	54.00	8.65	Horizontal
2	8352.2667	42.23	37.28	-35.88	43.63	54.00	10.37	Horizontal
3	7307.6833	53.41	36.37	-37.58	52.20	74.00	21.80	Horizontal
4	8351.8833	46.60	37.28	-35.88	48.00	74.00	26.00	Horizontal
5	10440	38.99	38.12	-31.11	46.00	68.30	22.30	Horizontal
6	15660	38.72	38.85	-27.75	49.82	74.00	24.18	Horizontal

### 11a\_Channel 44




Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	7307.3	44.29	36.37	-37.58	43.08	54.00	10.92	Vertical
2	7314.2	50.15	36.38	-37.60	48.92	74.00	25.08	Vertical
3	10440	37.46	38.12	-31.11	44.47	68.30	23.83	Vertical
4	15660	35.39	38.85	-27.75	46.49	74.00	27.51	Vertical

### 11a\_Channel 48




Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	7336.8167	48.13	36.40	-37.67	46.86	54.00	7.14	Horizontal
2	7336.4333	54.98	36.40	-37.67	53.71	74.00	20.29	Horizontal
3	10480	38.40	38.14	-31.06	45.48	68.30	22.82	Horizontal
4	15720	36.05	38.73	-27.77	47.01	74.00	26.99	Horizontal

### 11a\_Channel 48




Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	7330.3	45.33	36.40	-37.65	44.08	54.00	9.92	Vertical
2	7334.1333	51.96	36.40	-37.66	50.70	74.00	23.30	Vertical
3	10480	37.97	38.14	-31.06	45.05	68.30	23.25	Vertical
4	15720	35.78	38.73	-27.77	46.74	74.00	27.26	Vertical

### 11a\_Channel 52




Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	7361.35	50.75	36.43	-37.74	49.44	54.00	4.56	Horizontal
2	7360.9667	57.06	36.43	-37.74	55.75	74.00	18.25	Horizontal
3	10520	38.46	38.16	-31.06	45.56	68.30	22.74	Horizontal
4	15780	37.61	38.62	-27.23	49.00	74.00	25.00	Horizontal

### 11a\_Channel 52




Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	7362.1167	47.76	36.43	-37.75	46.45	54.00	7.55	Vertical
2	7366.3333	55.14	36.44	-37.76	53.82	74.00	20.18	Vertical
3	10520	37.97	38.16	-31.06	45.07	68.30	23.23	Vertical
4	15780	36.05	38.62	-27.23	47.44	74.00	26.56	Vertical

### 11a\_Channel 60



Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	7421.9167	49.52	36.51	-37.81	48.22	54.00	5.78	Horizontal
2	7418.0833	56.54	36.50	-37.81	55.23	74.00	18.77	Horizontal
3	10600	38.22	38.20	-31.20	45.22	74.00	28.78	Horizontal
4	15900	37.33	38.39	-27.48	48.24	74.00	25.76	Horizontal

### 11a\_Channel 60



Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	7416.1667	47.00	36.50	-37.82	45.68	54.00	8.32	Vertical
2	7426.5167	53.53	36.51	-37.79	52.25	74.00	21.75	Vertical
3	10600	37.24	38.20	-31.20	44.24	74.00	29.76	Vertical
4	15900	35.56	38.39	-27.48	46.47	74.00	27.53	Vertical


## SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250600052507

Rev.: 01


Page: 310 of 517

### 11a\_Channel 64




Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	7454.5	47.52	36.55	-37.72	46.34	54.00	7.66	Horizontal
2	7447.6	53.91	36.54	-37.74	52.71	74.00	21.29	Horizontal
3	10640	38.71	38.22	-30.84	46.09	74.00	27.91	Horizontal
4	15960	36.56	38.28	-27.45	47.39	74.00	26.61	Horizontal

### 11a\_Channel 64




Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	7441.85	44.88	36.53	-37.76	43.65	54.00	10.35	Vertical
2	7444.15	51.51	36.53	-37.75	50.29	74.00	23.71	Vertical
3	10640	37.50	38.22	-30.84	44.88	74.00	29.12	Vertical
4	15960	36.53	38.28	-27.45	47.36	74.00	26.64	Vertical

### 11a\_Channel 116




Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	6696.2667	51.36	35.88	-38.60	48.64	68.30	19.66	Horizontal
2	7818.6667	54.98	36.92	-36.82	55.08	68.30	13.22	Horizontal
3	11160	36.64	38.40	-30.10	44.94	74.00	29.06	Horizontal
4	16740	36.63	38.72	-26.51	48.84	68.30	19.46	Horizontal

### 11a\_Channel 116




Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	7814.8333	52.41	36.91	-36.81	52.51	68.30	15.79	Vertical
2	11160	36.79	38.40	-30.10	45.09	74.00	28.91	Vertical
3	16740	36.34	38.72	-26.51	48.55	68.30	19.75	Vertical

### 11a\_Channel 140



Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	6840.0167	54.04	35.94	-38.34	51.63	68.30	16.67	Horizontal
2	7974.6833	52.61	37.07	-36.84	52.84	68.30	15.46	Horizontal
3	11400	37.72	38.40	-29.86	46.26	74.00	27.74	Horizontal
4	17100	35.41	39.14	-25.99	48.56	68.30	19.74	Horizontal

### 11a\_Channel 140



Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	6840.0167	49.08	35.94	-38.34	46.67	68.30	21.63	Vertical
2	7977.3667	51.23	37.08	-36.84	51.47	68.30	16.83	Vertical
3	11400	36.31	38.40	-29.86	44.85	74.00	29.15	Vertical
4	17100	35.60	39.14	-25.99	48.75	68.30	19.55	Vertical


## SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250600052507

Rev.: 01


Page: 316 of 517

### 11a\_Channel 149




Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	8037.9333	44.94	37.12	-36.72	45.34	54.00	8.66	Horizontal
2	6894.0667	52.23	35.96	-38.36	49.83	68.30	18.47	Horizontal
3	8037.1667	52.08	37.12	-36.72	52.48	74.00	21.52	Horizontal
4	11490	36.35	38.40	-29.98	44.77	74.00	29.23	Horizontal
5	17355	34.19	39.75	-25.42	48.52	68.30	19.78	Horizontal

### 11a\_Channel 149




Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	8049.4333	43.22	37.12	-36.69	43.66	54.00	10.34	Vertical
2	6894.45	48.09	35.96	-38.36	45.69	68.30	22.61	Vertical
3	8045.6	50.81	37.12	-36.70	51.24	74.00	22.76	Vertical
4	11490	36.17	38.40	-29.98	44.59	74.00	29.41	Vertical
5	17355	35.40	39.75	-25.42	49.73	68.30	18.57	Vertical

### 11a\_Channel 157



Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	8092.3667	44.45	37.15	-36.58	45.02	54.00	8.98	Horizontal
2	6941.6	50.89	35.98	-38.09	48.78	68.30	19.52	Horizontal
3	8091.9833	51.91	37.15	-36.58	52.48	74.00	21.52	Horizontal
4	11570	35.85	38.40	-29.71	44.54	74.00	29.46	Horizontal
5	17355	33.86	39.75	-25.42	48.19	68.30	20.11	Horizontal

### 11a\_Channel 157



Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	8094.6667	42.58	37.15	-36.57	43.15	54.00	10.85	Vertical
2	6942.3667	47.87	35.98	-38.08	45.77	68.30	22.53	Vertical
3	8094.2833	49.49	37.15	-36.57	50.06	74.00	23.94	Vertical
4	11570	35.73	38.40	-29.71	44.42	74.00	29.58	Vertical
5	17355	35.01	39.75	-25.42	49.34	68.30	18.96	Vertical


## SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250600052507

Rev.: 01


Page: 320 of 517

### 11a\_Channel 165



Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	8148.7167	44.23	37.17	-36.39	45.01	54.00	8.99	Horizontal
2	6989.9	51.23	36.00	-37.77	49.46	68.30	18.84	Horizontal
3	8147.95	50.75	37.17	-36.40	51.53	74.00	22.47	Horizontal
4	11650	36.02	38.40	-29.60	44.82	74.00	29.18	Horizontal
5	17475	33.58	40.04	-24.16	49.46	68.30	18.84	Horizontal

### 11a\_Channel 165




Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	8156.3833	42.14	37.18	-36.37	42.95	54.00	11.05	Vertical
2	8152.55	49.55	37.18	-36.38	50.34	74.00	23.66	Vertical
3	11650	35.25	38.40	-29.60	44.05	74.00	29.95	Vertical
4	17475	35.66	40.04	-24.16	51.54	68.30	16.76	Vertical

#### Remark:

- The field strength is calculated by adding the Antenna Factor, Cable Factor & Preamplifier gain. The basic equation with a sample calculation is as follows:  
 $Level = Reading(dB\mu V) + AF(dB/m) + Factor(dB)$   
 $AF = Antenna\ Factor(dB/m)$   
 $Factor = Cable\ Factor(dB) - Preamplifier\ gain(dB)$   
 $Margin = Limit(dB\mu V/m) - Level(dB\mu V/m)$
- All channels have been tested, but only the worst case data displayed in this report.
- Both peak and average measured complies with the limit line, so test result is "PASS"


### Restricted bands around fundamental frequency

#### 802.11a\_Channel 36



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5147.18	31.37	33.17	-16.07	48.47	54.00	5.53	Horizontal
2	5149.98	31.83	33.17	-16.07	48.93	54.00	5.07	Horizontal

### 802.11a\_Channel 36



Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	5143.4	27.28	33.17	-16.08	44.38	54.00	9.62	Vertical
2	5149	27.54	33.17	-16.07	44.64	54.00	9.36	Vertical


## SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250600052507

Rev.: 01


Page: 324 of 517

### 802.11a\_Channel 36




Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	5147.04	45.55	33.17	-16.07	62.65	74.00	11.35	Horizontal
2	5149.42	46.43	33.17	-16.07	63.53	74.00	10.47	Horizontal

### 802.11a\_Channel 36




Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	5142.56	40.35	33.17	-16.08	57.44	74.00	16.56	Vertical
2	5148.3	40.90	33.17	-16.07	58.00	74.00	16.00	Vertical

### 802.11a\_Channel 64




Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	5350.2	31.46	33.13	-15.80	48.79	54.00	5.21	Horizontal
2	5351.3	31.08	33.13	-15.80	48.41	54.00	5.59	Horizontal

### 802.11a\_Channel 64




Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	5350.7	27.82	33.13	-15.80	45.15	54.00	8.85	Vertical
2	5352.5	27.71	33.13	-15.80	45.04	54.00	8.96	Vertical

### 802.11a\_Channel 64




Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	5350.2	49.96	33.13	-15.80	67.29	74.00	6.71	Horizontal
2	5351.8	48.27	33.13	-15.80	65.60	74.00	8.40	Horizontal

### 802.11a\_Channel 64




Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	5351	40.57	33.13	-15.80	57.90	74.00	16.10	Vertical
2	5353.2	40.83	33.13	-15.80	58.16	74.00	15.84	Vertical

### 802.11a\_Channel 100




Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	5456.4	43.50	33.11	-15.50	61.11	74.00	12.89	Horizontal
2	5468.75	46.49	33.11	-15.43	64.17	68.30	4.13	Horizontal

### 802.11a\_Channel 100




Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	5456.21	38.88	33.11	-15.50	56.49	74.00	17.51	Vertical
2	5466.66	39.98	33.11	-15.44	57.65	68.30	10.65	Vertical

### 802.11a\_Channel 100




Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	5456.4	30.08	33.11	-15.50	47.69	54.00	6.31	Horizontal
2	5459.82	30.90	33.11	-15.48	48.53	54.00	5.47	Horizontal

### 802.11a\_Channel 100




Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	5454.5	27.47	33.11	-15.51	45.07	54.00	8.93	Vertical
2	5458.49	27.52	33.11	-15.49	45.14	54.00	8.86	Vertical

### 802.11a\_Channel 140




Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	5725.55	40.19	33.87	-14.96	59.10	68.30	9.20	Horizontal
2	5730.8	41.40	33.88	-14.92	60.36	68.30	7.94	Horizontal

### 802.11a\_Channel 140




Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	5727.2	39.65	33.87	-14.95	58.58	68.30	9.72	Vertical
2	5732.3	39.87	33.89	-14.91	58.85	68.30	9.45	Vertical

### 802.11a\_Channel 149




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5641.25	38.84	33.58	-15.24	57.18	68.30	11.12	Horizontal
2	5659.125	39.16	33.64	-15.20	57.60	75.08	17.48	Horizontal
3	5703.325	38.95	33.79	-15.11	57.63	106.23	48.60	Horizontal
4	5723.475	42.03	33.86	-14.97	60.92	118.82	57.90	Horizontal

### 802.11a\_Channel 149




Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	5642.55	40.08	33.58	-15.23	58.43	68.30	9.87	Vertical
2	5658.8	38.82	33.64	-15.20	57.26	74.84	17.58	Vertical
3	5704.3	38.39	33.79	-15.10	57.08	106.51	49.43	Vertical
4	5723.8	38.45	33.86	-14.97	57.34	119.56	62.22	Vertical

### 802.11a\_Channel 165




Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	5851.525	39.21	34.30	-14.49	59.01	118.82	59.81	Horizontal
2	5863.875	40.54	34.34	-14.50	60.38	108.41	48.03	Horizontal
3	5918.15	40.01	34.52	-14.54	60.00	73.35	13.35	Horizontal
4	5934.725	39.80	34.58	-14.54	59.84	68.30	8.46	Horizontal

### 802.11a\_Channel 165




Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	5852.825	38.89	34.30	-14.49	58.70	115.86	57.16	Vertical
2	5870.7	39.90	34.36	-14.51	59.75	106.50	46.75	Vertical
3	5914.9	40.22	34.51	-14.53	60.20	75.75	15.55	Vertical
4	5932.125	39.67	34.57	-14.54	59.70	68.30	8.60	Vertical

### 802.11ac20\_Channel 36




Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	5148.02	30.11	33.17	-16.07	47.21	54.00	6.79	Horizontal
2	5149.56	30.36	33.17	-16.07	47.46	54.00	6.54	Horizontal

### 802.11ac20\_Channel 36




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5146.76	30.90	33.17	-16.07	48.00	54.00	6.00	Vertical
2	5149.42	31.97	33.17	-16.07	49.07	54.00	4.93	Vertical

### 802.11ac20\_Channel 36




Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	5143.96	42.34	33.17	-16.08	59.44	74.00	14.56	Horizontal
2	5148.02	42.57	33.17	-16.07	59.67	74.00	14.33	Horizontal

### 802.11ac20\_Channel 36




Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	5143.96	42.05	33.17	-16.08	59.15	74.00	14.85	Vertical
2	5147.6	44.45	33.17	-16.07	61.55	74.00	12.45	Vertical

### 802.11ac20\_Channel 64




Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	5351.3	30.06	33.13	-15.80	47.39	54.00	6.61	Horizontal
2	5353.3	29.84	33.13	-15.80	47.17	54.00	6.83	Horizontal

### 802.11ac20\_Channel 64




Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	5350.5	28.20	33.13	-15.80	45.53	54.00	8.47	Vertical
2	5355	28.23	33.13	-15.80	45.56	54.00	8.44	Vertical

### 802.11ac20\_Channel 64




Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	5352.1	42.47	33.13	-15.80	59.80	74.00	14.20	Horizontal
2	5354.6	41.12	33.13	-15.80	58.45	74.00	15.55	Horizontal

### 802.11ac20\_Channel 64




Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	5354.7	40.78	33.13	-15.80	58.11	74.00	15.89	Vertical
2	5357.2	40.28	33.13	-15.80	57.61	74.00	16.39	Vertical

### 802.11ac20\_Channel 100




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5455.83	30.70	33.11	-15.50	48.31	54.00	5.69	Horizontal
2	5459.63	30.85	33.11	-15.48	48.48	54.00	5.52	Horizontal

### 802.11ac20\_Channel 100




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5454.88	28.61	33.11	-15.51	46.21	54.00	7.79	Vertical
2	5459.25	29.18	33.11	-15.48	46.81	54.00	7.19	Vertical

### 802.11ac20\_Channel 100




Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	5452.6	41.86	33.11	-15.52	59.45	74.00	14.55	Horizontal
2	5469.32	45.09	33.11	-15.42	62.77	68.30	5.53	Horizontal

### 802.11ac20\_Channel 100




Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	5455.26	40.43	33.11	-15.51	58.03	74.00	15.97	Vertical
2	5467.42	45.14	33.11	-15.44	62.81	68.30	5.49	Vertical

### 802.11ac20\_Channel 140




Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	5731.7	44.01	33.89	-14.91	62.98	68.30	5.32	Horizontal
2	5735	44.31	33.90	-14.89	63.32	68.30	4.98	Horizontal

### 802.11ac20\_Channel 140




Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	5727.8	42.49	33.87	-14.94	61.42	68.30	6.88	Vertical
2	5733.35	41.31	33.89	-14.90	60.30	68.30	8.00	Vertical

### 802.11ac20\_Channel 149




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5644.5	39.24	33.59	-15.23	57.60	68.30	10.70	Horizontal
2	5654.575	37.87	33.63	-15.21	56.28	71.70	15.42	Horizontal
3	5702.025	39.94	33.79	-15.12	58.61	105.87	47.26	Horizontal
4	5722.175	43.22	33.86	-14.98	62.10	115.86	53.76	Horizontal

### 802.11ac20\_Channel 149




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5632.15	39.37	33.55	-15.25	57.67	68.30	10.63	Vertical
2	5661.4	39.31	33.65	-15.20	57.76	76.76	19.00	Vertical
3	5705.925	39.16	33.80	-15.09	57.87	106.96	49.09	Vertical
4	5723.15	41.93	33.86	-14.97	60.82	118.08	57.26	Vertical

### 802.11ac20\_Channel 165




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5851.2	42.61	34.29	-14.49	62.41	119.56	57.15	Horizontal
2	5870.375	39.74	34.36	-14.51	59.59	106.59	47.00	Horizontal
3	5911.325	40.10	34.50	-14.53	60.07	78.39	18.32	Horizontal
4	5927.25	39.28	34.55	-14.54	59.29	68.30	9.01	Horizontal

### 802.11ac20\_Channel 165




Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	5852.5	40.34	34.30	-14.49	60.15	116.60	56.45	Vertical
2	5873.625	38.75	34.37	-14.51	58.61	105.68	47.07	Vertical
3	5918.8	39.08	34.52	-14.54	59.07	72.87	13.80	Vertical
4	5928.875	39.51	34.56	-14.54	59.53	68.30	8.77	Vertical

### 802.11ac40\_Channel 38




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5134.5	33.87	33.17	-16.09	50.95	54.00	3.05	Horizontal
2	5141.7	33.07	33.17	-16.08	50.16	54.00	3.84	Horizontal

### 802.11ac40\_Channel 38




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5132.4	33.80	33.17	-16.09	50.88	54.00	3.12	Vertical
2	5138.4	33.51	33.17	-16.08	50.60	54.00	3.40	Vertical

### 802.11ac40\_Channel 38




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5147.1	46.99	33.17	-16.07	64.09	74.00	9.91	Horizontal
2	5363.1	40.65	33.13	-15.80	57.98	74.00	16.02	Horizontal

### 802.11ac40\_Channel 38




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5145.3	46.59	33.17	-16.07	63.69	74.00	10.31	Vertical
2	5351.4	39.62	33.13	-15.80	56.95	74.00	17.05	Vertical

### 802.11ac40\_Channel 62




Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	5145.3	28.11	33.17	-16.07	45.21	54.00	8.79	Horizontal
2	5350.2	32.69	33.13	-15.80	50.02	54.00	3.98	Horizontal

### 802.11ac40\_Channel 62




Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	5144.1	28.24	33.17	-16.08	45.34	54.00	8.66	Vertical
2	5351.4	33.36	33.13	-15.80	50.69	54.00	3.31	Vertical

### 802.11ac40\_Channel 62




Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	5144.1	39.30	33.17	-16.08	56.40	74.00	17.60	Horizontal
2	5356.8	46.01	33.13	-15.80	63.34	74.00	10.66	Horizontal

### 802.11ac40\_Channel 62




Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	5148	38.86	33.17	-16.07	55.96	74.00	18.04	Vertical
2	5352.3	45.71	33.13	-15.80	63.04	74.00	10.96	Vertical

### 802.11ac40\_Channel 102




Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	5448.77	41.34	33.11	-15.54	58.91	74.00	15.09	Horizontal
2	5464.955	47.40	33.11	-15.45	65.06	68.30	3.24	Horizontal
3	5752.135	41.15	33.96	-14.78	60.33	68.30	7.97	Horizontal

### 802.11ac40\_Channel 102




Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	5451.675	40.09	33.11	-15.53	57.67	74.00	16.33	Vertical
2	5467.445	45.50	33.11	-15.44	63.17	68.30	5.13	Vertical
3	5730.97	38.93	33.89	-14.92	57.90	68.30	10.40	Vertical

### 802.11ac40\_Channel 102




Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	5427.19	30.27	33.11	-15.67	47.72	54.00	6.28	Horizontal
2	5446.28	31.94	33.11	-15.56	49.49	54.00	4.51	Horizontal

### 802.11ac40\_Channel 102




Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	5435.905	28.99	33.11	-15.62	46.49	54.00	7.51	Vertical
2	5450.845	29.32	33.11	-15.53	46.90	54.00	7.10	Vertical

### 802.11ac40\_Channel 134




Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	5457.07	39.25	33.11	-15.49	56.86	74.00	17.14	Horizontal
2	5469.935	40.50	33.11	-15.42	58.18	68.30	10.12	Horizontal
3	5740.1	45.85	33.92	-14.86	64.91	68.30	3.39	Horizontal

### 802.11ac40\_Channel 134




Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	5435.075	39.83	33.11	-15.62	57.32	74.00	16.68	Vertical
2	5467.445	39.15	33.11	-15.44	56.82	68.30	11.48	Vertical
3	5725.575	41.81	33.87	-14.96	60.72	68.30	7.58	Vertical

### 802.11ac40\_Channel 134




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5433	28.46	33.11	-15.63	45.94	54.00	8.06	Horizontal
2	5447.94	28.41	33.11	-15.55	45.97	54.00	8.03	Horizontal

### 802.11ac40\_Channel 134




Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	5430.095	28.26	33.11	-15.65	45.73	54.00	8.27	Vertical
2	5440.055	28.42	33.11	-15.59	45.94	54.00	8.06	Vertical

### 802.11ac40\_Channel 151



Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5646.45	40.61	33.60	-15.23	58.98	68.30	9.32	Horizontal
2	5654.9	42.33	33.63	-15.21	60.75	71.94	11.19	Horizontal
3	5711.45	48.78	33.82	-15.05	67.55	108.51	40.96	Horizontal
4	5722.825	54.53	33.86	-14.97	73.41	117.34	43.93	Horizontal
5	5852.5	41.94	34.30	-14.49	61.75	116.60	54.85	Horizontal
6	5862.9	44.15	34.33	-14.50	63.98	108.69	44.71	Horizontal
7	5909.7	39.20	34.49	-14.53	59.16	79.59	20.43	Horizontal
8	5935.05	40.04	34.58	-14.54	60.08	68.30	8.22	Horizontal

### 802.11ac40\_Channel 151



Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	5647.1	41.81	33.60	-15.23	60.18	68.30	8.12	Vertical
2	5687.725	46.66	33.74	-15.15	65.25	96.25	31.00	Vertical
3	5710.8	50.71	33.82	-15.06	69.47	108.33	38.86	Vertical
4	5724.45	51.24	33.86	-14.96	70.14	121.05	50.91	Vertical
5	5851.85	41.67	34.30	-14.49	61.47	118.08	56.61	Vertical
6	5865.5	40.88	34.34	-14.50	60.72	107.96	47.24	Vertical
7	5896.375	39.38	34.45	-14.53	59.30	89.44	30.14	Vertical
8	5939.275	39.55	34.59	-14.54	59.60	68.30	8.70	Vertical


## SGS-CSTC Standards Technical Services (Suzhou) Co., Ltd.

Report No.: SUCR250600052507

Rev.: 01


Page: 376 of 517

### 802.11ac40\_Channel 159




Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	5648.4	39.17	33.60	-15.22	57.55	68.30	10.75	Horizontal
2	5683.5	42.32	33.72	-15.16	60.88	93.13	32.25	Horizontal
3	5707.875	44.44	33.81	-15.08	63.17	107.51	44.34	Horizontal
4	5722.825	47.17	33.86	-14.97	66.05	117.34	51.29	Horizontal
5	5852.175	49.48	34.30	-14.49	69.29	117.34	48.05	Horizontal
6	5868.425	51.45	34.35	-14.50	71.30	107.14	35.84	Horizontal
7	5894.425	42.74	34.44	-14.53	62.66	90.89	28.23	Horizontal
8	5933.1	39.70	34.57	-14.54	59.73	68.30	8.57	Horizontal

**802.11ac40\_Channel 159**




Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	5637.025	39.01	33.57	-15.24	57.33	68.30	10.97	Vertical
2	5674.4	41.23	33.69	-15.18	59.75	86.40	26.65	Vertical
3	5710.15	42.99	33.81	-15.06	61.74	108.14	46.40	Vertical
4	5723.475	45.22	33.86	-14.97	64.11	118.82	54.71	Vertical
5	5851.525	49.17	34.30	-14.49	68.97	118.82	49.85	Vertical
6	5867.45	50.42	34.35	-14.50	70.27	107.41	37.14	Vertical
7	5888.9	43.46	34.42	-14.52	63.36	94.98	31.62	Vertical
8	5933.425	39.52	34.57	-14.54	59.55	68.30	8.75	Vertical

### 802.11ac80\_Channel 42




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5124.3	33.46	33.18	-16.11	50.53	54.00	3.47	Horizontal
2	5371.5	30.52	33.13	-15.81	47.84	54.00	6.16	Horizontal

### 802.11ac80\_Channel 42




Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	5132.1	33.25	33.17	-16.10	50.33	54.00	3.67	Vertical
2	5362.8	29.30	33.13	-15.80	46.63	54.00	7.37	Vertical

### 802.11ac80\_Channel 42




Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	5143.8	44.54	33.17	-16.08	61.64	74.00	12.36	Horizontal
2	5367	41.59	33.13	-15.80	58.91	74.00	15.09	Horizontal

### 802.11ac80\_Channel 42




Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	5138.7	43.92	33.17	-16.08	61.01	74.00	12.99	Vertical
2	5358.3	40.21	33.13	-15.80	57.54	74.00	16.46	Vertical

### 802.11ac80\_Channel 58




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5144.7	27.73	33.17	-16.07	44.83	54.00	9.17	Horizontal
2	5364.6	31.29	33.13	-15.80	48.61	54.00	5.39	Horizontal

### 802.11ac80\_Channel 58




Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	5142.9	27.74	33.17	-16.08	44.83	54.00	9.17	Vertical
2	5372.1	30.29	33.13	-15.81	47.61	54.00	6.39	Vertical

### 802.11ac80\_Channel 58




Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	5135.7	38.65	33.17	-16.09	55.73	74.00	18.27	Horizontal
2	5362.8	41.99	33.13	-15.80	59.32	74.00	14.68	Horizontal

### 802.11ac80\_Channel 58




Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	5121	38.98	33.18	-16.11	56.04	74.00	17.96	Vertical
2	5373	42.48	33.13	-15.81	59.80	74.00	14.20	Vertical

### 802.11ac80\_Channel 106




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5442.545	32.29	33.11	-15.58	49.82	54.00	4.18	Horizontal
2	5459.975	31.74	33.11	-15.48	49.37	54.00	4.63	Horizontal

### 802.11ac80\_Channel 106




Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	5439.64	30.04	33.11	-15.59	47.56	54.00	6.44	Vertical
2	5457.07	29.69	33.11	-15.49	47.30	54.00	6.70	Vertical

### 802.11ac80\_Channel 106




Data List								
NO.	Frequency [MHz]	Reading [dBμV]	AF [dB/m]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity
1	5433.415	43.48	33.11	-15.63	60.96	74.00	13.04	Horizontal
2	5463.71	42.16	33.11	-15.46	59.81	68.30	8.49	Horizontal
3	5736.365	39.67	33.90	-14.88	58.69	68.30	9.61	Horizontal

### 802.11ac80\_Channel 106



Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	5450.015	41.65	33.11	-15.53	59.23	74.00	14.77	Vertical
2	5466.2	40.98	33.11	-15.44	58.64	68.30	9.66	Vertical
3	5732.63	40.52	33.89	-14.91	59.50	68.30	8.80	Vertical

### 802.11ac80\_Channel 155



Data List								
NO.	Frequency [MHz]	Reading [dBµV]	AF [dB/m]	Factor [dB]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Polarity
1	5642.875	43.25	33.59	-15.23	61.60	68.30	6.70	Horizontal
2	5657.175	44.43	33.63	-15.21	62.86	73.63	10.77	Horizontal
3	5703.975	51.01	33.79	-15.10	69.70	106.41	36.71	Horizontal
4	5724.125	53.28	33.86	-14.97	72.18	120.31	48.13	Horizontal
5	5851.85	50.50	34.30	-14.49	70.30	118.08	47.78	Horizontal
6	5870.375	51.90	34.36	-14.51	71.75	106.59	34.84	Horizontal
7	5886.95	46.17	34.42	-14.52	66.07	96.43	30.36	Horizontal
8	5928.225	40.51	34.56	-14.54	60.53	68.30	7.77	Horizontal