




# **Appendix D**



## **Photographs**

1. SAR measurement System
2. Photographs of Tissue Simulate Liquid
3. Photographs of EUT test position
4. EUT Constructional Details







## 1. SAR measurement System







## 2. Photographs of Tissue Simulate Liquid

Photo 1: Tissue Simulant Liquid for Head 2450	Photo 2: Tissue Simulant Liquid for Head 5G
	

### 3. Photographs of EUT test position

<p><b>Photo 3: Back side 0mm</b></p>	<p><b>Photo 4: Back side 20mm</b></p>
	
<p><b>Photo 5: Right side 0mm</b></p>	<p><b>Photo 6: Top side 0mm</b></p>
	
<p><b>Photo 7: Right side 7mm</b></p>	<p><b>Photo 8: Top side 19mm</b></p>
	

## 4. EUT Constructional Details

Photo 9: Front View	Photo 10: Back View
	
Photo 11: Battery 1#	Photo 12: Battery 2#
 <p><b>Lenovo</b> 11C/F/13/135 型号/型号/Model/Model baterai: L19D1P32 (可充式锂离子电池组) (可充式锂离子电池组) 标称电压/標稱電壓 /Voltage/Tegangan nominal: 3.86VDC Rechargeable Li-Polymer (可充式锂离子电池组) 充电限制电压/充電限制電壓 / Limited charge voltage/Batas tegangan pengisian: 4.43VDC Rechargeable Li-Polymer Battery / Baterai isi ulang Li-Polymer 额定容量/額定電容量/Rated capacity/ Kapasitas baterai: 5000mAh 5000/5100mAh(min/typ) IS 16046(Part 2)/ IEC 62133-2 19.3/19.7Wh (min/typ) R-41127540 www.bis.gov.in 执行标准: GB 31241-2014 R-41141828 www.bis.gov.in STORE BETWEEN/SUHU PENYIMPANAN 0°C-60°C 32°F-140°F For use with Lenovo personal computer Perhatian: Lihat petunjuk penggunaan / Gunakan pengisi daya asli Warning: Be sure to use only with specific charger and in well ventilation environment with surrounding temperature not higher than 50°C. Keep the battery away from fire. Never make the circuit short or squeeze the battery. 警告: 使用指定的充电器充电, 存放在通风良好周围温度不高于50摄氏度的环境中, 不可挤压或让电池短路, 电池短路后禁止使用! 制造商/MFR: 飞毛腿(福建)电子有限公司 SCUJ (Fujian) Electronics Co., Ltd. Made in China/Buatan China/中國製造/中國製造 YU10498-1907 料號號號 L19D1P32 製造廠廠 SCUJ (Fujian) Electronics Co., Ltd. 製造地點 中國(China) A/S 零件號 1670-0088</p> <p>US &amp; Canada Only Li-ion 00 使用後はリサイクルへ</p> <p>PS 3.86V 5.0Ah Date: 20200215 BSSB18CE5987VFF202F0079</p>	 <p><b>Lenovo</b> 型号/型號 / Model / Model baterai: L19D1P32 IS 16046(Part 2)/ IEC 62133-2 标称电压/標稱電壓 / Nominal Voltage / Tegangan nominal: 3.86VDC R-41127540 www.bis.gov.in 充电限制电压/充電限制電壓 / Limited charge voltage / Batas tegangan pengisian: 4.43VDC 额定容量/額定電容量 / Rated capacity / kapasitas baterai: 5000mAh 5000/5100mAh(min/typ) 19.3/19.7Wh(min/typ) 可充式锂离子电池组 / 可充式锂离子电池组 / Rechargeable Li-Polymer Battery / Baterai isi ulang Li-Polymer 执行标准: GB 31241-2014 11C/F/13/135 STORE BETWEEN/SUHU PENYIMPANAN 0°C-60°C 32°F-140°F For use with Lenovo personal computer Perhatian: Lihat petunjuk penggunaan / Gunakan pengisi daya asli Warning: Be sure to use only with specific charger and in well ventilation environment with surrounding temperature not higher than 50°C. Keep the battery away from fire. Never make the circuit short or squeeze the battery. 警告: 使用指定的充电器充电, 存放在通风良好周围温度不高于50摄氏度的环境中, 不可挤压或让电池短路, 若出现产热或异常发热现象, 请勿置于高温环境中, 电池短路后禁止使用! MFR: Ningde AmpereX Technology Limited 制造商: 寧德新能科技有限有限公司 Made in China/Buatan China/中國製造/中國製造 YU10427-19013 料號號號 L19D1P32 製造廠廠 Ningde AmpereX Technology Limited 製造地點 中國(China) A/S 零件號 1670-0088</p> <p>US &amp; Canada Only Li-ion 00 使用後はリサイクルへ</p> <p>PS 3.86V 5.0Ah Date: 20200111 BSSB18CE5987SCRD001B361C</p>