


**4.9.2.18 11N40\_102 ANT 1\_Vertical**




**Suspected List**

Suspected List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6933.69	56.76	21.11	74.00	17.24	186	322	Vertical
2	6978.99	46.58	21.26	54.00	7.42	212	120	Vertical
3	11020.0	40.48	-2.19	54.00	13.52	283	0	Vertical
4	11020.0	52.80	-2.19	74.00	21.20	195	292	Vertical
5	16530.0	55.49	0.29	74.00	18.51	259	292	Vertical
6	16530.0	43.44	0.29	54.00	10.56	184	191	Vertical
7	17964.7	47.44	1.71	54.00	6.56	202	90	Vertical



4.9.2.19 11N40\_110 ANT 1\_Horizontal




Suspected List

Suspected List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6895.29	47.11	20.82	54.00	6.89	121	140	Horizontal
2	6939.09	56.74	21.16	74.00	17.26	123	0	Horizontal
3	11100.0	40.89	-2.25	54.00	13.11	111	68	Horizontal
4	11100.0	52.46	-2.25	74.00	21.54	205	220	Horizontal
5	16650.0	55.89	0.40	74.00	18.11	217	270	Horizontal
6	16650.0	44.32	0.40	54.00	9.68	246	360	Horizontal
7	17956.5	47.01	1.71	54.00	6.99	207	170	Horizontal



**4.9.2.20 11N40\_110 ANT 1\_Vertical**




**Suspected List**

Suspected List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6934.89	56.94	21.12	74.00	17.06	158	18	Vertical
2	6984.09	47.58	21.27	54.00	6.42	217	221	Vertical
3	11100.0	52.00	-2.25	74.00	22.00	152	140	Vertical
4	11100.0	40.85	-2.25	54.00	13.15	240	39	Vertical
5	16650.0	44.42	0.40	54.00	9.58	294	89	Vertical
6	16650.0	55.02	0.40	74.00	18.98	227	190	Vertical
7	17982.9	47.04	1.71	54.00	6.96	197	190	Vertical



4.9.2.21 11N40\_134 ANT 1\_Horizontal




Suspected List

Suspected List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6926.19	56.44	21.04	74.00	17.56	194	342	Horizontal
2	6977.49	46.96	21.26	54.00	7.04	187	342	Horizontal
3	11340.0	41.14	-2.22	54.00	12.86	158	227	Horizontal
4	11340.0	52.24	-2.22	74.00	21.76	132	171	Horizontal
5	17010.0	54.55	0.68	74.00	19.45	219	119	Horizontal
6	17010.0	43.38	0.68	54.00	10.62	220	119	Horizontal
7	17977.4	46.95	1.71	54.00	7.05	158	277	Horizontal



**4.9.2.22 11N40\_134 ANT 1\_Vertical**




**Suspected List**

Suspected List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6905.49	56.79	20.86	74.00	17.21	274	272	Vertical
2	6934.59	47.26	21.12	54.00	6.74	223	360	Vertical
3	11340.0	41.76	-2.22	54.00	12.24	204	0	Vertical
4	11340.0	52.85	-2.22	74.00	21.15	295	90	Vertical
5	17010.0	54.79	0.68	74.00	19.21	237	342	Vertical
6	17010.0	43.26	0.68	54.00	10.74	247	291	Vertical
7	17999.4	47.37	1.72	54.00	6.63	164	39	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

**4.9.2.23 11N40\_142 ANT 1\_Horizontal**




**Suspected List**

Suspected List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6960.99	57.49	21.26	74.00	16.51	158	140	Horizontal
2	6970.59	47.17	21.26	54.00	6.83	171	342	Horizontal
3	11420.0	39.93	-2.12	54.00	14.07	247	119	Horizontal
4	11420.0	51.03	-2.12	74.00	22.97	164	271	Horizontal
5	17130.0	55.93	0.05	74.00	18.07	152	119	Horizontal
6	17130.0	44.80	0.05	54.00	9.20	199	321	Horizontal
7	17955.9	47.11	1.71	54.00	6.89	128	321	Horizontal



**4.9.2.24 11N40\_142 ANT 1\_Vertical**




**Suspected List**

Suspected List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6945.69	47.14	21.22	54.00	6.86	238	120	Vertical
2	6993.39	56.57	21.27	74.00	17.43	273	170	Vertical
3	11420.0	39.84	-2.12	54.00	14.16	232	291	Vertical
4	11420.0	50.57	-2.12	74.00	23.43	210	140	Vertical
5	17130.0	56.48	0.05	74.00	17.52	172	89	Vertical
6	17130.0	45.09	0.05	54.00	8.91	168	342	Vertical
7	17976.3	47.28	1.71	54.00	6.72	258	140	Vertical



**4.9.2.25 11N40\_151 ANT 1\_Horizontal**




**Suspected List**

Suspected List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6964.89	56.70	21.26	74.00	17.30	103	38	Horizontal
2	6997.29	47.01	21.27	54.00	6.99	174	342	Horizontal
3	11510.0	50.75	-2.07	74.00	23.25	241	223	Horizontal
4	11510.0	39.82	-2.07	54.00	14.18	175	324	Horizontal
5	17265.0	45.41	0.54	54.00	8.59	219	120	Horizontal
6	17265.0	56.36	0.54	74.00	17.64	133	223	Horizontal
7	17963.6	47.12	1.71	54.00	6.88	182	324	Horizontal



**4.9.2.26 11N40\_151 ANT 1\_Vertical**




**Suspected List**

Suspected List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6972.39	56.24	21.26	74.00	17.76	280	69	Vertical
2	6984.09	47.65	21.27	54.00	6.35	222	224	Vertical
3	11510.0	50.62	-2.07	74.00	23.38	215	90	Vertical
4	11510.0	39.85	-2.07	54.00	14.15	280	190	Vertical
5	17265.0	45.17	0.54	54.00	8.83	244	140	Vertical
6	17265.0	56.88	0.54	74.00	17.12	295	90	Vertical
7	17976.8	47.31	1.71	54.00	6.69	266	190	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

4.9.2.27 11N40\_159 ANT 1\_Horizontal




Suspected List

Suspected List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6961.89	47.34	21.26	54.00	6.66	116	342	Horizontal
2	6990.99	56.57	21.27	74.00	17.43	220	240	Horizontal
3	11590.0	39.11	-2.50	54.00	14.89	186	270	Horizontal
4	11590.0	50.84	-2.50	74.00	23.16	161	219	Horizontal
5	17385.0	56.51	1.21	74.00	17.49	203	119	Horizontal
6	17385.0	45.64	1.21	54.00	8.36	109	119	Horizontal
7	17990.0	47.25	1.72	54.00	6.75	227	68	Horizontal



**4.9.2.28 11N40\_159 ANT 1\_Vertical**




**Suspected List**

Suspected List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6957.69	47.51	21.26	54.00	6.49	157	69	Vertical
2	6970.89	56.79	21.26	74.00	17.21	207	170	Vertical
3	11590.0	39.20	-2.50	54.00	14.80	291	0	Vertical
4	11590.0	51.73	-2.50	74.00	22.27	150	0	Vertical
5	17385.0	57.34	1.21	74.00	16.66	221	0	Vertical
6	17385.0	45.64	1.21	54.00	8.36	231	0	Vertical
7	17992.8	46.81	1.72	54.00	7.19	167	89	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

**4.9.2.29 11AC20\_36 ANT 1\_Horizontal**




**Suspected List**

Suspected List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6940.29	47.46	21.17	54.00	6.54	169	0	Horizontal
2	6961.29	56.72	21.26	74.00	17.28	232	291	Horizontal
3	10360.0	39.14	-3.63	54.00	14.86	186	360	Horizontal
4	10360.0	50.20	-3.63	74.00	23.80	114	170	Horizontal
5	15540.0	52.83	0.46	74.00	21.17	229	220	Horizontal
6	15540.0	41.21	0.46	54.00	12.79	203	220	Horizontal
7	17975.2	47.13	1.71	54.00	6.87	168	18	Horizontal



**4.9.2.30 11AC20\_36 ANT 1\_Vertical**




**Suspected List**

Suspected List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6954.39	57.35	21.26	74.00	16.65	245	323	Vertical
2	6978.09	46.97	21.26	54.00	7.03	223	69	Vertical
3	10360.0	39.54	-3.63	54.00	14.46	220	141	Vertical
4	10360.0	50.59	-3.63	74.00	23.41	259	241	Vertical
5	15540.0	52.23	0.46	74.00	21.77	152	141	Vertical
6	15540.0	41.45	0.46	54.00	12.55	203	92	Vertical
7	17519.2	46.47	2.00	54.00	7.53	272	141	Vertical



**4.9.2.31 11AC20\_44 ANT 1\_ Horizontal**




**Suspected List**

Suspected List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6917.19	47.24	20.96	54.00	6.76	237	90	Horizontal
2	6966.09	56.51	21.26	74.00	17.49	129	292	Horizontal
3	10440.0	40.20	-3.24	54.00	13.80	128	321	Horizontal
4	10440.0	50.66	-3.24	74.00	23.34	226	321	Horizontal
5	15660.0	53.58	0.43	74.00	20.42	244	360	Horizontal
6	15660.0	42.18	0.43	54.00	11.82	173	220	Horizontal
7	17971.9	47.15	1.71	54.00	6.85	129	119	Horizontal



**4.9.2.32 11AC20\_44 ANT 1\_Vertical**




**Suspected List**

Suspected List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6915.09	56.31	20.94	74.00	17.69	197	69	Vertical
2	6955.29	47.52	21.26	54.00	6.48	157	122	Vertical
3	10440.0	40.21	-3.24	54.00	13.79	203	241	Vertical
4	10440.0	51.00	-3.24	74.00	23.00	194	190	Vertical
5	15660.0	42.42	0.43	54.00	11.58	222	291	Vertical
6	15660.0	53.84	0.43	74.00	20.16	172	89	Vertical
7	17954.8	47.03	1.71	54.00	6.97	278	140	Vertical



**4.9.2.33 11AC20\_48 ANT 1\_ Horizontal**




**Suspected List**

Suspected List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6949.59	47.19	21.25	54.00	6.81	156	342	Horizontal
2	6960.39	56.65	21.26	74.00	17.35	238	291	Horizontal
3	10480.0	40.73	-2.94	54.00	13.27	140	360	Horizontal
4	10480.0	51.50	-2.94	74.00	22.50	217	18	Horizontal
5	15720.0	53.36	0.29	74.00	20.64	217	320	Horizontal
6	15720.0	42.91	0.29	54.00	11.09	157	68	Horizontal
7	17951.0	46.85	1.71	54.00	7.15	155	219	Horizontal



4.9.2.34 11AC20\_48 ANT 1\_Vertical




Suspected List

Suspected List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6972.09	56.30	21.26	74.00	17.70	209	68	Vertical
2	6978.69	47.02	21.26	54.00	6.98	169	220	Vertical
3	10480.0	40.47	-2.94	54.00	13.53	212	292	Vertical
4	10480.0	50.96	-2.94	74.00	23.04	295	36	Vertical
5	15720.0	53.84	0.29	74.00	20.16	221	87	Vertical
6	15720.0	42.63	0.29	54.00	11.37	268	0	Vertical
7	17868.5	46.86	1.27	54.00	7.14	228	242	Vertical



**4.9.2.35 11AC20\_52 ANT 1\_ Horizontal**




**Suspected List**

Suspected List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6981.39	56.69	21.26	74.00	17.31	246	241	Horizontal
2	6982.89	47.30	21.26	54.00	6.70	125	90	Horizontal
3	10520.0	40.63	-2.80	54.00	13.37	218	274	Horizontal
4	10520.0	50.84	-2.80	74.00	23.16	118	119	Horizontal
5	15780.0	52.53	-0.72	74.00	21.47	212	119	Horizontal
6	15780.0	41.06	-0.72	54.00	12.94	221	170	Horizontal
7	17948.8	47.20	1.70	54.00	6.80	119	170	Horizontal



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

**4.9.2.36 11AC20\_52 ANT 1\_Vertical**




**Suspected List**

Suspected List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6963.09	56.39	21.26	74.00	17.61	192	219	Vertical
2	6978.39	47.21	21.26	54.00	6.79	241	69	Vertical
3	10520.0	40.59	-2.80	54.00	13.41	164	140	Vertical
4	10520.0	51.44	-2.80	74.00	22.56	246	140	Vertical
5	15780.0	51.91	-0.72	74.00	22.09	183	89	Vertical
6	15780.0	40.95	-0.72	54.00	13.05	191	342	Vertical
7	17870.1	47.09	1.30	54.00	6.91	219	291	Vertical



**4.9.2.37 11AC20\_60 ANT 1\_ Horizontal**




**Suspected List**

Suspected List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6947.19	56.89	21.23	74.00	17.11	151	342	Horizontal
2	6961.59	47.20	21.26	54.00	6.80	195	291	Horizontal
3	10600.0	41.67	-2.86	54.00	12.33	188	18	Horizontal
4	10600.0	51.81	-2.86	74.00	22.19	245	169	Horizontal
5	15900.0	41.88	-0.51	54.00	12.12	225	68	Horizontal
6	15900.0	52.72	-0.51	74.00	21.28	129	118	Horizontal
7	17949.3	47.09	1.70	54.00	6.91	160	321	Horizontal



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

**4.9.2.38 11AC20\_60 ANT 1\_Vertical**




**Suspected List**

Suspected List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6936.39	47.30	21.13	54.00	6.70	178	221	Vertical
2	6945.69	56.88	21.22	74.00	17.12	210	323	Vertical
3	10600.0	41.45	-2.86	54.00	12.55	257	0	Vertical
4	10600.0	51.60	-2.86	74.00	22.40	210	0	Vertical
5	15900.0	52.47	-0.51	74.00	21.53	256	241	Vertical
6	15900.0	41.77	-0.51	54.00	12.23	151	291	Vertical
7	17952.6	47.58	1.71	54.00	6.42	238	291	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

**4.9.2.39 11AC20\_64 ANT 1\_ Horizontal**




**Suspected List**

Suspected List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6977.19	47.59	21.26	54.00	6.41	105	39	Horizontal
2	6985.29	57.37	21.27	74.00	16.63	122	140	Horizontal
3	10640.0	41.05	-2.84	54.00	12.95	171	219	Horizontal
4	10640.0	52.80	-2.84	74.00	21.20	227	119	Horizontal
5	15960.0	51.65	-0.61	74.00	22.35	197	219	Horizontal
6	15960.0	41.46	-0.61	54.00	12.54	128	219	Horizontal
7	17953.2	47.22	1.71	54.00	6.78	229	360	Horizontal



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

**4.9.2.40 11AC20\_64 ANT 1\_Vertical**




**Suspected List**

Suspected List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6963.39	47.08	21.26	54.00	6.92	195	18	Vertical
2	6993.69	57.12	21.27	74.00	16.88	160	360	Vertical
3	10640.0	40.85	-2.84	54.00	13.15	297	139	Vertical
4	10640.0	51.74	-2.84	74.00	22.26	260	190	Vertical
5	15960.0	53.52	-0.61	74.00	20.48	208	139	Vertical
6	15960.0	41.73	-0.61	54.00	12.27	183	291	Vertical
7	17887.2	46.85	1.52	54.00	7.15	239	190	Vertical



**4.9.2.41 11AC20\_100 ANT 1\_ Horizontal**




**Suspected List**

Suspected List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6953.49	56.63	21.26	74.00	17.37	120	342	Horizontal
2	6967.59	47.72	21.26	54.00	6.28	237	342	Horizontal
3	11000.0	40.54	-2.17	54.00	13.46	195	360	Horizontal
4	11000.0	51.64	-2.17	74.00	22.36	237	119	Horizontal
5	16500.0	55.96	0.34	74.00	18.04	199	360	Horizontal
6	16500.0	43.88	0.34	54.00	10.12	146	170	Horizontal
7	17996.1	47.11	1.72	54.00	6.89	121	119	Horizontal



4.9.2.42 11AC20\_100 ANT 1\_Vertical




Suspected List

Suspected List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6919.59	47.09	20.98	54.00	6.91	272	324	Vertical
2	6966.09	57.25	21.26	74.00	16.75	289	222	Vertical
3	11000.0	40.24	-2.17	54.00	13.76	154	342	Vertical
4	11000.0	51.64	-2.17	74.00	22.36	263	140	Vertical
5	16500.0	43.68	0.34	54.00	10.32	256	291	Vertical
6	16500.0	54.64	0.34	74.00	19.36	195	241	Vertical
7	17991.7	47.32	1.72	54.00	6.68	174	342	Vertical



**4.9.2.43 11AC20\_116 ANT 1\_ Horizontal**




**Suspected List**

Suspected List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6932.79	56.86	21.10	74.00	17.14	196	240	Horizontal
2	6990.99	47.18	21.27	54.00	6.82	192	342	Horizontal
3	11160.0	41.56	-2.32	54.00	12.44	151	320	Horizontal
4	11160.0	52.85	-2.32	74.00	21.15	180	320	Horizontal
5	16740.0	54.85	0.71	74.00	19.15	132	320	Horizontal
6	16740.0	43.59	0.71	54.00	10.41	217	118	Horizontal
7	17964.7	47.53	1.71	54.00	6.47	170	169	Horizontal



4.9.2.44 11AC20\_116 ANT 1\_Vertical




Suspected List

Suspected List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6969.09	47.35	21.26	54.00	6.65	212	69	Vertical
2	6993.39	56.58	21.27	74.00	17.42	204	119	Vertical
3	11160.0	41.14	-2.32	54.00	12.86	242	342	Vertical
4	11160.0	52.00	-2.32	74.00	22.00	275	132	Vertical
5	16740.0	54.22	0.71	74.00	19.78	207	82	Vertical
6	16740.0	43.79	0.71	54.00	10.21	217	82	Vertical
7	17985.1	47.33	1.72	54.00	6.67	281	183	Vertical



**4.9.2.45 11AC20\_140 ANT 1\_ Horizontal**




**Suspected List**

Suspected List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6959.19	56.69	21.26	74.00	17.31	146	88	Horizontal
2	6980.49	46.97	21.26	54.00	7.03	218	291	Horizontal
3	11400.0	52.61	-2.15	74.00	21.39	167	172	Horizontal
4	11400.0	40.51	-2.15	54.00	13.49	100	323	Horizontal
5	17100.0	44.91	0.04	54.00	9.09	237	223	Horizontal
6	17100.0	55.64	0.04	74.00	18.36	173	72	Horizontal
7	17950.4	47.45	1.71	54.00	6.55	179	172	Horizontal



**4.9.2.46 11AC20\_140 ANT 1\_Vertical**




**Suspected List**

Suspected List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6957.39	56.55	21.26	74.00	17.45	152	18	Vertical
2	6992.79	47.27	21.27	54.00	6.73	159	171	Vertical
3	11400.0	40.00	-2.15	54.00	14.00	214	39	Vertical
4	11400.0	51.20	-2.15	74.00	22.80	238	39	Vertical
5	17100.0	57.09	0.04	74.00	16.91	274	342	Vertical
6	17100.0	44.77	0.04	54.00	9.23	170	291	Vertical
7	17966.9	47.08	1.71	54.00	6.92	189	39	Vertical



**4.9.2.47 11AC20\_144 ANT 1\_ Horizontal**




**Suspected List**

Suspected List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6931.59	56.31	21.09	74.00	17.69	240	88	Horizontal
2	6953.79	47.44	21.26	54.00	6.56	122	291	Horizontal
3	11440.0	39.76	-2.10	54.00	14.24	195	170	Horizontal
4	11440.0	50.67	-2.10	74.00	23.33	105	270	Horizontal
5	17160.0	56.93	0.06	74.00	17.07	193	321	Horizontal
6	17160.0	44.82	0.06	54.00	9.18	149	170	Horizontal
7	17974.1	47.09	1.71	54.00	6.91	112	270	Horizontal



**4.9.2.48 11AC20\_144 ANT 1\_Vertical**




**Suspected List**

Suspected List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6990.39	56.46	21.27	74.00	17.54	259	360	Vertical
2	6999.10	47.07	21.27	54.00	6.93	280	170	Vertical
3	11440.0	40.00	-2.10	54.00	14.00	231	91	Vertical
4	11440.0	51.35	-2.10	74.00	22.65	205	342	Vertical
5	17160.0	55.71	0.06	74.00	18.29	200	41	Vertical
6	17160.0	45.22	0.06	54.00	8.78	224	192	Vertical
7	17977.9	46.94	1.71	54.00	7.06	272	241	Vertical



**4.9.2.49 11AC20\_149 ANT 1\_ Horizontal**




**Suspected List**

Suspected List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6956.49	56.37	21.26	74.00	17.63	227	89	Horizontal
2	6996.99	47.16	21.27	54.00	6.84	129	241	Horizontal
3	11490.0	51.48	-2.03	74.00	22.52	121	220	Horizontal
4	11490.0	39.38	-2.03	54.00	14.62	244	360	Horizontal
5	17235.0	44.59	0.33	54.00	9.41	183	360	Horizontal
6	17235.0	57.05	0.33	74.00	16.95	134	271	Horizontal
7	17951.5	47.11	1.71	54.00	6.89	232	170	Horizontal



**4.9.2.50 11AC20\_149 ANT 1\_Vertical**




**Suspected List**

Suspected List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6929.49	47.63	21.07	54.00	6.37	218	360	Vertical
2	6939.09	56.21	21.16	74.00	17.79	243	360	Vertical
3	11490.0	39.62	-2.03	54.00	14.38	288	36	Vertical
4	11490.0	52.14	-2.03	74.00	21.86	269	291	Vertical
5	17235.0	56.19	0.33	74.00	17.81	284	86	Vertical
6	17235.0	45.48	0.33	54.00	8.52	266	137	Vertical
7	17898.2	47.10	1.67	54.00	6.90	278	342	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

**4.9.2.51 11AC20\_157 ANT 1\_ Horizontal**




**Suspected List**

Suspected List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6936.99	47.22	21.14	54.00	6.78	247	342	Horizontal
2	6961.89	56.48	21.26	74.00	17.52	227	292	Horizontal
3	11570.0	39.53	-2.39	54.00	14.47	238	177	Horizontal
4	11570.0	51.05	-2.39	74.00	22.95	163	69	Horizontal
5	17355.0	56.27	1.06	74.00	17.73	125	177	Horizontal
6	17355.0	45.03	1.06	54.00	8.97	217	177	Horizontal
7	17956.5	46.91	1.71	54.00	7.09	124	123	Horizontal



**4.9.2.52 11AC20\_157 ANT 1\_Vertical**




**Suspected List**

Suspected List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6919.89	56.32	20.99	74.00	17.68	151	321	Vertical
2	6947.19	47.44	21.23	54.00	6.56	296	220	Vertical
3	11570.0	39.69	-2.39	54.00	14.31	245	342	Vertical
4	11570.0	50.05	-2.39	74.00	23.95	235	292	Vertical
5	17355.0	56.40	1.06	74.00	17.60	161	241	Vertical
6	17355.0	45.46	1.06	54.00	8.54	255	190	Vertical
7	17998.8	46.98	1.72	54.00	7.02	298	0	Vertical



4.9.2.53 11AC20\_165 ANT 1\_ Horizontal




Suspected List

Suspected List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6964.59	56.67	21.26	74.00	17.33	117	240	Horizontal
2	6993.09	47.30	21.27	54.00	6.70	107	37	Horizontal
3	11650.0	39.57	-2.49	54.00	14.43	121	173	Horizontal
4	11650.0	51.61	-2.49	74.00	22.39	186	123	Horizontal
5	17475.0	56.40	1.76	74.00	17.60	214	360	Horizontal
6	17475.0	44.76	1.76	54.00	9.24	128	173	Horizontal
7	17960.9	47.09	1.71	54.00	6.91	225	273	Horizontal



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

**4.9.2.54 11AC20\_165 ANT 1\_Vertical**




**Suspected List**

Suspected List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6928.29	47.67	21.06	54.00	6.33	269	18	Vertical
2	6989.79	56.72	21.27	74.00	17.28	161	220	Vertical
3	11650.0	51.64	-2.49	74.00	22.36	178	40	Vertical
4	11650.0	39.88	-2.49	54.00	14.12	178	91	Vertical
5	17475.0	45.32	1.76	54.00	8.68	234	91	Vertical
6	17475.0	56.76	1.76	74.00	17.24	173	292	Vertical
7	17992.2	47.10	1.72	54.00	6.90	283	190	Vertical



**4.9.2.55 11AC40\_38 ANT 1\_Horizontal**




**Suspected List**

Suspected List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6963.69	56.59	21.26	74.00	17.41	167	0	Horizontal
2	6984.99	47.41	21.27	54.00	6.59	249	89	Horizontal
3	10380.0	39.17	-3.60	54.00	14.83	102	271	Horizontal
4	10380.0	50.25	-3.60	74.00	23.75	190	170	Horizontal
5	15570.0	52.49	0.29	74.00	21.51	136	69	Horizontal
6	15570.0	41.34	0.29	54.00	12.66	107	18	Horizontal
7	18000.0	47.16	1.72	54.00	6.84	183	18	Horizontal



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

**4.9.2.56 11AC40\_38 ANT 1\_Vertical**




**Suspected List**

Suspected List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6949.89	47.01	21.25	54.00	6.99	263	69	Vertical
2	6980.79	56.75	21.26	74.00	17.25	259	271	Vertical
3	10380.0	39.36	-3.60	54.00	14.64	282	242	Vertical
4	10380.0	50.93	-3.60	74.00	23.07	206	342	Vertical
5	15570.0	52.13	0.29	74.00	21.87	218	141	Vertical
6	15570.0	41.29	0.29	54.00	12.71	226	342	Vertical
7	17892.1	47.06	1.59	54.00	6.94	199	41	Vertical



**4.9.2.57 11AC40\_46 ANT 1\_Horizontal**




**Suspected List**

Suspected List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6951.39	56.20	21.26	74.00	17.80	189	342	Horizontal
2	6992.19	47.55	21.27	54.00	6.45	247	291	Horizontal
3	10460.0	40.45	-3.09	54.00	13.55	216	222	Horizontal
4	10460.0	52.00	-3.09	74.00	22.00	202	171	Horizontal
5	15690.0	53.74	0.58	74.00	20.26	227	322	Horizontal
6	15690.0	42.86	0.58	54.00	11.14	213	222	Horizontal
7	17952.1	47.00	1.71	54.00	7.00	226	68	Horizontal



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

**4.9.2.58 11AC40\_46 ANT 1\_Vertical**




**Suspected List**

Suspected List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6913.29	56.45	20.93	74.00	17.55	259	270	Vertical
2	6987.99	47.80	21.27	54.00	6.20	185	170	Vertical
3	10460.0	40.42	-3.09	54.00	13.58	256	190	Vertical
4	10460.0	51.80	-3.09	74.00	22.20	270	139	Vertical
5	15690.0	53.14	0.58	74.00	20.86	263	139	Vertical
6	15690.0	42.84	0.58	54.00	11.16	236	291	Vertical
7	17988.4	47.12	1.72	54.00	6.88	283	39	Vertical



**4.9.2.59 11AC40\_54 ANT 1\_Horizontal**




**Suspected List**

Suspected List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6984.99	47.87	21.27	54.00	6.13	125	90	Horizontal
2	6988.59	57.44	21.27	74.00	16.56	241	40	Horizontal
3	10540.0	52.49	-2.81	74.00	21.51	157	270	Horizontal
4	10540.0	40.90	-2.81	54.00	13.10	115	220	Horizontal
5	15810.0	51.77	-0.99	74.00	22.23	146	18	Horizontal
6	15810.0	40.98	-0.99	54.00	13.02	153	220	Horizontal
7	17877.3	47.09	1.39	54.00	6.91	136	360	Horizontal



**4.9.2.60 11AC40\_54 ANT 1\_Vertical**




**Suspected List**

Suspected List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6977.79	56.54	21.26	74.00	17.46	165	18	Vertical
2	6982.29	46.91	21.26	54.00	7.09	180	120	Vertical
3	10540.0	40.74	-2.81	54.00	13.26	195	291	Vertical
4	10540.0	53.16	-2.81	74.00	20.84	250	291	Vertical
5	15810.0	52.47	-0.99	74.00	21.53	194	190	Vertical
6	15810.0	41.07	-0.99	54.00	12.93	253	190	Vertical
7	17701.8	46.72	2.32	54.00	7.28	281	241	Vertical



**4.9.2.61 11AC40\_62 ANT 1\_Horizontal**




**Suspected List**

Suspected List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6899.79	46.86	20.81	54.00	7.14	135	89	Horizontal
2	6993.69	56.96	21.27	74.00	17.04	114	39	Horizontal
3	10620.0	41.58	-2.85	54.00	12.42	130	169	Horizontal
4	10620.0	51.39	-2.85	74.00	22.61	106	68	Horizontal
5	15930.0	52.88	-0.56	74.00	21.12	216	360	Horizontal
6	15930.0	41.78	-0.56	54.00	12.22	160	169	Horizontal
7	17910.8	47.49	1.69	54.00	6.51	224	118	Horizontal



4.9.2.62 11AC40\_62 ANT 1\_Vertical




Suspected List

Suspected List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6922.59	56.52	21.01	74.00	17.48	223	322	Vertical
2	6987.09	46.84	21.27	54.00	7.16	204	322	Vertical
3	10620.0	52.22	-2.85	74.00	21.78	275	140	Vertical
4	10620.0	40.80	-2.85	54.00	13.20	264	291	Vertical
5	15930.0	41.69	-0.56	54.00	12.31	256	291	Vertical
6	15930.0	52.89	-0.56	74.00	21.11	229	140	Vertical
7	17692.5	46.93	2.36	54.00	7.07	234	190	Vertical



**4.9.2.63 11AC40\_102 ANT 1\_Horizontal**



**Suspected List**


Suspected List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6950.19	46.99	21.26	54.00	7.01	175	190	Horizontal
2	6961.29	56.59	21.26	74.00	17.41	235	292	Horizontal
3	11020.0	40.35	-2.19	54.00	13.65	138	125	Horizontal
4	11020.0	52.62	-2.19	74.00	21.38	128	228	Horizontal
5	16530.0	55.34	0.29	74.00	18.66	193	177	Horizontal
6	16530.0	43.67	0.29	54.00	10.33	212	278	Horizontal
7	17987.8	47.07	1.72	54.00	6.93	143	177	Horizontal



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

**4.9.2.64 11AC40\_102 ANT 1\_Vertical**




**Suspected List**

Suspected List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6930.09	56.47	21.08	74.00	17.53	161	221	Vertical
2	6942.09	47.00	21.18	54.00	7.00	209	170	Vertical
3	11020.0	40.34	-2.19	54.00	13.66	287	342	Vertical
4	11020.0	51.72	-2.19	74.00	22.28	284	90	Vertical
5	16530.0	54.53	0.29	74.00	19.47	205	241	Vertical
6	16530.0	43.67	0.29	54.00	10.33	280	90	Vertical
7	17992.2	46.96	1.72	54.00	7.04	260	190	Vertical



**4.9.2.65 11AC40\_110 ANT 1\_Horizontal**




**Suspected List**

Suspected List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6935.19	47.23	21.12	54.00	6.77	246	291	Horizontal
2	6953.79	56.94	21.26	74.00	17.06	162	342	Horizontal
3	11100.0	41.70	-2.25	54.00	12.30	203	360	Horizontal
4	11100.0	51.58	-2.25	74.00	22.42	243	119	Horizontal
5	16650.0	55.89	0.40	74.00	18.11	212	360	Horizontal
6	16650.0	44.30	0.40	54.00	9.70	124	170	Horizontal
7	17952.1	46.97	1.71	54.00	7.03	223	272	Horizontal



**4.9.2.66 11AC40\_110 ANT 1\_Vertical**




**Suspected List**

Suspected List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6960.99	47.52	21.26	54.00	6.48	279	169	Vertical
2	6985.59	57.35	21.27	74.00	16.65	252	68	Vertical
3	11100.0	41.30	-2.25	54.00	12.70	181	190	Vertical
4	11100.0	52.90	-2.25	74.00	21.10	196	140	Vertical
5	16650.0	56.56	0.40	74.00	17.44	273	90	Vertical
6	16650.0	44.35	0.40	54.00	9.65	239	140	Vertical
7	17959.8	47.35	1.71	54.00	6.65	150	140	Vertical



**4.9.2.67 11AC40\_134 ANT 1\_Horizontal**




**Suspected List**

Suspected List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6953.49	47.32	21.26	54.00	6.68	169	241	Horizontal
2	6967.59	56.51	21.26	74.00	17.49	104	139	Horizontal
3	11340.0	41.40	-2.22	54.00	12.60	224	221	Horizontal
4	11340.0	52.02	-2.22	74.00	21.98	112	171	Horizontal
5	17010.0	54.78	0.68	74.00	19.22	168	322	Horizontal
6	17010.0	43.67	0.68	54.00	10.33	157	272	Horizontal
7	17975.7	47.14	1.71	54.00	6.86	184	121	Horizontal



**4.9.2.68 11AC40\_134 ANT 1\_Vertical**




**Suspected List**

Suspected List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6910.89	47.03	20.91	54.00	6.97	208	18	Vertical
2	6955.59	57.10	21.26	74.00	16.90	152	271	Vertical
3	11340.0	41.13	-2.22	54.00	12.87	225	241	Vertical
4	11340.0	52.19	-2.22	74.00	21.81	179	342	Vertical
5	17010.0	55.29	0.68	74.00	18.71	156	39	Vertical
6	17010.0	43.41	0.68	54.00	10.59	152	342	Vertical
7	17996.1	46.99	1.72	54.00	7.01	297	0	Vertical



**4.9.2.69 11AC40\_142 ANT 1\_Horizontal**




**Suspected List**

Suspected List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6945.39	56.56	21.21	74.00	17.44	127	241	Horizontal
2	6956.19	47.15	21.26	54.00	6.85	236	89	Horizontal
3	11420.0	40.22	-2.12	54.00	13.78	109	323	Horizontal
4	11420.0	52.09	-2.12	74.00	21.91	225	68	Horizontal
5	17130.0	56.10	0.05	74.00	17.90	220	68	Horizontal
6	17130.0	44.84	0.05	54.00	9.16	212	323	Horizontal
7	17991.7	47.15	1.72	54.00	6.85	157	18	Horizontal



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

**4.9.2.70 11AC40\_142 ANT 1\_Vertical**



**Suspected List**


Suspected List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6932.79	47.40	21.10	54.00	6.60	292	69	Vertical
2	6976.29	56.02	21.26	74.00	17.98	280	120	Vertical
3	11420.0	40.24	-2.12	54.00	13.76	189	0	Vertical
4	11420.0	52.42	-2.12	74.00	21.58	269	0	Vertical
5	17130.0	55.11	0.05	74.00	18.89	159	191	Vertical
6	17130.0	45.13	0.05	54.00	8.87	164	90	Vertical
7	17973.5	46.94	1.71	54.00	7.06	205	90	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

**4.9.2.71 11AC40\_151 ANT 1\_Horizontal**




**Suspected List**

Suspected List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6967.89	47.35	21.26	54.00	6.65	221	37	Horizontal
2	6972.09	56.77	21.26	74.00	17.23	174	88	Horizontal
3	11510.0	39.53	-2.07	54.00	14.47	241	175	Horizontal
4	11510.0	50.68	-2.07	74.00	23.32	227	175	Horizontal
5	17265.0	56.21	0.54	74.00	17.79	139	326	Horizontal
6	17265.0	45.03	0.54	54.00	8.97	163	69	Horizontal
7	17948.8	47.23	1.70	54.00	6.77	177	121	Horizontal



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

**4.9.2.72 11AC40\_151 ANT 1\_Vertical**




**Suspected List**

Suspected List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6938.19	56.72	21.15	74.00	17.28	195	119	Vertical
2	6996.69	47.74	21.27	54.00	6.26	179	271	Vertical
3	11510.0	39.59	-2.07	54.00	14.41	210	292	Vertical
4	11510.0	50.79	-2.07	74.00	23.21	237	89	Vertical
5	17265.0	55.88	0.54	74.00	18.12	227	241	Vertical
6	17265.0	45.43	0.54	54.00	8.57	239	39	Vertical
7	17973.0	47.14	1.71	54.00	6.86	299	140	Vertical



**4.9.2.73 11AC40\_159 ANT 1\_Horizontal**




**Suspected List**

Suspected List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6974.79	56.89	21.26	74.00	17.11	239	89	Horizontal
2	6987.99	47.51	21.27	54.00	6.49	120	190	Horizontal
3	11590.0	38.96	-2.50	54.00	15.04	150	271	Horizontal
4	11590.0	50.28	-2.50	74.00	23.72	110	322	Horizontal
5	17385.0	45.13	1.21	54.00	8.87	219	18	Horizontal
6	17385.0	56.73	1.21	74.00	17.27	141	220	Horizontal
7	17986.2	47.07	1.72	54.00	6.93	213	322	Horizontal



**4.9.2.74 11AC40\_159 ANT 1\_Vertical**




**Suspected List**

Suspected List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6962.49	56.86	21.26	74.00	17.14	279	271	Vertical
2	6974.49	48.37	21.26	54.00	5.63	291	271	Vertical
3	11590.0	39.23	-2.50	54.00	14.77	243	190	Vertical
4	11590.0	49.73	-2.50	74.00	24.27	285	241	Vertical
5	17385.0	56.32	1.21	74.00	17.68	299	89	Vertical
6	17385.0	45.19	1.21	54.00	8.81	196	190	Vertical
7	17988.9	47.25	1.72	54.00	6.75	239	190	Vertical



**4.9.2.75 11AC80\_42 ANT 1\_Horizontal**




**Suspected List**

Suspected List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6954.69	47.33	21.26	54.00	6.67	137	342	Horizontal
2	6974.49	57.08	21.26	74.00	16.92	102	89	Horizontal
3	10420.0	39.49	-3.40	54.00	14.51	239	124	Horizontal
4	10420.0	50.26	-3.40	74.00	23.74	109	70	Horizontal
5	15630.0	51.77	0.28	74.00	22.23	132	173	Horizontal
6	15630.0	41.74	0.28	54.00	12.26	238	18	Horizontal
7	17883.3	46.91	1.47	54.00	7.09	123	70	Horizontal



**4.9.2.76 11AC80\_42 ANT 1\_Vertical**




**Suspected List**

Suspected List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6960.99	47.48	21.26	54.00	6.52	291	360	Vertical
2	6973.29	56.90	21.26	74.00	17.10	199	18	Vertical
3	10420.0	39.44	-3.40	54.00	14.56	228	291	Vertical
4	10420.0	50.35	-3.40	74.00	23.65	221	0	Vertical
5	15630.0	53.38	0.28	74.00	20.62	269	89	Vertical
6	15630.0	41.39	0.28	54.00	12.61	169	89	Vertical
7	17921.8	46.95	1.70	54.00	7.05	161	240	Vertical



**4.9.2.77 11AC80\_58 ANT 1\_Horizontal**




**Suspected List**

Suspected List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6972.09	47.16	21.26	54.00	6.84	119	38	Horizontal
2	6996.09	56.98	21.27	74.00	17.02	127	0	Horizontal
3	10580.0	40.80	-2.84	54.00	13.20	235	18	Horizontal
4	10580.0	52.10	-2.84	74.00	21.90	119	226	Horizontal
5	15870.0	52.26	-0.67	74.00	21.74	216	327	Horizontal
6	15870.0	41.80	-0.67	54.00	12.20	156	176	Horizontal
7	17661.1	46.42	2.34	54.00	7.58	166	277	Horizontal



**4.9.2.78 11AC80\_58 ANT 1\_Vertical**




**Suspected List**

Suspected List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6951.69	47.61	21.26	54.00	6.39	186	322	Vertical
2	7000.00	56.77	21.27	74.00	17.23	222	322	Vertical
3	10580.0	41.25	-2.84	54.00	12.75	151	0	Vertical
4	10580.0	52.34	-2.84	74.00	21.66	192	342	Vertical
5	15870.0	52.41	-0.67	74.00	21.59	280	241	Vertical
6	15870.0	41.54	-0.67	54.00	12.46	234	241	Vertical
7	17972.4	47.00	1.71	54.00	7.00	167	39	Vertical



**4.9.2.79 11AC80\_106 ANT 1\_Horizontal**




**Suspected List**

Suspected List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6986.49	47.58	21.27	54.00	6.42	194	191	Horizontal
2	6993.99	56.69	21.27	74.00	17.31	102	241	Horizontal
3	11060.0	40.73	-2.22	54.00	13.27	131	18	Horizontal
4	11060.0	51.44	-2.22	74.00	22.56	176	320	Horizontal
5	16590.0	43.35	0.20	54.00	10.65	181	220	Horizontal
6	16590.0	55.55	0.20	74.00	18.45	161	360	Horizontal
7	17987.8	47.07	1.72	54.00	6.93	102	320	Horizontal



**4.9.2.80 11AC80\_106 ANT 1\_Vertical**




**Suspected List**

Suspected List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6954.09	56.73	21.26	74.00	17.27	176	279	Vertical
2	6969.39	47.19	21.26	54.00	6.81	168	279	Vertical
3	11060.0	40.78	-2.22	54.00	13.22	170	39	Vertical
4	11060.0	52.06	-2.22	74.00	21.94	158	90	Vertical
5	16590.0	55.33	0.20	74.00	18.67	285	241	Vertical
6	16590.0	42.87	0.20	54.00	11.13	217	342	Vertical
7	17963.1	47.57	1.71	54.00	6.43	177	190	Vertical



4.9.2.81 11AC80\_122 ANT 1\_Horizontal




Suspected List

Suspected List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6910.89	56.45	20.91	74.00	17.55	237	39	Horizontal
2	6974.49	47.28	21.26	54.00	6.72	186	39	Horizontal
3	11220.0	42.03	-2.35	54.00	11.97	173	170	Horizontal
4	11220.0	53.34	-2.35	74.00	20.66	186	69	Horizontal
5	16830.0	44.48	0.94	54.00	9.52	113	119	Horizontal
6	16830.0	54.84	0.94	74.00	19.16	169	320	Horizontal
7	17976.8	46.87	1.71	54.00	7.13	187	18	Horizontal



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

**4.9.2.82 11AC80\_122 ANT 1\_Vertical**




**Suspected List**

Suspected List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6931.89	47.72	21.09	54.00	6.28	264	120	Vertical
2	6985.29	56.87	21.27	74.00	17.13	228	220	Vertical
3	11220.0	41.94	-2.35	54.00	12.06	264	342	Vertical
4	11220.0	52.63	-2.35	74.00	21.37	183	0	Vertical
5	16830.0	44.50	0.94	54.00	9.50	212	189	Vertical
6	16830.0	55.97	0.94	74.00	18.03	219	0	Vertical
7	17525.3	47.00	2.02	54.00	7.00	189	139	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

4.9.2.83 11AC80\_138 ANT 1\_Horizontal




Suspected List

Suspected List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6957.99	46.76	21.26	54.00	7.24	242	38	Horizontal
2	6975.99	56.82	21.26	74.00	17.18	182	190	Horizontal
3	11380.0	51.81	-2.17	74.00	22.19	219	69	Horizontal
4	11380.0	40.75	-2.17	54.00	13.25	185	360	Horizontal
5	17070.0	44.27	0.25	54.00	9.73	153	69	Horizontal
6	17070.0	56.23	0.25	74.00	17.77	232	321	Horizontal
7	17955.9	47.17	1.71	54.00	6.83	177	271	Horizontal



**4.9.2.84 11AC80\_138 ANT 1\_Vertical**




**Suspected List**

Suspected List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6983.49	56.93	21.27	74.00	17.07	182	271	Vertical
2	6994.89	47.06	21.27	54.00	6.94	169	360	Vertical
3	11380.0	40.85	-2.17	54.00	13.15	229	40	Vertical
4	11380.0	50.96	-2.17	74.00	23.04	206	192	Vertical
5	17070.0	55.52	0.25	74.00	18.48	200	0	Vertical
6	17070.0	44.20	0.25	54.00	9.80	213	241	Vertical
7	17917.4	47.11	1.70	54.00	6.89	193	0	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

**4.9.2.85 11AC80\_155 ANT 1\_Horizontal**




**Suspected List**

Suspected List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6957.99	56.42	21.26	74.00	17.58	218	139	Horizontal
2	6993.99	47.13	21.27	54.00	6.87	148	0	Horizontal
3	11550.0	39.73	-2.29	54.00	14.27	109	219	Horizontal
4	11550.0	51.81	-2.29	74.00	22.19	229	168	Horizontal
5	17325.0	56.26	0.91	74.00	17.74	235	68	Horizontal
6	17325.0	44.99	0.91	54.00	9.01	229	219	Horizontal
7	17933.9	47.06	1.70	54.00	6.94	116	324	Horizontal



**4.9.2.86 11AC80\_155 ANT 1\_Vertical**



**Suspected List**

Suspected List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6950.49	56.22	21.26	74.00	17.78	266	360	Vertical
2	6973.29	48.05	21.26	54.00	5.95	188	69	Vertical
3	11550.0	39.76	-2.29	54.00	14.24	211	140	Vertical
4	11550.0	50.75	-2.29	74.00	23.25	214	0	Vertical
5	17325.0	55.80	0.91	74.00	18.20	289	241	Vertical
6	17325.0	45.29	0.91	54.00	8.71	164	40	Vertical
7	17986.2	47.10	1.72	54.00	6.90	161	40	Vertical

**Remark:**

- 1) The field strength is calculated by adding the Antenna Factor, Cable Factor & Preamplifier. The basic equation with a sample calculation is as follows:  
Final Test Level = Receiver Reading + Antenna Factor + Cable Factor – Preamplifier Factor
- 2) Scan from 9kHz to 40GHz, The disturbance between 9KHz to 30MHz and 18GHz to 40GHz was very low, and the above harmonics were the highest point could be found when testing, so only the above harmonics had been displayed. The amplitude of spurious emissions from the radiator which are attenuated more than 20dB below the limit need not be reported .
- 3) As shown in this section, for frequencies above 1GHz, the field strength limits are based on average limits. However, the peak field strength of any emission shall not exceed the maximum permitted average limits specified above by more than 20 dB under any condition of modulation. So, only the peak measurements were shown in the report.
- 4) All modes have been tested, but only the worst case data displayed in this report.



### 4.10 Restricted bands around fundamental frequency

Test Requirement:	47 CFR Part 15 Section 15.407(b)		
Test Method:	ANSI C63.10: 2013		
Test Site:	Measurement Distance: 3m (Semi-Anechoic Chamber)		
Limit:	Frequency	Limit (dBuV/m @3m)	Remark
	30MHz-88MHz	40.0	Quasi-peak Value
	88MHz-216MHz	43.5	Quasi-peak Value
	216MHz-960MHz	46.0	Quasi-peak Value
	960MHz-1GHz	54.0	Quasi-peak Value
	Above 1GHz	54.0	Average Value
		74.0	Peak Value
Test Setup:			

