



4.7.2.104 11AC40_110 ANT 1_Vertical



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6732.0866	54.81	22.64	74.00	19.19	150	90	Vertical
2	6780.6890	45.20	23.15	54.00	8.80	150	292	Vertical
3	11100.0000	39.90	-3.36	54.00	14.10	150	140	Vertical
4	11100.0000	53.00	-3.36	74.00	21.00	150	241	Vertical
5	16650.0000	51.76	-4.20	74.00	22.24	150	140	Vertical
6	16650.0000	39.57	-4.20	54.00	14.43	150	140	Vertical
7	17528.0764	45.05	0.71	54.00	8.95	150	342	Vertical




4.7.2.105 11AC40_134 ANT 1_Vertical



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6281.7641	53.96	21.21	74.00	20.04	150	0	Vertical
2	6850.5925	46.01	23.47	54.00	7.99	150	292	Vertical
3	11340.0000	38.48	-4.59	54.00	15.52	150	91	Vertical
4	11340.0000	50.15	-4.59	74.00	23.85	150	192	Vertical
5	17010.0000	51.72	-3.20	74.00	22.28	150	292	Vertical
6	17010.0000	39.36	-3.20	54.00	14.64	150	242	Vertical
7	17518.1759	44.96	0.58	54.00	9.04	150	192	Vertical



4.7.2.106 11AC40_142 ANT 1_Vertical




Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6929.4965	56.57	24.81	74.00	17.43	150	220	Vertical
2	6983.4992	46.93	24.85	54.00	7.07	150	170	Vertical
3	11420.0000	45.15	2.99	54.00	8.85	150	69	Vertical
4	11420.0000	56.26	2.99	74.00	17.74	150	219	Vertical
5	17130.0000	56.86	1.88	74.00	17.14	150	360	Vertical
6	17130.0000	45.98	1.88	54.00	8.02	150	69	Vertical
7	17865.2433	47.52	2.23	54.00	6.48	150	169	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
 No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com


4.7.2.107 11AC40_151 ANT 1_Vertical



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6298.5649	44.38	21.41	54.00	9.62	150	141	Vertical
2	6605.7803	54.43	22.23	74.00	19.57	150	292	Vertical
3	11510.0000	36.07	-5.50	54.00	17.93	150	190	Vertical
4	11510.0000	47.00	-5.50	74.00	27.00	150	241	Vertical
5	17265.0000	53.33	-1.33	74.00	20.67	150	241	Vertical
6	17265.0000	43.13	-1.33	54.00	10.87	150	190	Vertical
7	17524.7762	45.12	0.67	54.00	8.88	150	292	Vertical




4.7.2.108 11AC40_159 ANT 1_Vertical



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6776.7888	54.85	23.11	74.00	19.15	150	90	Vertical
2	6885.0943	45.58	23.55	54.00	8.42	150	342	Vertical
3	11590.0000	38.72	-3.32	54.00	15.28	150	342	Vertical
4	11590.0000	49.74	-3.32	74.00	24.26	150	191	Vertical
5	17385.0000	54.78	-1.02	74.00	19.22	150	292	Vertical
6	17385.0000	43.32	-1.02	54.00	10.68	150	191	Vertical
7	17520.9260	45.05	0.62	54.00	8.95	150	191	Vertical




4.7.2.109 11AC40_38 ANT 1_Horizontal



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6416.7708	53.50	21.94	74.00	20.50	150	69	Horizontal
2	6777.9889	45.04	23.12	54.00	8.96	150	220	Horizontal
3	10380.0000	37.82	-5.36	54.00	16.18	150	69	Horizontal
4	10380.0000	48.27	-5.36	74.00	25.73	150	119	Horizontal
5	15570.0000	49.34	-4.02	74.00	24.66	150	360	Horizontal
6	15570.0000	37.07	-4.02	54.00	16.93	150	270	Horizontal
7	17528.6264	44.89	0.72	54.00	9.11	150	169	Horizontal



4.7.2.110 11AC40_46 ANT 1_Horizontal



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6537.3769	53.91	21.99	74.00	20.09	150	119	Horizontal
2	6818.7909	45.50	23.39	54.00	8.50	150	271	Horizontal
3	10460.0000	38.90	-4.70	54.00	15.10	150	69	Horizontal
4	10460.0000	50.46	-4.70	74.00	23.54	150	119	Horizontal
5	15690.0000	49.37	-2.93	74.00	24.63	150	271	Horizontal
6	15690.0000	39.44	-2.93	54.00	14.56	150	360	Horizontal
7	17531.3766	45.13	0.75	54.00	8.87	150	69	Horizontal




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com


4.7.2.111 11AC40_54 ANT 1_Horizontal



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6823.5912	46.01	23.40	54.00	7.99	150	69	Horizontal
2	6883.8942	55.64	23.54	74.00	18.36	150	270	Horizontal
3	10540.0000	39.52	-4.46	54.00	14.48	150	69	Horizontal
4	10540.0000	49.77	-4.46	74.00	24.23	150	360	Horizontal
5	15810.0000	51.15	-2.42	74.00	22.85	150	321	Horizontal
6	15810.0000	39.52	-2.42	54.00	14.48	150	360	Horizontal
7	17512.1256	45.00	0.51	54.00	9.00	150	360	Horizontal




4.7.2.112 11AC40_62 ANT 1_Horizontal



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6901.8951	55.92	23.59	74.00	18.08	150	321	Horizontal
2	6909.9955	45.72	23.63	54.00	8.28	150	321	Horizontal
3	10620.0000	39.12	-4.72	54.00	14.88	150	118	Horizontal
4	10620.0000	49.40	-4.72	74.00	24.60	150	168	Horizontal
5	15930.0000	49.96	-3.73	74.00	24.04	150	320	Horizontal
6	15930.0000	38.59	-3.73	54.00	15.41	150	118	Horizontal
7	17616.0808	45.08	1.21	54.00	8.92	150	68	Horizontal



4.7.2.113 11AC40_102 ANT 1_Horizontal




Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6596.4798	45.62	22.22	54.00	8.38	150	360	Horizontal
2	6850.5925	54.54	23.47	74.00	19.46	150	120	Horizontal
3	11020.0000	38.85	-4.09	54.00	15.15	150	119	Horizontal
4	11020.0000	50.23	-4.09	74.00	23.77	150	18	Horizontal
5	16530.0000	50.19	-3.84	74.00	23.81	150	220	Horizontal
6	16530.0000	39.31	-3.84	54.00	14.69	150	321	Horizontal
7	17515.4258	44.84	0.55	54.00	9.16	150	18	Horizontal



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
 No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com


4.7.2.114 11AC40_110 ANT 1_Horizontal



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6381.3691	54.14	21.86	74.00	19.86	150	69	Horizontal
2	6434.4717	44.46	21.92	54.00	9.54	150	169	Horizontal
3	11100.0000	39.83	-3.36	54.00	14.17	150	18	Horizontal
4	11100.0000	51.81	-3.36	74.00	22.19	150	320	Horizontal
5	16650.0000	50.80	-4.20	74.00	23.20	150	269	Horizontal
6	16650.0000	39.60	-4.20	54.00	14.40	150	18	Horizontal
7	17523.1262	45.15	0.65	54.00	8.85	150	320	Horizontal



4.7.2.115 11AC40_134 ANT 1_Horizontal




Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6737.7869	54.87	22.70	74.00	19.13	150	170	Horizontal
2	6982.8991	46.49	24.01	54.00	7.51	150	360	Horizontal
3	11340.0000	39.54	-4.59	54.00	14.46	150	268	Horizontal
4	11340.0000	49.53	-4.59	74.00	24.47	150	360	Horizontal
5	17010.0000	50.81	-3.20	74.00	23.19	150	319	Horizontal
6	17010.0000	39.31	-3.20	54.00	14.69	150	169	Horizontal
7	17520.9260	45.24	0.62	54.00	8.76	150	268	Horizontal



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
 No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

4.7.2.116 11AC40_142 ANT 1_Horizontal




Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6940.8970	47.06	24.93	54.00	6.94	150	342	Horizontal
2	6945.0973	55.93	24.97	74.00	18.07	150	40	Horizontal
3	11420.0000	45.12	2.99	54.00	8.88	150	292	Horizontal
4	11420.0000	56.38	2.99	74.00	17.62	150	242	Horizontal
5	17130.0000	57.35	1.88	74.00	16.65	150	0	Horizontal
6	17130.0000	47.03	1.88	54.00	6.97	150	242	Horizontal
7	17902.6451	47.58	2.66	54.00	6.42	150	342	Horizontal



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
 No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

4.7.2.117 11AC40_151 ANT 1_Horizontal




Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6424.5712	53.67	21.93	74.00	20.33	150	320	Horizontal
2	6899.7950	46.08	23.58	54.00	7.92	150	219	Horizontal
3	11510.0000	36.51	-5.50	54.00	17.49	150	360	Horizontal
4	11510.0000	47.66	-5.50	74.00	26.34	150	170	Horizontal
5	17265.0000	54.34	-1.33	74.00	19.66	150	322	Horizontal
6	17265.0000	42.58	-1.33	54.00	11.42	150	18	Horizontal
7	17601.7801	44.92	1.58	54.00	9.08	150	170	Horizontal



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
 No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com


4.7.2.118 11AC40_159 ANT 1_Horizontal



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6345.6673	54.20	21.67	74.00	19.80	150	69	Horizontal
2	6362.1681	44.21	21.76	54.00	9.79	150	220	Horizontal
3	11590.0000	38.52	-3.32	54.00	15.48	150	68	Horizontal
4	11590.0000	50.30	-3.32	74.00	23.70	150	360	Horizontal
5	17385.0000	54.07	-1.02	74.00	19.93	150	360	Horizontal
6	17385.0000	42.88	-1.02	54.00	11.12	150	18	Horizontal
7	17548.9774	44.96	0.98	54.00	9.04	150	18	Horizontal




4.7.2.119 11AC80_42 ANT 1_Vertical



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6645.0823	45.57	22.27	54.00	8.43	150	38	Vertical
2	6949.8975	55.24	23.84	74.00	18.76	150	190	Vertical
3	10420.0000	38.10	-5.14	54.00	15.90	150	192	Vertical
4	10420.0000	49.46	-5.14	74.00	24.54	150	92	Vertical
5	15630.0000	47.93	-4.14	74.00	26.07	150	42	Vertical
6	15630.0000	37.32	-4.14	54.00	16.68	150	142	Vertical
7	17526.4263	45.11	0.69	54.00	8.89	150	192	Vertical




4.7.2.120 11AC80_58 ANT 1_Vertical



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6879.3940	45.95	23.53	54.00	8.05	150	0	Vertical
2	6920.1960	55.33	23.69	74.00	18.67	150	39	Vertical
3	10580.0000	50.10	-4.65	74.00	23.90	150	140	Vertical
4	10580.0000	39.22	-4.65	54.00	14.78	150	140	Vertical
5	15870.0000	48.90	-3.31	74.00	25.10	150	140	Vertical
6	15870.0000	37.71	-3.31	54.00	16.29	150	342	Vertical
7	17242.0621	56.55	-1.44	74.00	17.45	150	38	Vertical
8	17525.3263	44.87	0.67	54.00	9.13	150	342	Vertical




4.7.2.121 11AC80_106 ANT 1_Vertical



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6810.6905	45.96	23.37	54.00	8.04	150	190	Vertical
2	6820.5910	54.85	23.40	74.00	19.15	150	40	Vertical
3	11060.0000	39.35	-3.73	54.00	14.65	150	291	Vertical
4	11060.0000	50.16	-3.73	74.00	23.84	150	140	Vertical
5	16590.0000	49.16	-4.27	74.00	24.84	150	191	Vertical
6	16590.0000	38.71	-4.27	54.00	15.29	150	342	Vertical
7	17526.4263	45.18	0.69	54.00	8.82	150	342	Vertical




4.7.2.122 11AC80_122 ANT 1_Vertical



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6867.3934	55.34	23.51	74.00	18.66	150	291	Vertical
2	6923.1962	46.26	23.70	54.00	7.74	150	90	Vertical
3	11220.0000	40.39	-3.73	54.00	13.61	150	342	Vertical
4	11220.0000	51.56	-3.73	74.00	22.44	150	140	Vertical
5	16830.0000	52.39	-2.15	74.00	21.61	150	140	Vertical
6	16830.0000	41.20	-2.15	54.00	12.80	150	190	Vertical
7	17608.3804	44.93	1.41	54.00	9.07	150	240	Vertical




4.7.2.123 11AC80_138 ANT 1_Vertical



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6930.0965	55.88	24.82	74.00	18.12	150	320	Vertical
2	6944.7972	46.82	24.97	54.00	7.18	150	18	Vertical
3	11380.0000	57.48	2.91	74.00	16.52	150	318	Vertical
4	11380.0000	45.71	2.91	54.00	8.29	150	218	Vertical
5	17070.0000	56.59	1.19	74.00	17.41	150	118	Vertical
6	17070.0000	45.25	1.19	54.00	8.75	150	318	Vertical
7	17907.5954	47.97	2.62	54.00	6.03	150	268	Vertical




4.7.2.124 11AC80_155 ANT 1_Vertical



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6747.3874	54.11	22.80	74.00	19.89	150	292	Vertical
2	6951.6976	46.16	23.85	54.00	7.84	150	242	Vertical
3	11550.0000	38.02	-4.41	54.00	15.98	150	142	Vertical
4	11550.0000	50.78	-4.41	74.00	23.22	150	142	Vertical
5	17325.0000	53.60	-1.12	74.00	20.40	150	92	Vertical
6	17325.0000	42.93	-1.12	54.00	11.07	150	142	Vertical
7	17993.3997	45.08	-0.40	54.00	8.92	150	292	Vertical




4.7.2.125 11AC80_42 ANT 1_Horizontal



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6677.1839	54.60	22.29	74.00	19.40	150	170	Horizontal
2	6863.7932	46.11	23.50	54.00	7.89	150	170	Horizontal
3	10420.0000	38.28	-5.14	54.00	15.72	150	68	Horizontal
4	10420.0000	49.56	-5.14	74.00	24.44	150	18	Horizontal
5	15630.0000	49.59	-4.14	74.00	24.41	150	219	Horizontal
6	15630.0000	37.10	-4.14	54.00	16.90	150	68	Horizontal
7	17528.6264	44.94	0.72	54.00	9.06	150	118	Horizontal




4.7.2.126 11AC80_58 ANT 1_Horizontal



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6302.1651	54.03	21.44	74.00	19.97	150	170	Horizontal
2	6780.9890	45.53	23.15	54.00	8.47	150	321	Horizontal
3	10580.0000	39.27	-4.65	54.00	14.73	150	220	Horizontal
4	10580.0000	50.19	-4.65	74.00	23.81	150	220	Horizontal
5	15870.0000	50.11	-3.31	74.00	23.89	150	119	Horizontal
6	15870.0000	38.07	-3.31	54.00	15.93	150	69	Horizontal
7	17614.9807	45.37	1.24	54.00	8.63	150	18	Horizontal




4.7.2.127 11AC80_106 ANT 1_Horizontal



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6849.3925	55.97	23.46	74.00	18.03	150	169	Horizontal
2	6931.2966	46.34	23.74	54.00	7.66	150	119	Horizontal
3	11060.0000	39.39	-3.73	54.00	14.61	150	69	Horizontal
4	11060.0000	51.20	-3.73	74.00	22.80	150	360	Horizontal
5	16590.0000	50.38	-4.27	74.00	23.62	150	360	Horizontal
6	16590.0000	38.65	-4.27	54.00	15.35	150	360	Horizontal
7	17789.8895	44.95	-0.79	54.00	9.05	150	69	Horizontal




4.7.2.128 11AC80_122 ANT 1_Horizontal



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6410.4705	54.47	21.95	74.00	19.53	150	360	Horizontal
2	6764.7882	47.03	22.98	54.00	6.97	150	18	Horizontal
3	11220.0000	40.34	-3.73	54.00	13.66	150	69	Horizontal
4	11220.0000	51.42	-3.73	74.00	22.58	150	219	Horizontal
5	16830.0000	52.76	-2.15	74.00	21.24	150	119	Horizontal
6	16830.0000	41.23	-2.15	54.00	12.77	150	320	Horizontal
7	17528.0764	44.97	0.71	54.00	9.03	150	18	Horizontal




4.7.2.129 11AC80_138 ANT 1_Horizontal



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6901.5951	56.74	24.52	74.00	17.26	150	191	Horizontal
2	6930.3965	47.26	24.82	54.00	6.74	150	91	Horizontal
3	11380.0000	45.47	2.91	54.00	8.53	150	0	Horizontal
4	11380.0000	57.67	2.91	74.00	16.33	150	241	Horizontal
5	17070.0000	45.59	1.19	54.00	8.41	150	86	Horizontal
6	17070.0000	57.49	1.19	74.00	16.51	150	86	Horizontal
7	17907.5954	47.46	2.62	54.00	6.54	150	191	Horizontal



4.7.2.130 11AC80_155 ANT 1_Horizontal



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	6660.0830	54.76	22.28	74.00	19.24	150	68	Horizontal
2	6956.7978	47.53	23.88	54.00	6.47	150	170	Horizontal
3	11550.0000	38.12	-4.41	54.00	15.88	150	169	Horizontal
4	11550.0000	49.32	-4.41	74.00	24.68	150	360	Horizontal
5	17325.0000	54.61	-1.12	74.00	19.39	150	360	Horizontal
6	17325.0000	43.28	-1.12	54.00	10.72	150	18	Horizontal
7	17783.2892	44.87	-0.80	54.00	9.13	150	360	Horizontal

Remark:

1) The field strength is calculated by adding the Antenna Factor, Cable Factor & Preamplifier. The basic equation with a sample calculation is as follows:

Final Test Level = Receiver Reading + Antenna Factor + Cable Factor – Preamplifier Factor

2) Scan from 9kHz to 40GHz, The disturbance between 9KHz to 30MHz and 18GHz to 40GHz was very low, and the above harmonics were the highest point could be found when testing, so only the above harmonics had been displayed. The amplitude of spurious emissions from the radiator which are attenuated more than 20dB below the limit need not be reported .

3) As shown in this section, for frequencies above 1GHz, the field strength limits are based on average limits. However, the peak field strength of any emission shall not exceed the maximum permitted average limits specified above by more than 20 dB under any condition of modulation. So, only the peak measurements were shown in the report.

4) All modes have been tested, but only the worst case data displayed in this report.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
 No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

4.8 Restricted bands around fundamental frequency

Test Requirement:	47 CFR Part 15 Section 15.407(b)		
Test Method:	ANSI C63.10: 2013		
Test Site:	Measurement Distance: 3m (Semi-Anechoic Chamber)		
Limit:	Frequency	Limit (dBuV/m @3m)	Remark
	30MHz-88MHz	40.0	Quasi-peak Value
	88MHz-216MHz	43.5	Quasi-peak Value
	216MHz-960MHz	46.0	Quasi-peak Value
	960MHz-1GHz	54.0	Quasi-peak Value
	Above 1GHz	54.0	Average Value
74.0		Peak Value	
Test Setup:			

The diagram illustrates the test setup within a semi-anechoic chamber. The chamber's interior walls are lined with pyramidal electromagnetic absorbers. On the left, a turntable is positioned at a height of 150cm, supporting an Antenna Enclosure (AE) and the Equipment Under Test (EUT). A horizontal distance of 3m is maintained between the turntable and a horn antenna. The horn antenna is mounted on an antenna tower that can be adjusted between 1m and 4m in height. A ground reference plane is established at the base of the chamber. Outside the chamber, a Test Receiver, Pre-Amplifier, and Controller are connected to the antenna tower via cables.




Test Procedure:	a. The EUT was placed on the top of a rotating table 1.5 meters above the ground at a 3 meter semi-anechoic chamber. The table was rotated 360 degrees to determine the position of the highest radiation. b. The EUT was set 3 meters away from the interference-receiving antenna, which was mounted on the top of a variable-height antenna tower. c. The antenna height is varied from one meter to four meters above the ground to determine the maximum value of the field strength. Both horizontal and vertical polarizations of the antenna are set to make the measurement. d. For each suspected emission, the EUT was arranged to its worst case and then the antenna was tuned to heights from 1 meter to 4 meters and the rotatable table was turned from 0 degrees to 360 degrees to find the maximum reading. e. The test-receiver system was set to Peak Detect Function and Specified Bandwidth with Maximum Hold Mode. f. Place a marker at the end of the restricted band closest to the transmit frequency to show compliance. Also measure any emissions in the restricted bands. Save the spectrum analyzer plot. Repeat for each power and modulation for lowest and highest channel g. Test the EUT in the outermost channels. h. The radiation measurements are performed in X, Y, Z axis positioning for Transmitting mode, And found the X axis positioning which it is worse case. i. Repeat above procedures until all frequencies measured was complete.
Exploratory Test Mode:	Transmitting with all kind of modulations, data rates.
Final Test Mode:	Through Pre-scan, find the 6Mbps of rate is the worst case of 802.11a; MCS0 of rate is the worst case of 802.11n(HT20); MCS0 of rate is the worst case of 802.11n(HT40); MCS0 of rate is the worst case of 802.11ac(HT20); MCS0 of rate is the worst case of 802.11ac(HT40); MCS0 of rate is the worst case of 802.11ac(HT80); Only the worst case is recorded in the report.
Instruments Used:	Refer to section 5.10 for details
Test Results:	Pass



4.8.1 Test plots

4.8.1.1 11A20_36 ANT 1_Vertical




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5118.8594	36.21	17.84	54.00	17.79	150	80	Vertical
2	5125.8629	49.99	17.86	74.00	24.01	150	183	Vertical
3	5141.6208	36.72	17.90	54.00	17.28	150	156	Vertical
4	5144.1221	55.70	17.90	74.00	18.30	150	151	Vertical
5	5180.0000	96.10	17.98	68.30	-27.80	150	140	Vertical
6	5180.0000	86.03	17.98	0.00	-86.03	150	140	Vertical




4.8.1.2 11A20_36 ANT 1_ Horizontal



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5121.7109	39.38	17.85	54.00	14.62	150	46	Horizontal
2	5130.7654	56.39	17.87	74.00	17.61	150	46	Horizontal
3	5143.5218	40.72	17.90	54.00	13.28	150	14	Horizontal
4	5147.4737	64.22	17.91	74.00	9.78	150	14	Horizontal
5	5180.0000	105.42	17.98	68.30	-37.12	150	30	Horizontal
6	5180.0000	95.65	17.98	0.00	-95.65	150	14	Horizontal




4.8.1.3 11A20_48 ANT 1_Vertical



Suspected List								
NO.	Freq. [MHz]	Level [dBuV/m]	Factor [dB]	Limit [dBuV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5240.0000	95.58	18.12	68.30	-27.28	150	140	Vertical
2	5240.0000	85.44	18.12	0.00	-85.44	150	140	Vertical
3	5354.2571	55.36	18.46	74.00	18.64	150	59	Vertical
4	5359.3897	42.27	18.48	54.00	11.73	150	344	Vertical
5	5373.1666	56.67	18.53	74.00	17.33	150	344	Vertical
6	5392.3462	42.35	18.60	54.00	11.65	150	73	Vertical



4.8.1.4 11A20_48 ANT 1_ Horizontal




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5240.0000	105.37	18.12	68.30	-37.07	150	16	Horizontal
2	5240.0000	95.58	18.12	0.00	-95.58	150	16	Horizontal
3	5358.2191	57.12	18.47	74.00	16.88	150	360	Horizontal
4	5362.0010	42.51	18.49	54.00	11.49	150	16	Horizontal
5	5385.8629	56.08	18.58	74.00	17.92	150	139	Horizontal
6	5390.0050	42.37	18.59	54.00	11.63	150	331	Horizontal



4.8.1.5 11A20_52 ANT 1_Vertical




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5106.6633	41.53	17.82	54.00	12.47	150	209	Vertical
2	5126.3832	58.01	17.86	74.00	15.99	150	22	Vertical
3	5142.7714	55.20	17.90	74.00	18.80	150	291	Vertical
4	5143.4017	41.75	17.90	54.00	12.25	150	140	Vertical
5	5260.0000	93.86	18.16	68.30	-25.56	150	133	Vertical
6	5260.0000	84.02	18.16	0.00	-84.02	150	133	Vertical




4.8.1.6 11A20_52 ANT 1_ Horizontal



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5113.8669	55.69	17.83	74.00	18.31	150	201	Horizontal
2	5117.7389	41.82	17.84	54.00	12.18	150	49	Horizontal
3	5144.4822	55.56	17.90	74.00	18.44	150	339	Horizontal
4	5146.1931	42.13	17.91	54.00	11.87	150	16	Horizontal
5	5260.0000	105.38	18.16	68.30	-37.08	150	16	Horizontal
6	5260.0000	95.53	18.16	0.00	-95.53	150	16	Horizontal



4.8.1.7 11A20_64 ANT 1_Vertical




Suspected List

NO.	Freq. [MHz]	Level [dBuV/m]	Factor [dB]	Limit [dBuV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5320.0000	94.52	18.33	68.30	-26.22	150	21	Vertical
2	5320.0000	83.73	18.33	0.00	-83.73	150	21	Vertical
3	5351.2256	56.01	18.44	74.00	17.99	150	21	Vertical
4	5355.2776	36.68	18.46	54.00	17.32	150	14	Vertical
5	5379.9400	50.32	18.55	74.00	23.68	150	35	Vertical
6	5393.6468	36.39	18.61	54.00	17.61	150	135	Vertical




4.8.1.8 11A20_64 ANT 1_ Horizontal



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5320.0000	104.74	18.33	68.30	-36.44	150	16	Horizontal
2	5320.0000	94.98	18.33	0.00	-94.98	150	16	Horizontal
3	5351.8259	67.99	18.45	74.00	6.01	150	358	Horizontal
4	5357.9290	40.22	18.47	54.00	13.78	150	16	Horizontal
5	5379.4397	53.92	18.55	74.00	20.08	150	22	Horizontal
6	5392.2461	38.48	18.60	54.00	15.52	150	16	Horizontal




4.8.1.9 11A20_100 ANT 1_Vertical



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5429.8349	34.92	18.58	54.00	19.08	150	246	Vertical
2	5448.6843	48.53	18.55	74.00	25.47	150	159	Vertical
3	5454.3272	35.36	18.54	54.00	18.64	150	30	Vertical
4	5470.0000	51.89	18.52	68.30	16.41	150	35	Vertical
5	5500.0000	87.52	18.47	68.30	-19.22	150	193	Vertical
6	5500.0000	77.49	18.47	0.00	-77.49	150	35	Vertical



4.8.1.10 11A20_100 ANT 1_ Horizontal




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5431.0355	36.17	18.58	54.00	17.83	150	23	Horizontal
2	5451.0255	53.95	18.55	74.00	20.05	150	23	Horizontal
3	5454.3872	37.18	18.54	54.00	16.82	150	23	Horizontal
4	5468.9745	61.20	18.52	68.30	7.10	150	360	Horizontal
5	5500.0000	98.81	18.47	68.30	-30.51	150	23	Horizontal
6	5500.0000	88.18	18.47	0.00	-88.18	150	23	Horizontal



4.8.1.11 11A20_140 ANT 1_Vertical




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5700.0000	91.19	19.17	68.30	-22.89	150	51	Vertical
2	5725.9580	57.92	19.34	68.30	10.38	150	55	Vertical
3	5731.8759	54.20	19.38	68.30	14.10	150	245	Vertical
4	5746.3132	51.12	19.48	68.30	17.18	150	180	Vertical
5	5766.6683	51.19	19.62	68.30	17.11	150	131	Vertical




4.8.1.12 11A20_140 ANT 1_ Horizontal



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5700.0000	102.54	19.17	68.30	-34.24	150	27	Horizontal
2	5726.2181	63.97	19.35	68.30	4.33	150	41	Horizontal
3	5739.6798	61.84	19.44	68.30	6.46	150	27	Horizontal
4	5750.2151	55.58	19.51	68.30	12.72	150	27	Horizontal
5	5775.0575	51.46	19.67	68.30	16.84	150	27	Horizontal



4.8.1.13 11A20_144 ANT 1_ Horizontal




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5720.0000	105.16	19.80	0.00	-105.16	150	14	Horizontal
2	5720.0000	94.40	19.80	0.00	-94.40	150	27	Horizontal
3	5859.6548	50.70	20.34	74.00	23.30	150	14	Horizontal
4	5867.1586	37.30	20.31	54.00	16.70	150	27	Horizontal
5	5904.2271	36.69	20.22	54.00	17.31	150	344	Horizontal
6	5931.2406	51.25	20.46	74.00	22.75	150	219	Horizontal



4.8.1.14 11A20_144 ANT 1_ Vertical




Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5720.0000	94.26	19.80	0.00	-94.26	150	204	Vertical
2	5720.0000	84.49	19.80	0.00	-84.49	150	184	Vertical
3	5863.7069	50.85	20.33	74.00	23.15	150	300	Vertical
4	5868.6593	36.82	20.31	54.00	17.18	150	149	Vertical
5	5923.4367	50.77	20.39	74.00	23.23	150	314	Vertical
6	5941.5958	36.92	20.55	54.00	17.08	150	197	Vertical



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
 No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

4.8.1.15 11A20_149 ANT 1_Vertical




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5645.3927	49.04	18.74	68.30	19.26	150	179	Vertical
2	5676.0680	50.21	18.98	87.59	37.38	150	244	Vertical
3	5707.7939	51.52	19.22	107.48	55.96	150	49	Vertical
4	5724.2521	62.66	19.33	120.59	57.93	150	44	Vertical
5	5745.0000	93.92	19.47	0.00	-93.92	150	44	Vertical




4.8.1.16 11A20_149 ANT 1_ Horizontal



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5643.0115	50.32	18.73	68.30	17.98	150	16	Horizontal
2	5675.7179	51.26	18.98	87.33	36.07	150	20	Horizontal
3	5706.2531	59.59	19.21	107.05	47.46	150	24	Horizontal
4	5724.3222	70.60	19.33	120.75	50.15	150	358	Horizontal
5	5745.0000	104.97	19.47	0.00	-104.97	150	20	Horizontal



4.8.1.17 11A20_165 ANT 1_Vertical




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5825.0000	94.23	19.79	0.00	-94.23	150	207	Vertical
2	5850.2476	61.63	19.74	121.74	60.11	150	211	Vertical
3	5867.6938	50.47	19.70	107.35	56.88	150	134	Vertical
4	5911.7359	50.90	19.74	78.12	27.22	150	230	Vertical
5	5937.0910	49.60	19.95	68.30	18.70	150	335	Vertical




4.8.1.18 11A20_165 ANT 1_ Horizontal



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5825.0000	102.35	19.79	0.00	-102.35	150	38	Horizontal
2	5852.8064	65.67	19.73	115.90	50.23	150	16	Horizontal
3	5863.3517	60.39	19.71	108.56	48.17	150	360	Horizontal
4	5904.6023	50.52	19.68	83.39	32.87	150	34	Horizontal
5	5938.4867	50.66	19.96	68.30	17.64	150	16	Horizontal




4.8.1.19 11N20_36 ANT 1_Vertical



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5110.7554	36.14	17.82	54.00	17.86	150	124	Vertical
2	5125.7129	50.20	17.86	74.00	23.80	150	135	Vertical
3	5139.1696	36.60	17.89	54.00	17.40	150	146	Vertical
4	5148.9745	57.37	17.91	74.00	16.63	150	146	Vertical
5	5180.0000	95.43	17.98	68.30	-27.13	150	135	Vertical
6	5180.0000	86.11	17.98	0.00	-86.11	150	141	Vertical




4.8.1.20 11N20_36 ANT 1_ Horizontal



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5121.9610	39.08	17.85	54.00	14.92	150	52	Horizontal
2	5133.3667	60.21	17.88	74.00	13.79	150	52	Horizontal
3	5141.3207	40.38	17.90	54.00	13.62	150	46	Horizontal
4	5149.3747	66.06	17.91	74.00	7.94	150	57	Horizontal
5	5180.0000	105.20	17.98	68.30	-36.90	150	14	Horizontal
6	5180.0000	95.18	17.98	0.00	-95.18	150	52	Horizontal




4.8.1.21 11N20_48 ANT 1_Vertical



Suspected List								
NO.	Freq. [MHz]	Level [dBuV/m]	Factor [dB]	Limit [dBuV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5240.0000	94.20	18.12	68.30	-25.90	150	139	Vertical
2	5240.0000	84.34	18.12	0.00	-84.34	150	139	Vertical
3	5355.6978	55.94	18.46	74.00	18.06	150	194	Vertical
4	5371.2756	42.37	18.52	54.00	11.63	150	180	Vertical
5	5388.4742	56.04	18.59	74.00	17.96	150	215	Vertical
6	5397.8389	42.43	18.62	54.00	11.57	150	84	Vertical



4.8.1.22 11N20_48 ANT 1_ Horizontal




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5240.0000	105.03	18.12	68.30	-36.73	150	16	Horizontal
2	5240.0000	95.66	18.12	0.00	-95.66	150	16	Horizontal
3	5353.4467	42.57	18.45	54.00	11.43	150	346	Horizontal
4	5361.7309	56.55	18.48	74.00	17.45	150	360	Horizontal
5	5377.4887	56.95	18.54	74.00	17.05	150	319	Horizontal
6	5391.5358	42.58	18.60	54.00	11.42	150	16	Horizontal



4.8.1.23 11N20_52 ANT 1_Vertical




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5112.0660	41.62	17.83	54.00	12.38	150	92	Vertical
2	5122.3312	55.41	17.85	74.00	18.59	150	78	Vertical
3	5139.5298	41.60	17.89	54.00	12.40	150	50	Vertical
4	5144.7524	55.37	17.90	74.00	18.63	150	188	Vertical
5	5260.0000	94.31	18.16	68.30	-26.01	150	132	Vertical
6	5260.0000	85.13	18.16	0.00	-85.13	150	139	Vertical




4.8.1.24 11N20_52 ANT 1_ Horizontal



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5113.5968	56.23	17.83	74.00	17.77	150	342	Horizontal
2	5119.5398	42.00	17.84	54.00	12.00	150	16	Horizontal
3	5135.8379	41.91	17.88	54.00	12.09	150	356	Horizontal
4	5145.0225	56.23	17.90	74.00	17.77	150	349	Horizontal
5	5260.0000	104.62	18.16	68.30	-36.32	150	16	Horizontal
6	5260.0000	95.42	18.16	0.00	-95.42	150	16	Horizontal




4.8.1.25 11N20_64 ANT 1_Vertical



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5320.0000	93.39	18.33	68.30	-25.09	150	123	Vertical
2	5320.0000	82.90	18.33	0.00	-82.90	150	137	Vertical
3	5353.0765	56.00	18.45	74.00	18.00	150	123	Vertical
4	5356.6783	37.02	18.47	54.00	16.98	150	27	Vertical
5	5361.3307	57.10	18.48	74.00	16.90	150	27	Vertical
6	5383.1916	36.37	18.57	54.00	17.63	150	20	Vertical




4.8.1.26 11N20_64 ANT 1_ Horizontal



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5320.0000	104.74	18.33	68.30	-36.44	150	16	Horizontal
2	5320.0000	95.00	18.33	0.00	-95.00	150	16	Horizontal
3	5350.9255	69.61	18.44	74.00	4.39	150	16	Horizontal
4	5358.5793	40.27	18.47	54.00	13.73	150	16	Horizontal
5	5375.6378	39.12	18.54	54.00	14.88	150	16	Horizontal
6	5385.8429	56.69	18.58	74.00	17.31	150	36	Horizontal



4.8.1.27 11N20_100 ANT 1_Vertical




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5442.1411	35.10	18.56	54.00	18.90	150	55	Vertical
2	5448.4442	49.30	18.55	74.00	24.70	150	282	Vertical
3	5457.4487	35.28	18.54	54.00	18.72	150	246	Vertical
4	5469.1546	52.47	18.52	68.30	15.83	150	17	Vertical
5	5500.0000	87.55	18.47	68.30	-19.25	150	289	Vertical
6	5500.0000	76.52	18.47	0.00	-76.52	150	22	Vertical




4.8.1.28 11N20_100 ANT 1_ Horizontal



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5438.4792	36.70	18.57	54.00	17.30	150	35	Horizontal
2	5457.3287	37.71	18.54	54.00	16.29	150	35	Horizontal
3	5457.6288	57.32	18.54	74.00	16.68	150	35	Horizontal
4	5470.0000	61.63	18.52	68.30	6.67	150	358	Horizontal
5	5500.0000	99.41	18.47	68.30	-31.11	150	360	Horizontal
6	5500.0000	87.79	18.47	0.00	-87.79	150	360	Horizontal



4.8.1.29 11N20_140 ANT 1_Vertical




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5700.0000	90.51	19.17	68.30	-22.21	150	42	Vertical
2	5725.0000	57.76	19.34	68.30	10.54	150	42	Vertical
3	5732.3312	55.42	19.39	68.30	12.88	150	234	Vertical
4	5754.5723	50.91	19.54	68.30	17.39	150	185	Vertical
5	5774.0170	50.86	19.67	68.30	17.44	150	185	Vertical



4.8.1.30 11N20_140 ANT 1_ Horizontal




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5700.0000	101.76	19.17	68.30	-33.46	150	18	Horizontal
2	5725.8279	64.86	19.34	68.30	3.44	150	18	Horizontal
3	5735.9730	61.64	19.41	68.30	6.66	150	18	Horizontal
4	5746.9635	57.81	19.48	68.30	10.49	150	18	Horizontal
5	5774.4722	51.57	19.67	68.30	16.73	150	18	Horizontal




4.8.1.31 11N20_144 ANT 1_ Horizontal



Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5720.0000	104.09	19.80	0.00	-104.09	150	22	Horizontal
2	5720.0000	94.22	19.80	0.00	-94.22	150	22	Horizontal
3	5859.2046	51.23	20.34	74.00	22.77	150	2	Horizontal
4	5871.2106	37.22	20.30	54.00	16.78	150	0	Horizontal
5	5913.8319	50.61	20.30	74.00	23.39	150	153	Horizontal
6	5942.0460	37.09	20.56	54.00	16.91	150	29	Horizontal



4.8.1.32 11N20_144 ANT 1_ Vertical




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5720.0000	94.97	19.80	0.00	-94.97	150	199	Vertical
2	5720.0000	84.77	19.80	0.00	-84.77	150	192	Vertical
3	5860.2551	51.17	20.34	74.00	22.83	150	356	Vertical
4	5871.3607	36.71	20.29	54.00	17.29	150	70	Vertical
5	5915.4827	50.20	20.32	74.00	23.80	150	178	Vertical
6	5942.7964	36.89	20.57	54.00	17.11	150	308	Vertical



4.8.1.33 11N20_149 ANT 1_Vertical




Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5648.8244	50.90	18.77	68.30	17.40	150	344	Vertical
2	5665.6328	49.96	18.90	79.87	29.91	150	185	Vertical
3	5716.0580	58.03	19.28	109.80	51.77	150	52	Vertical
4	5722.3612	62.43	19.32	116.28	53.85	150	240	Vertical
5	5745.0000	93.35	19.47	0.00	-93.35	150	56	Vertical



4.8.1.34 11N20_149 ANT 1_ Horizontal




Suspected List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5644.3422	50.02	18.74	68.30	18.28	150	16	Horizontal
2	5690.4252	56.47	19.10	98.21	41.74	150	25	Horizontal
3	5708.1441	62.70	19.22	107.58	44.88	150	20	Horizontal
4	5724.0420	71.41	19.33	120.12	48.71	150	16	Horizontal
5	5745.0000	102.74	19.47	0.00	-102.74	150	16	Horizontal



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
 No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

4.8.1.35 11N20_165 ANT 1_Vertical



Suspected List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5825.0000	93.31	19.79	0.00	-93.31	150	56	Vertical
2	5851.7984	58.22	19.74	118.20	59.98	150	204	Vertical
3	5856.9160	57.60	19.73	110.36	52.76	150	199	Vertical
4	5894.8324	49.97	19.65	90.62	40.65	150	222	Vertical
5	5938.9520	49.88	19.97	68.30	18.42	150	222	Vertical

