










		73																																																																																																								
Mode		Band Edge - L																																																																																																								
		U-NII-2C_5.47-5.725_802.11n HT40_CH134_5670MHz																																																																																																								
ANT		ANT.0+1																																																																																																								
Pol.		Vertical						Fundamental																																																																																																		
Peak																																																																																																										
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5419.12	48.27	74.00	-25.73	39.43	34.59	10.79	36.54	0.00	100	111	PEAK	2	5466.32	47.33	68.30	-20.97	38.35	34.58	10.85	36.45	0.00	100	111	PEAK		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5670.00	106.98	68.30	38.68	97.95	34.53	11.10	36.60	0.00	100	111
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	5419.12	48.27	74.00	-25.73	39.43	34.59	10.79	36.54	0.00	100	111	PEAK																																																																																														
2	5466.32	47.33	68.30	-20.97	38.35	34.58	10.85	36.45	0.00	100	111	PEAK																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	5670.00	106.98	68.30	38.68	97.95	34.53	11.10	36.60	0.00	100	111	PEAK																																																																																														
Avg																																																																																																										
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5353.04	36.87	54.00	-17.13	28.25	34.53	10.75	36.66	0.00	100	111	AVERAGE		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5670.00	99.12	68.30	30.82	90.09	34.53	11.10	36.60	0.00	100	111	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	5353.04	36.87	54.00	-17.13	28.25	34.53	10.75	36.66	0.00	100	111	AVERAGE																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	5670.00	99.12	68.30	30.82	90.09	34.53	11.10	36.60	0.00	100	111	AVERAGE																																																																																														







Mode	73																																																						
	Band Edge - R																																																						
	U-NII-2C_5.47-5.725_802.11n HT40_CH134_5670MHz																																																						
ANT	ANT.0+1																																																						
Pol.	Vertical						Fundamental																																																
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5729.48</td><td>48.87</td><td>68.30</td><td>-19.43</td><td>40.69</td><td>34.69</td><td>11.18</td><td>37.69</td><td>0.00</td><td>100</td><td>111</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5729.48	48.87	68.30	-19.43	40.69	34.69	11.18	37.69	0.00	100	111	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5729.48	48.87	68.30	-19.43	40.69	34.69	11.18	37.69	0.00	100	111	PEAK																																											






Mode	73																																																																																																			
	Harmonic																																																																																																			
	U-NII-2C_5.47-5.725_802.11n HT40_CH134_5670MHz																																																																																																			
ANT	ANT.0+1																																																																																																			
Pol.	Horizontal						Vertical																																																																																													
Peak Avg																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11340.00</td><td>44.73</td><td>74.00</td><td>-29.27</td><td>57.09</td><td>38.17</td><td>16.26</td><td>66.79</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11340.00	44.73	74.00	-29.27	57.09	38.17	16.26	66.79	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11340.00</td><td>45.44</td><td>74.00</td><td>-28.56</td><td>57.80</td><td>38.17</td><td>16.26</td><td>66.79</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11340.00	45.44	74.00	-28.56	57.80	38.17	16.26	66.79	0.00	---	---	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	11340.00	44.73	74.00	-29.27	57.09	38.17	16.26	66.79	0.00	---	---	PEAK																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	11340.00	45.44	74.00	-28.56	57.80	38.17	16.26	66.79	0.00	---	---	PEAK																																																																																								





	74																																																																																																																																										
Mode	Band Edge																																																																																																																																										
	U-NII-3_5.725-5.85_802.11n HT20_CH149_5745MHz																																																																																																																																										
ANT	ANT.0+1																																																																																																																																										
Pol.	Horizontal						Fundamental																																																																																																																																				
Peak																																																																																																																																											
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5632.40</td><td>48.89</td><td>68.30</td><td>-19.41</td><td>39.47</td><td>34.51</td><td>11.05</td><td>36.14</td><td>0.00</td><td>317</td><td>102</td><td>PEAK</td></tr><tr><td>2</td><td>5652.00</td><td>48.92</td><td>69.79</td><td>-20.87</td><td>39.67</td><td>34.50</td><td>11.07</td><td>36.32</td><td>0.00</td><td>317</td><td>102</td><td>PEAK</td></tr><tr><td>3</td><td>5702.80</td><td>48.90</td><td>106.09</td><td>-57.19</td><td>40.35</td><td>34.62</td><td>11.15</td><td>37.22</td><td>0.00</td><td>317</td><td>102</td><td>PEAK</td></tr><tr><td>4</td><td>5723.60</td><td>60.07</td><td>119.11</td><td>-59.04</td><td>51.81</td><td>34.68</td><td>11.17</td><td>37.59</td><td>0.00</td><td>317</td><td>102</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5632.40	48.89	68.30	-19.41	39.47	34.51	11.05	36.14	0.00	317	102	PEAK	2	5652.00	48.92	69.79	-20.87	39.67	34.50	11.07	36.32	0.00	317	102	PEAK	3	5702.80	48.90	106.09	-57.19	40.35	34.62	11.15	37.22	0.00	317	102	PEAK	4	5723.60	60.07	119.11	-59.04	51.81	34.68	11.17	37.59	0.00	317	102	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>108.83</td><td>122.30</td><td>-13.47</td><td>100.79</td><td>34.72</td><td>11.20</td><td>37.88</td><td>0.00</td><td>317</td><td>102</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	108.83	122.30	-13.47	100.79	34.72	11.20	37.88	0.00	317	102	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5632.40	48.89	68.30	-19.41	39.47	34.51	11.05	36.14	0.00	317	102	PEAK																																																																																																																															
2	5652.00	48.92	69.79	-20.87	39.67	34.50	11.07	36.32	0.00	317	102	PEAK																																																																																																																															
3	5702.80	48.90	106.09	-57.19	40.35	34.62	11.15	37.22	0.00	317	102	PEAK																																																																																																																															
4	5723.60	60.07	119.11	-59.04	51.81	34.68	11.17	37.59	0.00	317	102	PEAK																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5745.00	108.83	122.30	-13.47	100.79	34.72	11.20	37.88	0.00	317	102	PEAK																																																																																																																															
Avg																																																																																																																																											
	Blank																																																																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>101.18</td><td>122.30</td><td>-21.12</td><td>93.14</td><td>34.72</td><td>11.20</td><td>37.88</td><td>0.00</td><td>317</td><td>102</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	101.18	122.30	-21.12	93.14	34.72	11.20	37.88	0.00	317	102	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>101.18</td><td>122.30</td><td>-21.12</td><td>93.14</td><td>34.72</td><td>11.20</td><td>37.88</td><td>0.00</td><td>317</td><td>102</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	101.18	122.30	-21.12	93.14	34.72	11.20	37.88	0.00	317	102	AVERAGE																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5745.00	101.18	122.30	-21.12	93.14	34.72	11.20	37.88	0.00	317	102	AVERAGE																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	5745.00	101.18	122.30	-21.12	93.14	34.72	11.20	37.88	0.00	317	102	AVERAGE																																																																																																																															





		74																																																																																																																	
Mode	Band Edge																																																																																																																		
	U-NII-3_5.725-5.85_802.11n HT20_CH149_5745MHz																																																																																																																		
ANT	ANT.0+1																																																																																																																		
Pol.	Vertical					Fundamental																																																																																																													
Peak																																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5602.00</td><td>50.27</td><td>68.30</td><td>-18.03</td><td>40.93</td><td>34.52</td><td>11.01</td><td>36.19</td><td>0.00</td><td>100</td><td>110 PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>47.40</td><td>68.30</td><td>-20.90</td><td>38.11</td><td>34.50</td><td>11.07</td><td>36.28</td><td>0.00</td><td>100</td><td>110 PEAK</td></tr><tr><td>3</td><td>5700.00</td><td>46.64</td><td>105.52</td><td>-58.88</td><td>38.07</td><td>34.61</td><td>11.14</td><td>37.18</td><td>0.00</td><td>100</td><td>110 PEAK</td></tr><tr><td>4</td><td>5722.00</td><td>54.41</td><td>117.28</td><td>-62.87</td><td>46.14</td><td>34.67</td><td>11.17</td><td>37.57</td><td>0.00</td><td>100</td><td>110 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5602.00	50.27	68.30	-18.03	40.93	34.52	11.01	36.19	0.00	100	110 PEAK	2	5650.00	47.40	68.30	-20.90	38.11	34.50	11.07	36.28	0.00	100	110 PEAK	3	5700.00	46.64	105.52	-58.88	38.07	34.61	11.14	37.18	0.00	100	110 PEAK	4	5722.00	54.41	117.28	-62.87	46.14	34.67	11.17	37.57	0.00	100	110 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>105.71</td><td>122.30</td><td>-16.59</td><td>97.75</td><td>34.74</td><td>11.21</td><td>37.99</td><td>0.00</td><td>100</td><td>110 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5745.00	105.71	122.30	-16.59	97.75	34.74	11.21	37.99	0.00	100	110 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																									
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																								
	1	5602.00	50.27	68.30	-18.03	40.93	34.52	11.01	36.19	0.00	100	110 PEAK																																																																																																							
2	5650.00	47.40	68.30	-20.90	38.11	34.50	11.07	36.28	0.00	100	110 PEAK																																																																																																								
3	5700.00	46.64	105.52	-58.88	38.07	34.61	11.14	37.18	0.00	100	110 PEAK																																																																																																								
4	5722.00	54.41	117.28	-62.87	46.14	34.67	11.17	37.57	0.00	100	110 PEAK																																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																									
1	5745.00	105.71	122.30	-16.59	97.75	34.74	11.21	37.99	0.00	100	110 PEAK																																																																																																								
Avg	Blank																																																																																																																		
						<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>97.60</td><td>122.30</td><td>-24.70</td><td>89.64</td><td>34.74</td><td>11.21</td><td>37.99</td><td>0.00</td><td>100</td><td>110 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5745.00	97.60	122.30	-24.70	89.64	34.74	11.21	37.99	0.00	100	110 AVERAGE																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																									
1	5745.00	97.60	122.30	-24.70	89.64	34.74	11.21	37.99	0.00	100	110 AVERAGE																																																																																																								






Mode	74																																																																																																		
	Harmonic																																																																																																		
	U-NII-3_5.725-5.85_802.11n HT20_CH149_5745MHz																																																																																																		
ANT	ANT.0+1																																																																																																		
Pol.	Horizontal						Vertical																																																																																												
Peak Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11490.00</td><td>44.85</td><td>74.00</td><td>-29.15</td><td>56.94</td><td>38.29</td><td>16.36</td><td>66.74</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11490.00	44.85	74.00	-29.15	56.94	38.29	16.36	66.74	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11490.00</td><td>45.55</td><td>74.00</td><td>-28.45</td><td>57.64</td><td>38.29</td><td>16.36</td><td>66.74</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11490.00	45.55	74.00	-28.45	57.64	38.29	16.36	66.74	0.00	---	---
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	11490.00	44.85	74.00	-29.15	56.94	38.29	16.36	66.74	0.00	---	---	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	11490.00	45.55	74.00	-28.45	57.64	38.29	16.36	66.74	0.00	---	---	PEAK																																																																																							






Mode	75																																																																																																			
	Harmonic																																																																																																			
	U-NII-3_5.725-5.85_802.11n HT20_CH157_5785MHz																																																																																																			
ANT	ANT.0+1																																																																																																			
Pol.	Horizontal						Vertical																																																																																													
Peak Avg																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11570.00</td><td>46.43</td><td>74.00</td><td>-27.57</td><td>58.31</td><td>38.36</td><td>16.41</td><td>66.65</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11570.00	46.43	74.00	-27.57	58.31	38.36	16.41	66.65	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11570.00</td><td>45.37</td><td>74.00</td><td>-28.63</td><td>57.25</td><td>38.36</td><td>16.41</td><td>66.65</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11570.00	45.37	74.00	-28.63	57.25	38.36	16.41	66.65	0.00	---	---	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	11570.00	46.43	74.00	-27.57	58.31	38.36	16.41	66.65	0.00	---	---	PEAK																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	11570.00	45.37	74.00	-28.63	57.25	38.36	16.41	66.65	0.00	---	---	PEAK																																																																																								





	76																																																																																																																																
Mode	Band Edge																																																																																																																																
	U-NII-3_5.725-5.85_802.11n HT20_CH165_5825MHz																																																																																																																																
ANT	ANT.0+1																																																																																																																																
Pol.	Horizontal					Fundamental																																																																																																																											
Peak																																																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1 5854.40</td><td>45.56</td><td>112.27</td><td>-66.71</td><td>39.12</td><td>35.02</td><td>11.33</td><td>39.91</td><td>0.00</td><td>325 100 PEAK</td></tr><tr><td>2 5870.40</td><td>46.04</td><td>106.59</td><td>-60.55</td><td>39.68</td><td>35.04</td><td>11.35</td><td>40.03</td><td>0.00</td><td>325 100 PEAK</td></tr><tr><td>3 5922.00</td><td>46.96</td><td>70.51</td><td>-23.55</td><td>40.33</td><td>35.13</td><td>11.40</td><td>39.90</td><td>0.00</td><td>325 100 PEAK</td></tr><tr><td>4 5928.00</td><td>47.69</td><td>68.30</td><td>-20.61</td><td>41.03</td><td>35.14</td><td>11.40</td><td>39.88</td><td>0.00</td><td>325 100 PEAK</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1 5854.40	45.56	112.27	-66.71	39.12	35.02	11.33	39.91	0.00	325 100 PEAK	2 5870.40	46.04	106.59	-60.55	39.68	35.04	11.35	40.03	0.00	325 100 PEAK	3 5922.00	46.96	70.51	-23.55	40.33	35.13	11.40	39.90	0.00	325 100 PEAK	4 5928.00	47.69	68.30	-20.61	41.03	35.14	11.40	39.88	0.00	325 100 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1 5825.00</td><td>109.23</td><td>122.30</td><td>-13.07</td><td>102.35</td><td>34.94</td><td>11.31</td><td>39.37</td><td>0.00</td><td>325 100 PEAK</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1 5825.00	109.23	122.30	-13.07	102.35	34.94	11.31	39.37	0.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																																																																																																								
1 5854.40	45.56	112.27	-66.71	39.12	35.02	11.33	39.91	0.00	325 100 PEAK																																																																																																																								
2 5870.40	46.04	106.59	-60.55	39.68	35.04	11.35	40.03	0.00	325 100 PEAK																																																																																																																								
3 5922.00	46.96	70.51	-23.55	40.33	35.13	11.40	39.90	0.00	325 100 PEAK																																																																																																																								
4 5928.00	47.69	68.30	-20.61	41.03	35.14	11.40	39.88	0.00	325 100 PEAK																																																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																																																																																																								
1 5825.00	109.23	122.30	-13.07	102.35	34.94	11.31	39.37	0.00	325 100 PEAK																																																																																																																								
Avg	Blank																																																																																																																																
											<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1 5825.00</td><td>100.27</td><td>122.30</td><td>-22.03</td><td>93.39</td><td>34.94</td><td>11.31</td><td>39.37</td><td>0.00</td><td>325 100 AVERAGE</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1 5825.00	100.27	122.30	-22.03	93.39	34.94	11.31	39.37	0.00	325 100 AVERAGE																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																																																																																																								
1 5825.00	100.27	122.30	-22.03	93.39	34.94	11.31	39.37	0.00	325 100 AVERAGE																																																																																																																								






Mode	76																																																																																																																																				
	Band Edge																																																																																																																																				
	U-NII-3_5.725-5.85_802.11n HT20_CH165_5825MHz																																																																																																																																				
ANT	ANT.0+1																																																																																																																																				
Pol.	Vertical						Fundamental																																																																																																																														
Peak																																																																																																																																					
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5854.00</td><td>44.69</td><td>111.36</td><td>-66.67</td><td>38.25</td><td>35.02</td><td>11.34</td><td>39.92</td><td>0.00</td><td>100</td><td>113</td><td>PEAK</td></tr><tr><td>2 5874.00</td><td>46.46</td><td>105.36</td><td>-58.90</td><td>40.08</td><td>35.05</td><td>11.35</td><td>40.02</td><td>0.00</td><td>100</td><td>113</td><td>PEAK</td></tr><tr><td>3 5923.60</td><td>45.34</td><td>69.33</td><td>-23.99</td><td>38.70</td><td>35.13</td><td>11.40</td><td>39.89</td><td>0.00</td><td>100</td><td>113</td><td>PEAK</td></tr><tr><td>4 5976.40</td><td>49.31</td><td>68.30</td><td>-18.99</td><td>42.40</td><td>35.22</td><td>11.45</td><td>39.76</td><td>0.00</td><td>100</td><td>113</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5854.00	44.69	111.36	-66.67	38.25	35.02	11.34	39.92	0.00	100	113	PEAK	2 5874.00	46.46	105.36	-58.90	40.08	35.05	11.35	40.02	0.00	100	113	PEAK	3 5923.60	45.34	69.33	-23.99	38.70	35.13	11.40	39.89	0.00	100	113	PEAK	4 5976.40	49.31	68.30	-18.99	42.40	35.22	11.45	39.76	0.00	100	113	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>103.60</td><td>122.30</td><td>-18.70</td><td>96.72</td><td>34.94</td><td>11.31</td><td>39.37</td><td>0.00</td><td>100</td><td>113</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	103.60	122.30	-18.70	96.72	34.94	11.31	39.37	0.00	100	113	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																											
1 5854.00	44.69	111.36	-66.67	38.25	35.02	11.34	39.92	0.00	100	113	PEAK																																																																																																																										
2 5874.00	46.46	105.36	-58.90	40.08	35.05	11.35	40.02	0.00	100	113	PEAK																																																																																																																										
3 5923.60	45.34	69.33	-23.99	38.70	35.13	11.40	39.89	0.00	100	113	PEAK																																																																																																																										
4 5976.40	49.31	68.30	-18.99	42.40	35.22	11.45	39.76	0.00	100	113	PEAK																																																																																																																										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																											
1 5825.00	103.60	122.30	-18.70	96.72	34.94	11.31	39.37	0.00	100	113	PEAK																																																																																																																										
Avg	Blank																																																																																																																																				
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>96.14</td><td>122.30</td><td>-26.16</td><td>89.26</td><td>34.94</td><td>11.31</td><td>39.37</td><td>0.00</td><td>100</td><td>113</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	96.14	122.30	-26.16	89.26	34.94	11.31	39.37	0.00	100	113	AVERAGE																																																																															
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																											
1 5825.00	96.14	122.30	-26.16	89.26	34.94	11.31	39.37	0.00	100	113	AVERAGE																																																																																																																										




Mode	76																																																																																																			
	Harmonic																																																																																																			
	U-NII-3_5.725-5.85_802.11n HT20_CH165_5825MHz																																																																																																			
ANT	ANT.0+1																																																																																																			
Pol.	Horizontal						Vertical																																																																																													
Peak Avg																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11650.00</td><td>44.70</td><td>74.00</td><td>-29.30</td><td>56.38</td><td>38.42</td><td>16.46</td><td>66.56</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11650.00	44.70	74.00	-29.30	56.38	38.42	16.46	66.56	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11650.00</td><td>45.87</td><td>74.00</td><td>-28.13</td><td>57.55</td><td>38.42</td><td>16.46</td><td>66.56</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11650.00	45.87	74.00	-28.13	57.55	38.42	16.46	66.56	0.00	---	---	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	11650.00	44.70	74.00	-29.30	56.38	38.42	16.46	66.56	0.00	---	---	PEAK																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	11650.00	45.87	74.00	-28.13	57.55	38.42	16.46	66.56	0.00	---	---	PEAK																																																																																								






Mode	77																																																																																																																																										
	Band Edge - L																																																																																																																																										
	U-NII-3_5.725-5.85_802.11n HT40_CH151_5755MHz																																																																																																																																										
ANT	ANT.0+1																																																																																																																																										
Pol.	Horizontal						Fundamental																																																																																																																																				
Peak																																																																																																																																											
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5627.00</td><td>49.81</td><td>68.30</td><td>-18.49</td><td>40.41</td><td>34.51</td><td>11.04</td><td>36.15</td><td>0.00</td><td>300</td><td>101</td><td>PEAK</td></tr><tr><td>2</td><td>5652.00</td><td>48.38</td><td>70.38</td><td>-22.00</td><td>39.13</td><td>34.50</td><td>11.08</td><td>36.33</td><td>0.00</td><td>300</td><td>101</td><td>PEAK</td></tr><tr><td>3</td><td>5712.00</td><td>57.74</td><td>108.66</td><td>-50.92</td><td>49.32</td><td>34.64</td><td>11.16</td><td>37.38</td><td>0.00</td><td>300</td><td>101</td><td>PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>59.26</td><td>110.90</td><td>-51.64</td><td>50.94</td><td>34.67</td><td>11.17</td><td>37.52</td><td>0.00</td><td>300</td><td>101</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5627.00	49.81	68.30	-18.49	40.41	34.51	11.04	36.15	0.00	300	101	PEAK	2	5652.00	48.38	70.38	-22.00	39.13	34.50	11.08	36.33	0.00	300	101	PEAK	3	5712.00	57.74	108.66	-50.92	49.32	34.64	11.16	37.38	0.00	300	101	PEAK	4	5720.00	59.26	110.90	-51.64	50.94	34.67	11.17	37.52	0.00	300	101	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>107.14</td><td>122.30</td><td>-15.16</td><td>99.27</td><td>34.75</td><td>11.21</td><td>38.09</td><td>0.00</td><td>300</td><td>101</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5755.00	107.14	122.30	-15.16	99.27	34.75	11.21	38.09	0.00	300	101	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																	
1	5627.00	49.81	68.30	-18.49	40.41	34.51	11.04	36.15	0.00	300	101	PEAK																																																																																																																															
2	5652.00	48.38	70.38	-22.00	39.13	34.50	11.08	36.33	0.00	300	101	PEAK																																																																																																																															
3	5712.00	57.74	108.66	-50.92	49.32	34.64	11.16	37.38	0.00	300	101	PEAK																																																																																																																															
4	5720.00	59.26	110.90	-51.64	50.94	34.67	11.17	37.52	0.00	300	101	PEAK																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																	
1	5755.00	107.14	122.30	-15.16	99.27	34.75	11.21	38.09	0.00	300	101	PEAK																																																																																																																															
Avg	Blank																																																																																																																																										
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>99.17</td><td>122.30</td><td>-23.13</td><td>91.30</td><td>34.75</td><td>11.21</td><td>38.09</td><td>0.00</td><td>300</td><td>101</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5755.00	99.17	122.30	-23.13	91.30	34.75	11.21	38.09	0.00	300	101	AVERAGE																																																																																			
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																	
1	5755.00	99.17	122.30	-23.13	91.30	34.75	11.21	38.09	0.00	300	101	AVERAGE																																																																																																																															




Mode	77																																																																							
	Band Edge - R																																																																							
	U-NII-3_5.725-5.85_802.11n HT40_CH151_ 5755MHz																																																																							
ANT	ANT.0+1																																																																							
Pol.	Horizontal	Fundamental																																																																						
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1</td><td>5854.80</td><td>44.38</td><td>111.36</td><td>-66.98</td><td>37.94</td><td>35.02</td><td>11.34</td><td>39.92</td><td>0.00 300 101 PEAK</td></tr><tr><td>2</td><td>5874.80</td><td>45.26</td><td>105.36</td><td>-60.10</td><td>38.88</td><td>35.05</td><td>11.35</td><td>40.02</td><td>0.00 300 101 PEAK</td></tr><tr><td>3</td><td>5924.80</td><td>46.57</td><td>68.45</td><td>-21.88</td><td>39.93</td><td>35.13</td><td>11.40</td><td>39.89</td><td>0.00 300 101 PEAK</td></tr><tr><td>4</td><td>5948.00</td><td>47.42</td><td>68.30</td><td>-20.88</td><td>40.66</td><td>35.17</td><td>11.42</td><td>39.83</td><td>0.00 300 101 PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1	5854.80	44.38	111.36	-66.98	37.94	35.02	11.34	39.92	0.00 300 101 PEAK	2	5874.80	45.26	105.36	-60.10	38.88	35.05	11.35	40.02	0.00 300 101 PEAK	3	5924.80	46.57	68.45	-21.88	39.93	35.13	11.40	39.89	0.00 300 101 PEAK	4	5948.00	47.42	68.30	-20.88	40.66	35.17	11.42	39.83	0.00 300 101 PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																															
1	5854.80	44.38	111.36	-66.98	37.94	35.02	11.34	39.92	0.00 300 101 PEAK																																																															
2	5874.80	45.26	105.36	-60.10	38.88	35.05	11.35	40.02	0.00 300 101 PEAK																																																															
3	5924.80	46.57	68.45	-21.88	39.93	35.13	11.40	39.89	0.00 300 101 PEAK																																																															
4	5948.00	47.42	68.30	-20.88	40.66	35.17	11.42	39.83	0.00 300 101 PEAK																																																															





Mode	77																																																																																																																																									
	Band Edge - L																																																																																																																																									
	U-NII-3_5.725-5.85_802.11n HT40_CH151_5755MHz																																																																																																																																									
ANT	ANT.0+1																																																																																																																																									
Pol.	Vertical						Fundamental																																																																																																																																			
Peak																																																																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5627.20</td><td>48.85</td><td>68.30</td><td>-19.45</td><td>39.45</td><td>34.51</td><td>11.04</td><td>36.15</td><td>0.00</td><td>100</td><td>112</td><td>PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>47.70</td><td>68.30</td><td>-20.60</td><td>38.41</td><td>34.50</td><td>11.07</td><td>36.28</td><td>0.00</td><td>100</td><td>112</td><td>PEAK</td></tr><tr><td>3</td><td>5716.00</td><td>58.13</td><td>109.78</td><td>-51.65</td><td>49.76</td><td>34.66</td><td>11.16</td><td>37.45</td><td>0.00</td><td>100</td><td>112</td><td>PEAK</td></tr><tr><td>4</td><td>5722.00</td><td>59.26</td><td>115.46</td><td>-56.20</td><td>50.98</td><td>34.67</td><td>11.17</td><td>37.56</td><td>0.00</td><td>100</td><td>112</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5627.20	48.85	68.30	-19.45	39.45	34.51	11.04	36.15	0.00	100	112	PEAK	2	5650.00	47.70	68.30	-20.60	38.41	34.50	11.07	36.28	0.00	100	112	PEAK	3	5716.00	58.13	109.78	-51.65	49.76	34.66	11.16	37.45	0.00	100	112	PEAK	4	5722.00	59.26	115.46	-56.20	50.98	34.67	11.17	37.56	0.00	100	112	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>104.19</td><td>122.30</td><td>-18.11</td><td>96.32</td><td>34.75</td><td>11.21</td><td>38.09</td><td>0.00</td><td>100</td><td>112</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5755.00	104.19	122.30	-18.11	96.32	34.75	11.21	38.09	0.00	100	112
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5627.20	48.85	68.30	-19.45	39.45	34.51	11.04	36.15	0.00	100	112	PEAK																																																																																																																														
2	5650.00	47.70	68.30	-20.60	38.41	34.50	11.07	36.28	0.00	100	112	PEAK																																																																																																																														
3	5716.00	58.13	109.78	-51.65	49.76	34.66	11.16	37.45	0.00	100	112	PEAK																																																																																																																														
4	5722.00	59.26	115.46	-56.20	50.98	34.67	11.17	37.56	0.00	100	112	PEAK																																																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5755.00	104.19	122.30	-18.11	96.32	34.75	11.21	38.09	0.00	100	112	PEAK																																																																																																																														
Avg	Blank																																																																																																																																									
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>95.94</td><td>122.30</td><td>-26.36</td><td>88.07</td><td>34.75</td><td>11.21</td><td>38.09</td><td>0.00</td><td>100</td><td>112</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5755.00	95.94	122.30	-26.36	88.07	34.75	11.21	38.09	0.00	100	112	AVERAGE																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5755.00	95.94	122.30	-26.36	88.07	34.75	11.21	38.09	0.00	100	112	AVERAGE																																																																																																																														






Mode	77																																																																																														
	Band Edge - R																																																																																														
	U-NII-3_5.725-5.85_802.11n HT40_CH151_ 5755MHz																																																																																														
ANT	ANT.0+1																																																																																														
Pol.	Vertical						Fundamental																																																																																								
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.80</td><td>43.29</td><td>111.36</td><td>-68.07</td><td>36.85</td><td>35.02</td><td>11.34</td><td>39.92</td><td>0.00</td><td>100</td><td>112</td><td>PEAK</td></tr><tr><td>2</td><td>5870.80</td><td>46.52</td><td>106.47</td><td>-59.95</td><td>40.16</td><td>35.04</td><td>11.35</td><td>40.03</td><td>0.00</td><td>100</td><td>112</td><td>PEAK</td></tr><tr><td>3</td><td>5923.20</td><td>44.67</td><td>69.63</td><td>-24.96</td><td>38.03</td><td>35.13</td><td>11.40</td><td>39.89</td><td>0.00</td><td>100</td><td>112</td><td>PEAK</td></tr><tr><td>4</td><td>5992.80</td><td>47.35</td><td>68.30</td><td>-20.95</td><td>40.34</td><td>35.25</td><td>11.47</td><td>39.71</td><td>0.00</td><td>100</td><td>112</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.80	43.29	111.36	-68.07	36.85	35.02	11.34	39.92	0.00	100	112	PEAK	2	5870.80	46.52	106.47	-59.95	40.16	35.04	11.35	40.03	0.00	100	112	PEAK	3	5923.20	44.67	69.63	-24.96	38.03	35.13	11.40	39.89	0.00	100	112	PEAK	4	5992.80	47.35	68.30	-20.95	40.34	35.25	11.47	39.71	0.00	100	112	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	5854.80	43.29	111.36	-68.07	36.85	35.02	11.34	39.92	0.00	100	112	PEAK																																																																																			
2	5870.80	46.52	106.47	-59.95	40.16	35.04	11.35	40.03	0.00	100	112	PEAK																																																																																			
3	5923.20	44.67	69.63	-24.96	38.03	35.13	11.40	39.89	0.00	100	112	PEAK																																																																																			
4	5992.80	47.35	68.30	-20.95	40.34	35.25	11.47	39.71	0.00	100	112	PEAK																																																																																			




Mode	77																																																																																																		
	Harmonic																																																																																																		
	U-NII-3_5.725-5.85_802.11n HT40_CH151_5755MHz																																																																																																		
ANT	ANT.0+1																																																																																																		
Pol.	Horizontal						Vertical																																																																																												
Peak Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11510.00</td><td>45.44</td><td>74.00</td><td>-28.56</td><td>57.49</td><td>38.31</td><td>16.37</td><td>66.73</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11510.00	45.44	74.00	-28.56	57.49	38.31	16.37	66.73	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11510.00</td><td>44.72</td><td>74.00</td><td>-29.28</td><td>56.77</td><td>38.31</td><td>16.37</td><td>66.73</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11510.00	44.72	74.00	-29.28	56.77	38.31	16.37	66.73	0.00	---	---
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	11510.00	45.44	74.00	-28.56	57.49	38.31	16.37	66.73	0.00	---	---	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	11510.00	44.72	74.00	-29.28	56.77	38.31	16.37	66.73	0.00	---	---	PEAK																																																																																							






Mode	78																																																																																																																							
	Band Edge - L																																																																																																																							
	U-NII-3_5.725-5.85_802.11n HT40_CH159_5795MHz																																																																																																																							
ANT	ANT.0+1																																																																																																																							
Pol.	Horizontal						Fundamental																																																																																																																	
Peak																																																																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5631.60</td><td>49.29</td><td>68.30</td><td>-19.01</td><td>39.87</td><td>34.51</td><td>11.05</td><td>36.14</td><td>0.00</td><td>340</td><td>100</td><td>PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>47.76</td><td>68.30</td><td>-20.54</td><td>38.47</td><td>34.50</td><td>11.07</td><td>36.28</td><td>0.00</td><td>340</td><td>100</td><td>PEAK</td></tr><tr><td>3</td><td>5700.00</td><td>47.41</td><td>105.52</td><td>-58.11</td><td>38.84</td><td>34.61</td><td>11.14</td><td>37.18</td><td>0.00</td><td>340</td><td>100</td><td>PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>48.60</td><td>110.90</td><td>-62.30</td><td>40.28</td><td>34.67</td><td>11.17</td><td>37.52</td><td>0.00</td><td>340</td><td>100</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5631.60	49.29	68.30	-19.01	39.87	34.51	11.05	36.14	0.00	340	100	PEAK	2	5650.00	47.76	68.30	-20.54	38.47	34.50	11.07	36.28	0.00	340	100	PEAK	3	5700.00	47.41	105.52	-58.11	38.84	34.61	11.14	37.18	0.00	340	100	PEAK	4	5720.00	48.60	110.90	-62.30	40.28	34.67	11.17	37.52	0.00	340	100	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>106.66</td><td>122.30</td><td>-15.64</td><td>99.20</td><td>34.83</td><td>11.26</td><td>38.63</td><td>0.00</td><td>340</td><td>100</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5795.00	106.66	122.30	-15.64	99.20	34.83	11.26	38.63	0.00	340	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																														
1	5631.60	49.29	68.30	-19.01	39.87	34.51	11.05	36.14	0.00	340	100	PEAK																																																																																																												
2	5650.00	47.76	68.30	-20.54	38.47	34.50	11.07	36.28	0.00	340	100	PEAK																																																																																																												
3	5700.00	47.41	105.52	-58.11	38.84	34.61	11.14	37.18	0.00	340	100	PEAK																																																																																																												
4	5720.00	48.60	110.90	-62.30	40.28	34.67	11.17	37.52	0.00	340	100	PEAK																																																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																														
1	5795.00	106.66	122.30	-15.64	99.20	34.83	11.26	38.63	0.00	340	100	PEAK																																																																																																												
Avg	Blank																																																																																																																							
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>98.41</td><td>122.30</td><td>-23.89</td><td>91.12</td><td>34.86</td><td>11.27</td><td>38.84</td><td>0.00</td><td>340</td><td>100</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	1	5795.00	98.41	122.30	-23.89	91.12	34.86	11.27	38.84	0.00	340	100	AVERAGE																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																																														
1	5795.00	98.41	122.30	-23.89	91.12	34.86	11.27	38.84	0.00	340	100	AVERAGE																																																																																																												




Mode	78																																																																																														
	Band Edge - R																																																																																														
	U-NII-3_5.725-5.85_802.11n HT40_CH159_ 5795MHz																																																																																														
ANT	ANT.0+1																																																																																														
Pol.	Horizontal						Fundamental																																																																																								
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.80</td><td>43.88</td><td>111.36</td><td>-67.48</td><td>37.44</td><td>35.02</td><td>11.34</td><td>39.92</td><td>0.00</td><td>340</td><td>100</td><td>PEAK</td></tr><tr><td>2</td><td>5873.60</td><td>46.97</td><td>105.69</td><td>-58.72</td><td>40.59</td><td>35.05</td><td>11.35</td><td>40.02</td><td>0.00</td><td>340</td><td>100</td><td>PEAK</td></tr><tr><td>3</td><td>5924.80</td><td>45.24</td><td>68.45</td><td>-23.21</td><td>38.60</td><td>35.13</td><td>11.40</td><td>39.89</td><td>0.00</td><td>340</td><td>100</td><td>PEAK</td></tr><tr><td>4</td><td>5953.20</td><td>47.91</td><td>68.30</td><td>-20.39</td><td>41.12</td><td>35.18</td><td>11.43</td><td>39.82</td><td>0.00</td><td>340</td><td>100</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.80	43.88	111.36	-67.48	37.44	35.02	11.34	39.92	0.00	340	100	PEAK	2	5873.60	46.97	105.69	-58.72	40.59	35.05	11.35	40.02	0.00	340	100	PEAK	3	5924.80	45.24	68.45	-23.21	38.60	35.13	11.40	39.89	0.00	340	100	PEAK	4	5953.20	47.91	68.30	-20.39	41.12	35.18	11.43	39.82	0.00	340	100	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	5854.80	43.88	111.36	-67.48	37.44	35.02	11.34	39.92	0.00	340	100	PEAK																																																																																			
2	5873.60	46.97	105.69	-58.72	40.59	35.05	11.35	40.02	0.00	340	100	PEAK																																																																																			
3	5924.80	45.24	68.45	-23.21	38.60	35.13	11.40	39.89	0.00	340	100	PEAK																																																																																			
4	5953.20	47.91	68.30	-20.39	41.12	35.18	11.43	39.82	0.00	340	100	PEAK																																																																																			





Mode	78																																																																																																																																										
	Band Edge - L																																																																																																																																										
	U-NII-3_5.725-5.85_802.11n HT40_CH159_5795MHz																																																																																																																																										
ANT	ANT.0+1																																																																																																																																										
Pol.	Vertical						Fundamental																																																																																																																																				
Peak																																																																																																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5617.20</td><td>49.46</td><td>68.30</td><td>-18.84</td><td>40.08</td><td>34.52</td><td>11.03</td><td>36.17</td><td>0.00</td><td>100</td><td>111</td><td>PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>45.04</td><td>68.30</td><td>-23.26</td><td>35.75</td><td>34.50</td><td>11.07</td><td>36.28</td><td>0.00</td><td>100</td><td>111</td><td>PEAK</td></tr><tr><td>3</td><td>5700.80</td><td>48.36</td><td>105.52</td><td>-57.16</td><td>39.79</td><td>34.61</td><td>11.14</td><td>37.18</td><td>0.00</td><td>100</td><td>111</td><td>PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>44.56</td><td>110.90</td><td>-66.34</td><td>36.24</td><td>34.67</td><td>11.17</td><td>37.52</td><td>0.00</td><td>100</td><td>111</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5617.20	49.46	68.30	-18.84	40.08	34.52	11.03	36.17	0.00	100	111	PEAK	2	5650.00	45.04	68.30	-23.26	35.75	34.50	11.07	36.28	0.00	100	111	PEAK	3	5700.80	48.36	105.52	-57.16	39.79	34.61	11.14	37.18	0.00	100	111	PEAK	4	5720.00	44.56	110.90	-66.34	36.24	34.67	11.17	37.52	0.00	100	111	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5795.00</td><td>104.30</td><td>-----</td><td>-----</td><td>96.84</td><td>34.83</td><td>11.26</td><td>38.63</td><td>0.00</td><td>100</td><td>111</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5795.00	104.30	-----	-----	96.84	34.83	11.26	38.63	0.00	100	111	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																	
1	5617.20	49.46	68.30	-18.84	40.08	34.52	11.03	36.17	0.00	100	111	PEAK																																																																																																																															
2	5650.00	45.04	68.30	-23.26	35.75	34.50	11.07	36.28	0.00	100	111	PEAK																																																																																																																															
3	5700.80	48.36	105.52	-57.16	39.79	34.61	11.14	37.18	0.00	100	111	PEAK																																																																																																																															
4	5720.00	44.56	110.90	-66.34	36.24	34.67	11.17	37.52	0.00	100	111	PEAK																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																	
1	5795.00	104.30	-----	-----	96.84	34.83	11.26	38.63	0.00	100	111	PEAK																																																																																																																															
Avg	Blank																																																																																																																																										
							<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5795.00</td><td>95.93</td><td>-----</td><td>-----</td><td>88.64</td><td>34.86</td><td>11.27</td><td>38.84</td><td>0.00</td><td>100</td><td>111</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5795.00	95.93	-----	-----	88.64	34.86	11.27	38.84	0.00	100	111	AVERAGE																																																																																			
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																	
1	5795.00	95.93	-----	-----	88.64	34.86	11.27	38.84	0.00	100	111	AVERAGE																																																																																																																															





Mode	78																																																																																														
	Band Edge - R																																																																																														
	U-NII-3_5.725-5.85_802.11n HT40_CH159_ 5795MHz																																																																																														
ANT	ANT.0+1																																																																																														
Pol.	Vertical						Fundamental																																																																																								
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.40</td><td>46.64</td><td>112.27</td><td>-65.63</td><td>40.20</td><td>35.02</td><td>11.33</td><td>39.91</td><td>0.00</td><td>100</td><td>111</td><td>PEAK</td></tr><tr><td>2</td><td>5872.80</td><td>46.70</td><td>105.92</td><td>-59.22</td><td>40.32</td><td>35.05</td><td>11.35</td><td>40.02</td><td>0.00</td><td>100</td><td>111</td><td>PEAK</td></tr><tr><td>3</td><td>5922.80</td><td>46.51</td><td>69.92</td><td>-23.41</td><td>39.87</td><td>35.13</td><td>11.40</td><td>39.89</td><td>0.00</td><td>100</td><td>111</td><td>PEAK</td></tr><tr><td>4</td><td>5942.00</td><td>47.04</td><td>68.30</td><td>-21.26</td><td>40.30</td><td>35.16</td><td>11.42</td><td>39.84</td><td>0.00</td><td>100</td><td>111</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.40	46.64	112.27	-65.63	40.20	35.02	11.33	39.91	0.00	100	111	PEAK	2	5872.80	46.70	105.92	-59.22	40.32	35.05	11.35	40.02	0.00	100	111	PEAK	3	5922.80	46.51	69.92	-23.41	39.87	35.13	11.40	39.89	0.00	100	111	PEAK	4	5942.00	47.04	68.30	-21.26	40.30	35.16	11.42	39.84	0.00	100	111	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	5854.40	46.64	112.27	-65.63	40.20	35.02	11.33	39.91	0.00	100	111	PEAK																																																																																			
2	5872.80	46.70	105.92	-59.22	40.32	35.05	11.35	40.02	0.00	100	111	PEAK																																																																																			
3	5922.80	46.51	69.92	-23.41	39.87	35.13	11.40	39.89	0.00	100	111	PEAK																																																																																			
4	5942.00	47.04	68.30	-21.26	40.30	35.16	11.42	39.84	0.00	100	111	PEAK																																																																																			







Mode	78																																																																																																			
	Harmonic																																																																																																			
	U-NII-3_5.725-5.85_802.11n HT40_CH159_5795MHz																																																																																																			
ANT	ANT.0+1																																																																																																			
Pol.	Horizontal						Vertical																																																																																													
Peak Avg																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11590.00</td><td>44.52</td><td>74.00</td><td>-29.48</td><td>56.36</td><td>38.37</td><td>16.42</td><td>66.63</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11590.00	44.52	74.00	-29.48	56.36	38.37	16.42	66.63	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11590.00</td><td>44.82</td><td>74.00</td><td>-29.18</td><td>56.66</td><td>38.37</td><td>16.42</td><td>66.63</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11590.00	44.82	74.00	-29.18	56.66	38.37	16.42	66.63	0.00	---	---	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	11590.00	44.52	74.00	-29.48	56.36	38.37	16.42	66.63	0.00	---	---	PEAK																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	11590.00	44.82	74.00	-29.18	56.66	38.37	16.42	66.63	0.00	---	---	PEAK																																																																																								







Mode	79																																																																																																																																																																																																											
	LF																																																																																																																																																																																																											
	U-NII-3_5.725-5.85_802.11ax HE20_CH165_RU106/54_5825MHz																																																																																																																																																																																																											
ANT	ANT.0+1																																																																																																																																																																																																											
Pol.	Horizontal						Vertical																																																																																																																																																																																																					
QPI Peak	 No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Data: 11  Site : 03CH05-KS Condition : 5G BAND4 3m CBL6111D SN23188 HORIZONTAL Project : 310533 mode : 80 IMEI : #11 <table><tr><th></th><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>163.86</td><td>28.81</td><td>-14.69</td><td>43.50</td><td>43.55</td><td>16.14</td><td>1.95</td><td>32.83</td><td>---</td><td>---</td><td>Peak HORIZONTAL</td></tr><tr><td>2</td><td>264.74</td><td>26.49</td><td>-19.51</td><td>46.00</td><td>38.11</td><td>18.68</td><td>2.48</td><td>32.78</td><td>---</td><td>---</td><td>Peak HORIZONTAL</td></tr><tr><td>3</td><td>336.52</td><td>26.14</td><td>-19.86</td><td>46.00</td><td>36.12</td><td>20.13</td><td>2.79</td><td>32.90</td><td>---</td><td>---</td><td>Peak HORIZONTAL</td></tr><tr><td>4</td><td>419.94</td><td>25.35</td><td>-20.65</td><td>46.00</td><td>33.12</td><td>22.02</td><td>3.13</td><td>32.92</td><td>---</td><td>---</td><td>Peak HORIZONTAL</td></tr><tr><td>5</td><td>631.40</td><td>28.54</td><td>-17.46</td><td>46.00</td><td>32.58</td><td>25.12</td><td>3.83</td><td>32.99</td><td>---</td><td>---</td><td>Peak HORIZONTAL</td></tr><tr><td>6</td><td>773.99</td><td>30.93</td><td>-15.07</td><td>46.00</td><td>33.41</td><td>26.04</td><td>4.25</td><td>32.77</td><td>---</td><td>---</td><td>Peak HORIZONTAL</td></tr></table>  No. 1098, Pengxi North Road, Kunshan Economic & Technical Development Zone, Jiangsu, China tel: +86-512-57900158 fax: +86-512-57900958 http://www.sporton.com.cn Data: 12  Site : 03CH05-KS Condition : 5G BAND4 3m CBL6111D SN23188 VERTICAL Project : 310533 mode : 80 IMEI : #11 <table><tr><th></th><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th><th>Pol/Phas</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>70.74</td><td>27.98</td><td>-12.02</td><td>40.00</td><td>47.16</td><td>12.35</td><td>1.27</td><td>32.80</td><td>---</td><td>---</td><td>Peak VERTICAL</td></tr><tr><td>2</td><td>92.08</td><td>27.20</td><td>-16.30</td><td>43.50</td><td>43.07</td><td>15.54</td><td>1.45</td><td>32.86</td><td>---</td><td>---</td><td>Peak VERTICAL</td></tr><tr><td>3</td><td>161.92</td><td>23.66</td><td>-19.84</td><td>43.50</td><td>38.36</td><td>16.18</td><td>1.94</td><td>32.82</td><td>---</td><td>---</td><td>Peak VERTICAL</td></tr><tr><td>4</td><td>344.28</td><td>25.46</td><td>-20.54</td><td>46.00</td><td>35.25</td><td>20.30</td><td>2.83</td><td>32.92</td><td>---</td><td>---</td><td>Peak VERTICAL</td></tr><tr><td>5</td><td>434.49</td><td>26.54</td><td>-19.46</td><td>46.00</td><td>34.00</td><td>22.27</td><td>3.18</td><td>32.99</td><td>---</td><td>---</td><td>Peak VERTICAL</td></tr><tr><td>6</td><td>687.15</td><td>28.04</td><td>-17.16</td><td>46.00</td><td>33.16</td><td>24.98</td><td>3.76</td><td>33.06</td><td>---</td><td>---</td><td>Peak VERTICAL</td></tr></table>													Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	163.86	28.81	-14.69	43.50	43.55	16.14	1.95	32.83	---	---	Peak HORIZONTAL	2	264.74	26.49	-19.51	46.00	38.11	18.68	2.48	32.78	---	---	Peak HORIZONTAL	3	336.52	26.14	-19.86	46.00	36.12	20.13	2.79	32.90	---	---	Peak HORIZONTAL	4	419.94	25.35	-20.65	46.00	33.12	22.02	3.13	32.92	---	---	Peak HORIZONTAL	5	631.40	28.54	-17.46	46.00	32.58	25.12	3.83	32.99	---	---	Peak HORIZONTAL	6	773.99	30.93	-15.07	46.00	33.41	26.04	4.25	32.77	---	---	Peak HORIZONTAL		Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		1	70.74	27.98	-12.02	40.00	47.16	12.35	1.27	32.80	---	---	Peak VERTICAL	2	92.08	27.20	-16.30	43.50	43.07	15.54	1.45	32.86	---	---	Peak VERTICAL	3	161.92	23.66	-19.84	43.50	38.36	16.18	1.94	32.82	---	---	Peak VERTICAL	4	344.28	25.46	-20.54	46.00	35.25	20.30	2.83	32.92	---	---	Peak VERTICAL	5	434.49	26.54	-19.46	46.00	34.00	22.27	3.18	32.99	---	---	Peak VERTICAL	6	687.15	28.04	-17.16	46.00	33.16	24.98	3.76	33.06	---	---	Peak VERTICAL
		Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																																																																																																
		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																																	
1	163.86	28.81	-14.69	43.50	43.55	16.14	1.95	32.83	---	---	Peak HORIZONTAL																																																																																																																																																																																																	
2	264.74	26.49	-19.51	46.00	38.11	18.68	2.48	32.78	---	---	Peak HORIZONTAL																																																																																																																																																																																																	
3	336.52	26.14	-19.86	46.00	36.12	20.13	2.79	32.90	---	---	Peak HORIZONTAL																																																																																																																																																																																																	
4	419.94	25.35	-20.65	46.00	33.12	22.02	3.13	32.92	---	---	Peak HORIZONTAL																																																																																																																																																																																																	
5	631.40	28.54	-17.46	46.00	32.58	25.12	3.83	32.99	---	---	Peak HORIZONTAL																																																																																																																																																																																																	
6	773.99	30.93	-15.07	46.00	33.41	26.04	4.25	32.77	---	---	Peak HORIZONTAL																																																																																																																																																																																																	
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	Pol/Phas																																																																																																																																																																																																	
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																																		
1	70.74	27.98	-12.02	40.00	47.16	12.35	1.27	32.80	---	---	Peak VERTICAL																																																																																																																																																																																																	
2	92.08	27.20	-16.30	43.50	43.07	15.54	1.45	32.86	---	---	Peak VERTICAL																																																																																																																																																																																																	
3	161.92	23.66	-19.84	43.50	38.36	16.18	1.94	32.82	---	---	Peak VERTICAL																																																																																																																																																																																																	
4	344.28	25.46	-20.54	46.00	35.25	20.30	2.83	32.92	---	---	Peak VERTICAL																																																																																																																																																																																																	
5	434.49	26.54	-19.46	46.00	34.00	22.27	3.18	32.99	---	---	Peak VERTICAL																																																																																																																																																																																																	
6	687.15	28.04	-17.16	46.00	33.16	24.98	3.76	33.06	---	---	Peak VERTICAL																																																																																																																																																																																																	



Mode	80																																																						
	Band Edge																																																						
	Co-location_802.11n HT20_CH11_2462MHz																																																						
ANT	CDD 0+1																																																						
Pol.	Horizontal						Fundamental																																																
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2484.82</td><td>56.79</td><td>74.00</td><td>-17.21</td><td>48.25</td><td>32.34</td><td>7.26</td><td>37.06</td><td>6.00</td><td>291</td><td>84</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2484.82	56.79	74.00	-17.21	48.25	32.34	7.26	37.06	6.00	291	84
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2484.82	56.79	74.00	-17.21	48.25	32.34	7.26	37.06	6.00	291	84	PEAK																																											
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2484.40</td><td>42.82</td><td>54.00</td><td>-11.18</td><td>34.28</td><td>32.34</td><td>7.26</td><td>37.06</td><td>6.00</td><td>291</td><td>84</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2484.40	42.82	54.00	-11.18	34.28	32.34	7.26	37.06	6.00	291	84
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2484.40	42.82	54.00	-11.18	34.28	32.34	7.26	37.06	6.00	291	84	AVERAGE																																											
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>104.93</td><td>74.00</td><td>30.93</td><td>96.26</td><td>32.36</td><td>7.21</td><td>36.90</td><td>6.00</td><td>291</td><td>84</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	104.93	74.00	30.93	96.26	32.36	7.21	36.90	6.00	291	84
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2462.00	104.93	74.00	30.93	96.26	32.36	7.21	36.90	6.00	291	84	PEAK																																											
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>95.73</td><td>54.00</td><td>41.73</td><td>87.06</td><td>32.36</td><td>7.21</td><td>36.90</td><td>6.00</td><td>291</td><td>84</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	95.73	54.00	41.73	87.06	32.36	7.21	36.90	6.00	291	84
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2462.00	95.73	54.00	41.73	87.06	32.36	7.21	36.90	6.00	291	84	AVERAGE																																											



Note: The highest signals over limit are WLAN TX & BLE(Nordic) TX fundamental signals.







Mode	80																																																						
	Band Edge																																																						
	Co-location_802.11n_HT20_CH11_2462MHz																																																						
ANT	CDD 0+1																																																						
Pol.	Vertical						Fundamental																																																
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.50</td><td>60.03</td><td>74.00</td><td>-13.97</td><td>51.48</td><td>32.34</td><td>7.26</td><td>37.05</td><td>6.00</td><td>300</td><td>109</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.50	60.03	74.00	-13.97	51.48	32.34	7.26	37.05	6.00	300	109
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2483.50	60.03	74.00	-13.97	51.48	32.34	7.26	37.05	6.00	300	109	PEAK																																											
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>100.85</td><td>74.00</td><td>34.85</td><td>100.18</td><td>32.36</td><td>7.22</td><td>36.91</td><td>6.00</td><td>300</td><td>109</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	100.85	74.00	34.85	100.18	32.36	7.22	36.91	6.00	300	109
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2462.00	100.85	74.00	34.85	100.18	32.36	7.22	36.91	6.00	300	109	PEAK																																											
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.50</td><td>45.47</td><td>54.00</td><td>-8.53</td><td>36.92</td><td>32.34</td><td>7.26</td><td>37.05</td><td>6.00</td><td>300</td><td>109</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.50	45.47	54.00	-8.53	36.92	32.34	7.26	37.05	6.00	300	109
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2483.50	45.47	54.00	-8.53	36.92	32.34	7.26	37.05	6.00	300	109	AVERAGE																																											
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2462.00</td><td>100.02</td><td>54.00</td><td>46.02</td><td>91.35</td><td>32.36</td><td>7.22</td><td>36.91</td><td>6.00</td><td>300</td><td>109</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2462.00	100.02	54.00	46.02	91.35	32.36	7.22	36.91	6.00	300	109
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2462.00	100.02	54.00	46.02	91.35	32.36	7.22	36.91	6.00	300	109	AVERAGE																																											

Note: The highest signals over limit are WLAN TX & BLE(Nordic) TX fundamental signals.




Mode	80																																																																																																																																																																				
	Harmonic																																																																																																																																																																				
	Co-location_802.11n HT20_CH11_2462MHz																																																																																																																																																																				
ANT	CDD 0+1																																																																																																																																																																				
Pol.	Horizontal						Vertical																																																																																																																																																														
Peak Avg																																																																																																																																																																					
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4924.00</td><td>40.63</td><td>74.00</td><td>-33.37</td><td>61.58</td><td>34.00</td><td>10.35</td><td>65.30</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>5511.00</td><td>48.33</td><td>74.00</td><td>-25.67</td><td>68.00</td><td>34.56</td><td>10.90</td><td>65.13</td><td>0.00</td><td>300</td><td>65</td><td></td></tr><tr><td>3</td><td>7306.00</td><td>41.35</td><td>74.00</td><td>-32.65</td><td>59.78</td><td>35.78</td><td>12.73</td><td>66.94</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	4924.00	40.63	74.00	-33.37	61.58	34.00	10.35	65.30	0.00	---	---	PEAK	2	5511.00	48.33	74.00	-25.67	68.00	34.56	10.90	65.13	0.00	300	65		3	7306.00	41.35	74.00	-32.65	59.78	35.78	12.73	66.94	0.00	---	---	PEAK	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4924.00</td><td>40.93</td><td>74.00</td><td>-33.07</td><td>61.88</td><td>34.00</td><td>10.35</td><td>65.30</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>5521.50</td><td>46.77</td><td>74.00</td><td>-27.23</td><td>66.44</td><td>34.55</td><td>10.91</td><td>65.13</td><td>0.00</td><td>300</td><td>90</td><td></td></tr><tr><td>3</td><td>7306.00</td><td>41.15</td><td>74.00</td><td>-32.85</td><td>59.58</td><td>35.78</td><td>12.73</td><td>66.94</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	4924.00	40.93	74.00	-33.07	61.88	34.00	10.35	65.30	0.00	---	---	PEAK	2	5521.50	46.77	74.00	-27.23	66.44	34.55	10.91	65.13	0.00	300	90		3	7306.00	41.15	74.00	-32.85	59.58	35.78	12.73	66.94	0.00	---	---
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																																										
1	4924.00	40.63	74.00	-33.37	61.58	34.00	10.35	65.30	0.00	---	---	PEAK																																																																																																																																																									
2	5511.00	48.33	74.00	-25.67	68.00	34.56	10.90	65.13	0.00	300	65																																																																																																																																																										
3	7306.00	41.35	74.00	-32.65	59.78	35.78	12.73	66.94	0.00	---	---	PEAK																																																																																																																																																									
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																																										
1	4924.00	40.93	74.00	-33.07	61.88	34.00	10.35	65.30	0.00	---	---	PEAK																																																																																																																																																									
2	5521.50	46.77	74.00	-27.23	66.44	34.55	10.91	65.13	0.00	300	90																																																																																																																																																										
3	7306.00	41.15	74.00	-32.85	59.58	35.78	12.73	66.94	0.00	---	---	PEAK																																																																																																																																																									







Mode	80																																																																				
	Band Edge - L																																																																				
	Co-location_802.11n HT40_CH102_Full_5510MHz																																																																				
ANT	CDD 0+1																																																																				
Pol.	Horizontal						Fundamental																																																														
Peak																																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5458.96</td><td>54.72</td><td>74.00</td><td>-19.28</td><td>45.76</td><td>34.58</td><td>10.84</td><td>36.46</td><td>0.00</td><td>246</td><td>85</td><td>PEAK</td></tr><tr><td>2</td><td>5470.00</td><td>63.16</td><td>68.30</td><td>-5.14</td><td>54.18</td><td>34.57</td><td>10.85</td><td>36.44</td><td>0.00</td><td>246</td><td>85</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5458.96	54.72	74.00	-19.28	45.76	34.58	10.84	36.46	0.00	246	85	PEAK	2	5470.00	63.16	68.30	-5.14	54.18	34.57	10.85	36.44	0.00	246	85	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																											
1	5458.96	54.72	74.00	-19.28	45.76	34.58	10.84	36.46	0.00	246	85	PEAK																																																									
2	5470.00	63.16	68.30	-5.14	54.18	34.57	10.85	36.44	0.00	246	85	PEAK																																																									
Avg																																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5459.92</td><td>46.13</td><td>54.00</td><td>-7.87</td><td>37.17</td><td>34.58</td><td>10.84</td><td>36.46</td><td>0.00</td><td>246</td><td>85</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.92	46.13	54.00	-7.87	37.17	34.58	10.84	36.46	0.00	246	85	AVERAGE													
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																											
1	5459.92	46.13	54.00	-7.87	37.17	34.58	10.84	36.46	0.00	246	85	AVERAGE																																																									
Peak																																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5510.00</td><td>109.50</td><td>-----</td><td>-----</td><td>100.44</td><td>34.56</td><td>10.89</td><td>36.39</td><td>0.00</td><td>246</td><td>85</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	109.50	-----	-----	100.44	34.56	10.89	36.39	0.00	246	85	PEAK													
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																											
1	5510.00	109.50	-----	-----	100.44	34.56	10.89	36.39	0.00	246	85	PEAK																																																									
Avg																																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5510.00</td><td>100.95</td><td>-----</td><td>-----</td><td>91.89</td><td>34.56</td><td>10.89</td><td>36.39</td><td>0.00</td><td>246</td><td>85</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	100.95	-----	-----	91.89	34.56	10.89	36.39	0.00	246	85	AVERAGE													
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																											
1	5510.00	100.95	-----	-----	91.89	34.56	10.89	36.39	0.00	246	85	AVERAGE																																																									




Mode	80																																																							
	Band Edge - R																																																							
	Co-location_802.11n HT40_CH102_Full_5510MHz																																																							
ANT	CDD 0+1																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5759.90</td><td>50.47</td><td>68.30</td><td>-17.83</td><td>42.71</td><td>34.77</td><td>11.22</td><td>38.23</td><td>0.00</td><td>246</td><td>85</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5759.90	50.47	68.30	-17.83	42.71	34.77	11.22	38.23	0.00	246	85	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5759.90	50.47	68.30	-17.83	42.71	34.77	11.22	38.23	0.00	246	85	PEAK																																												





Mode	80																																																																																																																
	Band Edge - L																																																																																																																
	Co-location_802.11n HT40_CH102_Full_5510MHz																																																																																																																
ANT	CDD 0+1																																																																																																																
Pol.	Vertical						Fundamental																																																																																																										
Peak																																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5458.96</td><td>54.00</td><td>74.00</td><td>-20.00</td><td>45.04</td><td>34.58</td><td>10.84</td><td>36.46</td><td>0.00</td><td>100</td><td>116</td><td>PEAK</td></tr><tr><td>2</td><td>5469.36</td><td>62.62</td><td>68.30</td><td>-5.68</td><td>53.64</td><td>34.57</td><td>10.85</td><td>36.44</td><td>0.00</td><td>100</td><td>116</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5458.96	54.00	74.00	-20.00	45.04	34.58	10.84	36.46	0.00	100	116	PEAK	2	5469.36	62.62	68.30	-5.68	53.64	34.57	10.85	36.44	0.00	100	116	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5510.00</td><td>107.01</td><td>-----</td><td>-----</td><td>97.94</td><td>34.56</td><td>10.89</td><td>36.38</td><td>0.00</td><td>100</td><td>116</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	107.01	-----	-----	97.94	34.56	10.89	36.38	0.00	100	116	PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5458.96	54.00	74.00	-20.00	45.04	34.58	10.84	36.46	0.00	100	116	PEAK																																																																																																					
2	5469.36	62.62	68.30	-5.68	53.64	34.57	10.85	36.44	0.00	100	116	PEAK																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5510.00	107.01	-----	-----	97.94	34.56	10.89	36.38	0.00	100	116	PEAK																																																																																																					
Avg																																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5459.60</td><td>43.60</td><td>54.00</td><td>-10.40</td><td>34.64</td><td>34.58</td><td>10.84</td><td>36.46</td><td>0.00</td><td>100</td><td>116</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.60	43.60	54.00	-10.40	34.64	34.58	10.84	36.46	0.00	100	116	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5510.00</td><td>98.27</td><td>-----</td><td>-----</td><td>89.20</td><td>34.56</td><td>10.89</td><td>36.38</td><td>0.00</td><td>100</td><td>116</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	98.27	-----	-----	89.20	34.56	10.89	36.38	0.00	100	116	AVERAGE													
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5459.60	43.60	54.00	-10.40	34.64	34.58	10.84	36.46	0.00	100	116	AVERAGE																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5510.00	98.27	-----	-----	89.20	34.56	10.89	36.38	0.00	100	116	AVERAGE																																																																																																					







Mode	80																																																							
	Band Edge - R																																																							
	Co-location_802.11n HT40_CH102_Full_5510MHz																																																							
ANT	CDD 0+1																																																							
Pol.	Vertical						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5729.30</td><td>48.12</td><td>68.30</td><td>-20.18</td><td>39.94</td><td>34.69</td><td>11.18</td><td>37.69</td><td>0.00</td><td>100</td><td>116</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5729.30	48.12	68.30	-20.18	39.94	34.69	11.18	37.69	0.00	100	116	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5729.30	48.12	68.30	-20.18	39.94	34.69	11.18	37.69	0.00	100	116	PEAK																																												







Mode	80																																																																																																		
	Harmonic																																																																																																		
	Co-location_802.11n HT40_CH102_Full_5510MHz																																																																																																		
ANT	CDD 0+1																																																																																																		
Pol.	Horizontal						Vertical																																																																																												
Peak Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11020.00</td><td>44.27</td><td>74.00</td><td>-29.73</td><td>57.19</td><td>37.92</td><td>16.06</td><td>66.90</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11020.00	44.27	74.00	-29.73	57.19	37.92	16.06	66.90	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11020.00</td><td>44.29</td><td>74.00</td><td>-29.71</td><td>57.21</td><td>37.92</td><td>16.06</td><td>66.90</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11020.00	44.29	74.00	-29.71	57.21	37.92	16.06	66.90	0.00	---	---
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	11020.00	44.27	74.00	-29.73	57.19	37.92	16.06	66.90	0.00	---	---	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	11020.00	44.29	74.00	-29.71	57.21	37.92	16.06	66.90	0.00	---	---	PEAK																																																																																							



		80																																																				
Mode		Band Edge																																																				
		Co-location_Bluetooth-LE(Nordic BLE)_CH39_2480MHz																																																				
Pol.		Horizontal						Fundamental																																														
Peak																																																						
		<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2483.56</td><td>60.16</td><td>74.00</td><td>-13.84</td><td>51.61</td><td>32.34</td><td>7.26</td><td>37.05</td><td>6.00</td><td>326</td><td>116</td><td>PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.56	60.16	74.00	-13.84	51.61	32.34	7.26	37.05	6.00	326
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	2483.56	60.16	74.00	-13.84	51.61	32.34	7.26	37.05	6.00	326	116	PEAK																																										
Avg																																																						
		<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2483.50</td><td>44.37</td><td>54.00</td><td>-9.63</td><td>35.82</td><td>32.34</td><td>7.26</td><td>37.05</td><td>6.00</td><td>326</td><td>116</td><td>AVERAGE</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.50	44.37	54.00	-9.63	35.82	32.34	7.26	37.05	6.00	326
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	2483.50	44.37	54.00	-9.63	35.82	32.34	7.26	37.05	6.00	326	116	AVERAGE																																										
Peak																																																						
		<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2480.00</td><td>104.63</td><td>-----</td><td>-----</td><td>95.97</td><td>32.36</td><td>7.22</td><td>36.92</td><td>6.00</td><td>326</td><td>116</td><td>PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	104.63	-----	-----	95.97	32.36	7.22	36.92	6.00	326
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	2480.00	104.63	-----	-----	95.97	32.36	7.22	36.92	6.00	326	116	PEAK																																										
Avg																																																						
		<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2480.00</td><td>96.31</td><td>-----</td><td>-----</td><td>87.65</td><td>32.36</td><td>7.22</td><td>36.92</td><td>6.00</td><td>326</td><td>116</td><td>AVERAGE</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	96.31	-----	-----	87.65	32.36	7.22	36.92	6.00	326
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	2480.00	96.31	-----	-----	87.65	32.36	7.22	36.92	6.00	326	116	AVERAGE																																										

Note: The highest signals over limit are WLAN TX & BLE(Nordic) TX fundamental signals.







		80																																																				
Mode		Band Edge																																																				
		Co-location_Bluetooth-LE(Nordic BLE)_CH39_2480MHz																																																				
Pol.		Vertical						Fundamental																																														
Peak																																																						
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.86</td><td>57.36</td><td>74.00</td><td>-16.64</td><td>48.81</td><td>32.34</td><td>7.26</td><td>37.05</td><td>6.00</td><td>140</td><td>139</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.86	57.36	74.00	-16.64	48.81	32.34	7.26	37.05	6.00	140
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	2483.86	57.36	74.00	-16.64	48.81	32.34	7.26	37.05	6.00	140	139	PEAK																																										
Avg																																																						
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2484.28</td><td>42.23</td><td>54.00</td><td>-11.77</td><td>33.69</td><td>32.34</td><td>7.26</td><td>37.06</td><td>6.00</td><td>140</td><td>139</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2484.28	42.23	54.00	-11.77	33.69	32.34	7.26	37.06	6.00	140
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	2484.28	42.23	54.00	-11.77	33.69	32.34	7.26	37.06	6.00	140	139	AVERAGE																																										
Peak																																																						
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>100.01</td><td>-----</td><td>-----</td><td>91.34</td><td>32.36</td><td>7.21</td><td>36.90</td><td>6.00</td><td>140</td><td>139</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	100.01	-----	-----	91.34	32.36	7.21	36.90	6.00	140
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	2480.00	100.01	-----	-----	91.34	32.36	7.21	36.90	6.00	140	139	PEAK																																										
Avg																																																						
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>91.79</td><td>-----</td><td>-----</td><td>83.23</td><td>32.34</td><td>7.25</td><td>37.03</td><td>6.00</td><td>140</td><td>139</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	91.79	-----	-----	83.23	32.34	7.25	37.03	6.00	140
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	2480.00	91.79	-----	-----	83.23	32.34	7.25	37.03	6.00	140	139	AVERAGE																																										

Note: The highest signals over limit are WLAN TX & BLE(Nordic) TX fundamental signals.







Mode	80																																																																																																																																																														
	Harmonic																																																																																																																																																														
	Co-location_Bluetooth-LE(Nordic BLE)_CH39_2480MHz																																																																																																																																																														
Pol.	Horizontal						Vertical																																																																																																																																																								
Peak Avg																																																																																																																																																															
			Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	4960.00	41.63	74.00	-32.37	62.55	34.00	10.40	65.32	0.00	---	---	PEAK	2	5511.00	48.61	74.00	-25.39	68.28	34.56	10.90	65.13	0.00	300	68		3	7440.00	41.24	74.00	-32.76	59.80	35.79	12.78	67.13	0.00	---	---	PEAK			Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	4960.00	40.84	74.00	-33.16	61.76	34.00	10.40	65.32	0.00	---	---	PEAK	2	5509.50	50.41	74.00	-23.59	70.08	34.56	10.90	65.13	0.00	300	86		3	7440.00	41.14	74.00	-32.86	59.70	35.79	12.78	67.13	0.00	---	---	PEAK					
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																				
1	4960.00	41.63	74.00	-32.37	62.55	34.00	10.40	65.32	0.00	---	---	PEAK																																																																																																																																																			
2	5511.00	48.61	74.00	-25.39	68.28	34.56	10.90	65.13	0.00	300	68																																																																																																																																																				
3	7440.00	41.24	74.00	-32.76	59.80	35.79	12.78	67.13	0.00	---	---	PEAK																																																																																																																																																			
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																				
1	4960.00	40.84	74.00	-33.16	61.76	34.00	10.40	65.32	0.00	---	---	PEAK																																																																																																																																																			
2	5509.50	50.41	74.00	-23.59	70.08	34.56	10.90	65.13	0.00	300	86																																																																																																																																																				
3	7440.00	41.14	74.00	-32.86	59.70	35.79	12.78	67.13	0.00	---	---	PEAK																																																																																																																																																			





		81																																																																																																			
Mode		Band Edge - L																																																																																																			
		Co-location_802.11n HT40_CH102_Full_5510MHz																																																																																																			
ANT		CDD 0+1																																																																																																			
Pol.		Horizontal					Fundamental																																																																																														
Peak																																																																																																					
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.60	52.99	74.00	-21.01	44.03	34.58	10.84	36.46	0.00	317	84	PEAK	2	5469.20	59.82	68.30	-8.48	50.85	34.57	10.85	36.45	0.00	317	84	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5510.00</td><td>106.62</td><td>-----</td><td>-----</td><td>97.56</td><td>34.56</td><td>10.89</td><td>36.39</td><td>0.00</td><td>317</td><td>84</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	106.62	-----	-----	97.56	34.56	10.89	36.39	0.00	317	84
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5459.60	52.99	74.00	-21.01	44.03	34.58	10.84	36.46	0.00	317	84	PEAK																																																																																									
2	5469.20	59.82	68.30	-8.48	50.85	34.57	10.85	36.45	0.00	317	84	PEAK																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5510.00	106.62	-----	-----	97.56	34.56	10.89	36.39	0.00	317	84	PEAK																																																																																									
Avg																																																																																																					
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.92	42.78	54.00	-11.22	33.82	34.58	10.84	36.46	0.00	317	84	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5510.00</td><td>98.28</td><td>-----</td><td>-----</td><td>89.21</td><td>34.56</td><td>10.89</td><td>36.38</td><td>0.00</td><td>317</td><td>84</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	98.28	-----	-----	89.21	34.56	10.89	36.38	0.00	317	84	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5459.92	42.78	54.00	-11.22	33.82	34.58	10.84	36.46	0.00	317	84	AVERAGE																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5510.00	98.28	-----	-----	89.21	34.56	10.89	36.38	0.00	317	84	AVERAGE																																																																																									







		81																																																													
Mode		Band Edge - L																																																													
		Co-location_802.11n HT40_CH102_Full_5510MHz																																																													
ANT		CDD 0+1																																																													
Pol.		Vertical																																																													
Peak																																																															
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1	5457.84	52.55	74.00	-21.45	43.60	34.58	10.84	36.47	0.00	106	128	PEAK	2	5467.28	63.41	68.30	-4.89	54.44	34.57	10.85	36.45	0.00	106	128
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																					
1	5457.84	52.55	74.00	-21.45	43.60	34.58	10.84	36.47	0.00	106	128	PEAK																																																			
2	5467.28	63.41	68.30	-4.89	54.44	34.57	10.85	36.45	0.00	106	128	PEAK																																																			
Fundamental																																																															
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1	5510.00	106.95	-----	-----	97.84	34.55	10.91	36.35	0.00	106	128	PEAK												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																					
1	5510.00	106.95	-----	-----	97.84	34.55	10.91	36.35	0.00	106	128	PEAK																																																			
Avg																																																															
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1	5459.44	42.40	54.00	-11.60	33.44	34.58	10.84	36.46	0.00	106	128	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																					
1	5459.44	42.40	54.00	-11.60	33.44	34.58	10.84	36.46	0.00	106	128	AVERAGE																																																			
Fundamental																																																															
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg			1	5510.00	98.96	-----	-----	89.89	34.56	10.89	36.38	0.00	106	128	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																					
1	5510.00	98.96	-----	-----	89.89	34.56	10.89	36.38	0.00	106	128	AVERAGE																																																			







		81																																																									
Mode		Harmonic																																																									
		Co-location_802.11n HT40_CH102_Full_5510MHz																																																									
ANT		CDD 0+1																																																									
Pol.		Horizontal						Vertical																																																			
Peak Avg																																																											
																																																											
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11020.00</td><td>43.82</td><td>74.00</td><td>-30.18</td><td>56.74</td><td>37.92</td><td>16.06</td><td>66.90</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	11020.00	43.82	74.00	-30.18	56.74	37.92	16.06	66.90	0.00	---	---	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																
1	11020.00	43.82	74.00	-30.18	56.74	37.92	16.06	66.90	0.00	---	---	PEAK																																															
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>11020.00</td><td>43.86</td><td>74.00</td><td>-30.14</td><td>56.78</td><td>37.92</td><td>16.06</td><td>66.90</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	11020.00	43.86	74.00	-30.14	56.78	37.92	16.06	66.90	0.00	---	---	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																
1	11020.00	43.86	74.00	-30.14	56.78	37.92	16.06	66.90	0.00	---	---	PEAK																																															



		81																																																																																																							
Mode		Band Edge																																																																																																							
		Co-location_Bluetooth-LE_CH00_2402MHz																																																																																																							
Pol.		Horizontal					Fundamental																																																																																																		
Peak																																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2367.85</td><td>49.36</td><td>74.00</td><td>-24.64</td><td>40.59</td><td>32.26</td><td>7.07</td><td>36.56</td><td>6.00</td><td>167</td><td>76 PEAK</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2367.85	49.36	74.00	-24.64	40.59	32.26	7.07	36.56	6.00	167	76 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2402.00</td><td>102.66</td><td>74.00</td><td>28.66</td><td>93.69</td><td>32.40</td><td>7.12</td><td>36.55</td><td>6.00</td><td>167</td><td>76 PEAK</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2402.00	102.66	74.00	28.66	93.69	32.40	7.12	36.55	6.00	167
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	2367.85	49.36	74.00	-24.64	40.59	32.26	7.07	36.56	6.00	167	76 PEAK																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	2402.00	102.66	74.00	28.66	93.69	32.40	7.12	36.55	6.00	167	76 PEAK																																																																																														
Avg																																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2386.96</td><td>39.11</td><td>54.00</td><td>-14.89</td><td>30.17</td><td>32.36</td><td>7.10</td><td>36.52</td><td>6.00</td><td>167</td><td>76 AVERAGE</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2386.96	39.11	54.00	-14.89	30.17	32.36	7.10	36.52	6.00	167	76 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2402.00</td><td>100.02</td><td>54.00</td><td>46.02</td><td>91.07</td><td>32.39</td><td>7.12</td><td>36.56</td><td>6.00</td><td>167</td><td>76 AVERAGE</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2402.00	100.02	54.00	46.02	91.07	32.39	7.12	36.56	6.00	167
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	2386.96	39.11	54.00	-14.89	30.17	32.36	7.10	36.52	6.00	167	76 AVERAGE																																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	2402.00	100.02	54.00	46.02	91.07	32.39	7.12	36.56	6.00	167	76 AVERAGE																																																																																														

Note: The highest signals over limit are BLE TX & BLE(Nordic) TX fundamental signals.







Mode	81																																																						
	Band Edge																																																						
	Co-location_Bluetooth-LE_CH00_2402MHz																																																						
Pol.	Vertical						Fundamental																																																
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.30</td><td>49.58</td><td>74.00</td><td>-24.42</td><td>40.63</td><td>32.37</td><td>7.10</td><td>36.52</td><td>6.00</td><td>100</td><td>106</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.30	49.58	74.00	-24.42	40.63	32.37	7.10	36.52	6.00	100	106
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2389.30	49.58	74.00	-24.42	40.63	32.37	7.10	36.52	6.00	100	106	PEAK																																											
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2402.00</td><td>100.88</td><td>74.00</td><td>26.88</td><td>91.93</td><td>32.39</td><td>7.12</td><td>36.56</td><td>6.00</td><td>100</td><td>106</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2402.00	100.88	74.00	26.88	91.93	32.39	7.12	36.56	6.00	100	106
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2402.00	100.88	74.00	26.88	91.93	32.39	7.12	36.56	6.00	100	106	PEAK																																											
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2388.52</td><td>39.16</td><td>54.00</td><td>-14.84</td><td>30.21</td><td>32.37</td><td>7.10</td><td>36.52</td><td>6.00</td><td>100</td><td>106</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2388.52	39.16	54.00	-14.84	30.21	32.37	7.10	36.52	6.00	100	106
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2388.52	39.16	54.00	-14.84	30.21	32.37	7.10	36.52	6.00	100	106	AVERAGE																																											
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2402.00</td><td>98.40</td><td>54.00</td><td>44.40</td><td>89.45</td><td>32.39</td><td>7.12</td><td>36.56</td><td>6.00</td><td>100</td><td>106</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2402.00	98.40	54.00	44.40	89.45	32.39	7.12	36.56	6.00	100	106
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	2402.00	98.40	54.00	44.40	89.45	32.39	7.12	36.56	6.00	100	106	AVERAGE																																											

Note: The highest signals over limit are BLE TX & BLE(Nordic) TX fundamental signals.







Mode	81																																																																																																																																											
	Harmonic																																																																																																																																											
	Co-location_Bluetooth-LE_CH00_2402MHz																																																																																																																																											
Pol.	Horizontal						Vertical																																																																																																																																					
Peak Avg																																																																																																																																												
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4804.00</td><td>39.77</td><td>74.00</td><td>-34.23</td><td>60.82</td><td>34.00</td><td>10.20</td><td>65.25</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>5512.50</td><td>49.97</td><td>74.00</td><td>-24.03</td><td>69.64</td><td>34.56</td><td>10.90</td><td>65.13</td><td>0.00</td><td>100</td><td>40</td><td></td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	4804.00	39.77	74.00	-34.23	60.82	34.00	10.20	65.25	0.00	---	---	PEAK	2	5512.50	49.97	74.00	-24.03	69.64	34.56	10.90	65.13	0.00	100	40		<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4804.00</td><td>39.91</td><td>74.00</td><td>-34.09</td><td>60.96</td><td>34.00</td><td>10.20</td><td>65.25</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>5508.00</td><td>47.70</td><td>74.00</td><td>-26.30</td><td>67.37</td><td>34.56</td><td>10.90</td><td>65.13</td><td>0.00</td><td>100</td><td>134</td><td></td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	4804.00	39.91	74.00	-34.09	60.96	34.00	10.20	65.25	0.00	---	---	PEAK	2	5508.00	47.70	74.00	-26.30	67.37	34.56	10.90	65.13	0.00	100	134	
			Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	4804.00	39.77	74.00	-34.23	60.82	34.00	10.20	65.25	0.00	---	---	PEAK																																																																																																																																
2	5512.50	49.97	74.00	-24.03	69.64	34.56	10.90	65.13	0.00	100	40																																																																																																																																	
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	4804.00	39.91	74.00	-34.09	60.96	34.00	10.20	65.25	0.00	---	---	PEAK																																																																																																																																
2	5508.00	47.70	74.00	-26.30	67.37	34.56	10.90	65.13	0.00	100	134																																																																																																																																	



		81																																																																																																												
Mode		Band Edge																																																																																																												
		Co-location_Bluetooth-LE(Nordic BLE)_CH39_2480MHz																																																																																																												
Pol.		Horizontal											Fundamental																																																																																																	
Peak																																																																																																														
		<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2483.98</td><td>59.92</td><td>74.00</td><td>-14.08</td><td>51.37</td><td>32.34</td><td>7.26</td><td>37.05</td><td>6.00</td><td>362</td><td>130</td><td>PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.98	59.92	74.00	-14.08	51.37	32.34	7.26	37.05	6.00	362	130	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2480.00</td><td>97.27</td><td>-----</td><td>-----</td><td>88.32</td><td>32.39</td><td>7.12</td><td>36.56</td><td>6.00</td><td>362</td><td>130</td><td>PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	97.27	-----	-----	88.32	32.39	7.12	36.56	6.00	362	130
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	2483.98	59.92	74.00	-14.08	51.37	32.34	7.26	37.05	6.00	362	130	PEAK																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	2480.00	97.27	-----	-----	88.32	32.39	7.12	36.56	6.00	362	130	PEAK																																																																																																		
Avg																																																																																																														
		<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2483.56</td><td>41.59</td><td>54.00</td><td>-12.41</td><td>33.04</td><td>32.34</td><td>7.26</td><td>37.05</td><td>6.00</td><td>362</td><td>130</td><td>AVERAGE</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.56	41.59	54.00	-12.41	33.04	32.34	7.26	37.05	6.00	362	130	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2480.00</td><td>94.00</td><td>-----</td><td>-----</td><td>85.85</td><td>32.39</td><td>7.12</td><td>36.56</td><td>6.00</td><td>362</td><td>130</td><td>AVERAGE</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	94.00	-----	-----	85.85	32.39	7.12	36.56	6.00	362	130
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	2483.56	41.59	54.00	-12.41	33.04	32.34	7.26	37.05	6.00	362	130	AVERAGE																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																				
1	2480.00	94.00	-----	-----	85.85	32.39	7.12	36.56	6.00	362	130	AVERAGE																																																																																																		

Note: The highest signals over limit are BLE TX & BLE(Nordic) TX fundamental signals.



		81																																																																																							
Mode		Band Edge																																																																																							
		Co-location_Bluetooth-LE(Nordic BLE)_CH39_2480MHz																																																																																							
Pol.	Vertical											Fundamental																																																																													
Peak																																																																																									
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.68	58.03	74.00	-15.97	49.48	32.34	7.26	37.05	6.00	100	141	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2480.00</td><td>98.10</td><td>-----</td><td>-----</td><td>89.15</td><td>32.39</td><td>7.12</td><td>36.56</td><td>6.00</td><td>100</td><td>141</td><td>PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	98.10	-----	-----	89.15	32.39	7.12	36.56	6.00	100	141	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1	2483.68	58.03	74.00	-15.97	49.48	32.34	7.26	37.05	6.00	100	141	PEAK																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1	2480.00	98.10	-----	-----	89.15	32.39	7.12	36.56	6.00	100	141	PEAK																																																																													
Avg																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2483.86</td><td>39.87</td><td>54.00</td><td>-14.13</td><td>31.32</td><td>32.34</td><td>7.26</td><td>37.05</td><td>6.00</td><td>100</td><td>141</td><td>AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.86	39.87	54.00	-14.13	31.32	32.34	7.26	37.05	6.00	100	141	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2480.00</td><td>95.63</td><td>-----</td><td>-----</td><td>86.68</td><td>32.39</td><td>7.12</td><td>36.56</td><td>6.00</td><td>100</td><td>141</td><td>AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	95.63	-----	-----	86.68	32.39	7.12	36.56	6.00	100	141
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1	2483.86	39.87	54.00	-14.13	31.32	32.34	7.26	37.05	6.00	100	141	AVERAGE																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1	2480.00	95.63	-----	-----	86.68	32.39	7.12	36.56	6.00	100	141	AVERAGE																																																																													

Note: The highest signals over limit are BLE TX & BLE(Nordic) TX fundamental signals.




Mode	81																																																																																																																																																																				
	Harmonic																																																																																																																																																																				
	Co-location_Bluetooth-LE(Nordic BLE) _CH39_2480MHz																																																																																																																																																																				
Pol.	Horizontal						Vertical																																																																																																																																																														
Peak Avg																																																																																																																																																																					
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4960.00</td><td>40.53</td><td>74.00</td><td>-33.47</td><td>61.45</td><td>34.00</td><td>10.40</td><td>65.32</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>5523.00</td><td>48.52</td><td>74.00</td><td>-25.48</td><td>68.19</td><td>34.55</td><td>10.91</td><td>65.13</td><td>0.00</td><td>100</td><td>64</td><td></td></tr><tr><td>3</td><td>7440.00</td><td>41.19</td><td>74.00</td><td>-32.81</td><td>59.75</td><td>35.79</td><td>12.78</td><td>67.13</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	4960.00	40.53	74.00	-33.47	61.45	34.00	10.40	65.32	0.00	---	---	PEAK	2	5523.00	48.52	74.00	-25.48	68.19	34.55	10.91	65.13	0.00	100	64		3	7440.00	41.19	74.00	-32.81	59.75	35.79	12.78	67.13	0.00	---	---	PEAK	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4960.00</td><td>40.27</td><td>74.00</td><td>-33.73</td><td>61.19</td><td>34.00</td><td>10.40</td><td>65.32</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>5517.00</td><td>47.29</td><td>74.00</td><td>-26.71</td><td>66.95</td><td>34.56</td><td>10.91</td><td>65.13</td><td>0.00</td><td>100</td><td>139</td><td></td></tr><tr><td>3</td><td>7440.00</td><td>41.15</td><td>74.00</td><td>-32.85</td><td>59.71</td><td>35.79</td><td>12.78</td><td>67.13</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>								Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	4960.00	40.27	74.00	-33.73	61.19	34.00	10.40	65.32	0.00	---	---	PEAK	2	5517.00	47.29	74.00	-26.71	66.95	34.56	10.91	65.13	0.00	100	139		3	7440.00	41.15	74.00	-32.85	59.71	35.79	12.78	67.13	0.00	---	---
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																										
1	4960.00	40.53	74.00	-33.47	61.45	34.00	10.40	65.32	0.00	---	---	PEAK																																																																																																																																																									
2	5523.00	48.52	74.00	-25.48	68.19	34.55	10.91	65.13	0.00	100	64																																																																																																																																																										
3	7440.00	41.19	74.00	-32.81	59.75	35.79	12.78	67.13	0.00	---	---	PEAK																																																																																																																																																									
		Limit		Read		Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																										
1	4960.00	40.27	74.00	-33.73	61.19	34.00	10.40	65.32	0.00	---	---	PEAK																																																																																																																																																									
2	5517.00	47.29	74.00	-26.71	66.95	34.56	10.91	65.13	0.00	100	139																																																																																																																																																										
3	7440.00	41.15	74.00	-32.85	59.71	35.79	12.78	67.13	0.00	---	---	PEAK																																																																																																																																																									

Appendix D. Duty Cycle Plots


Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
802.11a	99.31	-	-	10HZ
802.11n HT20	100	-	-	10HZ
802.11n HT40	100	-	-	10HZ
802.11ax HE20	100	-	-	10HZ
802.11ax HE40	100	-	-	10HZ
802.11ax HE80	100	-	-	10HZ
802.11ax HE160	100	-	-	10HZ
802.11ax HE20-26RU	100	-	-	10HZ
802.11ax HE20-52RU	100	-	-	10HZ
802.11ax HE20-106RU	100	-	-	10HZ

802.11a






802.11n HT20




802.11n HT40







802.11ax HE20




802.11ax HE40



802.11ax HE80




802.11ax HE160






802.11ax HE20-26RU



802.11ax HE20-52RU





802.11ax HE20-106RU

