

---

SEPTEMBER 10, 2004  
Federal Communications Commission  
Equipment Approval Services  
7435 Oakland Mills Road  
Columbia, MD 21046

**SUBJECT : HASRPER CO., LTD.**  
**FCC ID: O5XHL-400B**  
**FCC Part 15 Subpart B Certification**

Gentlemen:

Transmitted herewith, on behalf of HASPER CO., LTD. is an application for a FCC Part 15 Subpart B Certification of the following PDP MONITOR:

**FCC ID : O5XHL-400B**  
**Model : HL-4000B**

Attached is the applicant's Cover Letter, External/Internal Photos, Test Set-Up Photos, FCC ID & Label Location, User Manual, Block Diagram and Test Report.

Should you have any questions or comments concerning the above, please contact the undersigned.



KI SOO KIM  
EMC MANAGER

cc: Mr. CHANG-SUP UM ----- R & D / ASSISTANT MANAGER

---

## • Solution for EMI

**We, HARSPER CO., LTD. , announce that all modifications will be incorporated into each unit sold in the U.S.**

- 1. Attach a gasket on the panel**
- 2. Apply a strip of aluminum tape on the conductive strip to the frame.**
- 3. Apply a ferrite Core to the Interface Cable**
- 4. Attach a gasket on the panel**

**(Please refer to next page of the photographs for Solution for EMI)**

**HARSPER CO., LTD.**


**2004. 09. 10.**

—  —


**HAN-IL WOO**

**R & D Team / ASSISTANT MANAGER**


**1. Attach a gasket on the panel**



**2. Apply a strip of aluminum tape on the conductive strip to the frame.**



### 3. Apply a ferrite Core to the Interface Cable



**4. Attach a gasket on the panel**

