


26 dB ATT CH 1  
SPEC. DENSITY

MKR 2.413 425 GHz  
-17.00 dBm

hp REF -9.0 dBm ATTEN 0 dB + 20 dB

10 dB/

OFFSET  
1.0  
dB



CENTER 2.413 44 GHz  
RES BW 3 kHz (1)

VBW 30 kHz

SPAN 1.50 MHz  
SWP 500 sec

MIRAE TECHNOLOGY  
FCC ID: 06ANANOSPEED  
JOB #: 241K0  
EXHIBIT #: 11A




26 dB ATTN CH 6  
SPEC. DENSITY

MKR 2.437 261 GHz  
-17.90 dBm

hp REF -9.0 dBm ATTEN 0 dB + 20 dB

10 dB/

OFFSET  
1.0  
dB



MIRAE TECHNOLOGY  
FCC ID: 06ANANOSPEED  
JOB #: 241K0  
EXHIBIT #: 11B

CENTER 2.437 26 GHz  
RES BW 3 kHz (i) VBW 30 kHz SPAN 1.50 MHz  
SWP 500 sec




26 dB ATT CH 11  
SPEC. DENSITY

MKR 2.463 425 GHz  
-16.90 dBm

hp REF -9.0 dBm ATTEN 0 dB + 20 dB

10 dB/

OFFSET  
1.0  
dB



CENTER 2.463 42 GHz  
RES BW 3 kHz (1)

VBW 30 kHz

SPAN 1.50 MHz  
SWP 500 sec

MIRAE TECHNOLOGY  
FCC ID: O6ANANOSPEED  
JOB #: 24IK0  
EXHIBIT #: 11c