




11N20MIMO_Ant2_Low_2412




11N20MIMO_Ant1_High_2462




11N20MIMO_Ant2_High_2462




11N40MIMO_Ant1_Low_2422




11N40MIMO_Ant2_Low_2422



11N40MIMO_Ant1_High_2452



11N40MIMO_Ant2_High_2452



09:11:51 23.10.2023

11AX20MIMO_Ant1_Low_2412




09:15:26 23.10.2023

11AX20MIMO_Ant2_Low_2412




09:17:47 23.10.2023

11AX20MIMO_Ant1_High_2462




11AX20MIMO_Ant2_High_2462




11AX40MIMO_Ant1_Low_2422



11AX40MIMO_Ant2_Low_2422




11AX40MIMO_Ant1_High_2452




11AX40MIMO_Ant2_High_2452




Emission level measurement




11B_Ant2_2412_0~Reference




11B_Ant2_2412_30~1000




11B_Ant2_2412_1000~26500




11B_Ant1_2437_0~Reference




11B_Ant1_2437_30~1000




11B_Ant1_2437_1000~26500




11B_Ant2_2437_0~Reference




11B_Ant2_2437_30~1000




11B_Ant2_2437_1000~26500




11B_Ant1_2462_0~Reference




11B_Ant1_2462_30~1000




11B_Ant1_2462_1000~26500




11B_Ant2_2462_0~Reference




11B_Ant2_2462_30~1000




11B_Ant2_2462_1000~26500




11G_Ant1_2412_0~Reference




11G_Ant1_2412_30~1000




11G_Ant1_2412_1000~26500




11G_Ant2_2412_0~Reference




11G_Ant2_2412_30~1000




11G_Ant2_2412_1000~26500




11G_Ant1_2437_0~Reference




11G_Ant1_2437_30~1000




11G_Ant1_2437_1000~26500




11G_Ant2_2437_0~Reference




11G_Ant2_2437_30~1000




11G_Ant2_2437_1000~26500




11G_Ant1_2462_0~Reference




11G_Ant1_2462_30~1000




11G_Ant1_2462_1000~26500




11G_Ant2_2462_0~Reference




11G_Ant2_2462_30~1000




11G_Ant2_2462_1000~26500




11N20MIMO_Ant1_2412_0~Reference




11N20MIMO_Ant1_2412_30~1000




11N20MIMO_Ant1_2412_1000~26500




11N20MIMO_Ant2_2412_0~Reference




11N20MIMO_Ant2_2412_30~1000




11N20MIMO_Ant2_2412_1000~26500




11N20MIMO_Ant1_2437_0~Reference




11N20MIMO_Ant1_2437_30~1000




11N20MIMO_Ant1_2437_1000~26500




11N20MIMO_Ant2_2437_0~Reference




11N20MIMO_Ant2_2437_30~1000




11N20MIMO_Ant2_2437_1000~26500




11N20MIMO_Ant1_2462_0~Reference




11N20MIMO_Ant1_2462_30~1000




11N20MIMO_Ant1_2462_1000~26500




11N20MIMO_Ant2_2462_0~Reference




11N20MIMO_Ant2_2462_30~1000




11N20MIMO_Ant2_2462_1000~26500




11N40MIMO_Ant1_2422_0~Reference




11N40MIMO_Ant1_2422_30~1000



11N40MIMO_Ant1_2422_1000~26500




11N40MIMO_Ant2_2422_0~Reference




08:58:17 23.10.2023

11N40MIMO_Ant2_2422_30~1000




08:58:24 23.10.2023

11N40MIMO_Ant2_2422_1000~26500




08:58:46 23.10.2023

11N40MIMO_Ant1_2437_0~Reference




09:00:42 23.10.2023

11N40MIMO_Ant1_2437_30~1000




09:00:49 23.10.2023

11N40MIMO_Ant1_2437_1000~26500




09:01:12 23.10.2023


11N40MIMO_Ant2_2437_0~Reference




11N40MIMO_Ant2_2437_30~1000



11N40MIMO_Ant2_2437_1000~26500




11N40MIMO_Ant1_2452_0~Reference




09:08:52 23.10.2023

11N40MIMO_Ant1_2452_30~1000




09:08:59 23.10.2023

11N40MIMO_Ant1_2452_1000~26500




09:09:21 23.10.2023


11N40MIMO_Ant2_2452_0~Reference




11N40MIMO_Ant2_2452_30~1000



11N40MIMO_Ant2_2452_1000~26500




11AX20MIMO_Ant1_2412_0~Reference




09:15:40 23.10.2023

11AX20MIMO_Ant1_2412_30~1000




09:15:47 23.10.2023

11AX20MIMO_Ant1_2412_1000~26500




09:16:09 23.10.2023

11AX20MIMO_Ant2_2412_0~Reference




09:18:00 23.10.2023

11AX20MIMO_Ant2_2412_30~1000




09:18:07 23.10.2023

11AX20MIMO_Ant2_2412_1000~26500




09:18:29 23.10.2023

11AX20MIMO_Ant1_2437_0~Reference




09:21:00 23.10.2023

11AX20MIMO_Ant1_2437_30~1000




09:21:07 23.10.2023

11AX20MIMO_Ant1_2437_1000~26500




09:21:29 23.10.2023

11AX20MIMO_Ant2_2437_0~Reference




09:24:38 23.10.2023

11AX20MIMO_Ant2_2437_30~1000




09:24:44 23.10.2023

11AX20MIMO_Ant2_2437_1000~26500




09:25:07 23.10.2023

11AX20MIMO_Ant1_2462_0~Reference




09:28:03 23.10.2023

11AX20MIMO_Ant1_2462_30~1000




09:28:10 23.10.2023

11AX20MIMO_Ant1_2462_1000~26500




09:28:32 23.10.2023


11AX20MIMO_Ant2_2462_0~Reference



11AX20MIMO_Ant2_2462_30~1000



11AX20MIMO_Ant2_2462_1000~26500



MultiView Spectrum

Ref Level 30.00 dBm Offset 21.10 dB RBW 100 kHz

Ant 30 dB SWT 1.01 ms VBW 300 kHz Mode Auto Sweep

Count 10/10 1Pk View

1 Frequency Sweep

20 dBm

10 dBm

0 dBm

-10 dBm

-20 dBm

-30 dBm

-40 dBm

-50 dBm

-60 dBm

CF 2.422 GHz

1001 pts

6.0 MHz/

Span 60.0 MHz

Measuring...

0.53 dBm

2.417 025 0 GHz

MultiView Spectrum

Ref Level 20.00 dBm Offset 21.10 dB RBW 100 kHz

Ant 0 dB SWT 255 ms VBW 300 kHz Mode Auto Sweep

1 Frequency Sweep

Count 10/10

10 dBm

0 dBm

-10 dBm

-20 dBm

-30 dBm

-40 dBm

-50 dBm

-60 dBm

-70 dBm

H1 -29.470 dBm

M2

1.0 GHz

30001 pts

2.55 GHz/

26.5 GHz

M1[1] 0.32 dBm

2.426 680 GHz

M2[1] -55.84 dBm


22.112 300 GHz

10% View


Measuring...

Ver.1.0


11AX40MIMO_Ant2_2422_0~Reference




11AX40MIMO_Ant2_2422_30~1000




11AX40MIMO_Ant2_2422_1000~26500




11AX40MIMO_Ant1_2437_0~Reference




11AX40MIMO_Ant1_2437_30~1000



11AX40MIMO_Ant1_2437_1000~26500




11AX40MIMO_Ant2_2437_0~Reference




10:32:53 23.10.2023

11AX40MIMO_Ant2_2437_30~1000




10:32:59 23.10.2023

11AX40MIMO_Ant2_2437_1000~26500




10:33:22 23.10.2023


11AX40MIMO_Ant1_2452_0~Reference




11AX40MIMO_Ant1_2452_30~1000



11AX40MIMO_Ant1_2452_1000~26500




11AX40MIMO_Ant2_2452_0~Reference




10:37:46 23.10.2023

11AX40MIMO_Ant2_2452_30~1000



10:37:53 23.10.2023

11AX40MIMO_Ant2_2452_1000~26500



10:38:15 23.10.2023

7.5 RADIATED EMISSION

7.5.1 Applicable Standard

According to FCC Part 15.247(d) and 15.209 and KDB 558074 D01 15.247 Meas Guidance v05r02.

7.5.2 Conformance Limit

According to FCC Part 15.247(d): radiated emissions which fall in the restricted bands, as defined in §15.205(a), must also comply with the radiated emission limits specified in §15.209(a) (see §15.205(c)).

According to FCC Part 15.205, Restricted bands:

MHz	MHz	MHz	GHz
0.090-0.110	16.42-16.423	399.9-410	4.5-5.15
10.495-0.505	16.69475-16.69525	608-614	5.35-5.46
2.1735-2.1905	16.80425-16.80475	960-1240	7.25-7.75
4.125-4.128	25.5-25.67	1300-1427	8.025-8.5
4.17725-4.17775	37.5-38.25	1435-1626.5	9.0-9.2
4.20725-4.20775	73-74.6	1645.5-1646.5	9.3-9.5
6.215-6.218	74.8-75.2	1660-1710	10.6-12.7
6.26775-6.26825	123-138	2200-2300	14.47-14.5
8.291-8.294	149.9-150.05	2310-2390	15.35-16.2
8.362-8.366	156.52475-156.52525	2483.5-2500	17.7-21.4
8.37625-8.38675	156.7-156.9	2690-2900	22.01-23.12
8.41425-8.41475	162.0125-167.17	3260-3267	23.6-24.0
12.29-12.293	167.72-173.2	3332-3339	31.2-31.8
12.51975-12.52025	240-285	3345.8-3358	36.43-36.5
12.57675-12.57725	322-335.4	3600-4400	(2)
13.36-13.41			

According to FCC Part 15.205 the level of any transmitter spurious emission in Restricted bands shall not exceed the level of the emission specified in the following table.

Restricted Frequency(MHz)	Field Strength (μV/m)	Field Strength (dBμV/m)	Measurement Distance
0.009-0.490	2400/F(KHz)	20 log (uV/m)	300
0.490-1.705	24000/F(KHz)	20 log (uV/m)	30
1.705-30	30	29.5	30
30-88	100	40	3
88-216	150	43.5	3
216-960	200	46	3
Above 960	500	54	3

7.5.3 Test Configuration

Test according to clause 6.2 radio frequency test setup 2.

7.5.4 Test Procedure

This test is required for any spurious emission that falls in a Restricted Band, as defined in Section 15.205. It must be performed with the highest gain of each type of antenna proposed for use with the EUT. Use the following spectrum analyzer settings:

For Above 1GHz:

The EUT was placed on a turn table which is 1.5m above ground plane.

Maximum procedure was performed on the highest emissions to ensure EUT compliance.

Span = wide enough to fully capture the emission being measured.

RBW = 1 MHz.

VBW ≥ RBW.

Sweep = auto.

Detector function = peak.
Trace = max hold.

For Below 1GHz:

The EUT was placed on a turn table which is 0.8m above ground plane.
Maximum procedure was performed on the highest emissions to ensure EUT compliance.
Span = wide enough to fully capture the emission being measured.
RBW = 100 kHz.
VBW $\geq$ RBW.
Sweep = auto.
Detector function = peak.
Trace = max hold.

For Below 30MHz:

The EUT was placed on a turn table which is 0.8m above ground plane.
Maximum procedure was performed on the highest emissions to ensure EUT compliance.
Span = wide enough to fully capture the emission being measured.
RBW = 9kHz.
VBW $\geq$ RBW.
Sweep = auto.
Detector function = peak.
Trace = max hold.

For Below 150KHz:

The EUT was placed on a turn table which is 0.8m above ground plane.
Maximum procedure was performed on the highest emissions to ensure EUT compliance.
Span = wide enough to fully capture the emission being measured.
RBW = 200Hz.
VBW $\geq$ RBW.
Sweep = auto.
Detector function = peak.
Trace = max hold.

Follow the guidelines in ANSI C63.10 with respect to maximizing the emission by rotating the EUT, measuring the emission while the EUT is situated in three orthogonal planes (if appropriate), adjusting the measurement antenna height and polarization, etc. A pre-amp and a high pass filter are required for this test, in order to provide the measuring system with sufficient sensitivity. Allow the trace to stabilize. The peak reading of the emission, after being corrected by the antenna factor, cable loss, pre-amp gain, etc., is the peak field strength, which must comply with the limit. Submit this data. Now set the VBW to 10 Hz, while maintaining all of the other instrument settings. This peak level, once corrected, must comply with the limit. If the dwell time per channel of the hopping signal is less than 100 ms, then the reading obtained with the 10 Hz VBW may be further adjusted by a "duty cycle correction factor", derived from $20\log(\text{dwell time}/100 \text{ ms})$, in an effort to demonstrate compliance with the limit. Submit this data.
Repeat above procedures until all frequency measured was complete.

7.5.5 Test Results

Temperature :	25°C	ATM Pressure:	1011 mbar
Humidity :	60 %	Test Engineer:	HZB

All of the configurations or modes are tested, the data of the worst case is recorded as below.

■ Spurious Emission below 30MHz(9KHz to 30MHz)

Temperature: 28.1℃ Test By: ZXR
Humidity: 43%
Test mode: 802.11b

Freq. (MHz)	Ant.Pol. H/V	Emission Level(dBuV/m)		Limit 3m(dBuV/m)		Over(dB)	
		PK	AV	PK	AV	PK	AV
--	--	--	--	--	--	--	--

Note: Data of measurement within this frequency range shown “ -- ” in the table above means the reading of emissions are attenuated more than 20dB below the permissible limits or the field strength is too small to be measured.

■ Spurious Emission Above 1GHz(1GHz to 25GHz)

All antennas and modulation modes are tested, the data of the worst mode is described in the table.
Highest gain of each antenna and highest output power is ANT2 and MIMO as below:

ANT2:

Test mode: 802.11B Frequency: Channel 1: 2412MHz

Freq. (MHz)	Ant.Pol.	Emission Level(dBuV/m)	Limit 3m(dBuV/m)	Over(dB)	Detector
11473.1	V	62.18	74.00	11.82	peak
14643.7	V	65.06	74.00	8.94	peak
17595	V	70.36	74.00	3.64	peak
11473.12	V	47.60	54.00	6.40	AVG
14643.75	V	47.53	54.00	6.47	AVG
17595	V	50.01	54.00	3.99	AVG
11495.6	H	61.42	74.00	12.58	peak
14692.5	H	64.55	74.00	9.45	peak
17636.2	H	70.62	74.00	3.38	peak
11495.62	H	47.81	54.00	6.19	AVG
14692.5	H	46.66	54.00	7.34	AVG
17636.25	H	49.23	54.00	4.77	AVG

Test mode: 802.11 B Frequency: Channel 6: 2437MHz

Freq. (MHz)	Ant.Pol.	Emission Level(dBuV/m)	Limit 3m(dBuV/m)	Over(dB)	Detector
11446.8	V	61.02	74.00	12.98	peak
14623.1	V	64.70	74.00	9.30	peak
17619.3	V	70.63	74.00	3.37	peak
11446.87	V	47.52	54.00	6.48	AVG
14623.12	V	48.25	54.00	5.75	AVG
17619.37	V	49.62	54.00	4.38	AVG
11521.8	H	61.01	74.00	12.99	peak
14591.2	H	64.65	74.00	9.35	peak
17632.5	H	70.58	74.00	3.42	peak
11521.87	H	47.42	54.00	6.58	AVG
14591.25	H	48.07	54.00	5.93	AVG
17632.5	H	49.62	54.00	4.38	AVG

Test mode: 802.11 B Frequency: Channel 11: 2472MHz

Freq. (MHz)	Ant.Pol.	Emission Level(dBuV/m)	Limit 3m(dBuV/m)	Over(dB)	Detector
11527.5	V	61.32	74.00	12.68	peak
14649.3	V	64.47	74.00	9.53	peak
17617.5	V	70.45	74.00	3.55	peak
11527.5	V	47.31	54.00	6.69	AVG
14649.37	V	47.27	54.00	6.73	AVG
17617.5	V	50.09	54.00	3.91	AVG
11516.2	H	61.51	74.00	12.49	peak
14581.8	H	64.72	74.00	9.28	peak
17626.8	H	70.71	74.00	3.29	peak
11516.25	H	47.58	54.00	6.42	AVG
14581.87	H	47.79	54.00	6.21	AVG
17626.87	H	49.79	54.00	4.21	AVG

MIMO:

Test mode: 802.11 B Frequency: Channel 1: 2412MHz

Freq. (MHz)	Ant.Pol.	Emission Level(dBuV/m)	Limit 3m(dBuV/m)	Over(dB)	Detector
11471.710	V	62.05	74.00	11.95	peak
14642.310	V	64.9	74.00	9.1	peak
17596.280	V	70.33	74.00	3.67	peak
11474.400	V	47.58	54.00	6.42	AVG
14641.500	V	47.27	54.00	6.73	AVG
17592.750	V	49.82	54.00	4.18	AVG
11507.290	H	61.34	74.00	12.66	peak
14704.190	H	64.34	74.00	9.66	peak
17647.890	H	70.46	74.00	3.54	peak
11507.310	H	47.67	54.00	6.33	AVG
14689.190	H	46.48	54.00	7.52	AVG
17632.940	H	49.1	54.00	4.9	AVG

Test mode: 802.11 B Frequency: Channel 6: 2437MHz

Freq. (MHz)	Ant.Pol.	Emission Level(dBuV/m)	Limit 3m(dBuV/m)	Over(dB)	Detector
11445.410	V	60.89	74.00	13.11	peak
14621.710	V	64.54	74.00	9.46	peak
17620.580	V	70.6	74.00	3.4	peak
11448.150	V	47.5	54.00	6.5	AVG
14620.870	V	47.99	54.00	6.01	AVG
17617.120	V	49.43	54.00	4.57	AVG
11533.490	H	60.93	74.00	13.07	peak
14602.890	H	64.44	74.00	9.56	peak
17644.190	H	70.42	74.00	3.58	peak
11533.560	H	47.28	54.00	6.72	AVG
14587.940	H	47.89	54.00	6.11	AVG
17629.190	H	49.49	54.00	4.51	AVG

Test mode: 802.11 B Frequency: Channel 11: 2462MHz

Freq. (MHz)	Ant.Pol.	Emission Level(dBuV/m)	Limit 3m(dBuV/m)	Over(dB)	Detector
11526.110	V	61.19	74.00	12.81	peak
14647.910	V	64.31	74.00	9.69	peak
17618.780	V	70.42	74.00	3.58	peak
11528.780	V	47.29	54.00	6.71	AVG
14647.120	V	47.01	54.00	6.99	AVG
17615.250	V	49.9	54.00	4.1	AVG
11527.890	H	61.43	74.00	12.57	peak
14593.490	H	64.51	74.00	9.49	peak
17638.490	H	70.55	74.00	3.45	peak
11527.940	H	47.44	54.00	6.56	AVG
14578.560	H	47.61	54.00	6.39	AVG
17623.560	H	49.66	54.00	4.34	AVG

- Note:** (1) All Readings are Peak Value (VBW=3MHz) and Average Value (VBW=10Hz).
 (2) Emission Level= Reading Level+Correct Factor.
 (3) Correct Factor= Ant_F + Cab_L - Preamp
 (4) The reading of emissions are attenuated more than 20dB below the permissible limits or the field strength is too small to be measured.

■ Spurious Emission in Restricted Band 2310-2390MHz and 2483.5-2500MHz

Test mode: 802.11B Frequency: Channel 1: 2412MHz

Freq. (MHz)	Ant.Pol.	Emission Level(dBuV/m)	Limit 3m(dBuV/m)	Over(dB)	Detector
2328.45	V	45.53	74.00	28.47	peak
2328.45	V	44.65	54.00	9.35	AVG
2333.26	H	45.19	74.00	28.81	peak
2333.26	H	43.54	54.00	10.46	AVG


Test mode: 802.11B Frequency: Channel 11: 2462MHz

Freq. (MHz)	Ant.Pol.	Emission Level(dBuV/m)	Limit 3m(dBuV/m)	Over(dB)	Detector
2487.21	V	46.26	74.00	27.74	peak
2487.21	V	42.50	54.00	11.50	AVG
2488.89	H	46.07	74.00	27.93	peak
2488.89	H	42.55	54.00	11.45	AVG

- Note:**
- (1) All Readings are Peak Value (VBW=3MHz) and Average Value (VBW=10Hz).
 - (2) Emission Level= Reading Level+Correct Factor.
 - (3) Correct Factor= Ant_F + Cab_L - Preamp
 - (4) The reading of emissions are attenuated more than 20dB below the permissible limits or the field strength is too small to be measured.


Spurious Emission in Restricted Band 2310-2390MHz

Test Model ☒ 802.11b ☐ 802.11g ☐ 802.11n(HT20) ☐ 802.11n(HT40)
☒ Channel 1:2412MHz ☐ Channel 3: 2422MHz Polarity: H
 VBW=3MHz




Spurious Emission in Restricted Band 2310-2390MHz


Test Model ☒ 802.11b ☐ 802.11g ☐ 802.11n(HT20) ☐ 802.11n(HT40)
☒ Channel 1:2412MHz ☐ Channel 3: 2422MHz Polarity:V
 VBW=3MHz



Test Model	Spurious Emission in Restricted Band 2483.5-2500MHz			
	☒ 802.11b	☐ 802.11g	☐ 802.11n(HT20)	☐ 802.11n(HT40)
	☒ Channel 11: 2462MHz	☐ Channel 9: 2452MHz	Polarity: H	
	VBW=3MHz			




Test Model	Spurious Emission in Restricted Band2483.5-2500MHz			
	☒ 802.11b	☐ 802.11g	☐ 802.11n(HT20)	☐ 802.11n(HT40)
	☒ Channel 11: 2462MHz	☐ Channel 9: 2452MHz	Polarity: V	
	VBW=3MHz			




■ Spurious Emission below 1GHz (30MHz to 1GHz)

Test mode: 802.11B Frequency: Channel 1: 2412MHz



Suspected Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Detector	Limit [dBμV/m]	Margin [dB]	Polarity
1	187.297	45.97	-17.92	28.05	PK	43.50	15.45	Vertical
2	192.152	45.25	-17.61	27.64	PK	43.50	15.86	Vertical
3	280.510	44.00	-14.18	29.82	PK	46.00	16.18	Vertical
4	332.942	45.29	-13.67	31.62	PK	46.00	14.38	Vertical
5	392.172	44.28	-11.82	32.46	PK	46.00	13.54	Vertical
6	436.836	41.43	-11.27	30.16	PK	46.00	15.84	Vertical



Suspected Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Detector	Limit [dBμV/m]	Margin [dB]	Polarity
1	301.871	49.48	-14.14	35.34	PK	46.00	10.66	Horizontal
2	365.956	51.92	-12.96	38.96	PK	46.00	7.04	Horizontal
3	390.230	53.83	-11.83	42.00	PK	46.00	4.00	Horizontal
4	442.662	52.34	-11.17	41.17	PK	46.00	4.83	Horizontal
5	810.660	41.34	-4.34	37.00	PK	46.00	9.00	Horizontal
6	863.093	41.77	-3.70	38.07	PK	46.00	7.93	Horizontal