

Page: 1 of 8





RF EXPOSURE REPORT

Applicant: Brivo Systems LLC

7700 Old Georgetown Road Suite 300, Bethesda, MD 20814,

United States

Manufacturer: TELE System Communications Pte. Ltd.

5F,No 437, Tao Ying Rd., Taoyuan 33068, Taiwan

Product Name: ACS300 Access Control System

Brand Name: Brivo

Model No.: B-ACS300V2-E, B-ACS300V2-S

Model Difference: 1. Different server: B-ACS300V2-E for ON Air Server,

B-ACS300V2-S for no Server

2. Different enclosures: Enclosure 1 (white color) L /W/H: 188.3/190.5/38.6 mm Enclosure 2 (black color) L /W/H: 193.8/199.5/66.7 mm

Report Number: TESA2310000587ES

Part of EUT Received: October 4, 2023

Issue Date: February 27, 2024

Approved By_

John Veh

We hereby certify that:

The above equipment was evaluated by SGS Taiwan Ltd. The evaluation in this report is in compliance with FCC Rule Part §1.1307.

The results of this report relate to the specific sample identified in this report.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 险非只有的明,此想生红用做影响过少样具色素,同时此样里做足列的手。木型生土硕木八司丰富纯可,不可可以推测。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 2 of 8

Revision History									
Report Number	Revision	Description	Issue Date	Revised By	Remark				
TESA2310000587ES	00	Original.	January 11, 2024	Susan Lin					
TESA2310000587ES	01	Update chapter 2.3 and 2.4	February 19, 2024	Susan Lin	*				
TESA2310000587ES	02	Add chapter 1.4	February 27, 2024	Susan Lin	*				

Note:

- 1 . The remark "*" indicates modification of the report upon requests from certification body.
- 2 Variant information of model numbers is provided by the applicant, test results of this report are applicable to the sample EUT(s) received. And are assessed as electrically identical in RF characteristics, therefore, no further assessment required for the variant(s).

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 3 of 8

Contents

1	DE	SCRIPTION OF EQUIPMENT UNDER TEST (EUT)	4
	1.1	PRODUCT DESCRIPTION	4
		ANTENNA INFORMATION:	
2	DE	TERMINATION OF MPE EXEMPTION	6
	2.1	SINGLE RF SOURCE	6
		Multiple RF Sources	
	2.3	SINGLE RF SOURCE EVALUATION RESULTS	8
	24	MULTIDLE RESOURCES EVALUATION RESULTS	8

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

台灣檢驗科技股份有限公司



Page: 4 of 8

DESCRIPTION OF EQUIPMENT UNDER TEST (EUT)

Product Description

ACS300 Access Control System
,
Brivo
B-ACS300V2-E, B-ACS300V2-S
1. Different server: B-ACS300V2-E for ON Air Server, B-ACS300V2-S for no Server 2. Different enclosures: Enclosure 1 (white color) L /W/H: 188.3/190.5/38.6 mm Enclosure 2 (black color) L /W/H: 193.8/199.5/66.7 mm
N/A
N/A
3C2330TR0200036
56Vdc from POE

1.2 **Evaluation site**

Laboratory		Site Address	FCC Designation number
SGS Taiwan Ltd.	\boxtimes	No. 134, Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, 24803, Taiwan.	TW0027
Central RF Lab.		No. 2, Keji 1st Rd., Guishan Township, Taoyuan County, 333 Taiwan.	TW0028
(TAF code 3702)		1F, No. 8, Alley 15, Lane 120, Sec. 1, Nei Hu Road, Neihu District, Taipei City, 222 Taiwan.	TW0029

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司



Page: 5 of 8

1.3 **Antenna Information:**

BT

Antenna	Freq.	Peak Antenna
Type	(MHz)	Gain (dBi)
PIFA	2402~2480	1.35

BLE

Antenna	Freq.	Peak Antenna
Type	(MHz)	Gain (dBi)
PIFA	2402~2480	1.35

WLAN 2.4G

Antenna	Freq.	Peak Antenna
Type	(MHz)	Gain (dBi)
PIFA	2412~2472	1.35

Note: Antenna information is provided by the applicant.

1.4 Rated power

Mode	Freq. Range (MHz)	Channels	Modulation Technology	Max Output Power (dBm)	Antenna Gain (dBi)	EIRP (dBm)	Worst Case
BR+EDR	2402-2480	79	GFSK + π/4DQPSK + 8DPSK	4.6	1.35	5.95	V
BLE	2402-2480	40	GFSK	3.17	1.35	4.52	
802.11b/g/n_HT20)2.11b/g/n_HT20		DSSS & OFDM	8.16	1.35	9.51	V
802.11 n_HT40 2412-2462		11	DSSS & OFDIVI	6.42	1.35	7.77	
Modulation	n type:	CCK, DQPSK, DBPSK for DSSS 64QAM, 16QAM, QPSK, BPSK for OFDM					

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留的天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 6 of 8

DETERMINATION OF MPE EXEMPTION

2.1 Single RF Source

As per §1.1307(b)(3)(i),

- (A) The available maximum time-averaged power is no more than 1 mW, regardless of separation distance. This exemption may not be used in conjunction with other exemption criteria other than those in paragraph (b)(3)(ii)(A) of this section. Medical implant devices may only use this exemption and that in paragraph (b)(3)(ii)(A);
- (B) Or the available maximum time-averaged power or effective radiated power (ERP), whichever is greater, is less than or equal to the threshold P_{th} (mW) described in the following formula. This method shall only be used at separation distances (cm) from 0.5 centimeters to 40 centimeters and at frequencies from 0.3 GHz to 6 GHz (inclusive). P_{th} is given by:

$$P_{th} \text{ (mW)} = \begin{cases} ERP_{20 \ cm} (d/20 \ \text{cm})^x & d \leq 20 \ \text{cm} \\ ERP_{20 \ cm} & 20 \ \text{cm} < d \leq 40 \ \text{cm} \end{cases}$$

Where

$$x = -\log_{10}\left(\frac{60}{ERP_{20\ cm}\sqrt{f}}\right)$$
 and f is in GHz;

and

$$\mathit{ERP}_{20\;cm}\;(\mathrm{mW}) = \begin{cases} 2040f & 0.3\;\mathrm{GHz} \leq f < 1.5\;\mathrm{GHz} \\ \\ 3060 & 1.5\;\mathrm{GHz} \leq f \leq 6\;\mathrm{GHz} \end{cases}$$

d = the separation distance (cm);

Note: when 10-g extremity SAR applies, SAR test exemption may be considered by applying a factor of 2.5 to the SAR-based exemption thresholds.

(C) Or using Table 1 and the minimum separation distance (R in meters) from the body of a nearby person for the frequency (f in MHz) at which the source operates, the ERP (watts) is no more than the calculated value prescribed for that frequency. For the exemption in Table 1 to apply, R must be at least $\lambda/2\pi$, where λ is the free-space operating wavelength in meters. If the ERP of a single RF source is not easily obtained, then the available maximum time-averaged power may be used in lieu of ERP if the physical dimensions of the radiating structure(s) do not exceed the electrical length of $\lambda/4$ or if the antenna gain is less than that of a half-wave dipole (1.64 linear value).

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law SGS Taiwan Ltd.



Page: 7 of 8

Table 1 to $\S 1.1307(b)(3)(i)(C) -$

Single RF Sources Subject to Routine Environmental Evaluation

RF Source frequency (MHz)		Minimum Distance			Threshold ERP (W)	
fL		fH	λL / 2π		λΗ / 2π	
0.3	-	1.34	159m	-	35.6m	1920 R ²
1.34	-	30	35.6m	-	1.6m	3450 R ² /f ²
30	-	300	1.6m	-	159mm	3.83 R ²
300	-	1500	159mm	-	31.8mm	0.0128 R ² f
1500	-	100000	31.8mm	-	0.5mm	19.2R ²

R= minimum separation distance in meter

f = frequency in MHz

2.2 **Multiple RF Sources**

In the case of fixed RF sources operating in the same time-averaging period, or of multiple mobile or portable RF sources within a device operating in the same time averaging period, if the sum of the fractional contributions to the applicable thresholds is less than or equal to 1 as indicated in the following equation.

$$\sum_{i=1}^{a} \frac{P_i}{P_{th,i}} + \sum_{j=1}^{b} \frac{ERP_j}{ERP_{th,j}} + \sum_{k=1}^{c} \frac{Evaluated_k}{Exposure\ Limit_k} \le 1$$

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.



Page: 8 of 8

Single RF Source Evaluation Results

Chain 0	Frequency (MHz)	Max. tune-up power (dBm)	Peak gain (dBi)	ERP (dBm)	ERP (W)	Permissible Minimum separation distance (λ/2π) (m)	R = actual Minimum separation distance(m)	ERPth (W)	ERP/ERPth		tra	nsn	niss des	_
Bluetooth	2480	4.6	1.35	3.8	0.002	0.0193	0.200	0.768	0.003	٧				
WiFI 2.4GHz	2462	8.16	1.35	7.36	0.005	0.0194	0.200	0.768	0.007	٧				

Note: All the single RF source results (P or ERP) are less than their corresponding threshold (Pth or ERPth), so they are exempt from RF exposure testing.

2.4 **Multiple RF Sources Evaluation Results**

Simultaneous transmission modes	∑ ERP/ERPth	Criteria
1	0.010	1

Note:

1. Σ(ERP/ERPth): This is a summation of [(ERP of RF source / exemption threshold ERP for RF

Considering the collocated transmitters, the aggregated (ERP/ERPth) is smaller than 1, and MPE of collocated transmitters is compliant.

~ End of Report ~

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com.tw/Terms-and-Conditions and for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com.tw/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. 台灣檢驗科技股份有限公司