



Mode	4										
	Band Edge										
	2400-2483.5_Bluetooth-LE_GFSK_CH01_2404MHz										
ANT	1										
Pol.	Horizontal						Fundamental				
Peak	Level (dBuV/m) Date: 2025-06-18										



Mode	4																																																																																																
	Band Edge																																																																																																
	2400-2483.5_Bluetooth-LE_GFSK_CH01_2404MHz																																																																																																
ANT	1																																																																																																
Pol.	Vertical						Fundamental																																																																																										
Peak	Level (dBuV/m) Date: 2025-06-18 Site : 03CH23-HY Condition: PEAK_BE_74 3m DRH18-E_KV2D06A18ES_241025 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2347.41</td><td>51.05</td><td>74.00</td><td>-22.95</td><td>38.44</td><td>27.03</td><td>7.15</td><td>31.94</td><td>10.37</td><td>399</td><td>282 Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2347.41	51.05	74.00	-22.95	38.44	27.03	7.15	31.94	10.37	399	282 Peak	Level (dBuV/m) Date: 2025-06-18 Site : 03CH23-HY Condition: PEAK_74 3m DRH18-E_KV2D06A18ES_241025 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2404.00</td><td>99.99</td><td>-----</td><td>-----</td><td>87.48</td><td>26.86</td><td>7.24</td><td>31.97</td><td>10.38</td><td>399</td><td>282 Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2404.00	99.99	-----	-----	87.48	26.86	7.24	31.97	10.38	399	282 Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	2347.41	51.05	74.00	-22.95	38.44	27.03	7.15	31.94	10.37	399	282 Peak																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	2404.00	99.99	-----	-----	87.48	26.86	7.24	31.97	10.38	399	282 Peak																																																																																						
Avg	Level (dBuV/m) Date: 2025-06-18 Site : 03CH23-HY Condition: AVG_BE_54 3m DRH18-E_KV2D06A18ES_241025 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.81</td><td>39.40</td><td>54.00</td><td>-14.60</td><td>26.88</td><td>26.90</td><td>7.21</td><td>31.97</td><td>10.38</td><td>399</td><td>282 Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2389.81	39.40	54.00	-14.60	26.88	26.90	7.21	31.97	10.38	399	282 Average	Level (dBuV/m) Date: 2025-06-18 Site : 03CH23-HY Condition: AVG_54 3m DRH18-E_KV2D06A18ES_241025 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2404.00</td><td>98.70</td><td>-----</td><td>-----</td><td>86.19</td><td>26.86</td><td>7.24</td><td>31.97</td><td>10.38</td><td>399</td><td>282 Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2404.00	98.70	-----	-----	86.19	26.86	7.24	31.97	10.38	399	282 Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	2389.81	39.40	54.00	-14.60	26.88	26.90	7.21	31.97	10.38	399	282 Average																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	2404.00	98.70	-----	-----	86.19	26.86	7.24	31.97	10.38	399	282 Average																																																																																						



Mode	4													
	Harmonic													
	2400-2483.5_Bluetooth-LE_GFSK_CH01_2404MHz													
ANT	1													
Pol.	Horizontal							Vertical						
Peak Avg	Level (dBuV/m)													

Remark: The unwanted signal 7212MHz can be ignored since it falls within the non-restricted band and meets the requirements of 15.247(d).



Mode	5																																																																																																			
	Band Edge - L																																																																																																			
	2400-2483.5_Bluetooth-LE_GFSK_CH19_2440MHz																																																																																																			
ANT	1																																																																																																			
Pol.	Horizontal						Fundamental																																																																																													
Peak	Level (dBuV/m) Date: 2025-06-18 Site : 03CH23-HY Condition: PEAK_BE_74 3m DRH18-E_KV2D06A18ES_241025 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2344.97</td><td>50.61</td><td>74.00</td><td>-23.39</td><td>37.98</td><td>27.05</td><td>7.14</td><td>31.93</td><td>10.37</td><td>115</td><td>168</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2344.97	50.61	74.00	-23.39	37.98	27.05	7.14	31.93	10.37	115	168	Peak	Level (dBuV/m) Date: 2025-06-18 Site : 03CH23-HY Condition: PEAK_74 3m DRH18-E_KV2D06A18ES_241025 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2440.00</td><td>104.29</td><td>-----</td><td>-----</td><td>91.93</td><td>26.70</td><td>7.28</td><td>32.00</td><td>10.38</td><td>115</td><td>168</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2440.00	104.29	-----	-----	91.93	26.70	7.28	32.00	10.38	115	168	Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2344.97	50.61	74.00	-23.39	37.98	27.05	7.14	31.93	10.37	115	168	Peak																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2440.00	104.29	-----	-----	91.93	26.70	7.28	32.00	10.38	115	168	Peak																																																																																								
Avg	Level (dBuV/m) Date: 2025-06-18 Site : 03CH23-HY Condition: AVG_BE_54 3m DRH18-E_KV2D06A18ES_241025 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2372.79</td><td>39.38</td><td>54.00</td><td>-14.62</td><td>26.87</td><td>26.90</td><td>7.19</td><td>31.95</td><td>10.37</td><td>115</td><td>168</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2372.79	39.38	54.00	-14.62	26.87	26.90	7.19	31.95	10.37	115	168	Average	Level (dBuV/m) Date: 2025-06-18 Site : 03CH23-HY Condition: AVG_54 3m DRH18-E_KV2D06A18ES_241025 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2440.00</td><td>103.16</td><td>-----</td><td>-----</td><td>90.80</td><td>26.70</td><td>7.28</td><td>32.00</td><td>10.38</td><td>115</td><td>168</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2440.00	103.16	-----	-----	90.80	26.70	7.28	32.00	10.38	115	168	Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2372.79	39.38	54.00	-14.62	26.87	26.90	7.19	31.95	10.37	115	168	Average																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2440.00	103.16	-----	-----	90.80	26.70	7.28	32.00	10.38	115	168	Average																																																																																								



Mode	5																																																		
	Band Edge - R																																																		
	2400-2483.5_Bluetooth-LE_GFSK_CH19_2440MHz																																																		
ANT	1																																																		
Pol.	Horizontal						Fundamental																																												
Peak	Date: 2025-06-18 Site : 03CH23-HY Condition: PEAK_BE_74 3m DRH18-E_KV2D06A18ES_241025 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2483.74</td><td>51.02</td><td>74.00</td><td>-22.98</td><td>38.63</td><td>26.70</td><td>7.34</td><td>32.03</td><td>10.38</td><td>115</td><td>168</td><td>Peak</td></tr></table>						Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	2483.74	51.02	74.00	-22.98	38.63	26.70	7.34	32.03	10.38	115	168	Peak	Blank					
Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																								
1	2483.74	51.02	74.00	-22.98	38.63	26.70	7.34	32.03	10.38	115	168	Peak																																							
Avg	Date: 2025-06-18 Site : 03CH23-HY Condition: AVG_BE_54 3m DRH18-E_KV2D06A18ES_241025 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2497.78</td><td>39.37</td><td>54.00</td><td>-14.63</td><td>26.89</td><td>26.78</td><td>7.36</td><td>32.04</td><td>10.38</td><td>115</td><td>168</td><td>Average</td></tr></table>						Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	2497.78	39.37	54.00	-14.63	26.89	26.78	7.36	32.04	10.38	115	168	Average	Blank					
Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																								
1	2497.78	39.37	54.00	-14.63	26.89	26.78	7.36	32.04	10.38	115	168	Average																																							



Mode	5																																																																																			
	Band Edge - L																																																																																			
	2400-2483.5_Bluetooth-LE_GFSK_CH19_2440MHz																																																																																			
ANT	1																																																																																			
Pol.	Vertical						Fundamental																																																																													
Peak	Level (dBuV/m) Date: 2025-06-18 Site : 03CH23-HY Condition: PEAK_BE_74 3m DRH18-E_KV2D06A18ES_241025 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2340.55</td><td>51.48</td><td>74.00</td><td>-22.52</td><td>38.82</td><td>27.09</td><td>7.13</td><td>31.93</td><td>10.37</td><td>400</td><td>30 Peak</td></tr></table>						Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	2340.55	51.48	74.00	-22.52	38.82	27.09	7.13	31.93	10.37	400	30 Peak	Level (dBuV/m) Date: 2025-06-18 Site : 03CH23-HY Condition: PEAK_74 3m DRH18-E_KV2D06A18ES_241025 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2440.00</td><td>98.38</td><td>-----</td><td>-----</td><td>86.02</td><td>26.70</td><td>7.28</td><td>32.00</td><td>10.38</td><td>400</td><td>30 Peak</td></tr></table>						Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	2440.00	98.38	-----	-----	86.02	26.70	7.28	32.00	10.38	400	30 Peak
	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																										
1	2340.55	51.48	74.00	-22.52	38.82	27.09	7.13	31.93	10.37	400	30 Peak																																																																									
Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																										
1	2440.00	98.38	-----	-----	86.02	26.70	7.28	32.00	10.38	400	30 Peak																																																																									
Avg	Level (dBuV/m) Date: 2025-06-18 Site : 03CH23-HY Condition: AVG_BE_54 3m DRH18-E_KV2D06A18ES_241025 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2375.52</td><td>39.36</td><td>54.00</td><td>-14.64</td><td>26.85</td><td>26.90</td><td>7.19</td><td>31.96</td><td>10.38</td><td>400</td><td>30 Average</td></tr></table>						Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	2375.52	39.36	54.00	-14.64	26.85	26.90	7.19	31.96	10.38	400	30 Average	Level (dBuV/m) Date: 2025-06-18 Site : 03CH23-HY Condition: AVG_54 3m DRH18-E_KV2D06A18ES_241025 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2440.00</td><td>97.25</td><td>-----</td><td>-----</td><td>84.89</td><td>26.70</td><td>7.28</td><td>32.00</td><td>10.38</td><td>400</td><td>30 Average</td></tr></table>						Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	2440.00	97.25	-----	-----	84.89	26.70	7.28	32.00	10.38	400	30 Average
	Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																										
1	2375.52	39.36	54.00	-14.64	26.85	26.90	7.19	31.96	10.38	400	30 Average																																																																									
Freq	Level	Limit	Line Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																										
1	2440.00	97.25	-----	-----	84.89	26.70	7.28	32.00	10.38	400	30 Average																																																																									



Mode	5										
	Band Edge - R										
	2400-2483.5_Bluetooth-LE_GFSK_CH19_2440MHz										
ANT	1										
Pol.	Vertical						Fundamental				
Peak	<										







Mode	5																																																																																																																																																												
	Harmonic																																																																																																																																																												
	2400-2483.5_Bluetooth-LE_GFSK_CH19_2440MHz																																																																																																																																																												
ANT	1																																																																																																																																																												
Pol.	Horizontal						Vertical																																																																																																																																																						
Peak Avg	Level (dBuV/m) Date: 2025-06-18 Site : 03CH23-HY Condition: PEAK_74 3m DRH18-E_KV2D06A18ES_241025 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4880.00</td><td>52.45</td><td>74.00</td><td>-21.55</td><td>41.42</td><td>32.48</td><td>10.25</td><td>33.17</td><td>1.47</td><td>100</td><td>127 Peak</td></tr><tr><td>2</td><td>4880.00</td><td>45.85</td><td>54.00</td><td>-8.15</td><td>34.82</td><td>32.48</td><td>10.25</td><td>33.17</td><td>1.47</td><td>100</td><td>127 Average</td></tr><tr><td>3</td><td>7320.00</td><td>54.94</td><td>74.00</td><td>-19.06</td><td>39.48</td><td>36.94</td><td>12.49</td><td>35.98</td><td>2.01</td><td>100</td><td>120 Peak</td></tr><tr><td>4</td><td>7320.00</td><td>48.74</td><td>54.00</td><td>-5.26</td><td>33.28</td><td>36.94</td><td>12.49</td><td>35.98</td><td>2.01</td><td>100</td><td>120 Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4880.00	52.45	74.00	-21.55	41.42	32.48	10.25	33.17	1.47	100	127 Peak	2	4880.00	45.85	54.00	-8.15	34.82	32.48	10.25	33.17	1.47	100	127 Average	3	7320.00	54.94	74.00	-19.06	39.48	36.94	12.49	35.98	2.01	100	120 Peak	4	7320.00	48.74	54.00	-5.26	33.28	36.94	12.49	35.98	2.01	100	120 Average	Level (dBuV/m) Date: 2025-06-18 Site : 03CH23-HY Condition: PEAK_74 3m DRH18-E_KV2D06A18ES_241025 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4880.00</td><td>45.44</td><td>74.00</td><td>-28.56</td><td>34.41</td><td>32.48</td><td>10.25</td><td>33.17</td><td>1.47</td><td>--</td><td>-- Peak</td></tr><tr><td>2</td><td>7320.00</td><td>51.02</td><td>74.00</td><td>-22.98</td><td>35.56</td><td>36.94</td><td>12.49</td><td>35.98</td><td>2.01</td><td>400</td><td>86 Peak</td></tr><tr><td>3</td><td>7320.00</td><td>43.23</td><td>54.00</td><td>-10.77</td><td>27.77</td><td>36.94</td><td>12.49</td><td>35.98</td><td>2.01</td><td>400</td><td>86 Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4880.00	45.44	74.00	-28.56	34.41	32.48	10.25	33.17	1.47	--	-- Peak	2	7320.00	51.02	74.00	-22.98	35.56	36.94	12.49	35.98	2.01	400	86 Peak	3	7320.00	43.23	54.00	-10.77	27.77	36.94	12.49	35.98	2.01	400	86 Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																			
1	4880.00	52.45	74.00	-21.55	41.42	32.48	10.25	33.17	1.47	100	127 Peak																																																																																																																																																		
2	4880.00	45.85	54.00	-8.15	34.82	32.48	10.25	33.17	1.47	100	127 Average																																																																																																																																																		
3	7320.00	54.94	74.00	-19.06	39.48	36.94	12.49	35.98	2.01	100	120 Peak																																																																																																																																																		
4	7320.00	48.74	54.00	-5.26	33.28	36.94	12.49	35.98	2.01	100	120 Average																																																																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																			
1	4880.00	45.44	74.00	-28.56	34.41	32.48	10.25	33.17	1.47	--	-- Peak																																																																																																																																																		
2	7320.00	51.02	74.00	-22.98	35.56	36.94	12.49	35.98	2.01	400	86 Peak																																																																																																																																																		
3	7320.00	43.23	54.00	-10.77	27.77	36.94	12.49	35.98	2.01	400	86 Average																																																																																																																																																		



Mode	6																																																																																																			
	Band Edge																																																																																																			
	2400-2483.5_Bluetooth-LE_GFSK_CH38_2478MHz																																																																																																			
ANT	1																																																																																																			
Pol.	Horizontal						Fundamental																																																																																													
Peak	Level (dBuV/m) Date: 2025-06-18 Site : 03CH23-HY Condition: PEAK_BE_74 3m DRH18-E_KV2D06A18ES_241025 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.63</td><td>51.22</td><td>74.00</td><td>-22.78</td><td>38.83</td><td>26.70</td><td>7.34</td><td>32.03</td><td>10.38</td><td>116</td><td>169</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.63	51.22	74.00	-22.78	38.83	26.70	7.34	32.03	10.38	116	169	Peak	Level (dBuV/m) Date: 2025-06-18 Site : 03CH23-HY Condition: PEAK_74 3m DRH18-E_KV2D06A18ES_241025 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2478.00</td><td>103.10</td><td>-----</td><td>-----</td><td>90.74</td><td>26.68</td><td>7.33</td><td>32.03</td><td>10.38</td><td>116</td><td>169</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2478.00	103.10	-----	-----	90.74	26.68	7.33	32.03	10.38	116	169	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2483.63	51.22	74.00	-22.78	38.83	26.70	7.34	32.03	10.38	116	169	Peak																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2478.00	103.10	-----	-----	90.74	26.68	7.33	32.03	10.38	116	169	Peak																																																																																								
Avg	Level (dBuV/m) Date: 2025-06-18 Site : 03CH23-HY Condition: AVG_BE_54 3m DRH18-E_KV2D06A18ES_241025 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.52</td><td>39.79</td><td>54.00</td><td>-14.21</td><td>27.40</td><td>26.70</td><td>7.34</td><td>32.03</td><td>10.38</td><td>116</td><td>169</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.52	39.79	54.00	-14.21	27.40	26.70	7.34	32.03	10.38	116	169	Average	Level (dBuV/m) Date: 2025-06-18 Site : 03CH23-HY Condition: AVG_54 3m DRH18-E_KV2D06A18ES_241025 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2478.00</td><td>101.85</td><td>-----</td><td>-----</td><td>89.49</td><td>26.68</td><td>7.33</td><td>32.03</td><td>10.38</td><td>116</td><td>169</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2478.00	101.85	-----	-----	89.49	26.68	7.33	32.03	10.38	116	169	Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2483.52	39.79	54.00	-14.21	27.40	26.70	7.34	32.03	10.38	116	169	Average																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2478.00	101.85	-----	-----	89.49	26.68	7.33	32.03	10.38	116	169	Average																																																																																								



Mode	6																																																																																			
	Band Edge																																																																																			
	2400-2483.5_Bluetooth-LE_GFSK_CH38_2478MHz																																																																																			
ANT	1																																																																																			
Pol.	Vertical						Fundamental																																																																													
Peak	Level (dBuV/m) Date: 2025-06-18  PEAK_BE_74 Site : 03CH23-HY Condition: PEAK_BE_74 3m DRH18-E_KV2D06A18ES_241025 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 2498.06</td><td>51.07</td><td>74.00</td><td>-22.93</td><td>38.59</td><td>26.78</td><td>7.36</td><td>32.04</td><td>10.38</td><td>333</td><td>37</td><td>Peak</td></tr></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1 2498.06	51.07	74.00	-22.93	38.59	26.78	7.36	32.04	10.38	333	37	Peak	Level (dBuV/m) Date: 2025-06-18  PEAK_74 Site : 03CH23-HY Condition: PEAK_74 3m DRH18-E_KV2D06A18ES_241025 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 2478.00</td><td>97.02</td><td>-----</td><td>-----</td><td>84.66</td><td>26.68</td><td>7.33</td><td>32.03</td><td>10.38</td><td>333</td><td>37</td><td>Peak</td></tr></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1 2478.00	97.02	-----	-----	84.66	26.68	7.33	32.03	10.38	333	37	Peak
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																									
1 2498.06	51.07	74.00	-22.93	38.59	26.78	7.36	32.04	10.38	333	37	Peak																																																																									
Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																									
1 2478.00	97.02	-----	-----	84.66	26.68	7.33	32.03	10.38	333	37	Peak																																																																									
Avg	Level (dBuV/m) Date: 2025-06-18  AVG_BE_54 Site : 03CH23-HY Condition: AVG_BE_54 3m DRH18-E_KV2D06A18ES_241025 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 2483.65</td><td>39.37</td><td>54.00</td><td>-14.63</td><td>26.98</td><td>26.70</td><td>7.34</td><td>32.03</td><td>10.38</td><td>333</td><td>37</td><td>Average</td></tr></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1 2483.65	39.37	54.00	-14.63	26.98	26.70	7.34	32.03	10.38	333	37	Average	Level (dBuV/m) Date: 2025-06-18  AVG_54 Site : 03CH23-HY Condition: AVG_54 3m DRH18-E_KV2D06A18ES_241025 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 2478.00</td><td>95.65</td><td>-----</td><td>-----</td><td>83.29</td><td>26.68</td><td>7.33</td><td>32.03</td><td>10.38</td><td>333</td><td>37</td><td>Average</td></tr></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1 2478.00	95.65	-----	-----	83.29	26.68	7.33	32.03	10.38	333	37	Average
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																									
1 2483.65	39.37	54.00	-14.63	26.98	26.70	7.34	32.03	10.38	333	37	Average																																																																									
Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																									
1 2478.00	95.65	-----	-----	83.29	26.68	7.33	32.03	10.38	333	37	Average																																																																									



Mode	6																																																																																																																																																																			
	Harmonic																																																																																																																																																																			
	2400-2483.5_Bluetooth-LE_GFSK_CH38_2478MHz																																																																																																																																																																			
ANT	1																																																																																																																																																																			
Pol.	Horizontal						Vertical																																																																																																																																																													
Peak Avg	Level (dBuV/m) Date: 2025-06-19 Site : 03CH23-HY Condition: PEAK_74 3m DRH18-E_KV2D06A18ES_241025 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4956.00</td><td>54.64</td><td>74.00</td><td>-19.36</td><td>43.02</td><td>32.80</td><td>10.38</td><td>33.18</td><td>1.62</td><td>100</td><td>125</td><td>Peak</td></tr><tr><td>2</td><td>4956.00</td><td>49.20</td><td>54.00</td><td>-4.80</td><td>37.58</td><td>32.80</td><td>10.38</td><td>33.18</td><td>1.62</td><td>100</td><td>125</td><td>Average</td></tr><tr><td>3</td><td>7434.00</td><td>55.24</td><td>74.00</td><td>-18.76</td><td>39.84</td><td>36.90</td><td>12.58</td><td>36.06</td><td>1.98</td><td>100</td><td>113</td><td>Peak</td></tr><tr><td>4</td><td>7434.00</td><td>48.96</td><td>54.00</td><td>-5.04</td><td>33.56</td><td>36.90</td><td>12.58</td><td>36.06</td><td>1.98</td><td>100</td><td>113</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4956.00	54.64	74.00	-19.36	43.02	32.80	10.38	33.18	1.62	100	125	Peak	2	4956.00	49.20	54.00	-4.80	37.58	32.80	10.38	33.18	1.62	100	125	Average	3	7434.00	55.24	74.00	-18.76	39.84	36.90	12.58	36.06	1.98	100	113	Peak	4	7434.00	48.96	54.00	-5.04	33.56	36.90	12.58	36.06	1.98	100	113	Average	Level (dBuV/m) Date: 2025-06-19 Site : 03CH23-HY Condition: PEAK_74 3m DRH18-E_KV2D06A18ES_241025 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4956.00</td><td>47.45</td><td>74.00</td><td>-26.55</td><td>35.83</td><td>32.80</td><td>10.38</td><td>33.18</td><td>1.62</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>7434.00</td><td>52.11</td><td>74.00</td><td>-21.89</td><td>36.71</td><td>36.90</td><td>12.58</td><td>36.06</td><td>1.98</td><td>100</td><td>289</td><td>Peak</td></tr><tr><td>3</td><td>7434.00</td><td>41.76</td><td>54.00</td><td>-12.24</td><td>26.36</td><td>36.90</td><td>12.58</td><td>36.06</td><td>1.98</td><td>100</td><td>289</td><td>Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4956.00	47.45	74.00	-26.55	35.83	32.80	10.38	33.18	1.62	--	--	Peak	2	7434.00	52.11	74.00	-21.89	36.71	36.90	12.58	36.06	1.98	100	289	Peak	3	7434.00	41.76	54.00	-12.24	26.36	36.90	12.58	36.06	1.98	100	289	Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																										
1	4956.00	54.64	74.00	-19.36	43.02	32.80	10.38	33.18	1.62	100	125	Peak																																																																																																																																																								
2	4956.00	49.20	54.00	-4.80	37.58	32.80	10.38	33.18	1.62	100	125	Average																																																																																																																																																								
3	7434.00	55.24	74.00	-18.76	39.84	36.90	12.58	36.06	1.98	100	113	Peak																																																																																																																																																								
4	7434.00	48.96	54.00	-5.04	33.56	36.90	12.58	36.06	1.98	100	113	Average																																																																																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																										
1	4956.00	47.45	74.00	-26.55	35.83	32.80	10.38	33.18	1.62	--	--	Peak																																																																																																																																																								
2	7434.00	52.11	74.00	-21.89	36.71	36.90	12.58	36.06	1.98	100	289	Peak																																																																																																																																																								
3	7434.00	41.76	54.00	-12.24	26.36	36.90	12.58	36.06	1.98	100	289	Average																																																																																																																																																								



C3-1. Radiated Spurious Emission Test Modes

Mode	Band (MHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 7	2400-2483.5	1	Bluetooth-LE_GFSK	00	2402	125kbps	-	-
Mode 8	2400-2483.5	1	Bluetooth-LE_GFSK	19	2440	125kbps	-	-
Mode 9	2400-2483.5	1	Bluetooth-LE_GFSK	39	2480	125kbps	-	-
Mode 13	2400-2483.5	1	Bluetooth-LE_GFSK	39	2480	125kbps	-	LF



C3-2. Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
7	Bluetooth-LE_GFSK	00	2389.49	39.57	54.00	-14.43	H	Avg.	Pass	-	Band Edge
	Bluetooth-LE_GFSK	00	4804.00	47.20	54.00	-6.80	H	Avg.	Pass	-	Harmonic
8	Bluetooth-LE_GFSK	19	2498.74	39.59	54.00	-14.41	H	Avg.	Pass	-	Band Edge
	Bluetooth-LE_GFSK	19	7320.00	49.65	54.00	-4.35	H	Avg.	Pass	-	Harmonic
9	Bluetooth-LE_GFSK	39	2483.54	40.23	54.00	-13.77	H	Avg.	Pass	-	Band Edge
	Bluetooth-LE_GFSK	39	4960.00	50.98	54.00	-3.02	H	Avg.	Pass	-	Harmonic
13	Bluetooth-LE_GFSK	39	62.98	35.88	40.00	-4.12	H	QP	Pass	-	LF



Mode	7																																																																																															
	Band Edge																																																																																															
	2400-2483.5_Bluetooth-LE_GFSK_CH00_2402MHz																																																																																															
ANT	1																																																																																															
Pol.	Horizontal						Fundamental																																																																																									
Peak	Level (dBuV/m) Date: 2025-06-19 Frequency (MHz) Site : 03CH23-HY Condition: PEAK_BE_74 3m DRH18-E_KV2D06A18ES_241025 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2338.78</td><td>51.04</td><td>74.00</td><td>-22.96</td><td>38.37</td><td>27.10</td><td>7.13</td><td>31.93</td><td>10.37</td><td>350</td><td></td><td>192</td><td>Peak</td></tr></table>							Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	2338.78	51.04	74.00	-22.96	38.37	27.10	7.13	31.93	10.37	350		192	Peak	Level (dBuV/m) Date: 2025-06-19 Frequency (MHz) Site : 03CH23-HY Condition: PEAK_74 3m DRH18-E_KV2D06A18ES_241025 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2402.00</td><td>104.71</td><td>-----</td><td>-----</td><td>92.19</td><td>26.88</td><td>7.23</td><td>31.97</td><td>10.38</td><td>350</td><td></td><td>192</td><td>Peak</td></tr></table>							Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	2402.00	104.71	-----	-----	92.19	26.88	7.23	31.97	10.38	350		192	Peak
		Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																				
1	2338.78	51.04	74.00	-22.96	38.37	27.10	7.13	31.93	10.37	350		192	Peak																																																																																			
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																				
1	2402.00	104.71	-----	-----	92.19	26.88	7.23	31.97	10.38	350		192	Peak																																																																																			
Avg	Level (dBuV/m) Date: 2025-06-19 Frequency (MHz) Site : 03CH23-HY Condition: AVG_BE_54 3m DRH18-E_KV2D06A18ES_241025 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2389.49</td><td>39.57</td><td>54.00</td><td>-14.43</td><td>27.04</td><td>26.90</td><td>7.21</td><td>31.96</td><td>10.38</td><td>350</td><td></td><td>192</td><td>Average</td></tr></table>							Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	2389.49	39.57	54.00	-14.43	27.04	26.90	7.21	31.96	10.38	350		192	Average	Level (dBuV/m) Date: 2025-06-19 Frequency (MHz) Site : 03CH23-HY Condition: AVG_54 3m DRH18-E_KV2D06A18ES_241025 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2402.00</td><td>91.57</td><td>-----</td><td>-----</td><td>91.57</td><td>26.88</td><td>7.23</td><td>31.97</td><td>10.38</td><td>350</td><td></td><td>192</td><td>Average</td></tr></table>							Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	2402.00	91.57	-----	-----	91.57	26.88	7.23	31.97	10.38	350		192	Average
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																				
1	2389.49	39.57	54.00	-14.43	27.04	26.90	7.21	31.96	10.38	350		192	Average																																																																																			
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																				
1	2402.00	91.57	-----	-----	91.57	26.88	7.23	31.97	10.38	350		192	Average																																																																																			



Mode	7																																																																																																			
	Band Edge																																																																																																			
	2400-2483.5_Bluetooth-LE_GFSK_CH00_2402MHz																																																																																																			
ANT	1																																																																																																			
Pol.	Vertical						Fundamental																																																																																													
Peak	Level (dBuV/m) Date: 2025-06-19 Site : 03CH23-HY Condition: PEAK_BE_74 3m DRH18-E_KV2D06A18ES_241025 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2352.50</td><td>51.05</td><td>74.00</td><td>-22.95</td><td>38.50</td><td>26.97</td><td>7.15</td><td>31.94</td><td>10.37</td><td>400</td><td>280</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2352.50	51.05	74.00	-22.95	38.50	26.97	7.15	31.94	10.37	400	280	Peak	Level (dBuV/m) Date: 2025-06-19 Site : 03CH23-HY Condition: PEAK_74 3m DRH18-E_KV2D06A18ES_241025 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2402.00</td><td>99.90</td><td>-----</td><td>-----</td><td>87.38</td><td>26.88</td><td>7.23</td><td>31.97</td><td>10.38</td><td>400</td><td>280</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2402.00	99.90	-----	-----	87.38	26.88	7.23	31.97	10.38	400	280	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2352.50	51.05	74.00	-22.95	38.50	26.97	7.15	31.94	10.37	400	280	Peak																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2402.00	99.90	-----	-----	87.38	26.88	7.23	31.97	10.38	400	280	Peak																																																																																								
Avg	Level (dBuV/m) Date: 2025-06-19 Site : 03CH23-HY Condition: AVG_BE_54 3m DRH18-E_KV2D06A18ES_241025 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2388.11</td><td>39.43</td><td>54.00</td><td>-14.57</td><td>26.90</td><td>26.90</td><td>7.21</td><td>31.96</td><td>10.38</td><td>400</td><td>280</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2388.11	39.43	54.00	-14.57	26.90	26.90	7.21	31.96	10.38	400	280	Average	Level (dBuV/m) Date: 2025-06-19 Site : 03CH23-HY Condition: AVG_54 3m DRH18-E_KV2D06A18ES_241025 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2402.00</td><td>99.27</td><td>-----</td><td>-----</td><td>86.75</td><td>26.88</td><td>7.23</td><td>31.97</td><td>10.38</td><td>400</td><td>280</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2402.00	99.27	-----	-----	86.75	26.88	7.23	31.97	10.38	400	280	Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2388.11	39.43	54.00	-14.57	26.90	26.90	7.21	31.96	10.38	400	280	Average																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2402.00	99.27	-----	-----	86.75	26.88	7.23	31.97	10.38	400	280	Average																																																																																								



Mode	7																																																																																																																																													
	Harmonic																																																																																																																																													
	2400-2483.5_Bluetooth-LE_GFSK_CH00_2402MHz																																																																																																																																													
ANT	1																																																																																																																																													
Pol.	Horizontal	Vertical																																																																																																																																												
Peak Avg	Level (dBuV/m) Date: 2025-06-19 Site : 03CH23-HY Condition: PEAK_74 3m DRH18-E_KV2D06A18ES_241025 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4804.00</td><td>52.18</td><td>74.00</td><td>-21.82</td><td>41.57</td><td>32.30</td><td>10.13</td><td>33.15</td><td>1.33</td><td>100</td><td>155</td><td>Peak</td></tr><tr><td>2</td><td>4804.00</td><td>47.20</td><td>54.00</td><td>-6.80</td><td>36.59</td><td>32.30</td><td>10.13</td><td>33.15</td><td>1.33</td><td>100</td><td>155</td><td>Average</td></tr><tr><td>3</td><td>7206.00</td><td>54.46</td><td>-----</td><td>-----</td><td>39.35</td><td>36.52</td><td>12.44</td><td>35.90</td><td>2.05</td><td>100</td><td>143</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4804.00	52.18	74.00	-21.82	41.57	32.30	10.13	33.15	1.33	100	155	Peak	2	4804.00	47.20	54.00	-6.80	36.59	32.30	10.13	33.15	1.33	100	155	Average	3	7206.00	54.46	-----	-----	39.35	36.52	12.44	35.90	2.05	100	143	Peak	Level (dBuV/m) Date: 2025-06-19 Site : 03CH23-HY Condition: PEAK_74 3m DRH18-E_KV2D06A18ES_241025 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4804.00</td><td>50.43</td><td>74.00</td><td>-23.57</td><td>39.82</td><td>32.30</td><td>10.13</td><td>33.15</td><td>1.33</td><td>400</td><td>97</td><td>Peak</td></tr><tr><td>2</td><td>4804.00</td><td>43.26</td><td>54.00</td><td>-10.74</td><td>32.65</td><td>32.30</td><td>10.13</td><td>33.15</td><td>1.33</td><td>400</td><td>97</td><td>Average</td></tr><tr><td>3</td><td>7206.00</td><td>51.33</td><td>-----</td><td>-----</td><td>36.22</td><td>36.52</td><td>12.44</td><td>35.90</td><td>2.05</td><td>100</td><td>123</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4804.00	50.43	74.00	-23.57	39.82	32.30	10.13	33.15	1.33	400	97	Peak	2	4804.00	43.26	54.00	-10.74	32.65	32.30	10.13	33.15	1.33	400	97	Average	3	7206.00	51.33	-----	-----	36.22	36.52	12.44	35.90	2.05	100	123	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																				
1	4804.00	52.18	74.00	-21.82	41.57	32.30	10.13	33.15	1.33	100	155	Peak																																																																																																																																		
2	4804.00	47.20	54.00	-6.80	36.59	32.30	10.13	33.15	1.33	100	155	Average																																																																																																																																		
3	7206.00	54.46	-----	-----	39.35	36.52	12.44	35.90	2.05	100	143	Peak																																																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																				
1	4804.00	50.43	74.00	-23.57	39.82	32.30	10.13	33.15	1.33	400	97	Peak																																																																																																																																		
2	4804.00	43.26	54.00	-10.74	32.65	32.30	10.13	33.15	1.33	400	97	Average																																																																																																																																		
3	7206.00	51.33	-----	-----	36.22	36.52	12.44	35.90	2.05	100	123	Peak																																																																																																																																		

Remark: The unwanted signal 7206MHz can be ignored since it falls within the non-restricted band and meets the requirements of 15.247(d).



Mode	8																																																																																																	
	Band Edge - L																																																																																																	
	2400-2483.5_Bluetooth-LE_GFSK_CH19_2440MHz																																																																																																	
ANT	1																																																																																																	
Pol.	Horizontal						Fundamental																																																																																											
Peak	Level (dBuV/m) Date: 2025-06-19 Site : 03CH23-HY Condition: PEAK_BE_74 3m DRH18-E_KV2D06A18ES_241025 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2379.55</td><td>51.39</td><td>74.00</td><td>-22.61</td><td>38.87</td><td>26.90</td><td>7.20</td><td>31.96</td><td>10.38</td><td>117</td><td>175 Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2379.55	51.39	74.00	-22.61	38.87	26.90	7.20	31.96	10.38	117	175 Peak	Level (dBuV/m) Date: 2025-06-19 Site : 03CH23-HY Condition: PEAK_74 3m DRH18-E_KV2D06A18ES_241025 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2440.00</td><td>104.02</td><td>-----</td><td>-----</td><td>91.66</td><td>26.70</td><td>7.28</td><td>32.00</td><td>10.38</td><td>117</td><td>175 Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2440.00	104.02	-----	-----	91.66	26.70	7.28	32.00	10.38	117	175 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2379.55	51.39	74.00	-22.61	38.87	26.90	7.20	31.96	10.38	117	175 Peak																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2440.00	104.02	-----	-----	91.66	26.70	7.28	32.00	10.38	117	175 Peak																																																																																							
Avg	Level (dBuV/m) Date: 2025-06-19 Site : 03CH23-HY Condition: AVG_BE_54 3m DRH18-E_KV2D06A18ES_241025 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2374.74</td><td>39.43</td><td>54.00</td><td>-14.57</td><td>26.92</td><td>26.90</td><td>7.19</td><td>31.95</td><td>10.37</td><td>117</td><td>175 Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2374.74	39.43	54.00	-14.57	26.92	26.90	7.19	31.95	10.37	117	175 Average	Level (dBuV/m) Date: 2025-06-19 Site : 03CH23-HY Condition: AVG_54 3m DRH18-E_KV2D06A18ES_241025 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2440.00</td><td>103.43</td><td>-----</td><td>-----</td><td>91.07</td><td>26.70</td><td>7.28</td><td>32.00</td><td>10.38</td><td>117</td><td>175 Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2440.00	103.43	-----	-----	91.07	26.70	7.28	32.00	10.38	117	175 Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2374.74	39.43	54.00	-14.57	26.92	26.90	7.19	31.95	10.37	117	175 Average																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2440.00	103.43	-----	-----	91.07	26.70	7.28	32.00	10.38	117	175 Average																																																																																							



Mode	8																																								
	Band Edge - R																																								
	2400-2483.5_Bluetooth-LE_GFSK_CH19_2440MHz																																								
ANT	1																																								
Pol.	Horizontal	Fundamental																																							
Peak	Date: 2025-06-19 PEAK_BE_74 Site : 03CH23-HY Condition: PEAK_BE_74 3m DRH18-E_KV2D06A18ES_241025 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 2492.58</td><td>50.54</td><td>74.00</td><td>-23.46</td><td></td><td>38.11</td><td>26.73</td><td>7.35</td><td>32.03</td><td>10.38</td><td>117</td><td>175</td><td>Peak</td></tr></table>	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB		dBuV	dB/m	dB	dB	dB	cm	deg		1 2492.58	50.54	74.00	-23.46		38.11	26.73	7.35	32.03	10.38	117	175	Peak	Blank
Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																													
MHz	dBuV/m	dBuV/m	dB		dBuV	dB/m	dB	dB	dB	cm	deg																														
1 2492.58	50.54	74.00	-23.46		38.11	26.73	7.35	32.03	10.38	117	175	Peak																													
Avg	Date: 2025-06-19 AVG_BE_54 Site : 03CH23-HY Condition: AVG_BE_54 3m DRH18-E_KV2D06A18ES_241025 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 2498.74</td><td>39.59</td><td>54.00</td><td>-14.41</td><td></td><td>27.10</td><td>26.79</td><td>7.36</td><td>32.04</td><td>10.38</td><td>117</td><td>175</td><td>Average</td></tr></table>	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB		dBuV	dB/m	dB	dB	dB	cm	deg		1 2498.74	39.59	54.00	-14.41		27.10	26.79	7.36	32.04	10.38	117	175	Average	Blank
Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																													
MHz	dBuV/m	dBuV/m	dB		dBuV	dB/m	dB	dB	dB	cm	deg																														
1 2498.74	39.59	54.00	-14.41		27.10	26.79	7.36	32.04	10.38	117	175	Average																													



Mode	8																																																																																																	
	Band Edge - L																																																																																																	
	2400-2483.5_Bluetooth-LE_GFSK_CH19_2440MHz																																																																																																	
ANT	1																																																																																																	
Pol.	Vertical						Fundamental																																																																																											
Peak	Level (dBuV/m) Date: 2025-06-19 Site : 03CH23-HY Condition: PEAK_BE_74 3m DRH18-E_KV2D06A18ES_241025 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2340.29</td><td>51.20</td><td>74.00</td><td>-22.80</td><td>38.53</td><td>27.10</td><td>7.13</td><td>31.93</td><td>10.37</td><td>338</td><td>279 Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2340.29	51.20	74.00	-22.80	38.53	27.10	7.13	31.93	10.37	338	279 Peak	Level (dBuV/m) Date: 2025-06-19 Site : 03CH23-HY Condition: PEAK_74 3m DRH18-E_KV2D06A18ES_241025 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2440.00</td><td>97.08</td><td>-----</td><td>-----</td><td>84.72</td><td>26.70</td><td>7.28</td><td>32.00</td><td>10.38</td><td>338</td><td>279 Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2440.00	97.08	-----	-----	84.72	26.70	7.28	32.00	10.38	338	279 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2340.29	51.20	74.00	-22.80	38.53	27.10	7.13	31.93	10.37	338	279 Peak																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2440.00	97.08	-----	-----	84.72	26.70	7.28	32.00	10.38	338	279 Peak																																																																																							
Avg	Level (dBuV/m) Date: 2025-06-19 Site : 03CH23-HY Condition: AVG_BE_54 3m DRH18-E_KV2D06A18ES_241025 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2329.63</td><td>39.39</td><td>54.00</td><td>-14.61</td><td>26.72</td><td>27.10</td><td>7.12</td><td>31.92</td><td>10.37</td><td>338</td><td>279 Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2329.63	39.39	54.00	-14.61	26.72	27.10	7.12	31.92	10.37	338	279 Average	Level (dBuV/m) Date: 2025-06-19 Site : 03CH23-HY Condition: AVG_54 3m DRH18-E_KV2D06A18ES_241025 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2440.00</td><td>96.48</td><td>-----</td><td>-----</td><td>84.12</td><td>26.70</td><td>7.28</td><td>32.00</td><td>10.38</td><td>338</td><td>279 Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2440.00	96.48	-----	-----	84.12	26.70	7.28	32.00	10.38	338	279 Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2329.63	39.39	54.00	-14.61	26.72	27.10	7.12	31.92	10.37	338	279 Average																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2440.00	96.48	-----	-----	84.12	26.70	7.28	32.00	10.38	338	279 Average																																																																																							



Mode	8																																																		
	Band Edge - R																																																		
	2400-2483.5_Bluetooth-LE_GFSK_CH19_2440MHz																																																		
ANT	1																																																		
Pol.	Vertical						Fundamental																																												
Peak	Date: 2025-06-19 Site : 03CH23-HY Condition: PEAK_BE_74 3m DRH18-E_KV2D06A18ES_241025 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2492.08</td><td>51.20</td><td>74.00</td><td>-22.80</td><td>38.78</td><td>26.72</td><td>7.35</td><td>32.03</td><td>10.38</td><td>338</td><td>279</td><td>Peak</td></tr></table>						Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	2492.08	51.20	74.00	-22.80	38.78	26.72	7.35	32.03	10.38	338	279	Peak	Blank					
Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																								
1	2492.08	51.20	74.00	-22.80	38.78	26.72	7.35	32.03	10.38	338	279	Peak																																							
Avg	Date: 2025-06-19 Site : 03CH23-HY Condition: AVG_BE_54 3m DRH18-E_KV2D06A18ES_241025 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2499.58</td><td>39.57</td><td>54.00</td><td>-14.43</td><td>27.07</td><td>26.80</td><td>7.36</td><td>32.04</td><td>10.38</td><td>338</td><td>279</td><td>Average</td></tr></table>						Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	2499.58	39.57	54.00	-14.43	27.07	26.80	7.36	32.04	10.38	338	279	Average	Blank					
Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																								
1	2499.58	39.57	54.00	-14.43	27.07	26.80	7.36	32.04	10.38	338	279	Average																																							







Mode	8																																																																																													
	Harmonic																																																																																													
	2400-2483.5_Bluetooth-LE_GFSK_CH19_2440MHz																																																																																													
ANT	1																																																																																													
Pol.	Horizontal																																																																																													
Peak Avg	Level (dBuV/m) Date: 2025-06-19 Site : 03CH23-HY Condition: PEAK_74 3m DRH18-E_KV2D06A18ES_241025 HORIZONTAL <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>4880.00</td><td>54.01</td><td>74.00</td><td>-19.99</td><td>42.98</td><td>32.48</td><td>10.25</td><td>33.17</td><td>1.47</td><td>100</td><td>153</td><td>Peak</td></tr><tr><td>2</td><td>4880.00</td><td>49.43</td><td>54.00</td><td>-4.57</td><td>38.40</td><td>32.48</td><td>10.25</td><td>33.17</td><td>1.47</td><td>100</td><td>153</td><td>Average</td></tr><tr><td>3</td><td>7320.00</td><td>56.16</td><td>74.00</td><td>-17.84</td><td>40.70</td><td>36.94</td><td>12.49</td><td>35.98</td><td>2.01</td><td>100</td><td>142</td><td>Peak</td></tr><tr><td>4</td><td>7320.00</td><td>49.65</td><td>54.00</td><td>-4.35</td><td>34.19</td><td>36.94</td><td>12.49</td><td>35.98</td><td>2.01</td><td>100</td><td>142</td><td>Average</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4880.00	54.01	74.00	-19.99	42.98	32.48	10.25	33.17	1.47	100	153	Peak	2	4880.00	49.43	54.00	-4.57	38.40	32.48	10.25	33.17	1.47	100	153	Average	3	7320.00	56.16	74.00	-17.84	40.70	36.94	12.49	35.98	2.01	100	142	Peak	4	7320.00	49.65	54.00	-4.35	34.19	36.94	12.49	35.98	2.01	100	142	Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																					
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
	1	4880.00	54.01	74.00	-19.99	42.98	32.48	10.25	33.17	1.47	100	153	Peak																																																																																	
2	4880.00	49.43	54.00	-4.57	38.40	32.48	10.25	33.17	1.47	100	153	Average																																																																																		
3	7320.00	56.16	74.00	-17.84	40.70	36.94	12.49	35.98	2.01	100	142	Peak																																																																																		
4	7320.00	49.65	54.00	-4.35	34.19	36.94	12.49	35.98	2.01	100	142	Average																																																																																		
Level (dBuV/m) Date: 2025-06-19 Site : 03CH23-HY Condition: PEAK_74 3m DRH18-E_KV2D06A18ES_241025 VERTICAL <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>4880.00</td><td>49.92</td><td>74.00</td><td>-24.08</td><td>38.89</td><td>32.48</td><td>10.25</td><td>33.17</td><td>1.47</td><td>400</td><td>92</td><td>Peak</td></tr><tr><td>2</td><td>4880.00</td><td>42.98</td><td>54.00</td><td>-11.02</td><td>31.95</td><td>32.48</td><td>10.25</td><td>33.17</td><td>1.47</td><td>400</td><td>92</td><td>Average</td></tr><tr><td>3</td><td>7320.00</td><td>51.88</td><td>74.00</td><td>-22.12</td><td>36.42</td><td>36.94</td><td>12.49</td><td>35.98</td><td>2.01</td><td>100</td><td>119</td><td>Peak</td></tr><tr><td>4</td><td>7320.00</td><td>42.73</td><td>54.00</td><td>-11.27</td><td>27.27</td><td>36.94</td><td>12.49</td><td>35.98</td><td>2.01</td><td>100</td><td>119</td><td>Average</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4880.00	49.92	74.00	-24.08	38.89	32.48	10.25	33.17	1.47	400	92	Peak	2	4880.00	42.98	54.00	-11.02	31.95	32.48	10.25	33.17	1.47	400	92	Average	3	7320.00	51.88	74.00	-22.12	36.42	36.94	12.49	35.98	2.01	100	119	Peak	4	7320.00	42.73	54.00	-11.27	27.27	36.94	12.49	35.98	2.01	100	119	Average	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	4880.00	49.92	74.00	-24.08	38.89	32.48	10.25	33.17	1.47	400	92	Peak																																																																																		
2	4880.00	42.98	54.00	-11.02	31.95	32.48	10.25	33.17	1.47	400	92	Average																																																																																		
3	7320.00	51.88	74.00	-22.12	36.42	36.94	12.49	35.98	2.01	100	119	Peak																																																																																		
4	7320.00	42.73	54.00	-11.27	27.27	36.94	12.49	35.98	2.01	100	119	Average																																																																																		



Mode	9																																																																																																			
	Band Edge																																																																																																			
	2400-2483.5_Bluetooth-LE_GFSK_CH39_2480MHz																																																																																																			
ANT	1																																																																																																			
Pol.	Horizontal						Fundamental																																																																																													
Peak	Level (dBuV/m) Date: 2025-06-19 Site : 03CH23-HY Condition: PEAK_BE_74 3m DRH18-E_KV2D06A18ES_241025 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2485.44</td><td>51.82</td><td>74.00</td><td>-22.18</td><td>39.43</td><td>26.70</td><td>7.34</td><td>32.03</td><td>10.38</td><td>100</td><td>182</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2485.44	51.82	74.00	-22.18	39.43	26.70	7.34	32.03	10.38	100	182	Peak	Level (dBuV/m) Date: 2025-06-19 Site : 03CH23-HY Condition: PEAK_74 3m DRH18-E_KV2D06A18ES_241025 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>101.95</td><td>-----</td><td>-----</td><td>89.57</td><td>26.70</td><td>7.33</td><td>32.03</td><td>10.38</td><td>100</td><td>182</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	101.95	-----	-----	89.57	26.70	7.33	32.03	10.38	100	182	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2485.44	51.82	74.00	-22.18	39.43	26.70	7.34	32.03	10.38	100	182	Peak																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2480.00	101.95	-----	-----	89.57	26.70	7.33	32.03	10.38	100	182	Peak																																																																																								
Avg	Level (dBuV/m) Date: 2025-06-19 Site : 03CH23-HY Condition: AVG_BE_54 3m DRH18-E_KV2D06A18ES_241025 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.54</td><td>40.23</td><td>54.00</td><td>-13.77</td><td>27.84</td><td>26.70</td><td>7.34</td><td>32.03</td><td>10.38</td><td>100</td><td>182</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.54	40.23	54.00	-13.77	27.84	26.70	7.34	32.03	10.38	100	182	Average	Level (dBuV/m) Date: 2025-06-19 Site : 03CH23-HY Condition: AVG_54 3m DRH18-E_KV2D06A18ES_241025 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>101.33</td><td>-----</td><td>-----</td><td>88.95</td><td>26.70</td><td>7.33</td><td>32.03</td><td>10.38</td><td>100</td><td>182</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	101.33	-----	-----	88.95	26.70	7.33	32.03	10.38	100	182	Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2483.54	40.23	54.00	-13.77	27.84	26.70	7.34	32.03	10.38	100	182	Average																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2480.00	101.33	-----	-----	88.95	26.70	7.33	32.03	10.38	100	182	Average																																																																																								



Mode	9																																																																																															
	Band Edge																																																																																															
	2400-2483.5_Bluetooth-LE_GFSK_CH39_2480MHz																																																																																															
ANT	1																																																																																															
Pol.	Vertical						Fundamental																																																																																									
Peak	Level (dBuV/m) Date: 2025-06-19  PEAK_BE_74 Site : 03CH23-HY Condition: PEAK_BE_74 3m DRH18-E_KV2D06A18ES_241025 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2484.12</td><td>50.54</td><td>74.00</td><td>-23.46</td><td>38.15</td><td>26.70</td><td>7.34</td><td>32.03</td><td>10.38</td><td></td><td>100</td><td>41</td><td>Peak</td></tr></table>							Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	2484.12	50.54	74.00	-23.46	38.15	26.70	7.34	32.03	10.38		100	41	Peak	Level (dBuV/m) Date: 2025-06-19  PEAK_74 Site : 03CH23-HY Condition: PEAK_74 3m DRH18-E_KV2D06A18ES_241025 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2480.00</td><td>94.63</td><td>-----</td><td>-----</td><td>82.25</td><td>26.70</td><td>7.33</td><td>32.03</td><td>10.38</td><td></td><td>100</td><td>41</td><td>Peak</td></tr></table>							Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	2480.00	94.63	-----	-----	82.25	26.70	7.33	32.03	10.38		100	41	Peak
		Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																				
1	2484.12	50.54	74.00	-23.46	38.15	26.70	7.34	32.03	10.38		100	41	Peak																																																																																			
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																				
1	2480.00	94.63	-----	-----	82.25	26.70	7.33	32.03	10.38		100	41	Peak																																																																																			
Avg	Level (dBuV/m) Date: 2025-06-19  AVG_BE_54 Site : 03CH23-HY Condition: AVG_BE_54 3m DRH18-E_KV2D06A18ES_241025 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2483.52</td><td>39.48</td><td>54.00</td><td>-14.52</td><td>27.09</td><td>26.70</td><td>7.34</td><td>32.03</td><td>10.38</td><td></td><td>100</td><td>41</td><td>Average</td></tr></table>							Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	2483.52	39.48	54.00	-14.52	27.09	26.70	7.34	32.03	10.38		100	41	Average	Level (dBuV/m) Date: 2025-06-19  AVG_54 Site : 03CH23-HY Condition: AVG_54 3m DRH18-E_KV2D06A18ES_241025 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2480.00</td><td>94.05</td><td>-----</td><td>-----</td><td>81.67</td><td>26.70</td><td>7.33</td><td>32.03</td><td>10.38</td><td></td><td>100</td><td>41</td><td>Average</td></tr></table>							Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	2480.00	94.05	-----	-----	81.67	26.70	7.33	32.03	10.38		100	41	Average
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																				
1	2483.52	39.48	54.00	-14.52	27.09	26.70	7.34	32.03	10.38		100	41	Average																																																																																			
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																				
1	2480.00	94.05	-----	-----	81.67	26.70	7.33	32.03	10.38		100	41	Average																																																																																			



Mode	9																																																																																																																																																																							
	Harmonic																																																																																																																																																																							
	2400-2483.5_Bluetooth-LE_GFSK_CH39_2480MHz																																																																																																																																																																							
ANT	1																																																																																																																																																																							
Pol.	Horizontal	Vertical																																																																																																																																																																						
Peak Avg	Level (dBuV/m) Date: 2025-06-19 Site : 03CH23-HY Condition: PEAK_74 3m DRH18-E_KV2D06A18ES_241025 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4960.00</td><td>55.44</td><td>74.00</td><td>-18.56</td><td>43.02</td><td>32.80</td><td>10.38</td><td>33.18</td><td>1.62</td><td>114</td><td>153</td><td>Peak</td></tr><tr><td>2</td><td>4960.00</td><td>50.98</td><td>54.00</td><td>-3.02</td><td>39.36</td><td>32.80</td><td>10.38</td><td>33.18</td><td>1.62</td><td>114</td><td>153</td><td>Average</td></tr><tr><td>3</td><td>7440.00</td><td>55.40</td><td>74.00</td><td>-18.60</td><td>40.00</td><td>36.90</td><td>12.59</td><td>36.07</td><td>1.98</td><td>100</td><td>140</td><td>Peak</td></tr><tr><td>4</td><td>7440.00</td><td>48.68</td><td>54.00</td><td>-5.32</td><td>33.28</td><td>36.90</td><td>12.59</td><td>36.07</td><td>1.98</td><td>100</td><td>140</td><td>Average</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4960.00	55.44	74.00	-18.56	43.02	32.80	10.38	33.18	1.62	114	153	Peak	2	4960.00	50.98	54.00	-3.02	39.36	32.80	10.38	33.18	1.62	114	153	Average	3	7440.00	55.40	74.00	-18.60	40.00	36.90	12.59	36.07	1.98	100	140	Peak	4	7440.00	48.68	54.00	-5.32	33.28	36.90	12.59	36.07	1.98	100	140	Average	Level (dBuV/m) Date: 2025-06-19 Site : 03CH23-HY Condition: PEAK_74 3m DRH18-E_KV2D06A18ES_241025 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4960.00</td><td>51.91</td><td>74.00</td><td>-22.09</td><td>40.29</td><td>32.80</td><td>10.38</td><td>33.18</td><td>1.62</td><td>400</td><td>93</td><td>Peak</td></tr><tr><td>2</td><td>4960.00</td><td>45.98</td><td>54.00</td><td>-8.02</td><td>34.36</td><td>32.80</td><td>10.38</td><td>33.18</td><td>1.62</td><td>400</td><td>93</td><td>Average</td></tr><tr><td>3</td><td>7440.00</td><td>51.95</td><td>74.00</td><td>-22.05</td><td>36.55</td><td>36.90</td><td>12.59</td><td>36.07</td><td>1.98</td><td>100</td><td>117</td><td>Peak</td></tr><tr><td>4</td><td>7440.00</td><td>42.34</td><td>54.00</td><td>-11.66</td><td>26.94</td><td>36.90</td><td>12.59</td><td>36.07</td><td>1.98</td><td>100</td><td>117</td><td>Average</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4960.00	51.91	74.00	-22.09	40.29	32.80	10.38	33.18	1.62	400	93	Peak	2	4960.00	45.98	54.00	-8.02	34.36	32.80	10.38	33.18	1.62	400	93	Average	3	7440.00	51.95	74.00	-22.05	36.55	36.90	12.59	36.07	1.98	100	117	Peak	4	7440.00	42.34	54.00	-11.66	26.94	36.90	12.59	36.07	1.98	100	117	Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																														
1	4960.00	55.44	74.00	-18.56	43.02	32.80	10.38	33.18	1.62	114	153	Peak																																																																																																																																																												
2	4960.00	50.98	54.00	-3.02	39.36	32.80	10.38	33.18	1.62	114	153	Average																																																																																																																																																												
3	7440.00	55.40	74.00	-18.60	40.00	36.90	12.59	36.07	1.98	100	140	Peak																																																																																																																																																												
4	7440.00	48.68	54.00	-5.32	33.28	36.90	12.59	36.07	1.98	100	140	Average																																																																																																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																														
1	4960.00	51.91	74.00	-22.09	40.29	32.80	10.38	33.18	1.62	400	93	Peak																																																																																																																																																												
2	4960.00	45.98	54.00	-8.02	34.36	32.80	10.38	33.18	1.62	400	93	Average																																																																																																																																																												
3	7440.00	51.95	74.00	-22.05	36.55	36.90	12.59	36.07	1.98	100	117	Peak																																																																																																																																																												
4	7440.00	42.34	54.00	-11.66	26.94	36.90	12.59	36.07	1.98	100	117	Average																																																																																																																																																												



Mode	13																																																																																																																																																																																																																																															
	LF																																																																																																																																																																																																																																															
	2400-2483.5_Bluetooth-LE_GFSK_CH39_2480MHz																																																																																																																																																																																																																																															
ANT	1																																																																																																																																																																																																																																															
Pol.	Horizontal	Vertical																																																																																																																																																																																																																																														
QP/ Peak	Level (dBuV/m) Date: 2025-06-23 Site : 03CH23-HY Condition: QP 3m CBL6111D_62028 & 003_241127 HORIZONTAL <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>62.98</td><td>35.88</td><td>40.00</td><td>-4.12</td><td>55.68</td><td>11.95</td><td>0.97</td><td>32.75</td><td>0.03</td><td>307</td><td>13</td><td>QP</td><td></td></tr><tr><td>2</td><td>96.93</td><td>32.61</td><td>43.50</td><td>-10.89</td><td>48.34</td><td>15.68</td><td>1.23</td><td>32.69</td><td>0.05</td><td>294</td><td>6</td><td>QP</td><td></td></tr><tr><td>3</td><td>156.10</td><td>37.85</td><td>43.50</td><td>-5.65</td><td>52.02</td><td>16.88</td><td>1.62</td><td>32.74</td><td>0.07</td><td>304</td><td>291</td><td>QP</td><td></td></tr><tr><td>4</td><td>168.71</td><td>34.49</td><td>43.50</td><td>-9.01</td><td>49.60</td><td>15.89</td><td>1.68</td><td>32.75</td><td>0.07</td><td>200</td><td>257</td><td>QP</td><td></td></tr><tr><td>5</td><td>228.85</td><td>35.08</td><td>46.00</td><td>-10.92</td><td>49.82</td><td>16.04</td><td>1.94</td><td>32.79</td><td>0.07</td><td>171</td><td>360</td><td>QP</td><td></td></tr><tr><td>6</td><td>720.64</td><td>39.84</td><td>46.00</td><td>-6.16</td><td>41.76</td><td>27.16</td><td>3.62</td><td>32.83</td><td>0.13</td><td>--</td><td>--</td><td>Peak</td><td></td></tr><tr><td>7</td><td>797.27</td><td>39.74</td><td>46.00</td><td>-6.26</td><td>40.25</td><td>28.26</td><td>3.82</td><td>32.77</td><td>0.18</td><td>--</td><td>--</td><td>Peak</td><td></td></tr></table>		Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	62.98	35.88	40.00	-4.12	55.68	11.95	0.97	32.75	0.03	307	13	QP		2	96.93	32.61	43.50	-10.89	48.34	15.68	1.23	32.69	0.05	294	6	QP		3	156.10	37.85	43.50	-5.65	52.02	16.88	1.62	32.74	0.07	304	291	QP		4	168.71	34.49	43.50	-9.01	49.60	15.89	1.68	32.75	0.07	200	257	QP		5	228.85	35.08	46.00	-10.92	49.82	16.04	1.94	32.79	0.07	171	360	QP		6	720.64	39.84	46.00	-6.16	41.76	27.16	3.62	32.83	0.13	--	--	Peak		7	797.27	39.74	46.00	-6.26	40.25	28.26	3.82	32.77	0.18	--	--	Peak		Level (dBuV/m) Date: 2025-06-23 Site : 03CH23-HY Condition: QP 3m CBL6111D_62028 & 003_241127 VERTICAL <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>63.95</td><td>33.58</td><td>40.00</td><td>-6.42</td><td>53.31</td><td>12.01</td><td>0.98</td><td>32.75</td><td>0.03</td><td>302</td><td>292</td><td>QP</td><td></td></tr><tr><td>2</td><td>192.96</td><td>30.33</td><td>43.50</td><td>-13.17</td><td>46.32</td><td>14.93</td><td>1.78</td><td>32.76</td><td>0.06</td><td>105</td><td>357</td><td>QP</td><td></td></tr><tr><td>3</td><td>240.49</td><td>38.36</td><td>46.00</td><td>-7.64</td><td>49.05</td><td>20.04</td><td>2.00</td><td>32.80</td><td>0.07</td><td>--</td><td>--</td><td>Peak</td><td></td></tr><tr><td>4</td><td>492.69</td><td>34.10</td><td>46.00</td><td>-11.90</td><td>40.16</td><td>23.85</td><td>2.98</td><td>33.00</td><td>0.11</td><td>--</td><td>--</td><td>Peak</td><td></td></tr><tr><td>5</td><td>600.36</td><td>36.93</td><td>46.00</td><td>-9.07</td><td>40.86</td><td>25.72</td><td>3.31</td><td>33.08</td><td>0.12</td><td>--</td><td>--</td><td>Peak</td><td></td></tr><tr><td>6</td><td>800.18</td><td>37.67</td><td>46.00</td><td>-8.33</td><td>38.18</td><td>28.25</td><td>3.83</td><td>32.77</td><td>0.18</td><td>--</td><td>--</td><td>Peak</td><td></td></tr></table>		Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	63.95	33.58	40.00	-6.42	53.31	12.01	0.98	32.75	0.03	302	292	QP		2	192.96	30.33	43.50	-13.17	46.32	14.93	1.78	32.76	0.06	105	357	QP		3	240.49	38.36	46.00	-7.64	49.05	20.04	2.00	32.80	0.07	--	--	Peak		4	492.69	34.10	46.00	-11.90	40.16	23.85	2.98	33.00	0.11	--	--	Peak		5	600.36	36.93	46.00	-9.07	40.86	25.72	3.31	33.08	0.12	--	--	Peak		6	800.18	37.67	46.00	-8.33	38.18	28.25	3.83	32.77	0.18	--	--	Peak	
		Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																																																																																																																			
1	62.98	35.88	40.00	-4.12	55.68	11.95	0.97	32.75	0.03	307	13	QP																																																																																																																																																																																																																																				
2	96.93	32.61	43.50	-10.89	48.34	15.68	1.23	32.69	0.05	294	6	QP																																																																																																																																																																																																																																				
3	156.10	37.85	43.50	-5.65	52.02	16.88	1.62	32.74	0.07	304	291	QP																																																																																																																																																																																																																																				
4	168.71	34.49	43.50	-9.01	49.60	15.89	1.68	32.75	0.07	200	257	QP																																																																																																																																																																																																																																				
5	228.85	35.08	46.00	-10.92	49.82	16.04	1.94	32.79	0.07	171	360	QP																																																																																																																																																																																																																																				
6	720.64	39.84	46.00	-6.16	41.76	27.16	3.62	32.83	0.13	--	--	Peak																																																																																																																																																																																																																																				
7	797.27	39.74	46.00	-6.26	40.25	28.26	3.82	32.77	0.18	--	--	Peak																																																																																																																																																																																																																																				
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																																																																																																																			
1	63.95	33.58	40.00	-6.42	53.31	12.01	0.98	32.75	0.03	302	292	QP																																																																																																																																																																																																																																				
2	192.96	30.33	43.50	-13.17	46.32	14.93	1.78	32.76	0.06	105	357	QP																																																																																																																																																																																																																																				
3	240.49	38.36	46.00	-7.64	49.05	20.04	2.00	32.80	0.07	--	--	Peak																																																																																																																																																																																																																																				
4	492.69	34.10	46.00	-11.90	40.16	23.85	2.98	33.00	0.11	--	--	Peak																																																																																																																																																																																																																																				
5	600.36	36.93	46.00	-9.07	40.86	25.72	3.31	33.08	0.12	--	--	Peak																																																																																																																																																																																																																																				
6	800.18	37.67	46.00	-8.33	38.18	28.25	3.83	32.77	0.18	--	--	Peak																																																																																																																																																																																																																																				



C4-1. Radiated Spurious Emission Test Modes

Mode	Band (MHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 10	2400-2483.5	1	Bluetooth-LE_GFSK	00	2402	500kbps	-	-
Mode 11	2400-2483.5	1	Bluetooth-LE_GFSK	19	2440	500kbps	-	-
Mode 12	2400-2483.5	1	Bluetooth-LE_GFSK	39	2480	500kbps	-	-



C4-2. Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
10	Bluetooth-LE_GFSK	00	2388.75	39.49	54.00	-14.51	H	Avg.	Pass	-	Band Edge
	Bluetooth-LE_GFSK	00	4804.00	46.48	54.00	-7.52	H	Avg.	Pass	-	Harmonic
11	Bluetooth-LE_GFSK	19	2378.38	39.41	54.00	-14.59	H	Avg.	Pass	-	Band Edge
	Bluetooth-LE_GFSK	19	7320.00	49.55	54.00	-4.45	H	Avg.	Pass	-	Harmonic
12	Bluetooth-LE_GFSK	39	2483.52	40.52	54.00	-13.48	H	Avg.	Pass	-	Band Edge
	Bluetooth-LE_GFSK	39	7440.00	50.51	54.00	-3.49	H	Avg.	Pass	-	Harmonic



Mode	10																																																																																																	
	Band Edge																																																																																																	
	2400-2483.5_Bluetooth-LE_GFSK_CH00_2402MHz																																																																																																	
ANT	1																																																																																																	
Pol.	Horizontal						Fundamental																																																																																											
Peak	Level (dBuV/m) Date: 2025-06-19 Site : 03CH23-HY Condition: PEAK_BE_74 3m DRH18-E_KV2D06A18ES_241025 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2381.30</td><td>50.81</td><td>74.00</td><td>-23.19</td><td>38.29</td><td>26.90</td><td>7.20</td><td>31.96</td><td>10.38</td><td>400</td><td>339 Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2381.30	50.81	74.00	-23.19	38.29	26.90	7.20	31.96	10.38	400	339 Peak	Level (dBuV/m) Date: 2025-06-19 Site : 03CH23-HY Condition: PEAK_74 3m DRH18-E_KV2D06A18ES_241025 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2402.00</td><td>104.54</td><td>-----</td><td>-----</td><td>92.02</td><td>26.88</td><td>7.23</td><td>31.97</td><td>10.38</td><td>400</td><td>339 Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2402.00	104.54	-----	-----	92.02	26.88	7.23	31.97	10.38	400	339 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2381.30	50.81	74.00	-23.19	38.29	26.90	7.20	31.96	10.38	400	339 Peak																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2402.00	104.54	-----	-----	92.02	26.88	7.23	31.97	10.38	400	339 Peak																																																																																							
Avg	Level (dBuV/m) Date: 2025-06-19 Site : 03CH23-HY Condition: AVG_BE_54 3m DRH18-E_KV2D06A18ES_241025 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2388.75</td><td>39.49</td><td>54.00</td><td>-14.51</td><td>26.96</td><td>26.90</td><td>7.21</td><td>31.96</td><td>10.38</td><td>400</td><td>339 Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2388.75	39.49	54.00	-14.51	26.96	26.90	7.21	31.96	10.38	400	339 Average	Level (dBuV/m) Date: 2025-06-19 Site : 03CH23-HY Condition: AVG_54 3m DRH18-E_KV2D06A18ES_241025 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2402.00</td><td>104.05</td><td>-----</td><td>-----</td><td>91.53</td><td>26.88</td><td>7.23</td><td>31.97</td><td>10.38</td><td>400</td><td>339 Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2402.00	104.05	-----	-----	91.53	26.88	7.23	31.97	10.38	400	339 Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2388.75	39.49	54.00	-14.51	26.96	26.90	7.21	31.96	10.38	400	339 Average																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2402.00	104.05	-----	-----	91.53	26.88	7.23	31.97	10.38	400	339 Average																																																																																							



Mode	10																																																																																																			
	Band Edge																																																																																																			
	2400-2483.5_Bluetooth-LE_GFSK_CH00_2402MHz																																																																																																			
ANT	1																																																																																																			
Pol.	Vertical						Fundamental																																																																																													
Peak	Level (dBuV/m) Date: 2025-06-19 Site : 03CH23-HY Condition: PEAK_BE_74 3m DRH18-E_KV2D06A18ES_241025 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2336.04</td><td>51.00</td><td>74.00</td><td>-23.00</td><td>38.33</td><td>27.10</td><td>7.13</td><td>31.93</td><td>10.37</td><td>400</td><td>281</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2336.04	51.00	74.00	-23.00	38.33	27.10	7.13	31.93	10.37	400	281	Peak	Level (dBuV/m) Date: 2025-06-19 Site : 03CH23-HY Condition: PEAK_74 3m DRH18-E_KV2D06A18ES_241025 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2402.00</td><td>99.36</td><td>-----</td><td>-----</td><td>86.84</td><td>26.88</td><td>7.23</td><td>31.97</td><td>10.38</td><td>400</td><td>281</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2402.00	99.36	-----	-----	86.84	26.88	7.23	31.97	10.38	400	281	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2336.04	51.00	74.00	-23.00	38.33	27.10	7.13	31.93	10.37	400	281	Peak																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2402.00	99.36	-----	-----	86.84	26.88	7.23	31.97	10.38	400	281	Peak																																																																																								
Avg	Level (dBuV/m) Date: 2025-06-19 Site : 03CH23-HY Condition: AVG_BE_54 3m DRH18-E_KV2D06A18ES_241025 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2386.54</td><td>39.39</td><td>54.00</td><td>-14.61</td><td>26.86</td><td>26.90</td><td>7.21</td><td>31.96</td><td>10.38</td><td>400</td><td>281</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2386.54	39.39	54.00	-14.61	26.86	26.90	7.21	31.96	10.38	400	281	Average	Level (dBuV/m) Date: 2025-06-19 Site : 03CH23-HY Condition: AVG_54 3m DRH18-E_KV2D06A18ES_241025 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2402.00</td><td>98.85</td><td>-----</td><td>-----</td><td>86.33</td><td>26.88</td><td>7.23</td><td>31.97</td><td>10.38</td><td>400</td><td>281</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2402.00	98.85	-----	-----	86.33	26.88	7.23	31.97	10.38	400	281	Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2386.54	39.39	54.00	-14.61	26.86	26.90	7.21	31.96	10.38	400	281	Average																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2402.00	98.85	-----	-----	86.33	26.88	7.23	31.97	10.38	400	281	Average																																																																																								



Mode	10																																																																																																																																							
	Harmonic																																																																																																																																							
	2400-2483.5_Bluetooth-LE_GFSK_CH00_2402MHz																																																																																																																																							
ANT	1																																																																																																																																							
Pol.	Horizontal					Vertical																																																																																																																																		
Peak Avg	Level (dBuV/m) Date: 2025-06-19 Site : 03CH23-HY Condition: PEAK_74 3m DRH18-E_KV2D06A18ES_241025 HORIZONTAL <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4804.00</td><td>50.92</td><td>74.00</td><td>-23.08</td><td>40.31</td><td>32.30</td><td>10.13</td><td>33.15</td><td>1.33</td><td>100</td><td>157</td><td>Peak</td><td></td></tr><tr><td>2</td><td>4804.00</td><td>46.48</td><td>54.00</td><td>-7.52</td><td>35.87</td><td>32.30</td><td>10.13</td><td>33.15</td><td>1.33</td><td>100</td><td>157</td><td>Average</td><td></td></tr><tr><td>3</td><td>7206.00</td><td>55.28</td><td>-----</td><td>-----</td><td>40.17</td><td>36.52</td><td>12.44</td><td>35.90</td><td>2.05</td><td>100</td><td>119</td><td>Peak</td><td></td></tr></table>						Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	4804.00	50.92	74.00	-23.08	40.31	32.30	10.13	33.15	1.33	100	157	Peak		2	4804.00	46.48	54.00	-7.52	35.87	32.30	10.13	33.15	1.33	100	157	Average		3	7206.00	55.28	-----	-----	40.17	36.52	12.44	35.90	2.05	100	119	Peak		Level (dBuV/m) Date: 2025-06-19 Site : 03CH23-HY Condition: PEAK_74 3m DRH18-E_KV2D06A18ES_241025 VERTICAL <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4804.00</td><td>45.00</td><td>74.00</td><td>-28.20</td><td>35.19</td><td>32.30</td><td>10.13</td><td>33.15</td><td>1.33</td><td>--</td><td>--</td><td>Peak</td><td></td></tr><tr><td>2</td><td>7206.00</td><td>48.78</td><td>-----</td><td>-----</td><td>33.67</td><td>36.52</td><td>12.44</td><td>35.90</td><td>2.05</td><td>--</td><td>--</td><td>Peak</td><td></td></tr></table>						Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	4804.00	45.00	74.00	-28.20	35.19	32.30	10.13	33.15	1.33	--	--	Peak		2	7206.00	48.78	-----	-----	33.67	36.52	12.44	35.90	2.05	--	--	Peak	
		Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																												
1	4804.00	50.92	74.00	-23.08	40.31	32.30	10.13	33.15	1.33	100	157	Peak																																																																																																																												
2	4804.00	46.48	54.00	-7.52	35.87	32.30	10.13	33.15	1.33	100	157	Average																																																																																																																												
3	7206.00	55.28	-----	-----	40.17	36.52	12.44	35.90	2.05	100	119	Peak																																																																																																																												
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																												
1	4804.00	45.00	74.00	-28.20	35.19	32.30	10.13	33.15	1.33	--	--	Peak																																																																																																																												
2	7206.00	48.78	-----	-----	33.67	36.52	12.44	35.90	2.05	--	--	Peak																																																																																																																												

Remark: The unwanted signal 7206MHz can be ignored since it falls within the non-restricted band and meets the requirements of 15.247(d).



Mode	11											
	Band Edge - L											
	2400-2483.5_Bluetooth-LE_GFSK_CH19_2440MHz											
ANT	1											
Pol.	Horizontal						Fundamental					
Peak	Level (dBuV/m) Date: 2025-06-19 <											



Mode	11																																											
	Band Edge - R																																											
	2400-2483.5_Bluetooth-LE_GFSK_CH19_2440MHz																																											
ANT	1																																											
Pol.	Horizontal	Fundamental																																										
Peak	Date: 2025-06-19 Site : 03CH23-HY Condition: PEAK_BE_74 3m DRH18-E_KV2D06A18ES_241025 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th><th></th></tr><tr><td>1 2499.34</td><td>50.69</td><td>74.00</td><td>-23.31</td><td>38.20</td><td>26.79</td><td>7.36</td><td>32.04</td><td>10.38</td><td>120</td><td>178 Peak</td></tr></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB			1 2499.34	50.69	74.00	-23.31	38.20	26.79	7.36	32.04	10.38	120	178 Peak	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																				
1 2499.34	50.69	74.00	-23.31	38.20	26.79	7.36	32.04	10.38	120	178 Peak																																		
Avg	Date: 2025-06-19 Site : 03CH23-HY Condition: AVG_BE_54 3m DRH18-E_KV2D06A18ES_241025 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th><th></th></tr><tr><td>1 2498.74</td><td>39.38</td><td>54.00</td><td>-14.62</td><td>26.89</td><td>26.79</td><td>7.36</td><td>32.04</td><td>10.38</td><td>120</td><td>178 Average</td></tr></table>	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB			1 2498.74	39.38	54.00	-14.62	26.89	26.79	7.36	32.04	10.38	120	178 Average	Blank
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																				
1 2498.74	39.38	54.00	-14.62	26.89	26.79	7.36	32.04	10.38	120	178 Average																																		



Mode	11										
	Band Edge - L										
	2400-2483.5_Bluetooth-LE_GFSK_CH19_2440MHz										
ANT	1										
Pol.	Vertical						Fundamental				
Peak	Level (dBuV/m) Date: 2025-06-19 </										



Mode	11										
	Band Edge - R										
	2400-2483.5_Bluetooth-LE_GFSK_CH19_2440MHz										
ANT	1										
Pol.	Vertical						Fundamental				
Peak											







Mode	11																																																																																																																																																																						
	Harmonic																																																																																																																																																																						
	2400-2483.5_Bluetooth-LE_GFSK_CH19_2440MHz																																																																																																																																																																						
ANT	1																																																																																																																																																																						
Pol.	Horizontal							Vertical																																																																																																																																																															
Peak Avg	Level (dBuV/m) Date: 2025-06-19							Level (dBuV/m) Date: 2025-06-19																																																																																																																																																															
	Site : 03CH23-HY Condition: PEAK_74 3m DRH18-E_KV2D06A18ES_241025 HORIZONTAL							Site : 03CH23-HY Condition: PEAK_74 3m DRH18-E_KV2D06A18ES_241025 VERTICAL																																																																																																																																																															
	<table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4880.00</td><td>51.68</td><td>74.00</td><td>-22.32</td><td>40.65</td><td>32.48</td><td>10.25</td><td>33.17</td><td>1.47</td><td>100</td><td>155</td><td>Peak</td><td></td></tr><tr><td>2</td><td>4880.00</td><td>47.56</td><td>54.00</td><td>-6.44</td><td>36.53</td><td>32.48</td><td>10.25</td><td>33.17</td><td>1.47</td><td>100</td><td>155</td><td>Average</td><td></td></tr><tr><td>3</td><td>7320.00</td><td>55.49</td><td>74.00</td><td>-18.51</td><td>40.03</td><td>36.94</td><td>12.49</td><td>35.98</td><td>2.01</td><td>100</td><td>124</td><td>Peak</td><td></td></tr><tr><td>4</td><td>7320.00</td><td>49.55</td><td>54.00</td><td>-4.45</td><td>34.09</td><td>36.94</td><td>12.49</td><td>35.98</td><td>2.01</td><td>100</td><td>124</td><td>Average</td><td></td></tr></table>								Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	4880.00	51.68	74.00	-22.32	40.65	32.48	10.25	33.17	1.47	100	155	Peak		2	4880.00	47.56	54.00	-6.44	36.53	32.48	10.25	33.17	1.47	100	155	Average		3	7320.00	55.49	74.00	-18.51	40.03	36.94	12.49	35.98	2.01	100	124	Peak		4	7320.00	49.55	54.00	-4.45	34.09	36.94	12.49	35.98	2.01	100	124	Average		<table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4880.00</td><td>46.75</td><td>74.00</td><td>-27.25</td><td>35.72</td><td>32.48</td><td>10.25</td><td>33.17</td><td>1.47</td><td>--</td><td>--</td><td>Peak</td><td></td></tr><tr><td>2</td><td>7320.00</td><td>51.02</td><td>74.00</td><td>-22.98</td><td>35.56</td><td>36.94</td><td>12.49</td><td>35.98</td><td>2.01</td><td>400</td><td>77</td><td>Peak</td><td></td></tr><tr><td>3</td><td>7320.00</td><td>42.72</td><td>54.00</td><td>-11.28</td><td>27.26</td><td>36.94</td><td>12.49</td><td>35.98</td><td>2.01</td><td>400</td><td>77</td><td>Average</td><td></td></tr></table>								Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	4880.00	46.75	74.00	-27.25	35.72	32.48	10.25	33.17	1.47	--	--	Peak		2	7320.00	51.02	74.00	-22.98	35.56	36.94	12.49	35.98	2.01	400	77	Peak		3	7320.00	42.72	54.00	-11.28	27.26	36.94	12.49	35.98	2.01	400	77	Average
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																											
1	4880.00	51.68	74.00	-22.32	40.65	32.48	10.25	33.17	1.47	100	155	Peak																																																																																																																																																											
2	4880.00	47.56	54.00	-6.44	36.53	32.48	10.25	33.17	1.47	100	155	Average																																																																																																																																																											
3	7320.00	55.49	74.00	-18.51	40.03	36.94	12.49	35.98	2.01	100	124	Peak																																																																																																																																																											
4	7320.00	49.55	54.00	-4.45	34.09	36.94	12.49	35.98	2.01	100	124	Average																																																																																																																																																											
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																											
1	4880.00	46.75	74.00	-27.25	35.72	32.48	10.25	33.17	1.47	--	--	Peak																																																																																																																																																											
2	7320.00	51.02	74.00	-22.98	35.56	36.94	12.49	35.98	2.01	400	77	Peak																																																																																																																																																											
3	7320.00	42.72	54.00	-11.28	27.26	36.94	12.49	35.98	2.01	400	77	Average																																																																																																																																																											



Mode	12																																																																																									
	Band Edge																																																																																									
	2400-2483.5_Bluetooth-LE_GFSK_CH39_2480MHz																																																																																									
ANT	1																																																																																									
Pol.	Horizontal						Fundamental																																																																																			
Peak	Level (dBuV/m) Date: 2025-06-19 PEAK_BE_74 Frequency (MHz) Site : 03CH23-HY Condition: PEAK_BE_74 3m DRH18-E_KV2D06A18ES_241025 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2484.14</td><td>51.18</td><td>74.00</td><td>-22.82</td><td>38.79</td><td>26.70</td><td>7.34</td><td>32.03</td><td>10.38</td><td>115</td><td>179</td><td>Peak</td></tr></table>							Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	2484.14	51.18	74.00	-22.82	38.79	26.70	7.34	32.03	10.38	115	179	Peak	Level (dBuV/m) Date: 2025-06-19 PEAK_74 Frequency (MHz) Site : 03CH23-HY Condition: PEAK_74 3m DRH18-E_KV2D06A18ES_241025 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>103.25</td><td>-----</td><td>-----</td><td>90.87</td><td>26.70</td><td>7.33</td><td>32.03</td><td>10.38</td><td>115</td><td>179</td><td>Peak</td></tr></table>							Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	2480.00	103.25	-----	-----	90.87	26.70	7.33	32.03	10.38	115	179	Peak
		Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																														
1	2484.14	51.18	74.00	-22.82	38.79	26.70	7.34	32.03	10.38	115	179	Peak																																																																														
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																														
1	2480.00	103.25	-----	-----	90.87	26.70	7.33	32.03	10.38	115	179	Peak																																																																														
Avg	Level (dBuV/m) Date: 2025-06-19 AVG_BE_54 Frequency (MHz) Site : 03CH23-HY Condition: AVG_BE_54 3m DRH18-E_KV2D06A18ES_241025 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.52</td><td>40.52</td><td>54.00</td><td>-13.48</td><td>28.13</td><td>26.70</td><td>7.34</td><td>32.03</td><td>10.38</td><td>115</td><td>179</td><td>Average</td></tr></table>							Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	2483.52	40.52	54.00	-13.48	28.13	26.70	7.34	32.03	10.38	115	179	Average	Level (dBuV/m) Date: 2025-06-19 AVG_54 Frequency (MHz) Site : 03CH23-HY Condition: AVG_54 3m DRH18-E_KV2D06A18ES_241025 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>102.76</td><td>-----</td><td>-----</td><td>90.38</td><td>26.70</td><td>7.33</td><td>32.03</td><td>10.38</td><td>115</td><td>179</td><td>Average</td></tr></table>							Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	2480.00	102.76	-----	-----	90.38	26.70	7.33	32.03	10.38	115	179	Average
		Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																														
1	2483.52	40.52	54.00	-13.48	28.13	26.70	7.34	32.03	10.38	115	179	Average																																																																														
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																														
1	2480.00	102.76	-----	-----	90.38	26.70	7.33	32.03	10.38	115	179	Average																																																																														



Mode	12																																																																																																	
	Band Edge																																																																																																	
	2400-2483.5_Bluetooth-LE_GFSK_CH39_2480MHz																																																																																																	
ANT	1																																																																																																	
Pol.	Vertical						Fundamental																																																																																											
Peak	Level (dBuV/m) Date: 2025-06-19  PEAK_BE_74 Site : 03CH23-HY Condition: PEAK_BE_74 3m DRH18-E_KV2D06A18ES_241025 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2486.14</td><td>50.86</td><td>74.00</td><td>-23.14</td><td>38.47</td><td>26.70</td><td>7.34</td><td>32.03</td><td>10.38</td><td>102</td><td>65 Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2486.14	50.86	74.00	-23.14	38.47	26.70	7.34	32.03	10.38	102	65 Peak	Level (dBuV/m) Date: 2025-06-19  PEAK_74 Site : 03CH23-HY Condition: PEAK_74 3m DRH18-E_KV2D06A18ES_241025 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>94.50</td><td>-----</td><td>-----</td><td>82.12</td><td>26.70</td><td>7.33</td><td>32.03</td><td>10.38</td><td>102</td><td>65 Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	94.50	-----	-----	82.12	26.70	7.33	32.03	10.38	102	65 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2486.14	50.86	74.00	-23.14	38.47	26.70	7.34	32.03	10.38	102	65 Peak																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2480.00	94.50	-----	-----	82.12	26.70	7.33	32.03	10.38	102	65 Peak																																																																																							
Avg	Level (dBuV/m) Date: 2025-06-19  AVG_BE_54 Site : 03CH23-HY Condition: AVG_BE_54 3m DRH18-E_KV2D06A18ES_241025 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.52</td><td>39.43</td><td>54.00</td><td>-14.57</td><td>27.04</td><td>26.70</td><td>7.34</td><td>32.03</td><td>10.38</td><td>102</td><td>65 Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.52	39.43	54.00	-14.57	27.04	26.70	7.34	32.03	10.38	102	65 Average	Level (dBuV/m) Date: 2025-06-19  AVG_54 Site : 03CH23-HY Condition: AVG_54 3m DRH18-E_KV2D06A18ES_241025 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>94.04</td><td>-----</td><td>-----</td><td>81.66</td><td>26.70</td><td>7.33</td><td>32.03</td><td>10.38</td><td>102</td><td>65 Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	94.04	-----	-----	81.66	26.70	7.33	32.03	10.38	102	65 Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2483.52	39.43	54.00	-14.57	27.04	26.70	7.34	32.03	10.38	102	65 Average																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2480.00	94.04	-----	-----	81.66	26.70	7.33	32.03	10.38	102	65 Average																																																																																							



Mode	12																																																																																																																																																																						
	Harmonic																																																																																																																																																																						
	2400-2483.5_Bluetooth-LE_GFSK_CH39_2480MHz																																																																																																																																																																						
ANT	1																																																																																																																																																																						
Pol.	Horizontal						Vertical																																																																																																																																																																
Peak Avg																																																																																																																																																																							
	Site : 03CH23-HY Condition: PEAK_74 3m DRH18-E_KV2D06A18ES_241025 HORIZONTAL <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Loss</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>4960.00</td><td>54.56</td><td>74.00</td><td>-19.44</td><td>42.94</td><td>32.80</td><td>10.38</td><td>33.18</td><td>1.62</td><td>112</td><td>138</td><td>Peak</td></tr><tr><td>2</td><td>4960.00</td><td>50.44</td><td>54.00</td><td>-3.56</td><td>38.82</td><td>32.80</td><td>10.38</td><td>33.18</td><td>1.62</td><td>112</td><td>138</td><td>Average</td></tr><tr><td>3</td><td>7440.00</td><td>55.98</td><td>74.00</td><td>-18.02</td><td>40.58</td><td>36.90</td><td>12.59</td><td>36.07</td><td>1.98</td><td>100</td><td>121</td><td>Peak</td></tr><tr><td>4</td><td>7440.00</td><td>50.51</td><td>54.00</td><td>-3.49</td><td>35.11</td><td>36.90</td><td>12.59</td><td>36.07</td><td>1.98</td><td>100</td><td>121</td><td>Average</td></tr></tbody></table>							Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Loss	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	4960.00	54.56	74.00	-19.44	42.94	32.80	10.38	33.18	1.62	112	138	Peak	2	4960.00	50.44	54.00	-3.56	38.82	32.80	10.38	33.18	1.62	112	138	Average	3	7440.00	55.98	74.00	-18.02	40.58	36.90	12.59	36.07	1.98	100	121	Peak	4	7440.00	50.51	54.00	-3.49	35.11	36.90	12.59	36.07	1.98	100	121	Average	Site : 03CH23-HY Condition: PEAK_74 3m DRH18-E_KV2D06A18ES_241025 VERTICAL <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Loss</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>4960.00</td><td>49.95</td><td>74.00</td><td>-24.05</td><td>38.33</td><td>32.80</td><td>10.38</td><td>33.18</td><td>1.62</td><td>338</td><td>182</td><td>Peak</td></tr><tr><td>2</td><td>4960.00</td><td>43.66</td><td>54.00</td><td>-10.34</td><td>32.04</td><td>32.80</td><td>10.38</td><td>33.18</td><td>1.62</td><td>338</td><td>182</td><td>Average</td></tr><tr><td>3</td><td>7440.00</td><td>52.13</td><td>74.00</td><td>-21.87</td><td>36.73</td><td>36.90</td><td>12.59</td><td>36.07</td><td>1.98</td><td>400</td><td>76</td><td>Peak</td></tr><tr><td>4</td><td>7440.00</td><td>43.44</td><td>54.00</td><td>-10.56</td><td>28.04</td><td>36.90</td><td>12.59</td><td>36.07</td><td>1.98</td><td>400</td><td>76</td><td>Average</td></tr></tbody></table>							Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Loss	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	4960.00	49.95	74.00	-24.05	38.33	32.80	10.38	33.18	1.62	338	182	Peak	2	4960.00	43.66	54.00	-10.34	32.04	32.80	10.38	33.18	1.62	338	182	Average	3	7440.00	52.13	74.00	-21.87	36.73	36.90	12.59	36.07	1.98	400	76	Peak	4	7440.00	43.44	54.00	-10.56	28.04	36.90	12.59	36.07	1.98	400	76
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Loss	APos	TPos	Remark																																																																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																												
1	4960.00	54.56	74.00	-19.44	42.94	32.80	10.38	33.18	1.62	112	138	Peak																																																																																																																																																											
2	4960.00	50.44	54.00	-3.56	38.82	32.80	10.38	33.18	1.62	112	138	Average																																																																																																																																																											
3	7440.00	55.98	74.00	-18.02	40.58	36.90	12.59	36.07	1.98	100	121	Peak																																																																																																																																																											
4	7440.00	50.51	54.00	-3.49	35.11	36.90	12.59	36.07	1.98	100	121	Average																																																																																																																																																											
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Loss	APos	TPos	Remark																																																																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																												
1	4960.00	49.95	74.00	-24.05	38.33	32.80	10.38	33.18	1.62	338	182	Peak																																																																																																																																																											
2	4960.00	43.66	54.00	-10.34	32.04	32.80	10.38	33.18	1.62	338	182	Average																																																																																																																																																											
3	7440.00	52.13	74.00	-21.87	36.73	36.90	12.59	36.07	1.98	400	76	Peak																																																																																																																																																											
4	7440.00	43.44	54.00	-10.56	28.04	36.90	12.59	36.07	1.98	400	76	Average																																																																																																																																																											

Appendix D. Duty Cycle Plots

Antenna	Band	Duty Cycle (%)	T(us)	1/T(kHz)	VBW Setting
1	Bluetooth - LE for 1Mbps	100.00	-	-	10Hz
1	Bluetooth - LE for 2Mbps	100.00	-	-	10Hz
1	Bluetooth - LE for 125Kbps	100.00	-	-	10Hz
1	Bluetooth - LE for 500Kbps	100.00	-	-	10Hz

