



ELITE ELECTRONIC ENGINEERING Inc.



ELITE ELECTRONIC ENGINEERING Inc.




CENTER 1.988 77 GHz
 RES BW 30 kHz (i)


VBW 300 kHz

SPAN 5.00 MHz
 SWP 37.5 msec


ELITE ELECTRONIC ENGINEERING Inc.




ELITE ELECTRONIC ENGINEERING Inc.




ELITE ELECTRONIC ENGINEERING Inc.




ELITE ELECTRONIC ENGINEERING Inc.







ELITE ELECTRONIC ENGINEERING Inc.




ELITE ELECTRONIC ENGINEERING Inc.




ELITE ELECTRONIC ENGINEERING Inc.




ELITE ELECTRONIC ENGINEERING Inc.




ELITE ELECTRONIC ENGINEERING Inc.






ELITE ELECTRONIC ENGINEERING Inc.


hp REF -10.0 dBm ATTN 10 dB +40dB


 CENTER 1.989 70 GHz
 RES BL 30 kHz (i) UBL 300 kHz
 SPAN 2.00 MHz
 SWP 20.0 msec


ELITE ELECTRONIC ENGINEERING Inc.


MKR 1.850 035 8 GHz








ELITE ELECTRONIC ENGINEERING Inc.


















ELITE ELECTRONIC ENGINEERING Inc.




ELITE ELECTRONIC ENGINEERING Inc.









ELITE ELECTRONIC ENGINEERING Inc.



ELITE ELECTRONIC ENGINEERING Inc.



ELITE ELECTRONIC ENGINEERING Inc.





ELITE ELECTRONIC ENGINEERING Inc.


HP RFF -10 dB ATTEN 10 dB +10 dB MRR 839.0 MHz -84.20 dBm

```


START 30 MHz
RES BU 100 kHz(i)
UBU 1 MHz
STOP 1.000 GHz
SUP 728 msec

```

ELITE ELECTRONIC ENGINEERING Inc.



ELITE ELECTRONIC ENGINEERING Inc.



START 2.0 GHz
RES BW 1 MHz (i)

UBW 3 MHz


STOP 20.0 GHz
SWP 450 msec



hp	REF	-10.0	dBm	ATTEN	10	dB	+40	dB
110	dB/			MANUFACTURER	TRL TECHNOLOGIES INC.			
				MODEL	BDA8000 1900-01			
				SERIAL NUMBER	2			
				TEST PERFORMED	FCC-24 ANTENNA CONDUCTED EMIS			
				MODE	AMPS (FM) @ 1989.97MHz			
				NOTES	DOWNLINK			
	OFFSET	-10.0	dB					


START 30 MHz RES 34 100 kHz 1 MHz

ELITE ELECTRONIC ENGINEERING Inc.



ELITE ELECTRONIC ENGINEERING Inc.


hp REF -10.0 dBm ATTN 10 dB +20dB


 START 2.0 GHz
 RES BW 1 MHz (i) UBU 3 MHz
 STOP 20.0 GHz
 SWP 450 msec



ELITE ELECTRONIC ENGINEERING Inc.

hp	REF	-10.0	dB _m	ATTEN	10	dB	+40dB
10	dB /			MANUFACTURER	TRL TECHNOLOGIES INC.		
OFFSET				MODEL	BDA8001900-01		
-10.0				SERIAL NUMBER	2		
				TEST PERFORMED	FCC-24 ANTENNA CONDUCTED EMI		
				MODE	AMPS (FM) @ 19.30 .03MHz		
				NOTES	DOWNLINK		



START 30 MHz RES BW 100 kHz(i) VBW 1 MHz

STOP 1.000 GHz
SWP 728 msec

ELITE ELECTRONIC ENGINEERING Inc.

