




August 11, 1999

Test Results Graphs 20 dB Bandwidth

The following graphs belong to test results of the 20dB Bandwidth of the emission on Base Channel 1,10,20,30,40,50,60. The file name is 9410power-connected #2, per item 3 of e-mail received on 07/09/99.


BASE Channel 1 20dB BW




BASE Channel 10 20dB BW

20 dB Bandwidth measurement at Antenna Port(s) 47 CFR 15.247(a)(1)

| | |
|---------------------|---|
| Date: | August 11, 1999 |
| EUT: | 9410-900MHz Spread Spectrum Frequency Hopping Cordless Telephone |
| Temperature: | 26°C |
| Humidity: | 52% |




BASE Channel 20 20dB BW




BASE Channel 30 20dB BW

20 dB Bandwidth measurement at Antenna Port(s) 47 CFR 15.247(a)(1)

| | |
|---------------------|---|
| Date: | August 11, 1999 |
| EUT: | 9410-900MHz Spread Spectrum Frequency Hopping Cordless Telephone |
| Temperature: | 26°C |
| Humidity: | 52% |




BASE Channel 40 20dB BW



20 dB Bandwidth measurement at Antenna Port(s) 47 CFR 15.247(a)(1)

| | |
|---------------------|---|
| Date: | August 11, 1999 |
| EUT: | 9410-900MHz Spread Spectrum Frequency Hopping Cordless Telephone |
| Temperature: | 26°C |
| Humidity: | 52% |

BASE Channel 50 20dB BW



BASE Channel 60 20dB BW

