


**VOSTEK
ELECTRONICS**

OWNER'S MANUAL

for

**WORLD'S SMALLEST 900 MHz
VIDEO TRANSMITTER**



**WIRELESS
VIDEO
EVERYWHERE**

**Introducing WORLD'S SMALLEST
900 Mhz VIDEO-TRANSMITTER XLT-900**

XLT-900 Transmitter will deliver sharp B&W or Color picture up to 300 feet away. This is a world's smallest transmitter of its kind.

This transmitter has been developed for the security and your convenience:

- You can monitor your baby on your TV.
- Watch your vehicle from your house.
- See who is outside your door on your TV using a camcorder or miniature pin-hole video-camera.
- Police or Fire personnel can send real-time images of dangerous situations back to mobile stations or partners.
- And many more...

Specifications:

Transmitting Frequency: 916.6 Mhz
Output level: 94 dBuV/meter at 3 meters
Modulation: true AM
Video-input: 1V
Video input impedance: 75 ohms
No audio available!
Power supply: 9- 12 V max. 60 mA
Size: 0,9" X 0,65"
Warranty 1 year

WARRANTY INFORMATION:

The warranty for this product is 1 Year from the date of purchase.
This warranty shall not apply if the product has been damaged or heatsink tube opened. For more information about warranty or purchase please contact our distributors.

FCC APPROVAL

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

WARNING:

Changes or modifications not expressly approved by Vostek Electronics could void the user's authority to operate the equipment.

