

RETLIF TESTING LABORATORIES													
TABULAR DATA SHEET													
TEST METHOD: Radiated Emissions 30MHz to 25GHz													
CUSTOMER: Wireless Manufacturing		JOB NO: R-3435N											
TEST SAMPLE: Wireless Bridge with a 2.4GHz Spread Spectrum Transmitter (Patch Antenna)													
MODEL NO: BR1200 FCC ID NO: OIA-BR1200													
TEST SPECIFICATION: FCC Part 15, Para. 15.205, 15.209													
OPERATING MODE: Continuously Transmitting													
TECHNICIAN: M. Hippert				DATE: 4-23-99									
NOTES: Test Distance 3 Meters													
TRANSMIT FREQUENCY	TEST FREQUENCY	ANTENNA POSITION	TURNTABLE POSITION	METER READING	CORRECTION FACTOR	CORRECTED READING							
MHz	MHz	(H/V)-HEIGHT	DEGREES	dBuV	dB	dBuV/m							
2460.5	30.0	-	-	-	-	-							
		-	-	-	-	-							
	2460.5	V1m	0.0	85.6	29.0	114.6							
	4921.0	-	-	-	-	-							
	7381.5	-	-	-	-	-							
	9842.0	-	-	-	-	-							
	12302.5	-	-	-	-	-							
	14763.0	-	-	-	-	-							
	17223.0	-	-	-	-	-							
	19684.0	-	-	-	-	-							
	22144.5	-	-	-	-	-							
	24605.0	-	-	-	-	-							
EUT emissions observed throughout the given frequency spectrum were recorded and evaluated. Emission levels closest to the limit are listed on this data sheet.													
DATA SHEET 1 of 1				R-3435N									

