




FOXCOM
RF Fiber+
Fiber optic Transceiver
Model RA316N-S-D-2-W
SERIAL # : 3073941

WARNING
INVISIBLE
LASER
RADIATION

MGC

RFiber+
LO PD DC

Optical
In/Out

elisra
BDA MONITOR

PA
DIV A
PWR AMP
FAN

PA
Mirror DC
UPLINK A
OPT-ALR

POWER
DL
OFF/ON
OFF/ON


FUSE
FUSE

DL
Mirror DC
UPLINK A
OPT-ALR

OPT-TRANS

KY-RH-10286

KVC



WARNING
INVISIBLE
LASER
RADIATION

FOXCOM
RFiber+™
Fiberoptic Transceiver
Model: 8A315N-S-13-2-W
SERIAL #: J0733941

MGC

Optical
In/Out

RFiber+

Gain

LD PD DC


elisra
BDA MONITOR

TEST

• P.S.
• DIV A.
• PWR AMP
• FAN

• P.S.
• RFiber DC
• UPLINK A
• OPT. ALR

elisra
AMPLIFIER
P/N 2900 A12900



elisra
DIV. AMPLIFIER
P/N 300A12006



P.S.
Ruber DC
LPLINK A
OPT. ALR

elisra
BDA MONITOR

P.S.
DIV. A
PWR AMP
FAN

P.S.
DIV. A
PWR AMP
FAN

FOXCOM
R Fiber+
Fiberoptic Transceiver
Model RA315N-S-13-2-W
SERIAL #: J073941

WARNING
INVISIBLE
LASER
RADIATION

elisra
AMPLIFIER
P/N 300A12006





USE

FUSE

ION

ION





EXCOM
Model 1000
1000 MHz
1000 MHz
1000 MHz

WARNING
LASER
CLASS II
DO NOT
STARE
INTO
BEAM

EXCOM
Model 1000
1000 MHz
1000 MHz
1000 MHz

EXCOM
Model 1000
1000 MHz
1000 MHz
1000 MHz