



Report No.: 0710896
'Windows Shares' mode
AC mains 'L' (EUT)

Report No.:0710896

Scan Settings (1 Range)

Frequencies			Receiver Settings				
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp OpRge
150k	30M	5k	10k	PK+AV	10ms	AUTO	LN OFF 60dB


Final Measurement: x QP / + AV

Meas Time: 1 s

Subranges: 16

Acc Margin: 20dB

Transducer No.	Start	Stop	Name
2 1	9k	30M	EW0700
12	9k	30M	EW0090





Report No.: 0710896
'Windows Shares' mode
AC mains 'L' (EUT)

Report No.:0710896

Scan Settings (1 Range)

|----- Frequencies -----||----- Receiver Settings -----|

Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp	OpRge
150k	30M	5k	10k	PK+AV	10ms	AUTO	LN OFF	60dB

Final Measurement Results:

Frequency	QP Level	QP Limit	Delta
MHz	dBuV	dBuV	dB
0.19000	43.9	64.1	-20.2
0.75500	35.5	56.0	-20.5
0.88000	36.4	56.0	-19.6
1.51000	37.3	56.0	-18.7
1.88500	37.0	56.0	-19.0
2.76500	38.1	56.0	-17.9
3.08000	36.8	56.0	-19.2
4.77500	36.4	56.0	-19.6
7.92000	37.7	60.0	-22.3
8.79500	38.0	60.0	-22.0
13.42000	42.6	60.0	-17.4
16.23000	45.0	60.0	-15.0
29.23500	45.4	60.0	-14.6

Frequency	AV Level	AV Limit	Delta
MHz	dBuV	dBuV	dB
0.19000	35.3	54.1	-18.8
0.37500	33.1	48.4	-15.3
0.50500	34.8	46.0	-11.2
0.75500	34.0	46.0	-12.0
0.88000	35.7	46.0	-10.3
1.51000	36.6	46.0	-9.4
1.88500	36.2	46.0	-9.8
2.20000	36.1	46.0	-9.9
3.20500	36.1	46.0	-9.9
4.21000	34.1	46.0	-11.9
7.92000	32.3	50.0	-17.7
9.17500	35.3	50.0	-14.7
13.42000	37.4	50.0	-12.6
16.23000	41.3	50.0	-8.7
29.23500	43.0	50.0	-7.0

* limit exceeded

Ctrl No.: N/A



Report No.: 0710896
'Windows Shares' mode
AC mains 'N' (EUT)


Report No.:0710896

Scan Settings (1 Range)

Frequencies				Receiver Settings				
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp	OpRge
150k	30M	5k	10k	PK+AV	10ms	AUTO	LN OFF	60dB

Final Measurement: x QP / + AV
Meas Time: 1 s
Subranges: 16
Acc Margin: 20dB

Transducer No.	Start	Stop	Name
2 1	9k	30M	EW0700
12	9k	30M	EW0090





Report No.: 0710896
'Windows Shares' mode
AC mains 'N' (EUT)

Report No.:0710896

Scan Settings (1 Range)

|----- Frequencies -----||----- Receiver Settings -----|

Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp	OpRge
150k	30M	5k	10k	PK+AV	10ms	AUTO	LN OFF	60dB

Final Measurement Results:

Frequency	QP Level	QP Limit	Delta
MHz	dBuV	dBuV	dB
0.19000	44.0	64.1	-20.1
0.75500	35.7	56.0	-20.3
0.88000	37.6	56.0	-18.4
1.51000	37.8	56.0	-18.2
1.57000	38.1	56.0	-17.9
2.83000	38.6	56.0	-17.4
3.14000	37.8	56.0	-18.2
4.58500	35.5	56.0	-20.5
7.92500	34.9	60.0	-25.1
9.23500	38.6	60.0	-21.4
14.21500	42.5	60.0	-17.5
16.23000	43.3	60.0	-16.7
29.23500	44.2	60.0	-15.8

Frequency	AV Level	AV Limit	Delta
MHz	dBuV	dBuV	dB
0.19000	35.3	54.1	-18.8
0.25000	32.6	51.8	-19.2
0.37500	34.7	48.4	-13.7
0.50500	36.0	46.0	-10.0
0.56500	34.6	46.0	-11.4
0.88000	37.2	46.0	-8.8
1.19500	37.8	46.0	-8.2
1.88500	37.7	46.0	-8.3
2.20000	37.1	46.0	-8.9
3.27000	36.1	46.0	-9.9
4.27500	33.3	46.0	-12.7
7.92500	33.1	50.0	-16.9
8.67000	36.0	50.0	-14.0
14.21500	35.5	50.0	-14.5
16.23000	39.7	50.0	-10.3
29.23500	40.6	50.0	-9.4

* limit exceeded

Ctrl No.: N/A