







Plot showing Pulse Train is repeating
MS Protocol




Pulse Train with Blanking Interval = 11.52 ms
MS Protocol




Time of Pulse #1 = 126 us
MS Protocol




Time of Pulse #2 = 126 us
MS Protocol




Time of Pulse #3 = 886 us
MS Protocol




Time of Pulse #4 = 246 us
MS Protocol




Time of Pulse #5 = 106 us
MS Protocol




Time of Pulse #6 = 106 us
MS Protocol




Time of Pulse #7 = 1006 us
MS Protocol




Time of Pulse #8 = 1006 us
MS Protocol




Time of Pulse #10 = 456 us
MS Protocol




Time of Pulse #11 = 566 us
MS Protocol




Time of Pulse #12 = 136 us
MS Protocol



Time of Pulse #13 = 136 μ s
MS Protocol



Time of Pulse #14 = 786 us
MS Protocol



Time of Pulse #15 = 886 us
MS Protocol

DUTY CYCLE INFORMATION

LINX TECHNOLOGIES

MS PROTOCOL

PULSE NUMBER	Time (uS)
1	126
2	126
3	886
4	246
5	106
6	106
7	1006
8	1006
9	366
10	456
11	566
12	136
13	126
14	786
15	886

Total On Time = 6,930 uS

Total Time of Pulse with Blanking Interval = 11,520 uS

Total Duty Cycle = 60.16 %