

EXHIBIT 5

User's Manual

User's Manual

SHENZHEN SUNSPRING ELECTRONICS CO., LTD.

USER'S MANUL**MODEL: CG107C
107 KEYS KEYBOARD****FCC NOTICE**

This equipment has been tested and found to comply with the limits for a class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and the receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

FCC Caution: To assure continued compliance, (example - use only shielded interface cables when connecting to computer or peripheral devices). Any changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate this equipment.

CG107C KEYBOARD SPECIFICATIONS

Structure

Size: 468.5mm x 224.5mm x 45mm (L x W x H)

Keystroke Travel: 4.0mm \pm 0.5mm (0.15" \pm 0.02")

Actuation Force: 55g \pm 7g

Reliability: $\geq 10 \times 10^6$ MCBF

Electron

Input Voltage: +5V DC 0.25V @300mA Max

Key Rollover: Multi-Key rollover

Out Code: Synchronous 8bit

Environmental

Operational Temperature: 0 to 50 °C

Operational Humidity: 10% - 90% RH at 40 °C

Storage Temperature: -20 to 60 °C

Storage Humidity: 5% - 95% RH at 40 °C