

DANAK-194611
DELTA-K220871-1

LIST OF INSTRUMENTS

EC NO.	INSTRUMENT	MANUFACTURER	TYPE
29985	BILOG ANTENNA, 26-2000 MHz	CHAFFNER / CHASE	6140A
29301	ARTIFICIAL MAINS NETWORK	ROHDE & SCHWARZ	ESH2-Z5
29916	AUTOMATIC EMI RECEIVER	ROHDE & SCHWARZ	ESCS-30
29861	EMI-SOFTWARE Ver. 1.50c	ROHDE & SCHWARZ	ES-K1, PART: 1026.6790.02


DANAK-194611
DELTA-K220871-1

ANNEX 2

Test record sheets and photos regarding
conducted emission, AC mains (EN 55022, class B)


(6 pages)

EUT: SafeCom. **EUT 1**
 Manufacturer: I-Data.
 Operating Condition: Line no.: Neutral. 115 Vac. S-UTP cable.
 Test Site: EMC-5
 Operator: HEN-K220871
 Test Specification: EN 55022 B, FCC B .
 Comment: Sheet 9
 Start of Test: 1999-06-29



EUT 1

EUT: SafeCom.
 Manufacturer: I-Data.
 Operating Condition: Line no.: Line 1. 115 Vac. S-UTP cable.
 Test Site: EMC-5
 Operator: HEN-K220871
 Test Specification: EN 55022 B, FCC B .
 Comment: Sheet 10
 Start of Test: 1999-06-29



DANAK-194611
DELTA-K220871-1




PHOTO A2.1






PHOTO A2.2

2011
 Manufacturer: FUSCOM Apress 514
 I-Data.
 Operating Condition: Line no.: Neutral, 115 Vac. S-UTP cable.
 Test Site: EMC-5
 Operator: HEN-K220871
 Test Specification: EN 55022 B, FCC B.
 Comment: Sheet 7
 Start of Test: 1999-06-29



Manufacturer: I-Data.
 Operating Condition: Line no.: Line 1. 115 Vac. S-UTP cable.
 Test Site: EMC-5
 Operator: HEN-K220871
 Test Specification: EN 55022 B, FCC B.
 Comment: Sheet 8
 Start of Test: 1999-06-29



DANAK-194611
DELTA-K220871-1




PHOTO A2.3

(4 pages)




PHOTO A2.4