



Model	PC36	Version	Date	Change History
Description		A	15-Aug-05	First Issue
Dimension	52(L)X20(W)X72(H)mm	B		
File Location	Data/H/LXM/PC36	C		

Design MKT Sales PMC Project leader ENG




Engraving



Overlay

**REMOTE**



Silkscreen color: White



Engraving

Model	PC36	Version	Date	Change History
Description		A	15-Aug-05	First Issue
Dimension	52(L)X20(W)X72(H)mm	B		
File Location	Data/H/LXM/PC36	C		

Design            MKT            Sales            PMC            Project leader            ENG           



Top view


Silkscreen  
Color: White

3 color overlay




Left view

Color: PMS 424C  
Texture: YS1284A



Front view

Color: PMS 424C  
Texture: YS1284A



Right view



Bottom view


Matte finishing

Color: PMS 433C

Color: PMS 432C


Color: white

Die Cut Line




Color: PMS 424C

Color: PMS 424C  
Texture: YS1284A



Back view

Engraving



Koolatron  
Remote Control  
Model No: PC 36  
Power: 2 X 2032  
Patent Pending  
Made in China

FCC CE

## User Guide

Model no. PC36

**SUPER BARK FREE II REMOTE CONTROL****CAUTION**


Read this user manual carefully before using Super Bark Free II Remote Control (PC36). This product should be used with Super Bark Free II (PC31) together.

**WARNING:** Not for use by children. Do not insert foreign objects into this or any electrical product.

**WARNING:** Do not immerse this unit in water or any other liquids. Unplug before cleaning.

Do not use harsh solvents on any part of this product. Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.


All repairs to the Super Bark Free II Remote Control are to be performed only by qualified service personnel.

**Directions for Use****Battery Installation**


Only CR2032 batteries can operate the Remote Control (PC36) and they are included.

1. 2 x CR2032 batteries are included to power the remote control.

2. To replace used batteries, use a screwdriver to unscrew the 5 screws and open the battery door.



3. Insert the batteries, matching the polarity as shown in the battery compartment.



4. Close and screw the battery door, making sure it is securely locked.

**Note:** When the main unit, Super Bark Free II becomes less sensitive or does not respond to the remote control, indicates that the power of the remote control is low and batteries need to be replaced.

**Device Installation****Testing the device**

1. Make sure the Super Bark Free II (PC31) is power on.
2. Press the On/Off button of the Remote Control (PC36) to see if the main unit can be switched On/Off, and this can be shown by the Green LED Power Status Indicator on the Super Bark Free II (PC31).

**Note:**

- The effective range of the remote control is 30 feet.
- Remove the pull tag before use.

**Technical Specification**

Unit Dimensions	72 x 52 x 20 mm
Unit Weight	40g (with battery)
Battery Type	2 x CR2032 batteries
RF Remote Control	Effective range up to 30 feet
Battery Duration	18 Months

**ONE YEAR LIMITED WARRANTY**

Mail this part of the warranty: (fill out information, make copy and send)

Your manufacturer's limited warranty is now effective. Please mail this card to Koolatron:

Date: \_\_\_\_\_ Item# \_\_\_\_\_

Purchased from: ☐ Retail Store ☐ Mail Order ☐ Other :

Retailer's Name: \_\_\_\_\_

Address: \_\_\_\_\_

Your Name: \_\_\_\_\_

Address: \_\_\_\_\_

City: \_\_\_\_\_

State: \_\_\_\_\_

Zip: \_\_\_\_\_ Phone: \_\_\_\_\_ Age: \_\_\_\_\_

Mail this portion of the card to:

**KOOLATRON**, Warehouse: 4330 Commerce Dr. • Batavia, NY 14020

**SAVE THIS PART OF THE LIMITED WARRANTY**

Please return the top portion of this warranty card to Koolatron, while retaining this portion for your records.

1. Koolatron warrants this product to be free of manufacturing defects. Should any such defect develop or become evident within ONE year from the date of purchase, Koolatron will replace the entire product or, at its option, repair or replace the defective part(s) without charge.
2. To return, Securely pack the entire unit. Be sure carton clearly identifies sender by name and address. Attach a letter or card, describing defect, and original sales receipt. Mail prepaid to the address shown below.

If you have any questions, or would like to learn more about Koolatron, please contact us at:

800-265-8456 or go on line at [www.koolatron.com](http://www.koolatron.com).

For your records:

Date: \_\_\_\_\_ Item# \_\_\_\_\_

**KOOLATRON**

Warehouse: 4330 Commerce Drive  
Batavia, NY 14020



KOOLATRON

27 Catharine Avenue, Brantford, ON N3T 1X5  
Warehouse: 4330 Commerce Drive, Batavia, NY 14020

Phone: 1-800-265-8456

Website: [www.koolatron.com](http://www.koolatron.com)

©2005 Koolatron

All rights reserved. All specifications are subject to change without notice.



REVINSTRO08 0305

## **FCC Information**

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions:

- (1) This Device may not cause harmful interference, and
- (2) This device must accept any interference received, including interference that may cause undesired operation.

Note: This equipment has been tested and found to comply with the limits for CLASS B digital device, pursuant to Part 15 of FCC Rules. These limits are designed to provide reasonable protection against harmful interference when the equipment is operated in a commercial environment. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try correct the interference by one or more of the following measures:

- 1.1. Reorient or relocate the receiving antenna.
- 1.2. Increase the separation between the equipment and receiver.
- 1.3. Connect the equipment into an outlet on a circuit different from that to which receiver is connected.
- 1.4. Consult the dealer or experienced radio/TV technician for help.

## **WARNING**

Changes or modifications not expressly approved by the manufacturer could void the user's authority to operate the equipment.