



Intertek Testing Services

ETL SEMKO

Report No.: 9904572

Mode: Charging

Tested By: Hong, Report No.: 9904572

Scan Settings (1 Range)

Frequencies			Receiver Settings					
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp	OpRge
450k	20M	5k	20K	PK	20ms	AUTO	LN OFF	60dB

Final Measurement: RQP


Transducer No.	Start	Stop	Name
3	9k	20M	EI078

Meas Time: 1.5

Subranges: 16

Avg Margin: 20dB

dBmV



Ctrl. No.: N/A



Intertek Testing Services

ETL SEMKO

Report No.: 9904572

Mode: Charging

Tested By: Hong, Report No.: 9904572

Scan Settings (1 Range)

Frequencies			Receiver Settings					
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp	OpRge
450k	30M	5k	10k	PK	20ms	AUTO	LN OFF	60dB

Final Measurement Results:

no Results

Ctrl. No.: N/A




Report No.: 9904572
Mode: Standby

Tested By: Hong, Report No.: 9904572
Scan Settings (1 Range)

Frequencies			Receiver Settings					
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp	OpRge
450k	30M	5k	10k	PK	70ms	AUTO	LN OFF	60dB

Final Measurement:	QF	Transducer No.	Start	Stop	Name
Meas Time:	1 s	2	9k	30M	EI078
Subranges:	16				
Acc Margin:	20dB				



Report No.: 9904572

Made ! Standby

Tested By: Hong, Report No.: 9904572

Scan Settings (1 Range)

----- Frequencies -----			----- Receiver Settings -----					
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp	OpRge
450k	30M	5k	10k	PK	20ms	AUTO	LN OFF	60dB

Final Measurement Results:

no Results

Ctrl. No.:



Intertek Testing Services

ETL SEMKO

Report No.: 9904572

Mode: Transmission

Tested By: Hong, Report No.: 9904572

Scan Settings (1 Range)

Frequencies			Receiver Settings					
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp	OpRge
450K	30M	5K	10K	PK	2Gms	AUTO	LN OFF	60dB


Final Measurement: Σ QP

Transducer No.	Start	Stop	Name
3	9K	30M	E1078

Meas Time: 1 s

Subranges: 16

Acc Margin: 20dB





Intertek Testing Services

ETL SEMKO

Report No.: 9904572

Mode: Transmission

Tested By: Hong, Report No.: 9904572

Scan Settings (1 Range)

Frequencies			Receiver Settings						
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp	OpRge	
450k	30M	5k	10k	PK	20ms	AUTO	LN OFF	60dB	

Final Measurement Results:

no Results

Ctrl. No.: N/A