



Appendix A

RF Test Data for BT (Conducted Measurement)

Product Name: JBL-AURA-BT STEREO

Test Model: JBL-AURA-BT

Environmental Conditions

Temperature:	23.9° C
Relative Humidity:	52.4%
ATM Pressure:	100.0 kPa
Test Engineer:	Jay Luo
Supervised by:	Nick Peng



Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity



A.1 -20dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-20 dB Bandwidth (MHz)	Limit -20 dB Bandwidth (MHz)	Verdict
NVNT	1-DH5	2402	Ant1	0.954	N/A	Pass
NVNT	1-DH5	2441	Ant1	1.013	N/A	Pass
NVNT	1-DH5	2480	Ant1	0.948	N/A	Pass
NVNT	2-DH5	2402	Ant1	1.308	N/A	Pass
NVNT	2-DH5	2441	Ant1	1.285	N/A	Pass
NVNT	2-DH5	2480	Ant1	1.285	N/A	Pass
NVNT	3-DH5	2402	Ant1	1.288	N/A	Pass
NVNT	3-DH5	2441	Ant1	1.276	N/A	Pass
NVNT	3-DH5	2480	Ant1	1.286	N/A	Pass



Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

-20dB Bandwidth NVNT 1-DH5 2402MHz Ant1



-20dB Bandwidth NVNT 1-DH5 2441MHz Ant1






-20dB Bandwidth NVNT 1-DH5 2480MHz Ant1




-20dB Bandwidth NVNT 2-DH5 2402MHz Ant1






-20dB Bandwidth NVNT 2-DH5 2441MHz Ant1




-20dB Bandwidth NVNT 2-DH5 2480MHz Ant1







-20dB Bandwidth NVNT 3-DH5 2402MHz Ant1



-20dB Bandwidth NVNT 3-DH5 2441MHz Ant1







A.2 Maximum Peak Conducted Output Power

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Limit (dBm)	Verdict
NVNT	1-DH5	2402	Ant1	-0.47	21	Pass
NVNT	1-DH5	2441	Ant1	0.83	21	Pass
NVNT	1-DH5	2480	Ant1	-0.12	21	Pass
NVNT	2-DH5	2402	Ant1	-0.38	21	Pass
NVNT	2-DH5	2441	Ant1	0.04	21	Pass
NVNT	2-DH5	2480	Ant1	-0.89	21	Pass
NVNT	3-DH5	2402	Ant1	0.02	21	Pass
NVNT	3-DH5	2441	Ant1	0.19	21	Pass
NVNT	3-DH5	2480	Ant1	-0.66	21	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Power NVNT 1-DH5 2402MHz Ant1




Power NVNT 1-DH5 2441MHz Ant1






Power NVNT 1-DH5 2480MHz Ant1




Power NVNT 2-DH5 2402MHz Ant1






Power NVNT 2-DH5 2441MHz Ant1




Power NVNT 2-DH5 2480MHz Ant1







Power NVNT 3-DH5 2402MHz Ant1



Power NVNT 3-DH5 2441MHz Ant1







A.3 Carrier Frequencies Separation

Condition	Mode	Antenna	Hopping Freq1 (MHz)	Hopping Freq2 (MHz)	HFS (MHz)	Limit (MHz)	Verdict
NVNT	1-DH5	Ant1	2401.826	2403.024	1.198	0.675	Pass
NVNT	2-DH5	Ant1	2402.002	2403.028	1.026	0.872	Pass
NVNT	3-DH5	Ant1	2402.022	2403.03	1.008	0.859	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity





Test Graphs

CFS NVNT 1-DH5 2402MHz Ant1



CFS NVNT 2-DH5 2402MHz Ant1







A.4 Dwell Time

Condition	Mode	Frequency (MHz)	Antenna	Pulse Time (ms)	Total Dwell Time (ms)	Burst Count	Period Time (ms)	Limit (ms)	Verdict
NVNT	1-DH5	2402	Ant1	2.91	314.28	108	31600	400	Pass
NVNT	2-DH5	2402	Ant1	2.898	336.168	116	31600	400	Pass
NVNT	3-DH5	2402	Ant1	2.897	321.567	111	31600	400	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Dwell NVNT 1-DH5 2402MHz Ant1 One Burst




Dwell NVNT 1-DH5 2402MHz Ant1 Accumulated






Dwell NVNT 2-DH5 2402MHz Ant1 One Burst




Dwell NVNT 2-DH5 2402MHz Ant1 Accumulated






Dwell NVNT 3-DH5 2402MHz Ant1 One Burst



Dwell NVNT 3-DH5 2402MHz Ant1 Accumulated





A.5 Number of Hopping Channel

Condition	Mode	Antenna	Hopping Number	Limit	Verdict
NVNT	1-DH5	Ant1	79	15	Pass
NVNT	2-DH5	Ant1	79	15	Pass
NVNT	3-DH5	Ant1	79	15	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs


Hopping No. NVNT 1-DH5 2402MHz Ant1



Hopping No. NVNT 2-DH5 2402MHz Ant1



Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity





A.6 Band Edge

Condition	Mode	Frequency (MHz)	Antenna	Hopping Mode	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH5	2402	Ant1	No-Hopping	-54.96	-20	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	-56.69	-20	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	-49.69	-20	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	-53.97	-20	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	-51.43	-20	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	-53.66	-20	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Band Edge NVNT 1-DH5 2402MHz Ant1 No-Hopping Ref




Band Edge NVNT 1-DH5 2402MHz Ant1 No-Hopping Emission






Band Edge NVNT 1-DH5 2480MHz Ant1 No-Hopping Ref




Band Edge NVNT 1-DH5 2480MHz Ant1 No-Hopping Emission






Band Edge NVNT 2-DH5 2402MHz Ant1 No-Hopping Ref




Band Edge NVNT 2-DH5 2402MHz Ant1 No-Hopping Emission






Band Edge NVNT 2-DH5 2480MHz Ant1 No-Hopping Ref




Band Edge NVNT 2-DH5 2480MHz Ant1 No-Hopping Emission






Band Edge NVNT 3-DH5 2402MHz Ant1 No-Hopping Ref




Band Edge NVNT 3-DH5 2402MHz Ant1 No-Hopping Emission






Band Edge NVNT 3-DH5 2480MHz Ant1 No-Hopping Ref



Band Edge NVNT 3-DH5 2480MHz Ant1 No-Hopping Emission





(Hopping)

Condition	Mode	Frequency (MHz)	Antenna	Hopping Mode	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH5	2402	Ant1	Hopping	-60.13	-20	Pass
NVNT	1-DH5	2480	Ant1	Hopping	-61.45	-20	Pass
NVNT	2-DH5	2402	Ant1	Hopping	-59.42	-20	Pass
NVNT	2-DH5	2480	Ant1	Hopping	-58.9	-20	Pass
NVNT	3-DH5	2402	Ant1	Hopping	-60.35	-20	Pass
NVNT	3-DH5	2480	Ant1	Hopping	-57.87	-20	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Band Edge(Hopping) NVNT 1-DH5 2402MHz Ant1 Hopping Ref




Band Edge(Hopping) NVNT 1-DH5 2402MHz Ant1 Hopping Emission






Band Edge(Hopping) NVNT 1-DH5 2480MHz Ant1 Hopping Ref




Band Edge(Hopping) NVNT 1-DH5 2480MHz Ant1 Hopping Emission






Band Edge(Hopping) NVNT 2-DH5 2402MHz Ant1 Hopping Ref




Band Edge(Hopping) NVNT 2-DH5 2402MHz Ant1 Hopping Emission






Band Edge(Hopping) NVNT 2-DH5 2480MHz Ant1 Hopping Ref




Band Edge(Hopping) NVNT 2-DH5 2480MHz Ant1 Hopping Emission






Band Edge(Hopping) NVNT 3-DH5 2402MHz Ant1 Hopping Ref




Band Edge(Hopping) NVNT 3-DH5 2402MHz Ant1 Hopping Emission






Band Edge(Hopping) NVNT 3-DH5 2480MHz Ant1 Hopping Ref



Band Edge(Hopping) NVNT 3-DH5 2480MHz Ant1 Hopping Emission





A.7 Conducted RF Spurious Emission

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH5	2402	Ant1	-54.72	-20	Pass
NVNT	1-DH5	2441	Ant1	-55.9	-20	Pass
NVNT	1-DH5	2480	Ant1	-55.23	-20	Pass
NVNT	2-DH5	2402	Ant1	-52.08	-20	Pass
NVNT	2-DH5	2441	Ant1	-52.62	-20	Pass
NVNT	2-DH5	2480	Ant1	-51.64	-20	Pass
NVNT	3-DH5	2402	Ant1	-53.27	-20	Pass
NVNT	3-DH5	2441	Ant1	-52.54	-20	Pass
NVNT	3-DH5	2480	Ant1	-51.35	-20	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Tx. Spurious NVNT 1-DH5 2402MHz Ant1 Ref




Tx. Spurious NVNT 1-DH5 2402MHz Ant1 Emission






Tx. Spurious NVNT 1-DH5 2441MHz Ant1 Ref




Tx. Spurious NVNT 1-DH5 2441MHz Ant1 Emission






Tx. Spurious NVNT 1-DH5 2480MHz Ant1 Ref




Tx. Spurious NVNT 1-DH5 2480MHz Ant1 Emission






Tx. Spurious NVNT 2-DH5 2402MHz Ant1 Ref




Tx. Spurious NVNT 2-DH5 2402MHz Ant1 Emission






Tx. Spurious NVNT 2-DH5 2441MHz Ant1 Ref




Tx. Spurious NVNT 2-DH5 2441MHz Ant1 Emission






Tx. Spurious NVNT 2-DH5 2480MHz Ant1 Ref




Tx. Spurious NVNT 2-DH5 2480MHz Ant1 Emission






Tx. Spurious NVNT 3-DH5 2402MHz Ant1 Ref




Tx. Spurious NVNT 3-DH5 2402MHz Ant1 Emission






Tx. Spurious NVNT 3-DH5 2441MHz Ant1 Ref




Tx. Spurious NVNT 3-DH5 2441MHz Ant1 Emission






Tx. Spurious NVNT 3-DH5 2480MHz Ant1 Ref



Tx. Spurious NVNT 3-DH5 2480MHz Ant1 Emission





A.8 Duty Cycle

Condition	Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	Correction Factor (dB)	1/T (kHz)
NVNT	1-DH5	2402	Ant1	77.6	1.1	0.34
NVNT	1-DH5	2441	Ant1	77.6	1.1	0.34
NVNT	1-DH5	2480	Ant1	77.6	1.1	0.34
NVNT	2-DH5	2402	Ant1	77.33	1.12	0.34
NVNT	2-DH5	2441	Ant1	77.28	1.12	0.35
NVNT	2-DH5	2480	Ant1	77.28	1.12	0.35
NVNT	3-DH5	2402	Ant1	77.28	1.12	0.35
NVNT	3-DH5	2441	Ant1	77.28	1.12	0.35
NVNT	3-DH5	2480	Ant1	77.28	1.12	0.35




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Duty Cycle NVNT 1-DH5 2402MHz Ant1




Duty Cycle NVNT 1-DH5 2441MHz Ant1






Duty Cycle NVNT 1-DH5 2480MHz Ant1




Duty Cycle NVNT 2-DH5 2402MHz Ant1






Duty Cycle NVNT 2-DH5 2441MHz Ant1




Duty Cycle NVNT 2-DH5 2480MHz Ant1







Duty Cycle NVNT 3-DH5 2402MHz Ant1



Duty Cycle NVNT 3-DH5 2441MHz Ant1







A.9 Restrict Band

Condition	Mode	Frequency (MHz)	Antenna	Hopping Mode	Spur Freq (MHz)	Power (dBm)	Gain (dBi)	Duty Factor (dB)	E (dBuV/m)	Detector	Limit (dBuV/m)	Verdict
NVNT	1-DH5	2402	Ant1	No-Hopping	2310	-50.05	2.00	-	47.21	Peak	74	Pass
NVNT	1-DH5	2402	Ant1	No-Hopping	2310	-58.46	2.00	1.1	39.90	Average	54	Pass
NVNT	1-DH5	2402	Ant1	No-Hopping	2389.296	-47.55	2.00	-	49.71	Peak	74	Pass
NVNT	1-DH5	2402	Ant1	No-Hopping	2387.472	-57.36	2.00	1.1	41.00	Average	54	Pass
NVNT	1-DH5	2402	Ant1	No-Hopping	2390	-50.56	2.00	-	46.70	Peak	74	Pass
NVNT	1-DH5	2402	Ant1	No-Hopping	2390	-58.53	2.00	1.1	39.83	Average	54	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	2483.5	-47.91	2.00	-	49.35	Peak	74	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	2483.5	-57.99	2.00	1.1	40.37	Average	54	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	2486.32	-46.24	2.00	-	51.02	Peak	74	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	2483.608	-57.04	2.00	1.1	41.32	Average	54	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	2500	-49.12	2.00	-	48.14	Peak	74	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	2500	-58.42	2.00	1.1	39.94	Average	54	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	2310	-51.2	2.00	-	46.06	Peak	74	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	2310	-58.84	2.00	1.12	39.54	Average	54	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	2312.592	-47.79	2.00	-	49.47	Peak	74	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	2379.6	-57.33	2.00	1.12	41.05	Average	54	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	2390	-51.24	2.00	-	46.02	Peak	74	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	2390	-58.87	2.00	1.12	39.51	Average	54	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	2483.5	-49.72	2.00	-	47.54	Peak	74	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	2483.5	-57.97	2.00	1.12	40.41	Average	54	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	2495.032	-47.54	2.00	-	49.72	Peak	74	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	2499.4	-57.14	2.00	1.12	41.24	Average	54	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	2500	-48.64	2.00	-	48.62	Peak	74	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	2500	-57.6	2.00	1.12	40.78	Average	54	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	2310	-49.17	2.00	-	48.09	Peak	74	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	2310	-58.66	2.00	1.12	39.72	Average	54	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	2352.816	-47.67	2.00	-	49.59	Peak	74	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	2371.824	-57.59	2.00	1.12	40.79	Average	54	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	2390	-48.27	2.00	-	48.99	Peak	74	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	2390	-58.61	2.00	1.12	39.77	Average	54	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	2483.5	-49.99	2.00	-	47.27	Peak	74	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	2483.5	-57.71	2.00	1.12	40.67	Average	54	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	2485	-46.63	2.00	-	50.63	Peak	74	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	2483.584	-56.84	2.00	1.12	41.54	Average	54	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	2500	-49.59	2.00	-	47.67	Peak	74	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	2500	-57.72	2.00	1.12	40.66	Average	54	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity


Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity



Restrict Band NVNT 1-DH5 2480MHz Ant1 No-Hopping Peak




Restrict Band NVNT 1-DH5 2480MHz Ant1 No-Hopping Average






Restrict Band NVNT 2-DH5 2402MHz Ant1 No-Hopping Peak




Restrict Band NVNT 2-DH5 2402MHz Ant1 No-Hopping Average






Restrict Band NVNT 2-DH5 2480MHz Ant1 No-Hopping Peak




Restrict Band NVNT 2-DH5 2480MHz Ant1 No-Hopping Average






Restrict Band NVNT 3-DH5 2402MHz Ant1 No-Hopping Peak




Restrict Band NVNT 3-DH5 2402MHz Ant1 No-Hopping Average





Restrict Band NVNT 3-DH5 2480MHz Ant1 No-Hopping Peak



Restrict Band NVNT 3-DH5 2480MHz Ant1 No-Hopping Average

