



Appendix A

RF Test Data for BT (Conducted Measurement)

Product Name: AURA-CUBE COMPACT WALL MOUNT STEREO

Test Model: JBL-AURA-CUBE

Environmental Conditions

Temperature:	23.9° C
Relative Humidity:	52.4%
ATM Pressure:	100.0 kPa
Test Engineer:	Jay Luo
Supervised by:	Nick Peng



Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity



A.1 -20dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-20 dB Bandwidth (MHz)	Limit -20 dB Bandwidth (MHz)	Verdict
NVNT	1-DH5	2402	Ant1	0.994	N/A	Pass
NVNT	1-DH5	2441	Ant1	1.007	N/A	Pass
NVNT	1-DH5	2480	Ant1	0.944	N/A	Pass
NVNT	2-DH5	2402	Ant1	1.331	N/A	Pass
NVNT	2-DH5	2441	Ant1	1.284	N/A	Pass
NVNT	2-DH5	2480	Ant1	1.281	N/A	Pass
NVNT	3-DH5	2402	Ant1	1.305	N/A	Pass
NVNT	3-DH5	2441	Ant1	1.296	N/A	Pass
NVNT	3-DH5	2480	Ant1	1.293	N/A	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

-20dB Bandwidth NVNT 1-DH5 2402MHz Ant1




-20dB Bandwidth NVNT 1-DH5 2441MHz Ant1






-20dB Bandwidth NVNT 1-DH5 2480MHz Ant1




-20dB Bandwidth NVNT 2-DH5 2402MHz Ant1






-20dB Bandwidth NVNT 2-DH5 2441MHz Ant1




-20dB Bandwidth NVNT 2-DH5 2480MHz Ant1







-20dB Bandwidth NVNT 3-DH5 2402MHz Ant1



-20dB Bandwidth NVNT 3-DH5 2441MHz Ant1







A.2 Maximum Peak Conducted Output Power

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Limit (dBm)	Verdict
NVNT	1-DH5	2402	Ant1	0.29	21	Pass
NVNT	1-DH5	2441	Ant1	0.68	21	Pass
NVNT	1-DH5	2480	Ant1	0.02	21	Pass
NVNT	2-DH5	2402	Ant1	0.63	21	Pass
NVNT	2-DH5	2441	Ant1	1.01	21	Pass
NVNT	2-DH5	2480	Ant1	-0.06	21	Pass
NVNT	3-DH5	2402	Ant1	0.98	21	Pass
NVNT	3-DH5	2441	Ant1	1.3	21	Pass
NVNT	3-DH5	2480	Ant1	0.95	21	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Power NVNT 1-DH5 2402MHz Ant1




Power NVNT 1-DH5 2441MHz Ant1






Power NVNT 1-DH5 2480MHz Ant1




Power NVNT 2-DH5 2402MHz Ant1






Power NVNT 2-DH5 2441MHz Ant1




Power NVNT 2-DH5 2480MHz Ant1







Power NVNT 3-DH5 2402MHz Ant1



Power NVNT 3-DH5 2441MHz Ant1







A.3 Carrier Frequencies Separation

Condition	Mode	Antenna	Hopping Freq1 (MHz)	Hopping Freq2 (MHz)	HFS (MHz)	Limit (MHz)	Verdict
NVNT	1-DH5	Ant1	2401.834	2402.838	1.004	0.671	Pass
NVNT	2-DH5	Ant1	2402.032	2403.036	1.004	0.887	Pass
NVNT	3-DH5	Ant1	2402.014	2402.998	0.984	0.870	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity





Test Graphs

CFS NVNT 1-DH5 2402MHz Ant1



CFS NVNT 2-DH5 2402MHz Ant1







A.4 Dwell Time

Condition	Mode	Frequency (MHz)	Antenna	Pulse Time (ms)	Total Dwell Time (ms)	Burst Count	Period Time (ms)	Limit (ms)	Verdict
NVNT	1-DH5	2402	Ant1	2.909	282.173	97	31600	400	Pass
NVNT	2-DH5	2402	Ant1	2.897	301.288	104	31600	400	Pass
NVNT	3-DH5	2402	Ant1	2.897	312.876	108	31600	400	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Dwell NVNT 1-DH5 2402MHz Ant1 One Burst




Dwell NVNT 1-DH5 2402MHz Ant1 Accumulated






Dwell NVNT 2-DH5 2402MHz Ant1 One Burst




Dwell NVNT 2-DH5 2402MHz Ant1 Accumulated






Dwell NVNT 3-DH5 2402MHz Ant1 One Burst



Dwell NVNT 3-DH5 2402MHz Ant1 Accumulated





A.5 Number of Hopping Channel

Condition	Mode	Antenna	Hopping Number	Limit	Verdict
NVNT	1-DH5	Ant1	79	15	Pass
NVNT	2-DH5	Ant1	79	15	Pass
NVNT	3-DH5	Ant1	79	15	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs


Hopping No. NVNT 1-DH5 2402MHz Ant1



Hopping No. NVNT 2-DH5 2402MHz Ant1



Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity





A.6 Band Edge

Condition	Mode	Frequency (MHz)	Antenna	Hopping Mode	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH5	2402	Ant1	No-Hopping	-55.85	-20	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	-55.66	-20	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	-52.11	-20	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	-52.77	-20	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	-50.95	-20	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	-54.84	-20	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Band Edge NVNT 1-DH5 2402MHz Ant1 No-Hopping Ref




Band Edge NVNT 1-DH5 2402MHz Ant1 No-Hopping Emission






Band Edge NVNT 1-DH5 2480MHz Ant1 No-Hopping Ref




Band Edge NVNT 1-DH5 2480MHz Ant1 No-Hopping Emission






Band Edge NVNT 2-DH5 2402MHz Ant1 No-Hopping Ref




Band Edge NVNT 2-DH5 2402MHz Ant1 No-Hopping Emission






Band Edge NVNT 2-DH5 2480MHz Ant1 No-Hopping Ref




Band Edge NVNT 2-DH5 2480MHz Ant1 No-Hopping Emission






Band Edge NVNT 3-DH5 2402MHz Ant1 No-Hopping Ref




Band Edge NVNT 3-DH5 2402MHz Ant1 No-Hopping Emission






Band Edge NVNT 3-DH5 2480MHz Ant1 No-Hopping Ref



Band Edge NVNT 3-DH5 2480MHz Ant1 No-Hopping Emission





(Hopping)

Condition	Mode	Frequency (MHz)	Antenna	Hopping Mode	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH5	2402	Ant1	Hopping	-61.03	-20	Pass
NVNT	1-DH5	2480	Ant1	Hopping	-62.64	-20	Pass
NVNT	2-DH5	2402	Ant1	Hopping	-60.12	-20	Pass
NVNT	2-DH5	2480	Ant1	Hopping	-56.55	-20	Pass
NVNT	3-DH5	2402	Ant1	Hopping	-61.15	-20	Pass
NVNT	3-DH5	2480	Ant1	Hopping	-58.04	-20	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Band Edge(Hopping) NVNT 1-DH5 2402MHz Ant1 Hopping Ref




Band Edge(Hopping) NVNT 1-DH5 2402MHz Ant1 Hopping Emission






Band Edge(Hopping) NVNT 1-DH5 2480MHz Ant1 Hopping Ref




Band Edge(Hopping) NVNT 1-DH5 2480MHz Ant1 Hopping Emission






Band Edge(Hopping) NVNT 2-DH5 2402MHz Ant1 Hopping Ref




Band Edge(Hopping) NVNT 2-DH5 2402MHz Ant1 Hopping Emission






Band Edge(Hopping) NVNT 2-DH5 2480MHz Ant1 Hopping Ref




Band Edge(Hopping) NVNT 2-DH5 2480MHz Ant1 Hopping Emission






Band Edge(Hopping) NVNT 3-DH5 2402MHz Ant1 Hopping Ref



Band Edge(Hopping) NVNT 3-DH5 2402MHz Ant1 Hopping Emission






Band Edge(Hopping) NVNT 3-DH5 2480MHz Ant1 Hopping Ref



Band Edge(Hopping) NVNT 3-DH5 2480MHz Ant1 Hopping Emission





A.7 Conducted RF Spurious Emission

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH5	2402	Ant1	-55.25	-20	Pass
NVNT	1-DH5	2441	Ant1	-55.25	-20	Pass
NVNT	1-DH5	2480	Ant1	-54.42	-20	Pass
NVNT	2-DH5	2402	Ant1	-52.91	-20	Pass
NVNT	2-DH5	2441	Ant1	-53.6	-20	Pass
NVNT	2-DH5	2480	Ant1	-52.92	-20	Pass
NVNT	3-DH5	2402	Ant1	-53.12	-20	Pass
NVNT	3-DH5	2441	Ant1	-53.45	-20	Pass
NVNT	3-DH5	2480	Ant1	-53.46	-20	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Tx. Spurious NVNT 1-DH5 2402MHz Ant1 Ref




Tx. Spurious NVNT 1-DH5 2402MHz Ant1 Emission






Tx. Spurious NVNT 1-DH5 2441MHz Ant1 Ref



Tx. Spurious NVNT 1-DH5 2441MHz Ant1 Emission






Tx. Spurious NVNT 1-DH5 2480MHz Ant1 Ref




Tx. Spurious NVNT 1-DH5 2480MHz Ant1 Emission






Tx. Spurious NVNT 2-DH5 2402MHz Ant1 Ref




Tx. Spurious NVNT 2-DH5 2402MHz Ant1 Emission






Tx. Spurious NVNT 2-DH5 2441MHz Ant1 Ref




Tx. Spurious NVNT 2-DH5 2441MHz Ant1 Emission






Tx. Spurious NVNT 2-DH5 2480MHz Ant1 Ref




Tx. Spurious NVNT 2-DH5 2480MHz Ant1 Emission






Tx. Spurious NVNT 3-DH5 2402MHz Ant1 Ref




Tx. Spurious NVNT 3-DH5 2402MHz Ant1 Emission






Tx. Spurious NVNT 3-DH5 2441MHz Ant1 Ref




Tx. Spurious NVNT 3-DH5 2441MHz Ant1 Emission






Tx. Spurious NVNT 3-DH5 2480MHz Ant1 Ref



Tx. Spurious NVNT 3-DH5 2480MHz Ant1 Emission





A.8 Duty Cycle

Condition	Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	Correction Factor (dB)	1/T (kHz)
NVNT	1-DH5	2402	Ant1	77.6	1.1	0.34
NVNT	1-DH5	2441	Ant1	77.6	1.1	0.34
NVNT	1-DH5	2480	Ant1	77.63	1.1	0.34
NVNT	2-DH5	2402	Ant1	77.28	1.12	0.35
NVNT	2-DH5	2441	Ant1	77.28	1.12	0.35
NVNT	2-DH5	2480	Ant1	77.28	1.12	0.35
NVNT	3-DH5	2402	Ant1	77.28	1.12	0.35
NVNT	3-DH5	2441	Ant1	77.28	1.12	0.35
NVNT	3-DH5	2480	Ant1	77.28	1.12	0.35




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Duty Cycle NVNT 1-DH5 2402MHz Ant1




Duty Cycle NVNT 1-DH5 2441MHz Ant1






Duty Cycle NVNT 1-DH5 2480MHz Ant1




Duty Cycle NVNT 2-DH5 2402MHz Ant1






Duty Cycle NVNT 2-DH5 2441MHz Ant1




Duty Cycle NVNT 2-DH5 2480MHz Ant1







Duty Cycle NVNT 3-DH5 2402MHz Ant1



Duty Cycle NVNT 3-DH5 2441MHz Ant1







A.9 Restrict Band


Condition	Mode	Frequency (MHz)	Antenna	Hopping Mode	Spur Freq (MHz)	Power (dBm)	Gain (dBi)	Duty Factor (dB)	E (dBuV/m)	Detector	Limit (dBuV/m)	Verdict
NVNT	1-DH5	2402	Ant1	No-Hopping	2310	-51.2	2.00	-	46.06	Peak	74	Pass
NVNT	1-DH5	2402	Ant1	No-Hopping	2310	-58.38	2.00	1.1	39.98	Average	54	Pass
NVNT	1-DH5	2402	Ant1	No-Hopping	2373.36	-47.63	2.00	-	49.63	Peak	74	Pass
NVNT	1-DH5	2402	Ant1	No-Hopping	2384.4	-57.57	2.00	1.1	40.79	Average	54	Pass
NVNT	1-DH5	2402	Ant1	No-Hopping	2390	-51.11	2.00	-	46.15	Peak	74	Pass
NVNT	1-DH5	2402	Ant1	No-Hopping	2390	-58.51	2.00	1.1	39.85	Average	54	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	2483.5	-50.43	2.00	-	46.83	Peak	74	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	2483.5	-57.48	2.00	1.1	40.88	Average	54	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	2483.944	-45.09	2.00	-	52.17	Peak	74	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	2487.112	-57.04	2.00	1.1	41.32	Average	54	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	2500	-49.89	2.00	-	47.37	Peak	74	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	2500	-57.85	2.00	1.1	40.51	Average	54	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	2310	-49.22	2.00	-	48.04	Peak	74	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	2310	-57.8	2.00	1.12	40.58	Average	54	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	2368.368	-47.64	2.00	-	49.62	Peak	74	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	2382.384	-57.61	2.00	1.12	40.77	Average	54	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	2390	-49.28	2.00	-	47.98	Peak	74	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	2390	-58.29	2.00	1.12	40.09	Average	54	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	2483.5	-48.62	2.00	-	48.64	Peak	74	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	2483.5	-57.8	2.00	1.12	40.58	Average	54	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	2487.352	-46.67	2.00	-	50.59	Peak	74	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	2496.52	-56.94	2.00	1.12	41.44	Average	54	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	2500	-49.76	2.00	-	47.50	Peak	74	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	2500	-57.84	2.00	1.12	40.54	Average	54	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	2310	-50.98	2.00	-	46.28	Peak	74	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	2310	-58.69	2.00	1.12	39.69	Average	54	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	2386.704	-47.25	2.00	-	50.01	Peak	74	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	2332.368	-57.62	2.00	1.12	40.76	Average	54	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	2390	-50.56	2.00	-	46.70	Peak	74	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	2390	-57.87	2.00	1.12	40.51	Average	54	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	2483.5	-48.19	2.00	-	49.07	Peak	74	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	2483.5	-57.78	2.00	1.12	40.60	Average	54	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	2495.56	-46.42	2.00	-	50.84	Peak	74	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	2484.04	-57.02	2.00	1.12	41.36	Average	54	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	2500	-50.3	2.00	-	46.96	Peak	74	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	2500	-57.59	2.00	1.12	40.79	Average	54	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity

Test Graphs

Restrict Band NVNT 1-DH5 2402MHz Ant1 No-Hopping Peak




Restrict Band NVNT 1-DH5 2402MHz Ant1 No-Hopping Average




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity



Restrict Band NVNT 1-DH5 2480MHz Ant1 No-Hopping Peak




Restrict Band NVNT 1-DH5 2480MHz Ant1 No-Hopping Average






Restrict Band NVNT 2-DH5 2402MHz Ant1 No-Hopping Peak




Restrict Band NVNT 2-DH5 2402MHz Ant1 No-Hopping Average






Restrict Band NVNT 2-DH5 2480MHz Ant1 No-Hopping Peak




Restrict Band NVNT 2-DH5 2480MHz Ant1 No-Hopping Average






Restrict Band NVNT 3-DH5 2402MHz Ant1 No-Hopping Peak




Restrict Band NVNT 3-DH5 2402MHz Ant1 No-Hopping Average





Restrict Band NVNT 3-DH5 2480MHz Ant1 No-Hopping Peak



Restrict Band NVNT 3-DH5 2480MHz Ant1 No-Hopping Average

