


5.2G WIFI


Duty Cycle

Condition	Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	Correction Factor (dB)
NVNT	a	5180	Ant1	98.2	0.08
NVNT	a	5200	Ant1	98.2	0.08
NVNT	a	5240	Ant1	98.19	0.08
NVNT	n20	5180	Ant1	98.09	0.08
NVNT	n20	5200	Ant1	98.07	0.08
NVNT	n20	5240	Ant1	98.07	0.08
NVNT	n40	5190	Ant1	96.38	0.16
NVNT	n40	5230	Ant1	96.36	0.16


Duty Cycle NVNT a 5180MHz Ant1




Duty Cycle NVNT a 5200MHz Ant1




Duty Cycle NVNT a 5240MHz Ant1




Duty Cycle NVNT n20 5180MHz Ant1




Duty Cycle NVNT n20 5200MHz Ant1




Duty Cycle NVNT n20 5240MHz Ant1



Duty Cycle NVNT n40 5190MHz Ant1



Duty Cycle NVNT n40 5230MHz Ant1




Maximum Conducted Output Power

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Duty Factor (dB)	Total Power (dBm)	Limit (dBm)	Verdict
NVNT	a	5180	Ant1	9.591	0.08	9.671	24	Pass
NVNT	a	5200	Ant1	9.028	0.08	9.108	24	Pass
NVNT	a	5240	Ant1	9.744	0.08	9.824	24	Pass
NVNT	n20	5180	Ant1	9.05	0.08	9.13	24	Pass
NVNT	n20	5200	Ant1	9.406	0.08	9.486	24	Pass
NVNT	n20	5240	Ant1	9.704	0.08	9.784	24	Pass
NVNT	n40	5190	Ant1	9.043	0.16	9.203	24	Pass
NVNT	n40	5230	Ant1	9.188	0.16	9.348	24	Pass


-26dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-26 dB Bandwidth (MHz)	Verdict
NVNT	a	5180	Ant1	19.609	Pass
NVNT	a	5200	Ant1	19.421	Pass
NVNT	a	5240	Ant1	19.78	Pass
NVNT	n20	5180	Ant1	19.803	Pass
NVNT	n20	5200	Ant1	19.954	Pass
NVNT	n20	5240	Ant1	19.82	Pass
NVNT	n40	5190	Ant1	39.53	Pass
NVNT	n40	5230	Ant1	39.853	Pass


-26dB Bandwidth NVNT a 5180MHz Ant1




-26dB Bandwidth NVNT a 5200MHz Ant1




-26dB Bandwidth NVNT a 5240MHz Ant1




-26dB Bandwidth NVNT n20 5180MHz Ant1




-26dB Bandwidth NVNT n20 5200MHz Ant1




-26dB Bandwidth NVNT n20 5240MHz Ant1



-26dB Bandwidth NVNT n40 5190MHz Ant1




-26dB Bandwidth NVNT n40 5230MHz Ant1




Occupied Channel Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)
NVNT	a	5180	Ant1	16.624
NVNT	a	5200	Ant1	16.645
NVNT	a	5240	Ant1	16.634
NVNT	n20	5180	Ant1	17.69
NVNT	n20	5200	Ant1	17.698
NVNT	n20	5240	Ant1	17.7
NVNT	n40	5190	Ant1	36.18
NVNT	n40	5230	Ant1	36.138


OBW NVNT a 5180MHz Ant1




OBW NVNT a 5200MHz Ant1




OBW NVNT a 5240MHz Ant1




OBW NVNT n20 5180MHz Ant1




OBW NVNT n20 5200MHz Ant1




OBW NVNT n20 5240MHz Ant1



OBW NVNT n40 5190MHz Ant1




OBW NVNT n40 5230MHz Ant1




Maximum Power Spectral Density Level

Condition	Mode	Frequency (MHz)	Antenna	Max PSD (dBm)	Duty Factor (dB)	Total PSD (dBm)	Limit (dBm)	Verdict
NVNT	a	5180	Ant1	-0.831	0.08	-0.751	11	Pass
NVNT	a	5200	Ant1	-1.479	0.08	-1.399	11	Pass
NVNT	a	5240	Ant1	-0.641	0.08	-0.561	11	Pass
NVNT	n20	5180	Ant1	-1.999	0.08	-1.919	11	Pass
NVNT	n20	5200	Ant1	-1.378	0.08	-1.298	11	Pass
NVNT	n20	5240	Ant1	-1.28	0.08	-1.2	11	Pass
NVNT	n40	5190	Ant1	-5.311	0.16	-5.151	11	Pass
NVNT	n40	5230	Ant1	-5.212	0.16	-5.052	11	Pass


PSD NVNT a 5180MHz Ant1




PSD NVNT a 5200MHz Ant1




PSD NVNT a 5240MHz Ant1




PSD NVNT n20 5180MHz Ant1




PSD NVNT n20 5200MHz Ant1




PSD NVNT n20 5240MHz Ant1



PSD NVNT n40 5190MHz Ant1




PSD NVNT n40 5230MHz Ant1




Band Edge

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	a	5180	Ant1	-42.82	-27	Pass
NVNT	a	5240	Ant1	-44.07	-27	Pass
NVNT	n20	5180	Ant1	-43.63	-27	Pass
NVNT	n20	5240	Ant1	-43.92	-27	Pass
NVNT	n40	5190	Ant1	-36.06	-27	Pass
NVNT	n40	5230	Ant1	-44.75	-27	Pass


Band Edge NVNT a 5180MHz Low Ant1




Band Edge NVNT a 5240MHz High Ant1




Band Edge NVNT n20 5180MHz Low Ant1




Band Edge NVNT n20 5240MHz High Ant1



Band Edge NVNT n40 5190MHz Low Ant1




Band Edge NVNT n40 5230MHz High Ant1




Conducted RF Spurious Emission

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	a	5180	Ant1	-35.12	-27	Pass
NVNT	a	5200	Ant1	-34.78	-27	Pass
NVNT	a	5240	Ant1	-33.97	-27	Pass
NVNT	n20	5180	Ant1	-34.74	-27	Pass
NVNT	n20	5200	Ant1	-34.43	-27	Pass
NVNT	n20	5240	Ant1	-35.08	-27	Pass
NVNT	n40	5190	Ant1	-34.83	-27	Pass
NVNT	n40	5230	Ant1	-34.74	-27	Pass


Tx. Spurious NVNT a 5180MHz Ant1 Emission




Tx. Spurious NVNT a 5200MHz Ant1 Emission




Tx. Spurious NVNT a 5240MHz Ant1 Emission




Tx. Spurious NVNT n20 5180MHz Ant1 Emission




Tx. Spurious NVNT n20 5200MHz Ant1 Emission




Tx. Spurious NVNT n20 5240MHz Ant1 Emission



Tx. Spurious NVNT n40 5190MHz Ant1 Emission



Tx. Spurious NVNT n40 5230MHz Ant1 Emission




5.3G WIFI


Duty Cycle

Condition	Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	Correction Factor (dB)
NVNT	a	5260	Ant1	98.18	0.08
NVNT	a	5280	Ant1	98.22	0.08
NVNT	a	5320	Ant1	98.21	0.08
NVNT	n20	5260	Ant1	98.09	0.08
NVNT	n20	5280	Ant1	98.08	0.08
NVNT	n20	5320	Ant1	98.07	0.08
NVNT	n40	5270	Ant1	96.36	0.16
NVNT	n40	5310	Ant1	96.37	0.16


Duty Cycle NVNT a 5260MHz Ant1




Duty Cycle NVNT a 5280MHz Ant1




Duty Cycle NVNT a 5320MHz Ant1




Duty Cycle NVNT n20 5260MHz Ant1




Duty Cycle NVNT n20 5280MHz Ant1




Duty Cycle NVNT n20 5320MHz Ant1



Duty Cycle NVNT n40 5270MHz Ant1



Duty Cycle NVNT n40 5310MHz Ant1




Maximum Conducted Output Power

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Duty Factor (dB)	Total Power (dBm)	Limit (dBm)	Verdict
NVNT	a	5260	Ant1	8.994	0.08	9.074	24	Pass
NVNT	a	5280	Ant1	9.113	0.08	9.193	24	Pass
NVNT	a	5320	Ant1	9.367	0.08	9.447	24	Pass
NVNT	n20	5260	Ant1	9.344	0.08	9.424	24	Pass
NVNT	n20	5280	Ant1	9.537	0.08	9.617	24	Pass
NVNT	n20	5320	Ant1	9.318	0.08	9.398	24	Pass
NVNT	n40	5270	Ant1	8.995	0.16	9.155	24	Pass
NVNT	n40	5310	Ant1	8.951	0.16	9.111	24	Pass


-26dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-26 dB Bandwidth (MHz)	Verdict
NVNT	a	5260	Ant1	19.581	Pass
NVNT	a	5280	Ant1	19.45	Pass
NVNT	a	5320	Ant1	19.525	Pass
NVNT	n20	5260	Ant1	19.79	Pass
NVNT	n20	5280	Ant1	19.715	Pass
NVNT	n20	5320	Ant1	19.777	Pass
NVNT	n40	5270	Ant1	39.946	Pass
NVNT	n40	5310	Ant1	39.607	Pass


-26dB Bandwidth NVNT a 5260MHz Ant1




-26dB Bandwidth NVNT a 5280MHz Ant1




-26dB Bandwidth NVNT a 5320MHz Ant1




-26dB Bandwidth NVNT n20 5260MHz Ant1




-26dB Bandwidth NVNT n20 5280MHz Ant1




-26dB Bandwidth NVNT n20 5320MHz Ant1



-26dB Bandwidth NVNT n40 5270MHz Ant1




-26dB Bandwidth NVNT n40 5310MHz Ant1




Occupied Channel Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)
NVNT	a	5260	Ant1	16.594
NVNT	a	5280	Ant1	16.611
NVNT	a	5320	Ant1	16.658
NVNT	n20	5260	Ant1	17.693
NVNT	n20	5280	Ant1	17.696
NVNT	n20	5320	Ant1	17.704
NVNT	n40	5270	Ant1	36.179
NVNT	n40	5310	Ant1	36.188


OBW NVNT a 5260MHz Ant1




OBW NVNT a 5280MHz Ant1




OBW NVNT a 5320MHz Ant1




OBW NVNT n20 5260MHz Ant1




OBW NVNT n20 5280MHz Ant1




OBW NVNT n20 5320MHz Ant1



OBW NVNT n40 5270MHz Ant1




OBW NVNT n40 5310MHz Ant1




Maximum Power Spectral Density Level

Condition	Mode	Frequency (MHz)	Antenna	Max PSD (dBm)	Duty Factor (dB)	Total PSD (dBm)	Limit (dBm)	Verdict
NVNT	a	5260	Ant1	-1.646	0.08	-1.566	11	Pass
NVNT	a	5280	Ant1	-1.792	0.08	-1.712	11	Pass
NVNT	a	5320	Ant1	-1.184	0.08	-1.104	11	Pass
NVNT	n20	5260	Ant1	-1.477	0.08	-1.397	11	Pass
NVNT	n20	5280	Ant1	-1.571	0.08	-1.491	11	Pass
NVNT	n20	5320	Ant1	-1.583	0.08	-1.503	11	Pass
NVNT	n40	5270	Ant1	-4.659	0.16	-4.499	11	Pass
NVNT	n40	5310	Ant1	-4.798	0.16	-4.638	11	Pass


PSD NVNT a 5260MHz Ant1




PSD NVNT a 5280MHz Ant1




PSD NVNT a 5320MHz Ant1




PSD NVNT n20 5260MHz Ant1




PSD NVNT n20 5280MHz Ant1




PSD NVNT n20 5320MHz Ant1



PSD NVNT n40 5270MHz Ant1




PSD NVNT n40 5310MHz Ant1




Band Edge

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	a	5260	Ant1	-46.38	-27	Pass
NVNT	a	5320	Ant1	-42.78	-27	Pass
NVNT	n20	5260	Ant1	-46.22	-27	Pass
NVNT	n20	5320	Ant1	-41.6	-27	Pass
NVNT	n40	5270	Ant1	-45.32	-27	Pass
NVNT	n40	5310	Ant1	-36.56	-27	Pass


Band Edge NVNT a 5260MHz Low Ant1




Band Edge NVNT a 5320MHz High Ant1




Band Edge NVNT n20 5260MHz Low Ant1




Band Edge NVNT n20 5320MHz High Ant1



Band Edge NVNT n40 5270MHz Low Ant1




Band Edge NVNT n40 5310MHz High Ant1




Conducted RF Spurious Emission

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	a	5260	Ant1	-35.38	-27	Pass
NVNT	a	5280	Ant1	-34.4	-27	Pass
NVNT	a	5320	Ant1	-35.05	-27	Pass
NVNT	n20	5260	Ant1	-34.42	-27	Pass
NVNT	n20	5280	Ant1	-35.1	-27	Pass
NVNT	n20	5320	Ant1	-35.35	-27	Pass
NVNT	n40	5270	Ant1	-34.59	-27	Pass
NVNT	n40	5310	Ant1	-35.29	-27	Pass


Tx. Spurious NVNT a 5260MHz Ant1 Emission




Tx. Spurious NVNT a 5280MHz Ant1 Emission




Tx. Spurious NVNT a 5320MHz Ant1 Emission




Tx. Spurious NVNT n20 5260MHz Ant1 Emission




Tx. Spurious NVNT n20 5280MHz Ant1 Emission




Tx. Spurious NVNT n20 5320MHz Ant1 Emission



Tx. Spurious NVNT n40 5270MHz Ant1 Emission



Tx. Spurious NVNT n40 5310MHz Ant1 Emission




5.6G WIFI


Duty Cycle

Condition	Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	Correction Factor (dB)
NVNT	a	5500	Ant1	98.18	0.08
NVNT	a	5600	Ant1	98.2	0.08
NVNT	a	5700	Ant1	98.2	0.08
NVNT	n20	5500	Ant1	98.06	0.09
NVNT	n20	5600	Ant1	98.09	0.08
NVNT	n20	5700	Ant1	98.06	0.09
NVNT	n40	5510	Ant1	96.37	0.16
NVNT	n40	5590	Ant1	96.35	0.16
NVNT	n40	5670	Ant1	96.37	0.16


Duty Cycle NVNT a 5500MHz Ant1




Duty Cycle NVNT a 5600MHz Ant1




Duty Cycle NVNT a 5700MHz Ant1




Duty Cycle NVNT n20 5500MHz Ant1




Duty Cycle NVNT n20 5600MHz Ant1




Duty Cycle NVNT n20 5700MHz Ant1




Duty Cycle NVNT n40 5510MHz Ant1



Duty Cycle NVNT n40 5590MHz Ant1



Duty Cycle NVNT n40 5670MHz Ant1




Maximum Conducted Output Power

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Duty Factor (dB)	Total Power (dBm)	Limit (dBm)	Verdict
NVNT	a	5500	Ant1	9.524	0.08	9.604	24	Pass
NVNT	a	5600	Ant1	9.104	0.08	9.184	24	Pass
NVNT	a	5700	Ant1	9.025	0.08	9.105	24	Pass
NVNT	n20	5500	Ant1	9.348	0.09	9.438	24	Pass
NVNT	n20	5600	Ant1	9.672	0.08	9.752	24	Pass
NVNT	n20	5700	Ant1	9.425	0.09	9.515	24	Pass
NVNT	n40	5510	Ant1	9.241	0.16	9.401	24	Pass
NVNT	n40	5590	Ant1	9.342	0.16	9.502	24	Pass
NVNT	n40	5670	Ant1	9.404	0.16	9.564	24	Pass


-26dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-26 dB Bandwidth (MHz)	Verdict
NVNT	a	5500	Ant1	19.501	Pass
NVNT	a	5600	Ant1	19.663	Pass
NVNT	a	5700	Ant1	19.649	Pass
NVNT	n20	5500	Ant1	19.816	Pass
NVNT	n20	5600	Ant1	19.932	Pass
NVNT	n20	5700	Ant1	19.886	Pass
NVNT	n40	5510	Ant1	39.856	Pass
NVNT	n40	5590	Ant1	39.965	Pass
NVNT	n40	5670	Ant1	39.745	Pass


-26dB Bandwidth NVNT a 5500MHz Ant1




-26dB Bandwidth NVNT a 5600MHz Ant1




-26dB Bandwidth NVNT a 5700MHz Ant1




-26dB Bandwidth NVNT n20 5500MHz Ant1




-26dB Bandwidth NVNT n20 5600MHz Ant1




-26dB Bandwidth NVNT n20 5700MHz Ant1




-26dB Bandwidth NVNT n40 5510MHz Ant1



-26dB Bandwidth NVNT n40 5590MHz Ant1




-26dB Bandwidth NVNT n40 5670MHz Ant1




Occupied Channel Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)
NVNT	a	5500	Ant1	16.605
NVNT	a	5600	Ant1	16.62
NVNT	a	5700	Ant1	16.635
NVNT	n20	5500	Ant1	17.723
NVNT	n20	5600	Ant1	17.728
NVNT	n20	5700	Ant1	17.725
NVNT	n40	5510	Ant1	36.207
NVNT	n40	5590	Ant1	36.188
NVNT	n40	5670	Ant1	36.166


OBW NVNT a 5500MHz Ant1




OBW NVNT a 5600MHz Ant1




OBW NVNT a 5700MHz Ant1




OBW NVNT n20 5500MHz Ant1




OBW NVNT n20 5600MHz Ant1




OBW NVNT n20 5700MHz Ant1




OBW NVNT n40 5510MHz Ant1



OBW NVNT n40 5590MHz Ant1




OBW NVNT n40 5670MHz Ant1




Maximum Power Spectral Density Level

Condition	Mode	Frequency (MHz)	Antenna	Max PSD (dBm)	Duty Factor (dB)	Total PSD (dBm)	Limit (dBm)	Verdict
NVNT	a	5500	Ant1	-0.786	1.35	0.564	11	Pass
NVNT	a	5600	Ant1	-1.76	1.35	-0.41	11	Pass
NVNT	a	5700	Ant1	-1.619	1.35	-0.269	11	Pass
NVNT	n20	5500	Ant1	-0.545	1.35	0.805	11	Pass
NVNT	n20	5600	Ant1	-1.376	1.35	-0.026	11	Pass
NVNT	n20	5700	Ant1	-1.125	1.35	0.225	11	Pass
NVNT	n40	5510	Ant1	-4.658	1.35	-3.308	11	Pass
NVNT	n40	5590	Ant1	-4.591	1.35	-3.241	11	Pass
NVNT	n40	5670	Ant1	-4.432	1.35	-3.082	11	Pass


PSD NVNT a 5500MHz Ant1




PSD NVNT a 5600MHz Ant1




PSD NVNT a 5700MHz Ant1




PSD NVNT n20 5500MHz Ant1




PSD NVNT n20 5600MHz Ant1




PSD NVNT n20 5700MHz Ant1



PSD NVNT n40 5510MHz Ant1



PSD NVNT n40 5590MHz Ant1



PSD NVNT n40 5670MHz Ant1

