

USER'S GUIDE

TFT LCD MONITOR
15"

Another *global-class* technology TFT LCD MONITOR

MODEL No.: IM15XA



Always keep this guide with the product as it will be in need after moving or reinstalling.

CONTENTS

INTRODUCTION

FOC COMPLIANCE STATEMENT
MAIN FEATURES
FRONT/BACK OF MONITOR
FUNCTIONS

INSTALLING

COMPONENTS
PRECAUTIONS IN INSTALLING
CONNECTING TO YOUR PC
INSTALLING MONITOR DRIVER

SCREEN CONTROL

BASIC SCREEN CONTROL

TO BRIGHTEN THE SCREEN
TO CLARIFY THE SCREEN
CONTROLLING SCREEN COLOR

SCREEN CONTROL

AUTO ADJUST
VIEWING MONITOR INFO
SCALING
CONTROLLING SCREEN POSITION

CONTROLLING OTHER FUNCTION

VIEWING THE MENU LANGUAGE
TO MOVE THE MENU SCREEN
CONTROLLING DURATION OF SCREEN APPEARANCE

SHIFT TO VIDEO MODE/VOLUME/COLOR
SHIFT TO PC MODE

POWER SAVING MODE(S)

OTHERS

STANDARD SIGNAL TIME CHART
PRECAUTIONS
TROUBLE SHOOTING
SPECIFICATIONS

FCC Compliance Statement

NOTE:

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses, and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/television technician for help.

Notice 1:

The changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

Notice 2:

Shielded interface cables, if any, must be used in order to comply with the emission limits.


DOC CLASS B NOTICE

This digital apparatus does not exceed Class limits for radio noise emission for a digital apparatus as set out in the Radio Interference Regulations of the Canadian Department of Communications.

MAIN FEATURES

Thank you for purchasing our high resolution TFT LCD monitor. We recommend that you thoroughly read through this user's guide before using the product. It is also recommended to safely store the guide in times of immediate need in the course of using the product.


FRONT OF MONITOR



POWER SWITCH

- Used in turning on/off the screen.
- The power light shows regular and safe mode functions with colors.

BACK OF MONITOR



FUNCTIONS

Although regular monitors for PCs use CDT as a medium for display, the TFT LCD monitor is a Flat Panel Display based on digital technology, and was originally used only for laptops PCs. Now it is used for desktops and laptops alike, opening a world of conveniences and quality to those ardent PC users.

The following functions are provided in our products.

1. Convenient and easy to handle Control Button.
2. A slim and space reducing monitor.
3. Monitor transferable for wall hanging
4. Industrial robot and VESA installable.
5. Liberal angle control. (+30° ~ -5°)
6. Low energy consumption. (refer to pg 12)
7. Scarcely influences surrounding objects, with no harmful electronic waves, noise, heat or magnetic activities.