Appendix A. Test Result of AC Power Line Conducted Emission

Site :HY-SR01
Condition :Line
Mode :TX_2.4G Wireless4M_2440MHz
test by :James



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV	dBuV	dB	dBuV	dB	
1	0.154	32.97	65.79	-32.82	23.33	9.64	QP
2	0.154	10.39	55.79	-45.40	0.75	9.64	Average
3	0.448	23.08	56.91	-33.83	13.43	9.65	QP
4	0.448	5.74	46.91	-41.17	-3.91	9.65	Average
5	1.056	21.98	56.00	-34.02	12.29	9.69	QP
6	1.056	18.69	46.00	-27.31	9.00	9.69	Average
7	2.734	21.81	56.00	-34.19	11.94	9.87	QP
8	2.734	7.89	46.00	-38.11	-1.98	9.87	Average
9	6.463	25.31	60.00	-34.69	15.16	10.15	QP
10	6.463	13.67	50.00	-36.33	3.52	10.15	Average
11	16.788	19.00	60.00	-41.00	9.21	9.79	QP
12	16.788	9.35	50.00	-40.65	-0.44	9.79	Average

Note:
1. Level = Read Level + Factor
2. Factor = LISN insertion loss + Cable loss
3. Over Limit = Level - Limit Line

Site :HY-SR01
Condition :Neutral
Mode :TX_2.4G Wireless4M_2440MHz
test by :James



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV	dBuV	dB	dBuV	dB	
1	0.153	32.71	65.84	-33.13	23.09	9.62	QP
2	0.153	10.65	55.84	-45.19	1.03	9.62	Average
3	0.446	23.50	56.96	-33.46	13.87	9.63	QP
4	0.446	5.84	46.96	-41.12	-3.79	9.63	Average
5	1.052	22.11	56.00	-33.89	12.44	9.67	QP
6	1.052	20.65	46.00	-25.35	10.98	9.67	Average
7	2.255	24.83	56.00	-31.17	15.04	9.79	QP
8	2.255	14.60	46.00	-31.40	4.81	9.79	Average
9	6.486	27.84	60.00	-32.16	17.70	10.14	QP
10	6.486	15.55	50.00	-34.45	5.41	10.14	Average
11	26.525	20.25	60.00	-39.75	10.27	9.98	QP
12	26.525	10.24	50.00	-39.76	0.26	9.98	Average

Note:
1. Level = Read Level + Factor
2. Factor = LISN insertion loss + Cable loss
3. Over Limit = Level - Limit Line

Appendix B. Test Result of 6dB Bandwidth

Modulation	Frequency (MHz)	6dB Bandwidth (MHz)	Limit (MHz)	Result
		Ant. 1		
GFSK (2Mbps)	2402	1.13	>0.50	Pass
	2440	1.13	>0.50	Pass
	2479	1.15	>0.50	Pass
GFSK (4Mbps)	2403	1.11	>0.50	Pass
	2440	1.10	>0.50	Pass
	2477	1.11	>0.50	Pass

GFSK/2MHz/2M/2402MHz/Ch0/Ant.1	GFSK/2MHz/2M/2440MHz/CH38/Ant.1
	
GFSK/2MHz/2M/2479MHz/CH77/Ant.1	
	

GFSK/4MHz/4M/2403MHz/Ch1/Ant.1	GFSK/4MHz/4M/2440MHz/CH38/Ant.1
	
GFSK/4MHz/4M/2477MHz/Ch75/Ant.1	
	

Appendix C. Test Result of Maximum Peak Conducted Output Power

Average

Modulation	Frequency (MHz)	Maximum Conducted Output Power (dBm)	Limit (dBm)	Result
		Ant. 1		
GFSK (2Mbps)	2402	5.67	30.00	Pass
	2440	5.69	30.00	Pass
	2479	5.67	30.00	Pass
GFSK (4Mbps)	2403	5.55	30.00	Pass
	2440	5.55	30.00	Pass
	2477	5.61	30.00	Pass

Peak

Modulation	Frequency (MHz)	Maximum Conducted Output Power (dBm)	Limit (dBm)	Result
		Ant. 1		
GFSK (2Mbps)	2402	5.80	30.00	Pass
	2440	5.84	30.00	Pass
	2479	5.82	30.00	Pass
GFSK (4Mbps)	2403	5.76	30.00	Pass
	2440	5.71	30.00	Pass
	2477	5.75	30.00	Pass

Appendix D. Test Result of Power Spectral Density

Modulation	Frequency (MHz)	Power Spectral Density (dBm / 3kHz)	Limit (dBm / 3kHz)	Result
		Ant. 1		
GFSK (2Mbps)	2402	-13.40	8.00	Pass
	2440	-14.01	8.00	Pass
	2479	-13.59	8.00	Pass
GFSK (4Mbps)	2403	-15.38	8.00	Pass
	2440	-16.00	8.00	Pass
	2477	-15.63	8.00	Pass

GFSK/2MHz/2M/2402MHz/Ch0/Ant.1	GFSK/2MHz/2M/2440MHz/CH38/Ant.1
	
GFSK/2MHz/2M/2479MHz/CH77/Ant.1	
	

GFSK/4MHz/4M/2403MHz/Ch1/Ant.1	GFSK/4MHz/4M/2440MHz/CH38/Ant.1
	
GFSK/4MHz/4M/2477MHz/Ch75/Ant.1	
	

Appendix E. Test Result of Antenna Port Conducted Emission

Modulation	Measurement Level Δ (dB)	Result
GFSK (2Mbps)	> 20	PASS
GFSK (4Mbps)	> 20	PASS

GFSK/2MHz/2M/2402MHz/Ch0/Ant.1 (Ref.)	GFSK/2MHz/2M/2402MHz/Ch0/Ant.1
	
GFSK/2MHz/2M/2440MHz/CH38/Ant.1 (Ref.)	GFSK/2MHz/2M/2440MHz/CH38/Ant.1
	
GFSK/2MHz/2M/2479MHz/CH77/Ant.1 (Ref.)	GFSK/2MHz/2M/2479MHz/CH77/Ant.1
	

GFSK/2MHz/2M/2402MHz/Ch0/Ant.1(Band Edge)	GFSK/2MHz/2M/2479MHz/CH77/Ant.1(Band Edge)
	

GFSK/4MHz/4M/2403MHz/Ch1/Ant.1 (Ref.)	GFSK/4MHz/4M/2403MHz/Ch1/Ant.1
	
GFSK/4MHz/4M/2440MHz/CH38/Ant.1 (Ref.)	GFSK/4MHz/4M/2440MHz/CH38/Ant.1
	
GFSK/4MHz/4M/2477MHz/Ch75/Ant.1 (Ref.)	GFSK/4MHz/4M/2477MHz/Ch75/Ant.1
	

GFSK/4MHz/4M/2403MHz/Ch1/Ant.1(Band Edge)	GFSK/4MHz/4M/2477MHz/Ch75/Ant.1(Band Edge)
	

Appendix F. Test Result of Radiated Emission

Site :FS-CB03
Condition :3m ,Horizontal
Mode :TX_2.4G Wireless2M_2402MHz
Test by :Jack Hsu



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	
1	4804.000	39.67	74.00	-34.33	36.60	3.07	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

Site :FS-CB03
Condition :3m ,Vertical
Mode :TX_2.4G Wireless2M_2402MHz
Test by :Jack Hsu



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	
1	4804.000	40.96	74.00	-33.04	37.89	3.07	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

Site :FS-CB03
Condition :3m ,Horizontal
Mode :TX_2.4G Wireless2M_2440MHz
Test by :Jack Hsu



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	
1	4880.000	38.64	74.00	-35.36	35.46	3.18	Peak
2	7320.000	51.60	54.00	-2.40	44.03	7.57	Average
3	7320.000	55.91	74.00	-18.09	48.34	7.57	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

Site :FS-CB03
Condition :3m ,Horizontal
Mode :TX_2.4G Wireless4M_2440MHz
Test by :Jack Hsu



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	
1	4880.000	38.33	74.00	-35.67	35.15	3.18	Peak
2	7320.000	52.78	54.00	-1.22	45.21	7.57	Average
3	7320.000	58.94	74.00	-15.06	51.37	7.57	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

Site :FS-CB03
Condition :3m ,Horizontal
Mode :TX_2.4G Wireless2M_2479MHz
Test by :Jack Hsu



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	
1	4958.000	37.56	74.00	-36.44	34.36	3.20	Peak
2	7437.000	51.71	54.00	-2.29	44.11	7.60	Average
3	7437.000	55.61	74.00	-18.39	48.01	7.60	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

Site :FS-CB03
Condition :3m ,Vertical
Mode :TX_2.4G Wireless2M_2479MHz
Test by :Jack Hsu



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	
1	4958.000	37.61	74.00	-36.39	34.41	3.20	Peak
2	7437.000	51.14	54.00	-2.86	43.54	7.60	Average
3	7437.000	57.53	74.00	-16.47	49.93	7.60	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

Site :FS-CB03
Condition :3m ,Horizontal
Mode :TX_2.4G Wireless4M_2403MHz
Test by :Jack Hsu



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	
1	4806.000	38.63	74.00	-35.37	35.56	3.07	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

Site :FS-CB03
Condition :3m ,Vertical
Mode :TX_2.4G Wireless4M_2403MHz
Test by :Jack Hsu



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	
1	4806.000	39.89	74.00	-34.11	36.82	3.07	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

Site :FS-CB03
Condition :3m ,Vertical
Mode :TX_2.4G Wireless2M_2440MHz
Test by :Jack Hsu



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	
1	4880.000	39.66	74.00	-34.34	36.48	3.18	Peak
2	7320.000	50.37	54.00	-3.63	42.80	7.57	Average
3	7320.000	57.49	74.00	-16.51	49.92	7.57	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

Site :FS-CB03
Condition :3m ,Vertical
Mode :TX_2.4G Wireless4M_2440MHz
Test by :Jack Hsu



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	
1	4880.000	38.03	74.00	-35.97	34.85	3.18	Peak
2	7320.000	51.62	54.00	-2.38	44.05	7.57	Average
3	7320.000	58.37	74.00	-15.63	50.80	7.57	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

Site :FS-CB03
Condition :3m ,Horizontal
Mode :TX_2.4G Wireless4M_2477MHz
Test by :Jack Hsu



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	
1	4954.000	37.10	74.00	-36.90	33.92	3.18	Peak
2	7431.000	53.12	54.00	-0.88	45.53	7.59	Average
3	7431.000	60.44	74.00	-13.56	52.85	7.59	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

Site :FS-CB03
Condition :3m ,Vertical
Mode :TX_2.4G Wireless4M_2477MHz
Test by :Jack Hsu



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	
1	4954.000	36.99	74.00	-37.01	33.81	3.18	Peak
2	7431.000	52.63	54.00	-1.37	45.04	7.59	Average
3	7431.000	60.31	74.00	-13.69	52.72	7.59	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

Site :HY-CB03
Condition :3m ,Horizontal
Mode :TX_2.4G Wireless4M_2440MHz
Test BY :Bob



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	
1	57.160	18.91	40.00	-21.09	42.92	-24.01	QP
2	128.940	25.38	43.50	-18.12	50.90	-25.52	QP
3	231.760	38.96	46.00	-7.04	64.60	-25.64	QP
4	328.760	32.51	46.00	-13.49	54.55	-22.04	QP
5	435.460	27.95	46.00	-18.05	47.22	-19.27	QP
6	590.660	27.19	46.00	-18.81	42.94	-15.75	QP

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission under 30MHz was not included since the emission levels are very low against the limit.

Site :HY-CB03
Condition :3m ,Vertical
Mode :TX_2.4G Wireless4M_2440MHz
Test BY :Bob



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	
1	30.000	28.35	40.00	-11.65	53.46	-25.11	QP
2	124.090	28.78	43.50	-14.72	54.86	-26.08	QP
3	309.360	29.83	46.00	-16.17	52.64	-22.81	QP
4	436.430	29.33	46.00	-16.67	48.56	-19.23	QP
5	499.480	28.71	46.00	-17.29	46.73	-18.02	QP
6	603.270	26.52	46.00	-19.48	41.93	-15.41	QP

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission under 30MHz was not included since the emission levels are very low against the limit.

Site :HY-CB03
Condition :3m ,Horizontal
Mode :TX_2.4G Wireless2M_2402MHz
Test BY :Bob



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	
1	2353.600	46.94	54.00	-7.06	16.52	30.42	Average
2	2402.000	100.61	------	------	70.15	30.46	Average

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

Site :HY-CB03
Condition :3m ,Horizontal
Mode :TX_2.4G Wireless2M_2402MHz
Test BY :Bob



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	
1	2341.800	58.33	74.00	-15.67	27.91	30.42	Peak
2	2401.600	102.21	------	------	71.75	30.46	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

Site :HY-CB03
Condition :3m ,Vertical
Mode :TX_2.4G Wireless2M_2402MHz
Test BY :Bob



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	
1	2387.000	46.70	54.00	-7.30	16.26	30.44	Average
2	2402.000	99.50	------	------	69.04	30.46	Average

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

Site :HY-CB03
Condition :3m ,Vertical
Mode :TX_2.4G Wireless2M_2402MHz
Test BY :Bob



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	
1	2386.000	58.69	74.00	-15.31	28.25	30.44	Peak
2	2401.600	101.17	------	------	70.71	30.46	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

Site :HY-CB03
Condition :3m ,Horizontal
Mode :TX_2.4G Wireless2M_2479MHz
Test BY :Bob



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	
1	2479.000	98.56	------	------	68.17	30.39	Average
2	2485.600	47.34	54.00	-6.66	16.88	30.46	Average

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

Site :HY-CB03
Condition :3m ,Horizontal
Mode :TX_2.4G Wireless2M_2479MHz
Test BY :Bob



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	
1	2478.600	100.18	------	------	69.79	30.39	Peak
2	2483.600	59.44	74.00	-14.56	29.00	30.44	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

Site :HY-CB03
Condition :3m ,Vertical
Mode :TX_2.4G Wireless2M_2479MHz
Test BY :Bob



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	
1	2479.000	96.47	------	------	66.08	30.39	Average
2	2484.000	47.23	54.00	-6.77	16.79	30.44	Average

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

Site :HY-CB03
Condition :3m ,Vertical
Mode :TX_2.4G Wireless2M_2479MHz
Test BY :Bob



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	
1	2478.600	98.10	------	------	67.71	30.39	Peak
2	2490.200	58.62	74.00	-15.38	28.12	30.50	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

Site :HY-CB03
Condition :3m ,Horizontal
Mode :TX_2.4G Wireless4M_2403MHz
Test BY :Bob



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	
1	2325.200	47.48	54.00	-6.52	16.92	30.56	Average
2	2403.000	97.53	------	------	67.05	30.48	Average

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

Site :HY-CB03
Condition :3m ,Horizontal
Mode :TX_2.4G Wireless4M_2403MHz
Test BY :Bob



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	
1	2340.800	58.81	74.00	-15.19	28.39	30.42	Peak
2	2402.000	101.35	------	------	70.89	30.46	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

Site :HY-CB03
Condition :3m ,Vertical
Mode :TX_2.4G Wireless4M_2403MHz
Test BY :Bob



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	
1	2314.600	47.77	54.00	-6.23	17.16	30.61	Average
2	2403.000	88.64	------	------	58.16	30.48	Average

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

Site :HY-CB03
Condition :3m ,Vertical
Mode :TX_2.4G Wireless4M_2403MHz
Test BY :Bob



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	
1	2370.200	58.55	74.00	-15.45	28.12	30.43	Peak
2	2404.000	92.44	------	------	61.95	30.49	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

Site :HY-CB03
Condition :3m ,Horizontal
Mode :TX_2.4G Wireless4M_2477MHz
Test BY :Bob



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	
1	2477.200	96.26	------	------	65.87	30.39	Average
2	2483.800	48.51	54.00	-5.49	18.07	30.44	Average

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

Site :HY-CB03
Condition :3m ,Horizontal
Mode :TX_2.4G Wireless4M_2477MHz
Test BY :Bob



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	
1	2478.000	100.06	------	------	69.67	30.39	Peak
2	2486.600	59.01	74.00	-14.99	28.54	30.47	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

Site :HY-CB03
Condition :3m ,Vertical
Mode :TX_2.4G Wireless4M_2477MHz
Test BY :Bob



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	
1	2477.000	94.27	------	------	63.88	30.39	Average
2	2484.400	47.77	54.00	-6.23	17.33	30.44	Average

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.

Site :HY-CB03
Condition :3m ,Vertical
Mode :TX_2.4G Wireless4M_2477MHz
Test BY :Bob



No.	Frequency	Level	Limit Line	Over Limit	Read Level	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	
1	2478.200	98.04	------	------	67.65	30.39	Peak
2	2489.200	58.65	74.00	-15.35	28.16	30.49	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The emission levels of other frequencies are very lower than the limit and not show in test report.