

GRAPH SECTION 2 FOR RFI TEST REPORT SERIAL NO: RFI/EMCB2/RP42685JD06

Test Of: Maynetronics Ltd NOMAD W4-2

To: FCC Part 15 Subpart C: 2000 (Intentional Radiators) Section 15.249 and 15.209



RADIO FREQUENCY INVESTIGATION LTD.

Graph Section S.No. RFI/EMCB2/RP42685JD06

EMC Testing Department

Issue Date: 12 February 2002

Test Of: Maynetronics Ltd NOMAD W4-2

To: FCC Part 15 Subpart C: 2000

(Intentional Radiators) Section 15.249 and 15.209

This appendix contains the following graphs:

Graph Reference Number	Title
GPH\42685JD06\RE11	Radiated Emissions transmit mode with TAG (4 GHz to 5 GHz)
GPH\42685JD06\RE12	Radiated Emissions standby mode with TAG (4 GHz to 5 GHz)
GPH\42685JD06\RE13	Radiated Emissions standby mode with TAG (5 GHz to 6 GHz)
GPH\42685JD06\RE14	Radiated Emissions transmit mode with TAG (5 GHz to 6 GHz)
GPH\42685JD06\RE15	Radiated Emissions transmit mode with TAG (6 GHz to 8 GHz)
GPH\42685JD06\RE16	Radiated Emissions standby mode with TAG (6 GHz to 8 GHz)
GPH\42685JD06\RE17	Radiated Emissions standby mode with TAG (8 GHz to 10 GHz)
GPH\42685JD06\RE18	Radiated Emissions transmit mode with TAG (8 GHz to 10 GHz)

These pages are not included in the total number of pages for this report.

I m/Vu, EdB (dB /V/m]	-D1-	Stop 5 GHZ 9 (15, 209)
Viu.bw RF.Att Unit	ar de parte de la constante de	HT 15.24
1 MHZ [1111] 0ff 100.000 MHZ	War my ball ball by ba	Sweep 20 ms SPEC: FCC PA
TG.Lv1 CF.Stp		Center 4.5 GHZ S. BY RFI.
> Date 10. Jan. '02 Time 10: 40: 41 Ref.Lvl 62.90 dB*		Start Span Center Sweep Stop 5 GHZ 4.5 GHZ 20 ms 5 GHZ 5 GHZ SPEC: FCC PART 15.249 (15.209)
Date 10. Jan. '02 Ref. Lv1 62.90 dB*	The state of the s	Start 4 GHz ED EMISSIONS TE

1 MHZ OdB [dBµV/m]	- D1	Section of the boundary			10 PA	Stop 5 GHZ T 15.109 D06/RE12
Vid.Bw FR.Att Unit		establish page dense page parameter page page page page page page page page				Stop 5 GHZ SPEC: FCC PART 15.109 GPH/42685/JD06/RE12
1 MHz [imp] Off 100.000 MHz		Consideration of the state of t				Sweep 20 ms
Res.Bw TG.Lv1 CF.Stp		the morning Mandelphine				Center 4.5 GHz BY RFI.
: 18 : 47 36.27 dB* 4.9633 GHz		وماليه براسيا السيامة ومنصيه ومراجها				TRONICS
02 Time 11 Marker		Andria of the second se				Span 1 GHz 1 GHz TEST FOR MAYNE OPCOND: 916.5N
Date 10.Jan. '02 Time 11: 18: 47 Ref.Lvl Marker 36.27 62.90 dB* 4.9633		Appropriate the second property of the second property of the second second second second second second second		=======================================		Start 4 GHZ ED EMISSIONS
Ser Bat	50.0		10.0	-10.0	-20.0	Sta 4 6 RADIATED EUT: W4-2

1 MHZ (dB) [dB) [dB) [dB) [dB) [dB) [dB]	D1	Sto 6 GHz 15.109 1006/RE13
Vid.bw RF.Att Unit	State of the state	Stop 6 GHZ SPEC: FCC PART 15.109 GPH/42685/JD06/RE13
1 MHZ [JMD] 0ff 100.000 MHZ	California Pallo Valle proving manufatigation	Sweep 20 ms
Hes.Bw TG.Lv1 GHz CF.Stp	Approximately and the same of	Start Span Center 5 an Center 5 GHZ 5.5 GHZ 5.5 GHZ FOR MAYNETRONICS BY RFI. FUT: W4-2 OPCOND: 916.5MHz IN STANDBY WITH TAG
	ACAN CAN MANAGEMENT OF THE PARTY OF THE PART	Span 1 GHz FOR MAYNETRONIC OND: 916.5MHz IN
Date 10. Jan. 702 Time 11: 24: 32 Ref. Lv1 Marker 32. 19 63.50 dB* 5.4755	And the state of t	Start 5 GHz ED EMISSIONS TEST -2 OPC

1 MHZ 0 dB [dBµV/m]	-01	Adulticulier Professor				VQ	10		Stop 6 GHZ 15,209) 16/RE14
Vid.Bw RF.Att Unit		to post for the foreign of the post foreign of							Stop Stop Stop Stop Stop Stop Stop Stop
1 MHz [imp] 0ff 100.000 MHz		Aller Service Colors of the Color of the Col			5	1 12			weep 0 ms EC: FCC PAF 6PF
		The Table of the Contest of the Cont			1111				Z 2 2 SF WITH TAG
Res.Bw TG.Lv1 dB* CF.Stp GHz		enteller og de state enter				*****			Start Span Center 5 and
		Apply Co.							Span GHZ MAYNETRONI 16.5MHZ TR
.02 Time Marker		The state of the s			H H				TEST FOR OPCOND: 9
Date 10. Jan. '02 Time 11: 04: 16 Ref.Lvl Marker 5.5533 63.50 dB*		Property and and the second			1 H 11 H			_	art GHZ EMISSIONS
	0.09	30.0	20.0	0.0	-40 0	0 00-	-30.0	2:	St SADIATED EUT: W4-2

1 MHZ [dBµV/m]	-D1-	Stop 6 GHZ 9 (15.209)
Vid.BW RF.Att Unit	had been the state of the state	ART 15.24
1 MHZ [1mp] 0ff 100.000 MHZ	Call by Wald Hear Brown	Start Start Start Start Shan 1 GHz 5 GHZ Stop 6 GHZ FADIATED EMISSIONS TEST FOR MAYNETRONICS BY RFI. SPEC: FCC PART 15.249 (15.209)
Hes.bw TG.Lvl CF.Stp		Center 5.5 GHZ BY RFI.
11: 37: 23 32. 12 dB* 5. 2655 GHz	Att Control of the Co	Span 1 GHz MAYNETRONICS
Date 10. Jan. '02 Time 11: 37: 23 Ref.Lvl Marker 5.2655 63.50 dB* 5.2655	The standard of the standard o	S TEST FOR A
Date 10. Jar Ref. Lv1 63.50 dB*	50.0 40.0 30.0 http://www.dh/htm.and 20.0 10.0 -10.0	Start 5 GHz ED EMISSION

						PA	10 FI	
1 MHZ 0 dB [dBµV/m]	Ž	Tn.	A Thought American					Stop 8 GHZ (15, 209) 06/RE15
Vid.Bw RF.Att Unit			والطردووسالها اسجااا					T 15.249 /42685/JE
1 MHz [imp] V 0ff 200.000 MHz F			Contract Cale to					ep Ins FCC PAR
1 MHz 200.00			الطان يحتوالك أوسهماهم					Sweep 20 ms SPEC: FI
Res.Bw TG.Lv1 CF.Stp			And			 		Start Span Center Sweep Stop 2 GHz 7 GHZ 20 ms 8 GHZ 8 GHZ PAZ 20 ms 8 GHZ PAZ 20 ms 8 GHZ 9 (15.209) 8 GHZ 9 (15.209) 8 GHZ 9 (15.209) 8 GHZ 9 GPH 7 6 GPH 7 7 6 GP
dB*			April 1 Company					NICS BY TRANSMI
11: 42: 30 33.93 6.9000			Aphren-Supple					Span 2 GHz MAYNETRO 916.5MHz
Time			N-felbor-st-st-offer from					ST FOR N
.Jan. "02 .Jan. "M3 B*			and the second					SIONS TE
Date 10. Jan. '02 Time 11: 42: 30 Ref.Lvl Marker 55.90 dB* 6.9000			ساساسان اسادا					Start 6 GHZ ED EMISS
	0.09	50.0	30.0	40.0	0.01	-20 0	-30.0	RADIAT EUT: W4

			*				PA	H	1 -
1 MHZ O dB [dBµV/m]		1	A Solice Land Library Com						Stop 8 GHZ 17 15.109 1006/RE16
Vid.Bw RF.Att Unit			and the supplement of the supp						Stop 8 GHZ 9 GHZ 9 CPEC: FCC PART 15.109 72685/JD06/RE16
[imp] Off OMHZ			Spitesfant, den,						
1 MHz [imp] Off Off 200.000 MHz			genteral factorists of						Sweep
			bres, clearly						н ТА
Hes.Bw TG.Lv1 CF.Stp			My had berhalle						Center
dB* GHZ			Abrilla Mah						
: 49: 19 33.60 6.5711			المواريا الماسيرات الوالم						Start 6 GHz RADIATED EMISSIONS TEST FOR MAYNETRONICS EUT: W4-2 OPCOND: 916.5MHz IN ST
Date 10. Jan. '02 Time 11: 49: 19 Ref.Lvl Marker 53.60 65.90 dB* 6.5711			VI-BANA AND ABABA						Span 2 GHZ FOR MAYN OND: 916.5
Mark			فكالطحيامي						TEST
VLOFF J. Jan. JB*			Alderham						SIONS
Date 10 Ref.Lv 65.90			يتماييها المغرياة						Start 6 GHZ ED EMIS
	0.09	50.0	30.0	40.0	0.01	-10.0	-20.0	-30.0	RADIATE EUT: W4-

1 MHZ 0 dB [dB \u00e4V/m]	_D1-	Mandeld was growing 1984				PA 10	Stop 10 GHZ SPEC: FCC PART 15, 109 GPH/42685/JD06/RE17
Vid.BW RF,Att Unit		Mendemakenther					C: FCC PAF H/42685/U
O MHZ		ALCONOMY AND					
1 MHZ [1mp] 0ff 200.000 MHZ		ألحاسط اجالعيد كهاوحه					Sweep 20 ms TAG
Hes.BW TG.Lv1 CF.Stp	 	 gharterphyrosopologyaltron	195 195	505 GH5	 		 Span Center 2 GHZ 9 GHZ 9 GHZ 9 GHZ PADIATED EMISSIONS TEST FOR MAYNETRONICS BY RFI. CUT: W4-2 OPCOND: 916.5MHz IN STANDBY WITH TAGE
3 dBx 4 GHz		- Althornachus					ONICS E
.2: 09: 0 36.7 9.504		Mary March					Span 2 GHZ 1 MAYNETR 916.5MHZ
Time 1		and conductorion					SI 2 ST FOR M
Date 10.Jan. '02 Time 12: 09: 03 Ref.Lvl Marker 36.49 69.80 dB* 9.5044		ing with the same					IONS TEX
Date 10. Ref.Lv1 39.80 dB		graphithens					Start 8 GHz ED EMISS 1-2

2 8				3				A C		G
$\begin{array}{cc} 1 & \text{MHz} \\ 0 & \text{dB} \\ [\text{dB}\mu\text{V/m}] \end{array}$		-01-		Harrows						Stol 10 GHZ (15, 209) 006/RE18
Vid.Bw RF.Att Unit				ase-decidentespecial						T 15.249 7/42685/J
1 MHz [imp] off 200.000 MHz			Þ	Michael Brand Locales.						Sweep 20 ms SPEC: FCC PAF 6PF
Res.Bw 1 TG.Lvl CF.Stp 20				ed Aprophistical colonial specifications						Stop Stop Stop Center Sweep Stop 2 GHZ 9 GHZ 20 ms 10 GHZ 10 GHZ PADIATED EMISSIONS TEST FOR MAYNETRONICS BY RFI. SPEC: FCC PART 15.249 (15.209) EUT: W4-2 OPCOND: 916.5MHz TRANSMITTING WITH TAG GPH/42685/JD06/RE18
				prophylosophylosophy						Ce 9 NICS BY TRANSMIT
9.4600 9.4600				and the state of t						Span 2 GHz MAYNETRO 916.5MHz
'02 Time Marker				and the said free						TEST FOR OPCOND:
LVLOFF Date 10. Jan. '02 Time 12: 01: 37 Ref.Lvl Marker 37.20 dB* 69.80 dB* 9.4600 GHz				Alabaranaphystrakalaranaphyl						tart GHZ D EMISSIONS
	0	0.00	40.00	30.06	20.0	10.01	0	-10.0	0.00	RADIATE