

REF 10.5 dBm
10dB/

ATT 20 dB

A_view B_blank

A MKR
1.59 MHz

A MARKER
1.59 MHz
-1.00 dB


REF OFS
0.5 dB

RBW
100 kHz
VBW
100 kHz
SWP
50 ms

CENTER 904.23 MHz

SPAN 10.00 MHz

Plot B2a



REF 10.5 dBm
10dB/

ATT 20 dB


A_view B_plank

Δ MKR
1.59 MHz

Δ MARKER
1.59 MHz
-0.91 dB

REF OFS
0.5 dB

RBW
100 kHz
VBW
100 kHz
SWP
50 ms



CENTER 914.43 MHz

SPAN 10.00 MHz

Plot B2b

REF 10.5 dBm
10dB/

ATT 20 dB

A_view B_blank

A MKR
1.59 MHz

A MARKER
1.59 MHz
-0.78 dB


REF OFS
0.5 dB

RBW
100 kHz
VBW
100 kHz
SWP
50 ms

CENTER 925.83 MHz

SPAN 10.00 MHz

Plot B2c




REF 10.0 dBm
10dB/

ATT 20 dB

A_view B_plank

Δ MKR
900.0 μs

RBW
1 MHz
VBW
3 MHz
SWP
30 ms



Δ MARKER
900.0 μs
1.41 dB

CENTER 908.521428 MHz

SPAN 0 Hz

Plot B5a.1


REF 10.0 dBm
10dB/

ATT 20 dB

A_view B_blank

Δ MKR
2.014 ms

RBW
1 MHz
VBW
3 MHz
SWP
30 ms



CENTER 908.521428 MHz

SPAN 0 Hz

Δ MARKER
2.014 ms
0.53 dB

Plot B5a.2

REF 10.5 dBm
10dB/

ATT 20 dB

A_view B_plank

Plot B1a

MKR
904.236 MHz


MARKER
904.236 MHz
1.97 dBm

REF DFS
0.5 dB

RBW
3 MHz
VBW
3 MHz
SWP
50 ms

CENTER 904.200 MHz

SPAN 5.00 MHz



REF 10.5 dBm
10dB/

ATT 20 dB

A_view B_blank

MKR
914.464 MHz

MARKER
914.464 MHz
2.75 dBm


REF OFS
0.5 dB

RBW
3 MHz
VBW
3 MHz
SWP
50 ms

CENTER 914.400 MHz

SPAN 5.00 MHz

Plot B1b



REF 10.5 dBm
10dB/

ATT 20 dB

A_view B_blank

MKR
925.843 MHz

MARKER
925.843 MHz
3.44 dBm


REF OFS
0.5 dB

RBW
3 MHz
VBW
3 MHz
SWP
50 ms

CENTER 925.80 MHz

SPAN 5.00 MHz

Plot B1c



REF 10.5 dBm
10dB/

ATT 20 dB

A_view B_plank

MKR
901 MHz

MARKER
901 MHz
-7.28 dBm


REF OFS
0.5 dB

RBW
100 kHz
VBW
300 kHz
SWP
600 ms

START 1 MHz

STOP 3.000 GHz

Plot B4a.1



REF 10.5 dBm
10dB/

ATT 20 dB


A_view B_blank

MKR
905 MHz

MARKER
905 MHz
-7.09 dBm

REF OFS
0.5 dB

RBW
100 kHz
VBW
300 kHz
SWP
1.9 s



START 800 MHz

STOP 10.000 GHz

Plot B4a.2

REF 10.5 dBm
10dB/

ATT 20 dB


A_view B_plank

MKR
909 MHz

MARKER
909 MHz
-6.38 dBm

REF OFS
0.5 dB

RBW
100 kHz
VBW
300 kHz
SWP
600 ms



START 1 MHz

STOP 3.000 GHz

Plot B4b.1

REF 10.5 dBm
10dB/

ATT 20 dB


A_view 8_plank

MKR
918 MHz

MARKER
918 MHz
-6.56 dBm

REF OFS
0.5 dB

RBW
100 kHz
VBW
300 kHz
SWP
1.9 s



START 800 MHz

STOP 10.000 GHz

Plot B4b.2

REF 10.5 dBm
10dB/

ATT 20 dB


A_view B_blank

MKR
922 MHz

MARKER
922 MHz
-6.06 dBm

REF OFS
0.5 dB

RBW
100 kHz
VBW
300 kHz
SWP
600 ms



START 1 MHz

STOP 3.000 GHz

Plot B+c.1

REF 10.5 dBm
10dB/

ATT 20 dB

A_view B_plank


Plot B4c.2

MKR
931 MHz

MARKER
931 MHz
-5.75 dBm

REF OFS
0.5 dB

RBW
100 kHz
VBW
300 kHz
SWP
1.9 s



START 800 MHz

STOP 10.000 GHz

REF 0.5 dBm
10dB/


ATT 10 dB

A_view B_blank

Δ MKR
-2.67 MHz

REF OFS
0.5 dB

RBW
100 kHz
VBW
300 kHz
SWP
50 ms



CENTER 902.00 MHz

SPAN 10.00 MHz

Plot B4d.1

REF 0.5 dBm
10dB/

ATT 10 dB


A_view B_blank

Δ MKR
1.70 MHz

Δ MARKER
1.70 MHz
-40.53 dB

REF OFS
0.5 dB

RBW
100 kHz
VBW
300 kHz
SWP
50 ms



CENTER 928.00 MHz

SPAN 10.00 MHz

Plot B4d.2

REF 10.5 dBm
10dB/

ATT 20 dB


A_view B_blank

MKR
904.654 MHz

MARKER
904.654 MHz
-13.16 dBm

REF OFS
0.5 dB

RBW
3 kHz
VBW
10 kHz
SWP
500 s



CENTER 904.200 MHz

SPAN 1.500 MHz

Plot B3a

REF 10.5 dBm
10dB/

ATT 20 dB


A_view 8_plank

MKR
914.848 MHz

MARKER
914.848 MHz
-12.53 dBm

REF DFS
0.5 dB

RBW
3 kHz
VBW
10 kHz
SWP
500 s



CENTER 914.400 MHz

SPAN 1.500 MHz

Plot B36

REF 10.5 dBm
10dB/

ATT 20 dB


A_view B_blank

MKR
926.106 MHz

MARKER
926.106 MHz
-12.00 dBm

REF OFS
0.5 dB

RBW
3 kHz
VBW
10 kHz
SWP
500 s



CENTER 925.800 MHz

SPAN 1.500 MHz

Plot B3c



Intertek Testing Services

ETL SEMKO

Report No.: 03060711
Talk Mode

Tested By: Hong, Report No.: 03060711

Scan Settings (1 Range)

Frequencies			Receiver Settings					
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp	OpRge
150k	30M	5k	10k	PK+AV	10ms	AUTO	LN OFF	60dB


Final Measurement: x QP / + AV

Meas Time: 1 s

Subranges: 16

Acc Margin: 20dB

Transducer No.	Start	Stop	Name
21	9k	30M	EW0698



Ctrl No.: N/A



Intertek Testing Services

ETL SEMKO

Report No.: 03060711
Talk Mode

Tested By: Hong, Report No.: 03060711

Scan Settings (1 Range)

|----- Frequencies -----||----- Receiver Settings -----|

Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp	OpRge
150k	30M	5k	10k	PK+AV	10ms	AUTO	LN OFF	60dB

Final Measurement

no Results

Ctrl No.: N/A