

FPC Antenna W3495

Frequency: 2400-2500MHz/5150-5858MHz



Features & Applications:

- 2.4-2.5GHz/5.15-5.85GHz
- Stable radiation pattern over operating band enables superior performance in impulse radio
- Ultra-small Antenna size 29.5 x 18mm



electrical specifications @ 25° C

Frequency Bands 2400-2500MHz/5150-5850MHz

Antenna type	Nominal Impedance	Polarization	Radiation pattern	Power withstanding	DC Ground
Dipole	50Ω	Vertical	Omni	3W	No

Frequency (MHz)	2400-2500	5150-5850
Return Loss(dB)	<-5.5	<-3.5
Peak Gain (dBi)	1-2.5	1-3
Average Efficiency (%)	42	40

Mechanical / Environmental Specifications

Pulse P/N W3495

Dimension (Length x Width x Height)	Color	Weight	Connector type	Cable type	Cable length	Fixing system
29.5 x 18 x 0.12mm	Black	0.16g	20278-112R-13	1.13mm	122mm	Adhesive tape 3M467

Material	Operating Temperature	Storage Temperature	RoHS-6 Compliant
FPC	-40°C to 85°C	-40°C to 85°C	Yes

Note: Tested inside the GE HealthCare CARESCAPE ONE V2


FPC Antenna

W3495

Frequency: 2400-2500MHz/5150-5858MHz

Drawing

W3495



Dimensions: [mm] inches


Unless otherwise specified, all tolerances are ± 0.10 (0.25mm)

FPC Antenna W3495


Frequency: 2400-2500MHz/5150-5858MHz

Test setup

W3495



Without Dock





Return Loss

W3495



Peak Gain & Efficiency


W3495



Frequency	Peak Gain(dBi)	Efficiency(%)
2400	1.38	41.74
2410	1.49	44.62
2420	1.40	46.07
2430	1.39	47.36
2440	1.30	48.46
2450	1.16	49.29
2460	1.12	48.61
2470	1.34	48.19
2480	1.26	47.68
2490	1.27	47.81
2500	1.45	47.48
5150	2.93	34.07
5200	2.52	33.90
5250	1.72	34.29
5300	1.10	33.54
5350	2.07	41.91
5400	2.28	44.43
5450	2.26	46.16
5500	2.39	44.80
5550	2.91	47.16
5600	2.69	43.04
5650	2.22	40.29
5700	2.26	38.14
5750	2.97	41.32
5800	2.42	39.63
5850	2.06	38.21





ECC with W3496 in GE device

W3495







Radiation Pattern

W3495



Radiation Pattern

W3495



FPC Antenna
W3495

Frequency: 2400-2500MHz/5150-5858MHz



Packaging

W3495

mentioned herein may be trademarks or registered trademarks of their respective owners. © Copyright , 2020. Pulse Electronics, Inc. All rights reserved.

- 10PCS/PE bag
- 120 PE bag/ carton box

For More Information:
Americas - antennas.us@pulseelectronics.com | Europe – antennas.eu@pulseelectronics.com | Asia – antennas.as@pulseelectronics.com | Questions? +1-800-ANTENNA
Performance warranty of products offered on this data sheet is limited to the parameters specified. Data is subject to change without notice. Other brand and product names