

FCC: OV8-LOGN3

5.1 Maximum output power radiated

For test instruments and accessories used see section 6 Part **CPR 2**.

5.1.1 Description of the test location


Test location: OATS 1

Test distance: 10 m

5.1.2 Photo documentation of the test set-up



Dipole antenna



Dipole antenna with cable extension



Dipole antenna



Dipole antenna with cable extension

FCC: OV8-LOGN3

5.2 Spurious emissions radiated (electric field)

For test instruments and accessories used see section 6 Part SER 2, SER 3.

5.2.1 Description of the test location

Test location: OATS 1

Test distance: 10 m


Test location: Anechoic chamber 2

Test distance: 3 m

5.2.2 Photo documentation of the test set-up



Dipole antenna



Dipole antenna with cable extension



Dipole antenna




Dipole antenna with cable extension

FCC: OV8-LOGN3**5.3 Modulation characteristics**

For test instruments and accessories used see section 6 Part MB.

5.3.1 Description of the test location

Test location: METROLOGY


5.3.2 Photo documentation of the test set-up

FCC: OV8-LOGN3**5.4 Occupied bandwidth**

For test instruments and accessories used see section 6 Part MB.

5.4.1 Description of the test location

Test location: METROLOGY

5.4.2 Photo documentation of the test set-up

FCC: OV8-LOGN3**5.5 Frequency stability**

For test instruments and accessories used see section 6 Part MB.

5.5.1 Description of the test location

Test location: METROLOGY

5.5.2 Photo documentation of the test setup