

FCC: OV8-LOGRB3-1

5 TEST CONDITIONS AND RESULTS



5.1 Conducted emissions

For test instruments and accessories used see section 6 Part A 4.

5.1.1 Description of the test location

Test location: Shielded Room S2

5.1.2 Photo documentation of the test set-up



FCC: OV8-LOGRB3-1

5.2 Maximum output power radiated

For test instruments and accessories used see section 6 Part **CPR 2**.

5.2.1 Description of the test location

Test location: OATS 1

Test distance: 10 m

5.2.2 Photo documentation of the test set-up



Dipole antenna



Magnetic socket antenna



Dipole antenna



Magnetic socket antenna

FCC: OV8-LOGRB3-1

5.3 Spurious emissions radiated (electric field)

For test instruments and accessories used see section 6 Part SER 2, SER 3.

5.3.1 Description of the test location

Test location: OATS 1

Test distance: 10 m


Test location: Anechoic chamber 2

Test distance: 3 m


5.3.2 Photo documentation of the test set-up



Dipole antenna



Magnetic socket antenna



Dipole antenna



Magnetic socket antenna

FCC: OV8-LOGRB3-1


5.4 Modulation characteristics

For test instruments and accessories used see section 6 Part MB.

5.4.1 Description of the test location

Test location: AREA4

5.4.2 Photo documentation of the test set-up



FCC: OV8-LOGRB3-1


5.5 Occupied bandwidth

For test instruments and accessories used see section 6 Part MB.

5.5.1 Description of the test location

Test location: AREA4

5.5.2 Photo documentation of the test set-up



FCC: OV8-LOGRB3-1

5.6 Frequency stability

For test instruments and accessories used see section 6 Part MB.

5.6.1 Description of the test location

Test location: AREA4

5.6.2 Photo documentation of the test set-up

