



21st CENTURY INNOVATIVE PRODUCTS/HANYANG ELECTRONICS, Ltd.
FRS-4000 “WALK & TALK” UHF TWO-WAY RADIO




OCCUPIED BANDWIDTH
 FOR 462.5625 MHz,
 CHANNEL ONE




WORST CASE
 BANDWIDTH FOR
 462.5625 MHz,
 CHANNEL ONE

Global Certification Laboratories, Ltd.

4 Matthews Drive East Haddam CT 06423 ♦ 860 873-1451 voice 860 873-1947 fax
21st CENTURY / HANYANG FRS-4000 File No: HAN9901 1/26/00 FCC PART 15 & 95




OCCUPIED BANDWIDTH
FOR 462.7125 MHz,
CHANNEL SEVEN




WORST CASE
BANDWIDTH FOR
462.7125 MHz,
CHANNEL SEVEN

Global Certification Laboratories, Ltd.

4 Matthews Drive East Haddam CT 06423 ♦ 860 873-1451 voice 860 873-1947 fax
21st CENTURY / HANYANG FRS-4000 File No: HAN9901 1/26/00 FCC PART 15 & 95




OCCUPIED BANDWIDTH
FOR 467.5625 MHz,
CHANNEL EIGHT




WORST CASE
BANDWIDTH FOR
467.5625 MHz,
CHANNEL EIGHT

Global Certification Laboratories, Ltd.

4 Matthews Drive East Haddam CT 06423 ♦ 860 873-1451 voice 860 873-1947 fax
21st CENTURY / HANYANG FRS-4000 File No: HAN9901 1/26/00 FCC PART 15 & 95




OCCUPIED BANDWIDTH
FOR 467.7125 MHz,
CHANNEL FOURTEEN




WORST CASE
BANDWIDTH FOR
467.7125 MHz,
CHANNEL FOURTEEN

Global Certification Laboratories, Ltd.


4 Matthews Drive East Haddam CT 06423 ♦ 860 873-1451 voice 860 873-1947 fax
21st CENTURY / HANYANG FRS-4000 File No: HAN9901 1/26/00 FCC PART 15 & 95



FREQUENCY STABILITY
OVER THE -10° C TO 50°C
TEMPERATURE RANGE
FOR 467.7125 MHz,
CHANNEL FOURTEEN




FREQUENCY STABILITY
OVER THE 3.60 – 4.50vdc
INPUT VOLTAGE RANGE
FOR 467.7125 MHz,



RELATIVE LEVEL OF SPURIOUS EMISSIONS (0.1 – 1.8 GHz)

RELATIVE LEVELS OF SPURIOUS EMISSIONS Channel 14



RELATIVE LEVEL OF SPURIOUS EMISSIONS (1.7 – 4.1 GHz)

RELATIVE LEVEL OF SPURIOUS EMISSIONS Channel 14