



Intertek Testing Services

ETL SEMKO

Report No.: 0000907

Mode: Charging

Tested By: Hong, Report No.: 0000907

Scan Settings (1 Range)

----- Frequencies ----- Receiver Settings -----

Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp	OpRge
450k	30M	5k	10k	PK	20ms	AUTO	LN OFF	60dB


Final Measurement: x QP

Meas Time: 1 s

Subranges: 16

Acc Margin: 20dB

Transducer No.	Start	Stop	Name
21	9k	30M	EW0698



Ctrl No.: N/A



Intertek Testing Services

ETL SEMKO

Report No.: 0000907

Mode : Charging

Tested By: Hong, Report No.: 0000907

Scan Settings (1 Range)

|----- Frequencies -----||----- Receiver Settings -----|

Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp	OpRge
450k	30M	5k	10k	PK	20ms	AUTO	LN	OFF 60dB

Final Measurement Results:

Frequency	QP Level	QP Limit
MHz	dBuV	dBuV

29.81500	37.2	48.0
----------	------	------

* limit exceeded

Ctrl No.: N/A



Intertek Testing Services

ETL SEMKO

Report No.: 0000907

Mode: Standby

Tested By: Hong, Report No.: 0000907

Scan Settings (1 Range)

----- Frequencies ----- Receiver Settings -----

Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp	OpRge
450k	30M	5k	10k	PK	20ms	AUTO	LN OFF	60dB

Final Measurement: x QP


Meas Time: 1 s

Subranges: 16

Acc Margin: 20dB

Transducer No. Start Stop Name

21 9k 30M EW0698



Ctrl No.: N/A



Intertek Testing Services

ETL SEMKO

Report No.: 0000907

Mode: Standby

Tested By: Hong, Report No.: 0000907

Scan Settings (1 Range)

Frequencies			Receiver Settings						
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp	OpRge	
450k	30M	5k	10k	PK	20ms	AUTO	LN OFF	60dB	

Final Measurement Results:

Frequency	QP Level	QP Limit
MHz	dBuV	dBuV

29.81500	36.0	48.0
----------	------	------

* limit exceeded

Ctrl No.: N/A



Intertek Testing Services

ETL SEMKO

Report No.: 0000907

Mode : Transmission

Tested By: Hong, Report No.: 0000907

Scan Settings (1 Range)

----- Frequencies ----- Receiver Settings -----

Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp	OpRge
450k	30M	5k	10k	PK	20ms	AUTO	LN OFF	60dB

Final Measurement: x QP


Meas Time: 1 s

Subranges: 16

Acc Margin: 20dB

Transducer No. Start Stop Name

21 9k 30M EW0698



PAGE 1

Ctrl No.: N/A



Intertek Testing Services

ETL SEMKO

Report No.: 0000907

Mode: Transmission

Tested By: Hong, Report No.: 0000907

Scan Settings (1 Range)

Frequencies			Receiver Settings						
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp	OpRge	
450k	30M	5k	10k	PK	20ms	AUTO	LN	OFF 60dB	

Final Measurement Results:

Frequency	QP Level	QP Limit
MHz	dBuV	dBuV

29.81500	32.5	48.0
----------	------	------

* limit exceeded

Ctrl No.: N/A