



	<u>Date(s) of Evaluation</u> March 24 - May 13, 2009	<u>Test Report Serial No.</u> 032009OWD-T959-S90P	<u>Test Report Revision No.</u> Rev. 1.0 (Initial Release)	 Test Lab Certificate No. 2470.01
	<u>Test Report Issue Date</u> May 22, 2009	<u>Description of Test(s)</u> Specific Absorption Rate	<u>RF Exposure Category</u> Occupational (Controlled)	

FACE-HELD SAR TEST SETUP PHOTOGRAPHS

2.5 cm Spacing from Front of Radio to Planar Phantom



DUT with Half-wave Whip Antenna (P/N: KRE1011506/1)




DUT with Wideband Whip Antenna (P/N: KRE1011506/2)


Applicant:	M/A-COM, Inc.	Model:	P7300 700-800	FCC ID:	OWDTR-0054-E	IC:	3636B-0054	
Portable PTT Radio Transceiver		769-775/799-805/806-824/851-869 MHz (FCC)			764-770 / 794-800 MHz (IC)			
2009 Celltech Labs Inc.	This document is not to be reproduced in whole or in part without the prior written permission of Celltech Labs Inc.							Page 162 of 182

	<u>Date(s) of Evaluation</u> March 24 - May 13, 2009	<u>Test Report Serial No.</u> 032009OWD-T959-S90P	<u>Test Report Revision No.</u> Rev. 1.0 (Initial Release)	 Test Lab Certificate No. 2470.01
	<u>Test Report Issue Date</u> May 22, 2009	<u>Description of Test(s)</u> Specific Absorption Rate	<u>RF Exposure Category</u> Occupational (Controlled)	

FACE-HELD SAR TEST SETUP PHOTOGRAPHS
2.5 cm Spacing from Front of **Speaker-Microphone Antenna Version** to Planar Phantom



DUT with Half-wave Whip Antenna (P/N: KRE1011506/1)




DUT with Wideband Whip Antenna (P/N: KRE1011506/2)

Applicant:	M/A-COM, Inc.	Model:	P7300 700-800	FCC ID:	OWDTR-0054-E	IC:	3636B-0054	
Portable PTT Radio Transceiver		769-775/799-805/806-824/851-869 MHz (FCC)			764-770 / 794-800 MHz (IC)			
2009 Celltech Labs Inc.	This document is not to be reproduced in whole or in part without the prior written permission of Celltech Labs Inc.							


	<u>Date(s) of Evaluation</u> March 24 - May 13, 2009	<u>Test Report Serial No.</u> 032009OWD-T959-S90P	<u>Test Report Revision No.</u> Rev. 1.0 (Initial Release)	  Test Lab Certificate No. 2470.01
	<u>Test Report Issue Date</u> May 22, 2009	<u>Description of Test(s)</u> Specific Absorption Rate	<u>RF Exposure Category</u> Occupational (Controlled)	

BODY-WORN SAR TEST SETUP PHOTOGRAPHS

1.5 cm Lapel Clip Spacing from Back of **Speaker-Microphone Antenna Version** to Planar Phantom
DUT with Earphone Audio Accessory



DUT with Half-wave Whip Antenna (P/N: KRE1011506/1)




DUT with Wideband Whip Antenna (P/N: KRE1011506/2)


Applicant:	M/A-COM, Inc.	Model:	P7300 700-800	FCC ID:	OWDTR-0054-E	IC:	3636B-0054	
Portable PTT Radio Transceiver		769-775/799-805/806-824/851-869 MHz (FCC)				764-770 / 794-800 MHz (IC)		
2009 Celltech Labs Inc.		This document is not to be reproduced in whole or in part without the prior written permission of Celltech Labs Inc.						Page 164 of 182

	<u>Date(s) of Evaluation</u> March 24 - May 13, 2009	<u>Test Report Serial No.</u> 032009OWD-T959-S90P	<u>Test Report Revision No.</u> Rev. 1.0 (Initial Release)	 Test Lab Certificate No. 2470.01
	<u>Test Report Issue Date</u> May 22, 2009	<u>Description of Test(s)</u> Specific Absorption Rate	<u>RF Exposure Category</u> Occupational (Controlled)	

BODY-WORN SAR TEST SETUP PHOTOGRAPHS
1.1 cm Belt-Clip Spacing from Back of Radio to Planar Phantom
DUT with Speaker-Microphone Audio Accessory



DUT with Half-wave Whip Antenna (P/N: KRE1011506/1)




DUT with Wideband Whip Antenna (P/N: KRE1011506/2)


Applicant:	M/A-COM, Inc.	Model:	P7300 700-800	FCC ID:	OWDTR-0054-E	IC:	3636B-0054	
Portable PTT Radio Transceiver		769-775/799-805/806-824/851-869 MHz (FCC)			764-770 / 794-800 MHz (IC)			
2009 Celltech Labs Inc.	This document is not to be reproduced in whole or in part without the prior written permission of Celltech Labs Inc.							

	<u>Date(s) of Evaluation</u> March 24 - May 13, 2009	<u>Test Report Serial No.</u> 032009OWD-T959-S90P	<u>Test Report Revision No.</u> Rev. 1.0 (Initial Release)	 Test Lab Certificate No. 2470.01
	<u>Test Report Issue Date</u> May 22, 2009	<u>Description of Test(s)</u> Specific Absorption Rate	<u>RF Exposure Category</u> Occupational (Controlled)	

BODY-WORN SAR TEST SETUP PHOTOGRAPHS
2.0 cm Nylon "T" Strap Holder Spacing from Back of Radio to Planar Phantom
DUT with Speaker-Microphone Audio Accessory



DUT with Half-wave Whip Antenna (P/N: KRE1011506/1)




DUT with Wideband Whip Antenna (P/N: KRE1011506/2)


Applicant:	M/A-COM, Inc.	Model:	P7300 700-800	FCC ID:	OWDTR-0054-E	IC:	3636B-0054	
Portable PTT Radio Transceiver		769-775/799-805/806-824/851-869 MHz (FCC)			764-770 / 794-800 MHz (IC)			
2009 Celltech Labs Inc.	This document is not to be reproduced in whole or in part without the prior written permission of Celltech Labs Inc.							Page 166 of 182

 Testing and Engineering Services Ltd.	<u>Date(s) of Evaluation</u> March 24 - May 13, 2009	<u>Test Report Serial No.</u> 032009OWD-T959-S90P	<u>Test Report Revision No.</u> Rev. 1.0 (Initial Release)	  Test Lab Certificate No. 2470.01
	<u>Test Report Issue Date</u> May 22, 2009	<u>Description of Test(s)</u> Specific Absorption Rate	<u>RF Exposure Category</u> Occupational (Controlled)	

BODY-WORN SAR TEST SETUP PHOTOGRAPHS
3.5 cm Leather Case (with Shoulder Strap) Spacing from Back of Radio to Planar Phantom
DUT with Speaker-Microphone Audio Accessory



DUT with Half-wave Whip Antenna (P/N: KRE1011506/1)




DUT with Wideband Whip Antenna (P/N: KRE1011506/2)

Applicant:	M/A-COM, Inc.	Model:	P7300 700-800	FCC ID:	OWDTR-0054-E	IC:	3636B-0054	
Portable PTT Radio Transceiver		769-775/799-805/806-824/851-869 MHz (FCC)			764-770 / 794-800 MHz (IC)			
2009 Celltech Labs Inc.	This document is not to be reproduced in whole or in part without the prior written permission of Celltech Labs Inc.							


Page 167 of 182

	<u>Date(s) of Evaluation</u> March 24 - May 13, 2009	<u>Test Report Serial No.</u> 032009OWD-T959-S90P	<u>Test Report Revision No.</u> Rev. 1.0 (Initial Release)	 Test Lab Certificate No. 2470.01
	<u>Test Report Issue Date</u> May 22, 2009	<u>Description of Test(s)</u> Specific Absorption Rate	<u>RF Exposure Category</u> Occupational (Controlled)	

BODY-WORN SAR TEST SETUP PHOTOGRAPHS
4.0 cm Nylon Case & Belt Loop Spacing from Back of Radio to Planar Phantom
DUT with Speaker-Microphone Audio Accessory



DUT with Half-wave Whip Antenna (P/N: KRE1011506/1)




DUT with Wideband Whip Antenna (P/N: KRE1011506/2)


Applicant:	M/A-COM, Inc.	Model:	P7300 700-800	FCC ID:	OWDTR-0054-E	IC:	3636B-0054	
Portable PTT Radio Transceiver		769-775/799-805/806-824/851-869 MHz (FCC)				764-770 / 794-800 MHz (IC)		
2009 Celltech Labs Inc.		This document is not to be reproduced in whole or in part without the prior written permission of Celltech Labs Inc.						

 Testing and Engineering Services Ltd	<u>Date(s) of Evaluation</u> March 24 - May 13, 2009	<u>Test Report Serial No.</u> 032009OWD-T959-S90P	<u>Test Report Revision No.</u> Rev. 1.0 (Initial Release)	 Test Lab Certificate No. 2470.01
	<u>Test Report Issue Date</u> May 22, 2009	<u>Description of Test(s)</u> Specific Absorption Rate	<u>RF Exposure Category</u> Occupational (Controlled)	

BODY-WORN SAR TEST SETUP PHOTOGRAPHS
5.0 cm Leather Case & Belt Loop Spacing from Back of Radio to Planar Phantom
DUT with Speaker-Microphone Audio Accessory



DUT with Half-wave Whip Antenna (P/N: KRE1011506/1)



DUT with Wideband Whip Antenna (P/N: KRE1011506/2)

Applicant:	M/A-COM, Inc.	Model:	P7300 700-800	FCC ID:	OWDTR-0054-E	IC:	3636B-0054	
Portable PTT Radio Transceiver		769-775/799-805/806-824/851-869 MHz (FCC)			764-770 / 794-800 MHz (IC)			
2009 Celltech Labs Inc.	This document is not to be reproduced in whole or in part without the prior written permission of Celltech Labs Inc.							

Page 169 of 182

	Date(s) of Evaluation March 24 - May 13, 2009	Test Report Serial No. 032009OWD-T959-S90P	Test Report Revision No. Rev. 1.0 (Initial Release)	 Test Lab Certificate No. 2470.01
	Test Report Issue Date May 22, 2009	Description of Test(s) Specific Absorption Rate	RF Exposure Category Occupational (Controlled)	

DUT PHOTOGRAPHS

			
Back of Radio	Back of Radio w/ Belt-Clip	Radio w/ Belt-Clip & Speaker-Microphone	Bottom end of Radio with Belt-Clip
			
Metal Belt-Clip accessory (P/N: CC23894)			
			
Top end of Radio with Belt-Clip	Left & Right sides of Radio with Belt-Clip		

Applicant:	M/A-COM, Inc.	Model:	P7300 700-800	FCC ID:	OWDTR-0054-E	IC:	3636B-0054	
Portable PTT Radio Transceiver		769-775/799-805/806-824/851-869 MHz (FCC)			764-770 / 794-800 MHz (IC)			
2009 Celltech Labs Inc.		This document is not to be reproduced in whole or in part without the prior written permission of Celltech Labs Inc.						Page 171 of 182

	Date(s) of Evaluation March 24 - May 13, 2009	Test Report Serial No. 032009OWD-T959-S90P	Test Report Revision No. Rev. 1.0 (Initial Release)	
	Test Report Issue Date May 22, 2009	Description of Test(s) Specific Absorption Rate	RF Exposure Category Occupational (Controlled)	

Test Lab Certificate No. 2470.01

DUT PHOTOGRAPHS



Front of Radio with Nylon "T" Strap Holder (P/N: KRY1011656/1)



Back of Radio with Nylon "T" Strap Holder (P/N: KRY 101 1656/1)



Left side of Radio with Nylon "T" Strap Holder (P/N: KRY 101 1656/1)



Right side of Radio with Nylon "T" Strap Holder (P/N: KRY1011656/1)

Applicant:	M/A-COM, Inc.	Model:	P7300 700-800	FCC ID:	OWDTR-0054-E	IC:	3636B-0054	
Portable PTT Radio Transceiver		769-775/799-805/806-824/851-869 MHz (FCC)			764-770 / 794-800 MHz (IC)			
2009 Celltech Labs Inc.		This document is not to be reproduced in whole or in part without the prior written permission of Celltech Labs Inc.						
Page 172 of 182								

	<u>Date(s) of Evaluation</u> March 24 - May 13, 2009	<u>Test Report Serial No.</u> 032009OWD-T959-S90P	<u>Test Report Revision No.</u> Rev. 1.0 (Initial Release)	 Test Lab Certificate No. 2470.01
	<u>Test Report Issue Date</u> May 22, 2009	<u>Description of Test(s)</u> Specific Absorption Rate	<u>RF Exposure Category</u> Occupational (Controlled)	

DUT PHOTOGRAPHS



Front of Radio with Leather Case with Shoulder Strap Kit (BEE P/N: KT-016201-004) & Short Leather Retaining Strap (BEE P/N: CC-014524-002)



Back of Radio with Leather Case with Shoulder Strap Kit (BEE P/N: KT-016201-004) & Short Leather Retaining Strap (BEE P/N: CC-014524-002)



Bottom end of Radio with Leather Case with Shoulder Strap Kit (BEE P/N: KT-016201-004) & Short Leather Retaining Strap (BEE P/N: CC-014524-002)



Leather Case (BEE P/N: FM-016199-004) with shoulder strap D-rings, Shoulder Strap (BEE P/N: CC-014524-001) & Short Leather Retaining Strap (BEE P/N: CC-014524-002)

Applicant:	M/A-COM, Inc.	Model:	P7300 700-800	FCC ID:	OWDTR-0054-E	IC:	3636B-0054	
Portable PTT Radio Transceiver		769-775/799-805/806-824/851-869 MHz (FCC)			764-770 / 794-800 MHz (IC)			
2009 Celltech Labs Inc.	This document is not to be reproduced in whole or in part without the prior written permission of Celltech Labs Inc.							
								Page 175 of 182

	<u>Date(s) of Evaluation</u> March 24 - May 13, 2009	<u>Test Report Serial No.</u> 032009OWD-T959-S90P	<u>Test Report Revision No.</u> Rev. 1.0 (Initial Release)	 Test Lab Certificate No. 2470.01
	<u>Test Report Issue Date</u> May 22, 2009	<u>Description of Test(s)</u> Specific Absorption Rate	<u>RF Exposure Category</u> Occupational (Controlled)	

DUT PHOTOGRAPHS

	
Left side of Radio with Leather Case with Shoulder Strap Kit (BEE P/N: KT-016201-004) and Short Leather Retaining Strap (BEE P/N: CC-014524-002)	Back of Short Leather Retaining Strap (BEE P/N: CC-014524-002)
	
Right side of Radio with Leather Case with Shoulder Strap Kit (BEE P/N: KT-016201-004) and Short Leather Retaining Strap (BEE P/N: CC-014524-002)	Front of Short Leather Retaining Strap (BEE P/N: CC-014524-002)

Applicant:	M/A-COM, Inc.	Model:	P7300 700-800	FCC ID:	OWDTR-0054-E	IC:	3636B-0054	
Portable PTT Radio Transceiver		769-775/799-805/806-824/851-869 MHz (FCC)			764-770 / 794-800 MHz (IC)			
2009 Celltech Labs Inc.	This document is not to be reproduced in whole or in part without the prior written permission of Celltech Labs Inc.							Page 176 of 182

	<u>Date(s) of Evaluation</u> March 24 - May 13, 2009	<u>Test Report Serial No.</u> 032009OWD-T959-S90P	<u>Test Report Revision No.</u> Rev. 1.0 (Initial Release)	  Test Lab Certificate No. 2470.01
	<u>Test Report Issue Date</u> May 22, 2009	<u>Description of Test(s)</u> Specific Absorption Rate	<u>RF Exposure Category</u> Occupational (Controlled)	

DUT PHOTOGRAPHS



Front of Radio with Leather Case with Belt Loop Kit
(BEE P/N: KT-016201-003)



Back of Radio with Leather Case with Belt Loop Kit
(BEE P/N: KT-016201-003)



Bottom end of Radio w/ Leather Case w/
Belt Loop Kit (BEE P/N: KT-016201-003)



Top end of Radio with Leather Case with Belt Loop Kit
(BEE P/N: KT-016201-003)



Back of Radio with Swivel Mount (P/N: KRY1011608/2) & Leather Case (BEE P/N: FM-016199-003)

Applicant:	M/A-COM, Inc.	Model:	P7300 700-800	FCC ID:	OWDTR-0054-E	IC:	3636B-0054	
Portable PTT Radio Transceiver		769-775/799-805/806-824/851-869 MHz (FCC)			764-770 / 794-800 MHz (IC)			
2009 Celltech Labs Inc.		This document is not to be reproduced in whole or in part without the prior written permission of Celltech Labs Inc.						
								Page 177 of 182

	<u>Date(s) of Evaluation</u> March 24 - May 13, 2009	<u>Test Report Serial No.</u> 032009OWD-T959-S90P	<u>Test Report Revision No.</u> Rev. 1.0 (Initial Release)	 Test Lab Certificate No. 2470.01
	<u>Test Report Issue Date</u> May 22, 2009	<u>Description of Test(s)</u> Specific Absorption Rate	<u>RF Exposure Category</u> Occupational (Controlled)	

DUT PHOTOGRAPHS



Left side of Radio w/ Leather Case w/ Belt Loop Kit (BEE P/N: KT-016201-003)



Right side of Radio w/ Leather Case w/ Belt Loop Kit (BEE P/N: KT-016201-003)




Front of Leather Case (BEE P/N: FM-016199-003) without shoulder strap D-rings and Leather Belt Loop (BEE P/N: CC-014527)



Back of Leather Case (BEE P/N: FM-016199-003) without shoulder strap D-rings and Leather Belt Loop (BEE P/N: CC-014527)

Applicant:	M/A-COM, Inc.	Model:	P7300 700-800	FCC ID:	OWDTR-0054-E	IC:	3636B-0054	
Portable PTT Radio Transceiver		769-775/799-805/806-824/851-869 MHz (FCC)			764-770 / 794-800 MHz (IC)			
2009 Celltech Labs Inc.	This document is not to be reproduced in whole or in part without the prior written permission of Celltech Labs Inc.							
								Page 178 of 182

DUT PHOTOGRAPHS



Applicant:	M/A-COM, Inc.	Model:	P7300 700-800	FCC ID:	OWDTR-0054-E	IC:	3636B-0054	
Portable PTT Radio Transceiver		769-775/799-805/806-824/851-869 MHz (FCC)			764-770 / 794-800 MHz (IC)			
2009 Celltech Labs Inc.	This document is not to be reproduced in whole or in part without the prior written permission of Celltech Labs Inc.						Page 179 of 182	

	<u>Date(s) of Evaluation</u> March 24 - May 13, 2009	<u>Test Report Serial No.</u> 032009OWD-T959-S90P	<u>Test Report Revision No.</u> Rev. 1.0 (Initial Release)	  Test Lab Certificate No. 2470.01
	<u>Test Report Issue Date</u> May 22, 2009	<u>Description of Test(s)</u> Specific Absorption Rate	<u>RF Exposure Category</u> Occupational (Controlled)	

DUT PHOTOGRAPHS

	
Speaker-Microphone Antenna Version (P/N: MC-023933-002) Top end view	Speaker-Microphone Antenna Version (P/N: MC-023933-002) Bottom end view
	
Speaker-Microphone Antenna Version (P/N: MC-023933-002) Left Side view with Lapel Clip	Speaker-Microphone Antenna Version (P/N: MC-023933-002) Right Side view with Lapel Clip

Applicant:	M/A-COM, Inc.	Model:	P7300 700-800	FCC ID:	OWDTR-0054-E	IC:	3636B-0054	
Portable PTT Radio Transceiver		769-775/799-805/806-824/851-869 MHz (FCC)			764-770 / 794-800 MHz (IC)			
2009 Celltech Labs Inc.	This document is not to be reproduced in whole or in part without the prior written permission of Celltech Labs Inc.							