



HARRIS CORPORATION

221 Jefferson Ridge Parkway  
Lynchburg, VA 24501  
[www.harris.com](http://www.harris.com)

Vehicle Application - Mobile Radio MPE Evaluation Report  
(Two antennas; same type)

Declaration of Compliance

FCC Rule Part: 47 CFR §90; §2.1091; §1.1310  
Device Classification: Licensed Non-Broadcast Station Transmitter (TNB)  
Device Type: Mobile VHF PTT Radio Transceiver with Vehicle Rooftop  
Antenna  
FCC ID: OWDTR-0056-E  
Model Name: M7300  
Modulation: FM  
Tx Frequency Range: 136 – 174 MHz  
Max. RF Conducted Power: 110.0 W (nominal/rated or lab report value, times 1.2; § 90.205(s))  
Power Supply: 12 VDC  
Antenna Type: Quarter wave vertical (AN-225002-001; AN-225006-001)  
Antenna Gain: 2.15 dbi;  
Minimum Antenna Distance: 93 cm Limits for Occupational/Controlled Exposure.  
208 cm Limits for General Population/Uncontrolled Exposure.

---

Calculation

$$S = \frac{PG}{4\pi R^2} \quad \text{therefore: } R = \sqrt{\frac{PG}{4\pi S}}$$

Where: S – power density (mW/cm<sup>2</sup>; as defined in 47 CFR § 1.1310), P – power input to antenna at 50% duty cycle (in mW), G – power gain of the antenna relative to isotropic (numeric value, not db), R – distance to center of antenna (result in cm).

S = 1/.2 (Controlled/Uncontrolled) at Tx frequency 136 MHz.

Calculated controlled distance: 92.825444 cm

Calculated uncontrolled distance: 207.564 cm

Daryl Popowitch  
Regulatory Manager,